

Accurate prediction of liquid-solid fluidized bed porosity in drinking water treatment processes using empirical data-driven genetic programming models

Kramer, Onno; El Hasadi, Yousef M.F. ; de Moel, Peter; Baars, Eric T.; Padding, Johan; van der Hoek, Jan Peter

Publication date

2019

Document Version

Accepted author manuscript

Published in

Proceedings of the 10th International Conference on Multiphase Flow (ICMF 2019)

Citation (APA)

Kramer, O., El Hasadi, Y. M. F., de Moel, P., Baars, E. T., Padding, J., & van der Hoek, J. P. (2019). Accurate prediction of liquid-solid fluidized bed porosity in drinking water treatment processes using empirical data-driven genetic programming models. In *Proceedings of the 10th International Conference on Multiphase Flow (ICMF 2019): Rio de Janeiro, Brazil, May 19 – 24, 2019*

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

Accurate prediction of liquid-solid fluidized bed porosity in drinking water treatment processes using empirical data-driven genetic programming models

Onno J.I. Kramer^{1/2/3/4}, Yousef M.F. El Hasadi², Peter J. de Moel^{1,5}, Eric T. Baars³,
Johan T. Padding², Jan Peter van der Hoek^{1/3}

¹ Delft University of Technology, Faculty of Civil Engineering and Geosciences, Department of Water Management, PO Box 5048, 2600 GA, Delft, The Netherlands, (E-mail: o.j.i.kramer@tudelft.nl), Tel: +31 6-42147123

² Delft University of Technology, Faculty of Mechanical, Maritime and Materials Engineering, Department of Process and Energy, Leeghwaterstraat 39, 2628 CB, Delft, The Netherlands

³ Waternet, PO Box 94370, 1090 GJ, Amsterdam, The Netherlands, (E-mail: eric.baars@waternet.nl), Tel: +31 6-51353545

⁴ HU University of Applied Sciences Utrecht, Institute for Life Science and Chemistry, PO Box 12011, 3501 AA Utrecht, The Netherlands

⁵ Omnisys, Eiberlaan 23, 3871 TG, Hoevelaken, The Netherlands

Keywords: liquid-solid fluidization, drinking water; porosity, hydraulic models, symbolic regression, genetic programming

Abstract

For an accurate prediction of the porosity of a liquid-solid homogenous fluidized bed, various empirical prediction models have been developed. Symbolic regression machine learning techniques are suitable for analyzing experimental fluidization data to produce empirical expressions for porosity as a function not only of fluid velocity and viscosity but also of particle size and shape. On the basis of this porosity, it becomes possible to calculate the specific surface area for reactions for seeded crystallization in a fluidized bed.

Introduction

Multiphase flows frequently occur in drinking water treatment processes, liquid-solid fluidization for instance, is a commonly used process for high-quality drinking water softening. In this process and for sustainability reasons, water companies want to reduce the use of chemicals and energy and also re-use waste materials as raw materials.

Efficient pellets softening (Graveland 1983) is based on the dosage of caustic soda in fluidized bed reactors with a high available specific surface area. The water is softened through the crystallization of calcium carbonate on pellet grains. Because the pellets grow in size, the larger ones are continuously extracted from reactors. The more or less spherical pellets are crushed and re-used as a seeding material (Schetters (2015)). These crushed particles are irregularly shaped, and this deserves careful consideration: for optimal process conditions, fluidized bed porosity is important because it determines the effective specific surface area.

In the literature, many porosity prediction models have been derived for particles that are perfectly spherical (Kramer 2018). The prediction accuracy for irregularly shaped particles, however, is rather low, particularly in reactors with an emergent particle size profile over the bed height.

A commonly used laboratory technique to quantify particle diameter is sieve analysis. This technique, however, is not suitable for determining the morphological properties

of irregularly shaped crushed particles from the pellet softening processes.

Materials and Methods

Genetic programming is a random-based technique (Koza 1992) for automatically learning computer programs through artificial evolution. It has been successfully applied in many applications (Barati 2014, Whiten 2015). The advantage of genetic programming is that there is no need to define the structure of a model *a priori*. It randomly generates a population of several mathematical operators.




Figure 1: Examples of irregularly shaped natural particles applied in drinking water treatment processes.

Expansion experiments were carried out for several materials (Figure 1) in Waternet's Weesperkarspel drinking

water pilot plant located in Amsterdam, the Netherlands. Fluidized bed expansion was obtained by varying the water flow rate at different water temperatures. The physical particle properties were determined using 2D image analysis recognition techniques (ImageJ). The data consist of superficial velocity, kinematic viscosity, particle density, grain sieve size, and several morphological particle properties.

Results and Discussion

The experimental data set consists of porosity measurements for 25 ascending superficial velocities at 4 different temperatures and involving 10 different calcium carbonate pellets with a diameter in the range of 0.5-2.0 mm. ImageJ software provided us with particle morphological properties such as the ellipsoid aspect ratio and sphericity.

Symbolic regression software was used to analyze the data set, and this yielded several empirical models to estimate the porosity. An example of a porosity plot is given in Figure 2.




Figure 2: Example of the predicted porosity as a function of superficial water velocity and water temperature.

Conclusions

Reliable empirical prediction models can easily be acquired using symbolic regression machine learning techniques based on sufficient and accurate experimental data.

Pellets softening processes can be improved by using these models in which the liquid-solid fluidized bed porosity is estimated as a function of fluid velocity and viscosity as well as particle size and shape.

Acknowledgments

This study is part of a project entitled “Hydraulic modelling of liquid-solid fluidization in drinking water treatment processes” carried out by Waternet, Delft University of Technology, and HU University of Applied Sciences Utrecht. Financial support came from Waternet’s Drinking Water Production Department. This research project did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

References

- Graveland, A., van Dijk, J.C., de Moel, P.J. & Oomen, J.H.C.M., Developments in water softening by means of pellet reactors, J. AWWA - Am. Water Work. Assoc. pp. 619-625 (1983)
- Barati, R., Neyshabouri, S.A.A.S. & Ahmadi, G. Development of empirical models with high accuracy for estimation of drag coefficient of flow around a smooth sphere: An evolutionary approach, Powder Technol. 257, pp. 11-19 (2014)
- Koza, J.R., Genetic programming: on the programming of computers by means of natural selection complex adaptive systems (1992)
- Kramer, O.J.I., de Moel, P.J., Baars, E.T., van Vugt, W.H., Padding, J.T. & van der Hoek, J.P., Improvement of the Richardson-Zaki liquid-solid fluidisation model on the basis of hydraulics - ARTICLE UNDER REVIEW, pp. 1-25 (2018)
- Schettters, M.J.A., van der Hoek, J.P., Kramer, O.J.I., Kors, L.J., Palmen, L.J., Hofs, B. & Koppers, H., Circular economy in drinking water treatment: reuse of ground pellets as seeding material in the pellet softening process, Water Sci. Technol. 71, pp. 479-486, (2015)
- Whiten, W.J. & Özer, C.E., New relation for the computation of settling velocities and diameters of spheres, Miner. Process. Extr. Metall. Rev. 36, pp. 92-102 (2015)