

**Exploring Multidimensional Modularity  
Strategies to Reduce Complexity in Design Activities**

Tan, Tan; Mills, Grant; Papadonikolaki, Eleni

**DOI**

[10.1061/JMENEA.MEENG-5596](https://doi.org/10.1061/JMENEA.MEENG-5596)

**Publication date**

2024

**Document Version**

Final published version

**Published in**

Journal of Management in Engineering

**Citation (APA)**

Tan, T., Mills, G., & Papadonikolaki, E. (2024). Exploring Multidimensional Modularity: Strategies to Reduce Complexity in Design Activities. *Journal of Management in Engineering*, 40(3), Article 05024002. <https://doi.org/10.1061/JMENEA.MEENG-5596>

**Important note**

To cite this publication, please use the final published version (if applicable).  
Please check the document version above.

**Copyright**

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

**Takedown policy**


Please contact us and provide details if you believe this document breaches copyrights.  
We will remove access to the work immediately and investigate your claim.

***Green Open Access added to TU Delft Institutional Repository***

***'You share, we take care!' - Taverne project***

**<https://www.openaccess.nl/en/you-share-we-take-care>**

Otherwise as indicated in the copyright section: the publisher is the copyright holder of this work and the author uses the Dutch legislation to make this work public.



# Exploring Multidimensional Modularity: Strategies to Reduce Complexity in Design Activities

Tan Tan<sup>1</sup>; Grant Mills<sup>2</sup>; and Eleni Papadonikolaki<sup>3</sup>

**Abstract:** Modularity is an approach to simplify systems and reduce complexity. However, existing research suggests that a mono-dimensional modularity strategy, focusing solely on one dimension, such as product, process, or organization, might not fully achieve these goals in design activities. This research investigates how combining strategies from various dimensions of modularity can reduce the complexity of large-scale engineering design. The Huoshenshan Hospital, a 1,000-bed hospital designed and built in 10 days, provided an extreme case study of the first emergency hospital to address COVID-19. The research identified 10 different aspects, termed ‘proximities’, which relate to how people perceive the four dimensions of modularity, specifically across organization–process–product–supply-chain dimensions. Additionally, it identified three types of reinforcement relationships aimed at diminishing complexity in design activities: modular alignment (i.e., synchronized alignment and asynchronous alignment), modular complementarity (i.e., subtraction complement and addition complement), and modular incentive relationships. This research highlights that these three types of reinforcement relationships between different dimensions of modularity can reduce complexity, allowing subsystems to support the system in working as a whole. DOI: 10.1061/JMENA.MEENG-5596. © 2024 American Society of Civil Engineers.

**Author keywords:** Modularity; Engineering design; Design activities; Construction; Case study.

## Introduction

In the context of engineering and design, complexity often refers to the intricacy, interconnectedness, and multifaceted nature of components, systems, or processes. It can manifest in various ways and can be viewed from multiple dimensions (Braha 2016). Individuals from various fields, companies, and locations collaborate. They interact with each other and with different objects. This creates a constantly changing network of activities and relationships (Wynn et al. 2005). Amidst numerous unrelated design tasks, processes, and decisions, unintended interactions can emerge, heightening the system’s complexity. The exploration and reduction of complexity are of significant importance in comprehending and designing modern engineering systems (Simon 1996). By delving into the intricacies of these systems, one can gain a deep understanding of their functionality and behavior, leading to more efficient and effective design solutions.

Modularity is an approach to reduce complexity in design. It refers to the principle that a system is divided into separate components or modules, each responsible for a distinct function and working together as a whole. These modules can be created, replaced, or upgraded independently (Baldwin et al. 2000). In this research, multiple dimensions of modularity refer to the wide range of viewpoints and themes for defining modularity (Bask et al.

2010). Previous studies have explored mono-dimensional modularity strategies, such as product modularity (Gravina da Rocha et al. 2020; Zhou 2023), process modularity (Bekdik et al. 2018), organizational modularity (Kriner et al. 2011), and supply-chain modularity (Zhou et al. 2023). Nevertheless, in some design activities, employing mono-dimensional modularity strategies may not simplify systems or reduce complexity. For example, conflicts may arise between modular design strategies, such as standardization and flexibility (Choi et al. 2022). Besides, by focusing on specialization within modules, modularity might also hinder collaboration, especially cooperation (the willingness to collaborate) (Tee et al. 2019).

Previous studies suggest a potential relationship between two or three modular dimensions for reinforcement. The ‘reinforcement relationship’ refers to a synergy connection where systems of multiple dimensions (i.e., across product, process, organization, and supply-chain dimensions) strengthen each other, aiming for systems integration, which is the cohesive blending of these dimensions to function seamlessly as a unified whole. In other words, changes or adjustments in one dimension can positively affect another, ensuring harmonious functioning rather than isolation or conflict. Studies have explored the alignment relationships between product and process modularity (da Rocha and Kemmer 2018; Tan et al. 2023); product and organizational modularity (Hall et al. 2020; Tan et al. 2021; Tee et al. 2019); product and supply-chain modularity (Hofman et al. 2009; Pero et al. 2015); product, process, and organizational modularity (Jensen et al. 2014); and product, process, and supply-chain modularity (Doran and Giannakis 2011; Voordijk et al. 2006). However, aligning multiple dimensions of modularity may not always lead to complexity reduction in design activities. For example, the ‘mirroring hypothesis’ (i.e., the alignment relationship between organizational and product modularity) is not a universal principle for design. The industry and firm studies showed that more than two-thirds (70%) of the descriptive studies provide strong evidence of mirroring, 22% provide partial support, while 8% do not support the hypothesis (Colfer and Baldwin 2016). For example, when the underlying technologies are rapidly

<sup>1</sup>Assistant Professor, Dept. of Real Estate and Construction, The Univ. of Hong Kong, Hong Kong SAR 999077, China (corresponding author). ORCID: <https://orcid.org/0000-0002-3374-8299>. Email: [tant@hku.hk](mailto:tant@hku.hk)

<sup>2</sup>Professor, Bartlett School of Sustainable Construction, Univ. College London, London WC1E 7HB, UK. Email: [g.mills@ucl.ac.uk](mailto:g.mills@ucl.ac.uk)

<sup>3</sup>Associate Professor, Faculty of Civil Engineering and Geosciences, Delft Univ. of Technology, Delft 2628 CN, Netherlands. Email: [e.papadonikolaki@tudelft.nl](mailto:e.papadonikolaki@tudelft.nl)

Note. This manuscript was submitted on March 29, 2023; approved on October 18, 2023; published online on January 23, 2024. Discussion period open until June 23, 2024; separate discussions must be submitted for individual papers. This paper is part of the *Journal of Management in Engineering*, © ASCE, ISSN 0742-597X.

changing and becoming more complex, breaking away from the logic of strict mirroring may lead to better technical performance and advantage (Colfer and Baldwin 2016).

In architectural design, various modularity dimensions might operate independently. For example, a building project may deploy highly modular physical components but adhere to a design process that is less modular, thereby leaning toward a more integral process, which means a unified, cohesive design process. Alternatively, even when using a cast in situ type construction, some projects might still incorporate modular processes, implying that the process is less interconnected and cohesive. Integration practices, which entail combining different parts or systems into a harmonious whole, can complement the high level of modularity by stimulating collaboration (Tee et al. 2019). While modularity offers flexibility and adaptability, integration ensures synergy and unified operation. At present, research on multidimensional modularity relationships in engineering design is in its infancy, particularly in the context of large-scale complex engineering. Complex large-scale engineering projects require diverse design expertise and interdisciplinary collaboration to address complexity and challenges. As such, there exists a gap in research about how different dimensions of modularity can reduce complexity in design activities through their synergy.

This research explores how a multidimensional modularity strategy can reduce complexity in large-scale engineering design, focusing on reinforcement relationships between the modularity dimensions. This research defines reinforcement relationship as the synergistic interplay between various modular strategies across multiple dimensions, all working together to reduce overall complexity. For example, when solving a puzzle, using one strategy to find corner pieces and another to match by color can reinforce each other, simplifying a complex task, analogous to the ‘reinforcement relationship’ described. Both Hall et al.’s (2020) alignment relationship and Tee et al.’s (2019) complement relationship are reinforcement relationships between multiple dimensions of modularity to facilitate continuous collaboration and complexity reduction. The research question is, ‘how does multidimensional modularity reduce complexity in engineering design?’ This main question branches into three subquestions:

1. How is multidimensional modularity implemented?
2. How are the different dimensions of modularity related to each other?
3. How does the reinforcement relationship contribute to design complexity reduction?

This research examines the literature about the relationships between four modularity dimensions. Following this, the research outlines its single case study methodology. The results present the measures of the four modularity dimensions in the case of Huoshenshan Hospital. In the subsequent section, the discussion analyzes three relationship patterns between these four dimensions: modular alignment, modular complementarity, and modular incentive relationships. Finally, section 6 provides a conclusion summarizing the findings of the study.

## Relationships between the Four Dimensions of Modularity

### Defining Modularity

The origins of modularity theory can be traced back to earlier theoretical concepts (Frandsen 2017). For example, Simon (1962) proposes the concept of ‘near decomposability’, implicating systems can be decomposed into component subsystems for complexity

reduction. After that, Starr (1965) pioneers the concept development of ‘modular production’ to describe the capacity of design for manufacture in parts that can be assembled in multiple approaches. Furthermore, Weick (1976) introduced a concept termed ‘loose coupling’, which refers to systems with responsive elements that maintain physical or logical separateness, highlighting their advantage in localized adaptation. These close theoretical concepts provided the basis for the development and evolution of modularity (Frandsen 2017). Terminologies such as ‘module’, ‘modular’, ‘modularity’, and ‘modularization’ are often used interchangeably across various academic papers spanning different subjects. Nuances of modularity exist and vary somewhat based on contextual background, such examples ranging from several fields of science (i.e., biology, ecology, cognitive science), technology (i.e., modular programming, software design, self-reconfiguring modular robotic), industry (i.e., construction, industrial design, manufacturing, organizational design), and culture (i.e., new media, modular art).

Modularity refers to a hierarchical system structure consisting of smaller subsystems that can be designed independently but operate as a holistic system (Baldwin et al. 2000; Ulrich 1995). Each industry has its own specific definition. In engineering design, modularity refers to products, processes, and resources that fulfill various functions by combining distinct building blocks (Bonvoisin et al. 2016; Kusiak 2002). In technology and organization, modularity refers to breaking up a complex system into discrete pieces upon a standardized architecture for their interactive communication only through standardized interfaces (Langlois 2002). In the construction industry, modularity refers to a design approach that uses prefabricated standardized components or modules that can be easily assembled, disassembled, and reassembled in various configurations (Kluck and Choi 2023; Ulrich 1994). Recently, several studies have systematically reviewed the definition of modularity (Campagnolo and Camuffo 2010; Pandremenos et al. 2009; Salvador 2007; Sonogo et al. 2018). A consensus among these studies is the emphasis on both interdependence within modules and independence across them, leveraging these features to address complexity by obscuring intricate parts behind abstractions and interfaces (Baldwin et al. 2000). In addition to interdependence and independence, Baldwin et al. (2000) captured the essence of modularity from three ideas: (1) abstraction, (2) information hiding, and (3) interface.

Four major dimensions of modularity have been identified: product, process, supply chain, and organizational modularity (Bask et al. 2010). Corresponding to the concept of ‘modularity-in-design’, product modularity entails a product design strategy using standardized and interchangeable components to configure various products (Gershenson et al. 2003; Schilling 2000). By ‘design’ here, it means the conceptualization and detailing of a product’s components and their interactions. This is where decisions about the product’s functionality, aesthetics, and features are determined. Process modularity, corresponding to ‘modularity-in-production’, mainly used for planning purposes, describes the degree to which a process can be decomposed into modules for parallel execution (Parraguez et al. 2019). ‘Planning’ in this context refers to the coordination and sequencing of tasks in the production pipeline. This approach allows for easier scaling, modification, and customization of the production process without disrupting the entire system. Supply-chain modularity refers to whether certain supply functions or tasks are conducted by a single supplier or not and whether they can be explicitly distinguished from others (Wolters 2002), thus aiming to mitigate the complexity within supply-chain coordination. And organizational modularity is a loosely coupled network of autonomously operating self-contained units, having a low level

of interaction but a high level of awareness among each other through standardized interfaces, which can be flexibly recombined into a variety of organizational configurations (Soyer et al. 2019).

### Relationships between Multiple Dimensions of Modularity

Design activities based on mono-dimensional modularity strategies might pose communication barriers in interdisciplinary teamwork, thereby hindering design performance. For example, Rocha and Koskela (2020) analyze the underdevelopment of product modularity in the construction industry. Pan et al. (2008) indicate that there is a misalignment between conventional procurement methods and the awareness levels concerning the incorporation of product modularity in early designs. Various causes from diverse dimensions, including organizational and technical dimensions, adversely affect the implementation of modularization (Pan et al. 2023). Therefore, it is crucial for modularity to account for the coordination across multiple dimensions (Shafiee et al. 2020).

A growing body of research emphasizes the utilization of multidimensional modularity in design activities. Previous studies have explored various alignment relationship strategies between multiple dimensions of modularity, as shown in Fig. 1. da Rocha and Kemmer (2018) examine the alignment relationship between product modularity and process modularity, the positive impacts

of alignment on architectural design, and the negative impacts of misalignment between product modularity and process modularity; Hall et al. (2020) explore ‘mirroring-breaking’ strategies to improve systems innovation by further understanding the alignment relationship between product modularity and organizational modularity; Tan et al. (2021) investigate the design for manufacture and assembly through the alignment of product and organizational modularity. On the other hand, some studies are now exploring the misalignment relationship. Tee et al. (2019) identify a complementary relationship (i.e., a type of misalignment) between modular design and integration practices, demonstrating that aligning multidimensional modularity is not always the best practice. However, a significant gap remains in the literature regarding a holistic understanding of the relationships between multidimensional modularity, as well as the inherent mechanisms that govern these relationships.

Research into these multidimensional modularity relationships in engineering design, particularly in the context of large-scale complex engineering, is in its infancy. Pan et al. (2019) also stress the significance of employing a multidimensional perspective to foster modularity. They propose five visions for the multilevel framework, but further empirical evidence is needed to support and build on these recommendations. Therefore, this research addresses the research gap related to the lack of a comprehensive reinforcement strategy. By delving into and addressing these reinforcement




Fig. 1. Alignment between multidimensionality of modularity.



**Table 1.** Interview questions

Number	Questions
1	Could you describe the project, including your role and responsibilities?
2	Could you describe the required outcomes, especially regarding manufacturability and assemblability?
3	Could you describe the strategies to improve Design for Manufacture and Assembly (DfMA)? How were these strategies integrated?
4	Who was involved in the design stage? What should design and construction team integration look like? Were there any specific digital techniques that made it possible, such as BIM?
5	Could you describe the design evaluation approaches used in this project?
6	Could you describe the decision-making process of design? Who was involved in the decision-making?
7	Could you describe the challenges to DfMA? Were there any digital advancements to the application of DFMA?
8	Are there any lessons that you would take on to the next project?
9	Are there any important experiences or opinions about the project that you want to add?

relationships, this research seeks to enhance our understanding of how to reduce complexity in design activities.

## Methodology

### Single Case Study Paradigm

This research sampling seeks to attain theoretical generalizability using a critical, extreme, and revelatory case (Yin 2017). This rationale supports the adoption of the single case study paradigm. Firstly, a single case was selected in this research to test the modularity theory. The propositions of modularity theory can be evaluated through a single case to determine its accuracy or whether alternative explanations might hold more relevance. Secondly, the choice of a single case can be justified by its extreme or unique characteristics, which deviate from theoretical norms or common occurrences, thus offering insights about standard processes. Thirdly, exposing previously inaccessible phenomena and highlighting their revelatory nature can further justify the use of a single case study in theory building (Yin 2017). Finally, addressing criticisms about generalization, a single case study aims not to represent the world but to depict the specific case in focus (Stake 1978), which means the main goal is to pursue a better view and explanation rather than seek the general laws that operate in the particular case (Tsoukas 2009).

Thus, choosing this particular case should provide empirical insights into the theoretical concepts or principles of modularity. Huoshenshan Hospital provides an example of a rapidly deployed healthcare facility to increase capacity to cope with increased hospitalizations of COVID-19 patients in Wuhan, China. Factors such as high uncertainty, constrained timelines, and complex functionality made the modular hospital design more intricate (Pan and Zhang 2022). It is a unique opportunity to explore design activities for large-scale complex engineering. There were more than 100 companies involved in the project. On January 23, 2020, the Wuhan Government commenced the construction of Huoshenshan Hospital, spanning 33,940 square meters and 1,000 beds. Just 10 days later, the hospital was completed on February 2, 2020.

### Data Collection and Analysis

The design team for the Huoshenshan Hospital project comprised approximately 60 employees from the General Institute of Architectural Design and Research Co., Ltd. (CITIC), comprising five design specializations: architectural design, structural engineering, water supply and drainage, Heating, Ventilation and Air Conditioning (HVAC), and electrical engineering. The junior designers reported their progress to their respective leaders, who oversaw

the primary flow of information within their respective specializations. As such, this research sought to interview senior design leaders and junior designers to understand their interdisciplinary teamwork and design activities, with a written invitation and a schematic presentation of questions (see Table 1). A total of 18 interviews were conducted online (see Table 2), each lasting between 30 and 60 min.

Semistructured interviews were supplemented with various other data sources in a mixed-method approach, enhancing data validation and triangulation. In the initial stage, diverse resources were scrutinized to acquire foundational information about the project case and the design institute. This research used the China National Knowledge Infrastructure to download all Huoshenshan-related Chinese reports, news, and technical analyses, which provided crucial knowledge and comprehension about the project. Subsequently, two authors facilitated a focus group discussion with CITIC to gain insights into their conventional practices, which furnished a context for comprehending the distinctiveness of Huoshenshan Hospital. In the final stage, recently published documents were reviewed, such as an official publication detailing the technical intricacies of Huoshenshan Hospital. The research content was ultimately examined and discussed with the designers to establish a triangulated validation.

In an interpretive case study, data presentation characteristics encompass (1) forming dynamic relationships between secondary concepts in data structures; (2) converting static data structures into dynamic grounded theoretical models; and (3) literature dialogue,

**Table 2.** Sample of interviewees

Code	Specialization	Role	Working years
C1	Architectural design	Leader	> 16
C2		Designing principal	> 16
C3		On-site designer	11–15
C4		Designer	6–10
C5	Structural engineering	Leader	> 16
C6			> 16
C7		Designing principal	> 16
C8	Water supply and drainage	Leader	> 16
C9		Designing principal	> 16
C10		Designer	11–15
C11			11–15
C12	HVAC		6–10
C13		Leader	> 16
C14		Designing principal	> 16
C15	Electrical engineering	Designer	11–15
C16		Leader	> 16
C17		Designing principal	> 16
C18		Designer	> 16

refining the representation of emerging concepts and their relationships. Interpretive case studies reflect the process of theoretical induction by emphasizing the encoding process of concepts. A data-driven (inductive) coding process was adopted and implemented (Saldaña 2021). Researchers systematically presented first-order coding (analyzed using respondent-centered terms and items) and second-order coding (analyzed using researcher-centered concepts, themes, and dimensions, specifically looking out for concepts not present in the literature) to provide a basis for the concepts and theories that eventually emerge.

Content-driven thematic analysis was used to obtain meaning from the interview data (Morse 1994) using the Atlas-ti 9 qualitative data analysis tool. The analytical technique follows a general phenomenological approach where data was evaluated to identify significant statements and sentences that provide an understanding of how participants experienced the phenomenon (Creswell and Poth 2016). In line with the procedure for thematic analysis, the coding scheme and final categorization of identified factors were based on dominant themes that emerged from the interview scripts. The coding scheme enhanced the identification of key design attributes, strategies, and four categories of measures for modularity, including product, process, organizational, and supply-chain modularity.

## Results

### Product Modularity in Huoshenshan Hospital

The design process of Huoshenshan Hospital embodied the idea of product modularity in many ways. This research categorizes product modularity measures into two main areas: function proximity and component proximity (see Table 3). Function proximity is the closeness of the modules within a product or system structure, of which there are three: partitioning of building layouts, partitioning of hygiene layout, and partitioning of the site layout. For example, the site also posed a challenge to designers due to the multiple construction teams working in parallel. They had to design and strategize for multiple parallel construction situations before construction work started. Given the site's sloped nature, designers segmented it into two terraces, or modules, and also divided the building into two major parts according to the site, leaving sufficient spacing at the junction and connecting only with access roads (i.e., interfaces). The height difference between the two terraces was later adjusted several times according to the construction conditions but without any impact on the overall design.

Component proximity means the physical closeness of the modules within a product or system structure. There are three ways to achieve component proximity: keeping the same type of components/equipment used in one area, using modular building components/equipment, and minimized equipment-to-building interfaces and

**Table 3.** Product modularity in Huoshenshan Hospital

Code/super codes	Second code
Function proximity (i.e., functional closeness of the modules within a product or system structure)	Partition of building layout Partition of hygiene layout Partition of site layout
Component proximity (i.e., physical closeness of the modules within a product or system structure)	The same type of components/equipment used in one area Use of modular building components/equipment Reduced equipment-to-building interfaces and openings

openings. Rather than consistently employing a standardized interface for product modularity, the design often opted for a nonstandardized interface strategy to increase design variability, improve construction fault tolerance, and reduce construction workloads. For example, the designers built different seam widths at the interfaces at the container joints to handle construction errors.

### Process Modularity in Huoshenshan Hospital

Huoshenshan Hospital's design incorporated process modularity using two key characteristics: task proximity and technological proximity (see Table 4). Task proximity was the degree to which different tasks or activities within a process were related or interconnected. For example, design professionals utilized a simultaneous design-proofreading-reviewing process, where three individuals collaborated on one computer monitor, concurrently tackling all three tasks. Additionally, the hospital's entire functional space underwent standardization. This was achieved by delineating complex medical processes, classifying functional rooms, optimizing mechanical and electrical systems, and integrating equipment and pipelines, thus realizing standardized design tasks. Then, the corresponding generalized and modularized design tasks were carried out using the selected materials and electromechanical equipment. Fig. 2 shows the concurrent and interrelated construction tasks for the realization of Huoshenshan Hospital design, which also reflects the process modularity.


Technological proximity refers to the extent to which various modules or process components share technologies or technical infrastructure. The construction team appointed technicians to participate in the design process. Moreover, the procurement team relayed feedback on available equipment and materials to the designers, guiding them to adhere to the principle of 'use what is available'. The material specifications of different manufacturers varied, so it was necessary to deepen the design according to the actual size of the products. The design team also appointed a designer to be on-site to guide the construction according to the design, and provide feedback to the design team. The design of the prefabricated components, and the module production and processing drawings of the construction side, were carried out simultaneously, and the production and assembly process requirements were fed back to the design team in a timely manner, which then leveraged the synergy between design and factory production, professional suppliers, and on-site assembly, and provided a fundamental guarantee for shortening the construction period.

### Organizational Modularity in Huoshenshan Hospital

Three project organization strategies were identified by three codes: responsibility proximity, knowledge proximity, and resource

**Table 4.** Process modularity in Huoshenshan Hospital

Code/supercodes	Second code
Task proximity (i.e., the degree to which different tasks or activities within a process are related or interconnected)	Concurrent design process between interdisciplinary teams Standardized/modularized design tasks
Technological proximity (i.e., the degree to which different modules or components of a process share common technologies or technical infrastructure)	Collaborative design process involving manufacturers Collaborative design process involving purchasers/suppliers Collaborative design process involving contractors



**Fig. 2.** Concurrent and interrelated construction tasks.

proximity (see Table 5). Responsibility proximity indicates the degree to which individuals or teams within an organization share common responsibilities. The complexity of healthcare buildings and engineering systems for handling infectious diseases further increased the challenges associated with a modular design. This project involved many technical and design disciplines, far exceeding those required for ordinary buildings. Firstly, design members from different institutes collaboratively worked together. All disciplines of the

CITIC had corresponding designers from contractors to work in the design office for the same design activities, and all contractor design disciplines had corresponding designers from the CITIC to work on-site together (see Fig. 3). This hybrid structure promoted the sharing of common responsibilities between temporary organizations.

Knowledge proximity indicates the degree to which different individuals or teams within an organization share common knowledge or expertise. Clear communication and swift knowledge

**Table 5.** Organizational modularity in Huoshenshan Hospital

Code/supercodes	Second codes
Responsibility proximity (i.e., the degree to which individuals or teams within an organization share common responsibilities)	Different design professionals all have designers from the main contractor Different design professionals all have on-site designers Purchase team members work with designers directly Collaborative decision-making to minimize changes
Knowledge proximity (i.e., the degree to which different individuals or teams within an organization share common knowledge or expertise)	Different design professionals all have potential design interfaces for other professionals Work in double shifts (24 × 7) Instant online communication and daily meetings
Resource proximity (i.e., the degree to which different individuals or teams of an organization share common resources)	Design professionals work with contractors on-site and share common on-site resources Contractors work with design professionals in the design office and share common office resources






Fig. 3. Collaborative design between CITIC and contractor teams.

sharing between designers from various institutions were essential to the project's success. For example, a 24-h shift schedule, high-density information exchange, daily meetings, and decision-making were all adopted. Advanced design and communication technologies, such as Building Information Modeling (BIM) software, were not used at the design stage. Collaboration was achieved through conventional methods, including telephone and WeChat group communication, sharing screenshots and pictures, and SketchUp/AutoCAD drawings. All the designers boasted extensive work experience and a history of long-term collaboration. The CITIC and main contractor were all local companies with long-term cooperative relations, contributing to the collaboration speed to share common knowledge or expertise.

Resource proximity indicates the degree to which different individuals or teams of an organization share common resources. There were many pieces of evidence from this project about high resource proximity; for example, construction began on the site from the moment the design started; the on-site designers worked with contractors at the construction site and created on-site designs based on actual construction situations; and the contractor was involved in the early decision-making with design institutes, the government, and healthcare operators. Different design professionals from the main contractor worked directly at the design institute's office.

### Supply-Chain Modularity in Huoshenshan Hospital

The design of Huoshenshan Hospital embodied supply-chain modularity in three ways, namely geographic, organizational, and cultural proximity. While geographic proximity can be measured by physical distance, time was a key indicator for the Huoshenshan Hospital project. For example, the design only selected equipment and building materials that were close at hand and could be transported to the site quickly. In addition, due to the Spring Festival, the project team only brought in personnel from Wuhan to quickly build temporary teams.

Organizational proximity encompasses elements such as ownership, managerial oversight, as well as interpersonal and interteam dependencies. In this case, three main approaches represented organizational proximity: collaborative alliance, central or state-owned enterprises, and government organizations (see Table 6). For example, the design and construction companies were mainly central or state-owned enterprises. The Party Committee spearheaded numerous project promotion meetings on-site, supervising the project, guiding on-field construction, resolving critical challenges, and ensuring the project's timely completion. Many specialized companies working under the China State Construction Engineering Corporation (CSCEC) quickly participated and embedded in the specific business aspects of the construction of Huoshenshan Hospital. Represented by the China Construction

**Table 6.** Supply-chain modularity in Huoshenshan Hospital

Code/supercodes	Second code
Geographic proximity (i.e., the physical distance between different entities within a supply chain)	Local sourcing for equipment and building materials Temporary local teams
Organizational proximity (i.e., the degree of closeness between these entities in terms of organizational structure or relationships)	Collaborative alliances Central or state-owned enterprises Government organizations
Cultural proximity (i.e., the degree of closeness between different entities in terms of their cultural norms, values, beliefs, and practices)	Culture of state-owned enterprises Culture of China's communist party Corporate social responsibility

Third Engineering Bureau Co. Ltd., the main impetus for the close collaboration of its subordinate enterprises and sister engineering bureaus came from the top-down internal authority of the enterprise.


The main close collaboration impetus between CSCEC and other sister central enterprises came from the administrative power of the State-owned Assets Supervision and Administration Commission of the State Council. Cultural proximity captures the commonality of language, business mores, ethical standards, and laws, among other elements. The supply-chain collaboration at Huoshenshan Hospital was driven by both internal and external state-owned enterprises, with the internal manifestation being a corporate culture with a sense of social responsibility as the core of the main body of the industrial chain, and the external manifestation showing hierarchical characteristics, from top to bottom, in the order of administrative power and internal corporate authority.

## Discussion


### Modular Alignment Relationship

Existing studies explored and tested the alignment relationships (da Rocha and Kemmer 2018; Gokpınar et al. 2010; Pero et al. 2010; Sosa et al. 2004; Tan et al. 2021; Voordijk et al. 2006), such as the relationship between modular product and modular process/organization. This case study built upon the previous research and focused on how, in the field of design, these alignments are achieved.

The investigation of the Huoshenshan Hospital case revealed two discernible alignment patterns. The first pattern, termed 'synchronized alignment', revealed a single strategy impacting multiple modularity dimensions simultaneously, as shown in Fig. 4. The second pattern identified is that different strategies can act on different dimensions of modularity, referred to as 'asynchronous alignment', as shown in Fig. 5. For example (see Table 7), in the alignment between process and organizational modularity, a typical strategy in the design process at Huoshenshan Hospital was concurrent processes for design and review. Given the urgency of the project and the limited time available for design, the conventional iterated design activities, which involve initial design followed by review and then final approval, can make one iteration cycle highly complex and time-consuming. Thus, a modular and concurrent approach to these design activities reduces the complexity brought about by the normal iterative process. In addition, the construction team of the main contractor had corresponding engineers involved in the design process, and the design team of the design institute had designers involved at the construction site (see Fig. 3). The



**Fig. 4.** Modular alignment relationship through the same strategy (i.e., synchronized alignment).



**Fig. 5.** Modular alignment relationship through different strategies (i.e., asynchronous alignment).

**Table 7.** Examples of modular alignment relationships

Types	Examples
Synchronized alignment	Organizational modularity: Different design disciplines all have designers from the main contractor (+responsibility proximity) Process modularity: Concurrent design process between interdisciplinary teams (+task proximity)
Asynchronous alignment	Supply-chain modularity: Collaborative alliance (+organizational proximity) Process modularity: Collaborative design process by involving purchasers/suppliers (+technological proximity)

Note: '+' means the increase of modularity level.

traditional iterative process of design activities between design organizations and construction organizations has been transformed in such a way that human resources, information, and knowledge are exchanged in a modular and concurrent approach. This not only reduces the iterative process and complexity but also addresses the constraints of design timelines and construction schedules. Complexities existed in both design processes and design organizations. This synchronized alignment to collaboration not only reshaped processes and drove modularity in design processes, but also reshaped the organizational relationships.

In a contrasting alignment type termed ‘asynchronous alignment’, varied strategies targeted distinct modularity dimensions, mutually reinforcing one another. For example, in each of the seven building systems at Huoshenshan Hospital, designers applied the strategy of process modularity to achieve concurrent design and engineering by using off-the-shelf components for shortening construction duration, which is associated with supply-chain coordination. Utilizing readily available goods from suppliers permits quick procurement and immediate construction. Established relationships between designers and suppliers streamline the supply chain, facilitating faster coordination and acquisition. Thus, the construction of each building system was achieved not only by the design process but also through the coordination of the supply chain. The process’s modularity corresponded to the supply chain’s modularity but was achieved through different measures. The former relied on task management measures of the designer, while the latter relied on modularity achieved by strategies based on geography, organization, and culture. Instead of aligning strategies during the modularization process, different strategies were reinforced after the modularization process.

### Modular Complementarity Relationship


Potential drawbacks of modularity, such as the unwillingness or inability to cooperate due to internal specialization (Tee et al. 2019), were confirmed in this case study, in that not all subsystems of buildings were conducive to a reduction of complexity through modularity principles. Fundamentally, it is the critique of holism against reductionism, which argues that all parts of a system (e.g., the universe, the human body, etc.) are an organic whole and cannot be separated or understood separately. A compromise between holism and reductionism seems necessary. In contrast to existing work perceiving modular strategies and integral strategies as opposites, Tee et al. (2019) argue that they can be complementary for collaboration at an interorganizational level. In the Huoshenshan Hospital case, when complexity could not be simplified using one approach (i.e., mono-dimensional modularity strategy), such as product modularity, it was tackled using other methods, such as process and organizational modularity. This multidimensional modularity relationship is termed the ‘modular complementarity relationship’.

This type of relationship is broadly divided into two categories. The first is one in which integration in a particular system is facilitated by sacrificing a certain level of modularity so that it has a lower level of modularity compared to other dimensions (i.e., subtraction complement; see Table 8 and Fig. 6). The cost and risk of this reduced degree of modularity are addressed by modularity in other dimensions. For example, regarding product modularity, instead of using standardized interfaces for retrofitting containers and adding plumbing equipment, nonstandardized interfaces for construction connectors were used to improve construction fault tolerance and resilience. The observed phenomenon is due to constraints from limited timeframes. Consequently, architects and builders relied on existing inventories of materials, components, or equipment instead

**Table 8.** Examples of modular complementarity relationships

Types	Examples
Subtraction complement	Product modularity: nonstandardized interfaces (–component proximity) Process modularity: standardized/modularized design tasks (tasks proximity) Supply-chain modularity: local sourcing for equipment and building materials (geographic proximity)
Addition complement	Product modularity: same type of components/equipment used in one area (+component proximity) Process modularity: nonstandardized process for nonstandardized products (task proximity)

Note: ‘+’ means the increase of modularity level; and ‘–’ means the decrease of modularity level.




**Fig. 6.** Modular complementarity relationship through the decrease of modularity (i.e., subtraction complement).

of producing new ones. Consequently, many subsystems within the building cannot uniformly adopt the same type of selection due to limited stock. This necessitates the implementation of varying types of materials, components, or equipment for identical architectural subsystems in different locations or regions. Reduced modularity in product design saved engineering time and eased construction challenges. Moreover, using nonstandardized interfaces proved more effective than standardized ones when dealing with various materials, components, or equipment. The drawbacks due to the use of nonstandardized interfaces were addressed through standardized measures in the process, organizational, and supply-chain dimensions. For example, the local sourcing for equipment and building materials can be considered as geographic proximity to represent the strategy of modularity of the supply chain. Without local proximate sourcing, the project cannot be accomplished. Consequently, nonstandardized product interfaces and localized procurement strategically complement each other’s strengths and weaknesses.

The second is a relationship with one dimension that has a higher degree of modularity compared to other dimensions (i.e., addition complement; see Table 8 and Fig. 7), thus making it more conducive to solving a particular problem. Again, the benefits of this





**Fig. 7.** Modular complementarity relationship through the increase of modularity (i.e., addition complement).


nonalignment outweighed the negative effects, which allowed the reinforcement between dimensions to be established. Similar to the scenario mentioned in the subtraction complement example, different configurations of products (i.e., materials, components, or equipment) were employed to achieve the same function at various installation sites to address the inadequacy of some of the singular types of products. A strategy of product modularity seeks to achieve standardization within a site area's products. In the same site area, products with identical configurations are employed. This, in turn, facilitates the management and reduction of complexities arising from nonstandardized processes inherent in diverse configurations of products.

The modular complementarity relationship confirms research arguments suggesting that alignment between modular dimensions is not always present. Instead, there are specific scenarios in which alignment needs to be broken to solve a very salient problem. The modular complementarity relationship can address complexities across multiple modularity dimensions. In a broader perspective, this type of reinforcement relationship underscores the importance of flexibility in modular design and strategy. While modularity offers numerous advantages, its application should be context-specific. Decision-makers should be ready to employ a mix of modular and integral strategies based on the unique demands of the project and the problems at hand. In this sense, the Huoshenshan Hospital case serves as a testament to the adaptability of modular principles in the face of real-world complexities.

### Modular Incentive Relationship

In addition to the two relationships described above, there was a third relationship between multiple dimensions of modularity called the modular incentive relationship (see Fig. 8). Incentivization in one dimension of modularity indirectly influences corresponding resources in another dimension, creating a reinforcement or matching strategy. However, two modular dimensions reinforced one another indirectly only when corresponding resources or matching strategies were available.

There was an incentive relationship between product modularity and organizational modularity in using digital communication technology. The organization was motivated to adopt modularity due to



**Fig. 8.** Modular incentive relationship.

the requirements of numerous building product information. For example, various WeChat groups were established for organizing teams for different design tasks. The hierarchy of information was transformed in the process. Abstraction, information hiding, and system interfaces between different subsystems were implemented to different degrees in the case study. From the micro to the macro, hierarchical relationships between different architectural components, or dimensions, were developed differently. Compared to the modular alignment and the modular complement types of relationships, the modular incentive type of relationship was loosely coupled and less direct, and its implementation was dependent upon corresponding resources and matching strategies. In general, the incentive relationship relied on an indirect reinforcement of modularity in another dimension through incentives.

The use of digital technology, especially BIM, in the DfMA process might illustrate an alternative incentive type of relationship. However, Huoshenshan Hospital did not adopt BIM tools in the design process because of insufficient resources (e.g., time) and suitable strategies to manage this deficiency. Thus, for the application of BIM tools, neither incentive, modular alignment, nor modular complementarity relationships were formed between product modularity and organizational modularity.

### Capabilities of Reinforcement Relationships for Design

There is no one-for-all alignment or misalignment relationship that can achieve systems integration of engineering design. The large-scale engineering design process and its outcomes (i.e., artefacts) constitute a dynamically evolving hierarchical system, with sub-modules that are difficult to define in a general manner and should be specific to the project, as emphasized by da Rocha and Kemmer (2018) in their research on the dynamic nature of modules in construction engineering. Based on this definition, the relationships between modules across these four dimensions not only change due to nonconsistent definitions of modules but also present different dynamic relationships at different hierarchical levels due to the dynamic system structure. This is one of the potential reasons for the debates regarding multidimensional modularity alignment and misalignment. This research advances Kusiak (2002) thinking on the coordination of product, process, and resource in engineering design and proposes that reinforcement relationships can reconcile



the debate between modular alignment and misalignment relationships. This research suggests that whether the relationship is alignment or misalignment is only a temporary and formal manifestation of modularization at different levels of engineering systems and not the true reason for reducing complexity and systems integration. The essence lies in whether a mutually reinforcing relationship occurs. When reinforcement occurs across product, process, organization, and supply-chain dimensions, resources are directed to where they can best solve subsystem complexity, and the mutually reinforcing adjustment of dependence and independence between different submodules achieves a reduction in complexity strategy. This process reinforces rather than questions and resists the reduction of local design complexity.

This research, using the one-off large-scale engineering project of Huoshenshan Hospital as a unique case, does not intend to propose a comprehensive relationship framework. The three identified coexistence/combination relationships of various dimensions of modularity do not necessarily represent a comprehensive and universally applicable scenario in all engineering designs. Rather, they offer a new perspective on the product modularization strategy by coordinating the reinforcement relationships of process, organization, and supply chain, and reconfiguring them as relationships of alignment, complementarity, and incentive. This research identifies how multidimensional modularity can be used to simplify systems and reduce complexity, and enriches the understanding of the multilevel systems framework of modularization emphasized by Pan et al. (2019). From a single modularity perspective, the reconfiguration of abstraction, information hiding, and interfaces is an essential strategy for modularizing a traditional product, process, organization or supply chain. However, highly abstracted modules, which conceal information and have reconfigured interfaces, are resource-intensive and pose challenges across all subsystems of the four dimensions. In Huoshenshan Hospital, due to limited resources, reconfiguration cannot achieve highly modularized standardization at all interfaces in all scenarios across the four dimensions. The reinforcement relationship led to dimensional coordination and better use of modularity, which in turn reduced complexity, and was a strategy to manage design limitations and design process challenges.

### Limitations and Future Research

Healthcare construction is a highly complex and dynamic engineering system. This research used qualitative data for a single case study in the context of COVID-19 in China, which was unique and different from the setting for most major general healthcare construction projects. Consequently, this study may have limitations regarding the number and selection of cases. Future research could address these by adopting multiple cases and comparative studies. Besides addressing the limitations of this study, future work can further explore and advance modularity. Researchers could further incorporate digital-enabled approaches into the research of modularity. The case selection did not represent state-of-the-art practices in terms of the use of digital tools. As new technologies emerge, such as digital twins, blockchain, and artificial intelligence, approaches to design will change dramatically; however, the combination of modularity and these emerging technologies in design activities has not yet been fully examined.

### Conclusion

The study identified 10 factors (i.e., proximities) that impact the perception of the four dimensions of modularity (across organization–process–product–supply-chain dimensions), along with three types

of reinforcement relationships to minimize design complexity. These relationships comprise modular alignment, which includes both synchronized and asynchronous alignment, modular complement, encompassing both subtraction and addition complements, and modular incentive relationships. For these three reinforcement relationships, the research builds upon the knowledge of alignment relationships, specifically the mirroring hypothesis, and extends Hall et al.'s (2020) construction firm-level investigation. The research extends Tee et al.'s (2019) complementarity relationships between modular design and integration practices, and identifies modular incentive relationships. The incentivization strategies for one modularity dimension indirectly motivate corresponding resources for another dimension, thereby creating a matching/reinforcing modularity strategy. This research found that all three reinforcement relationships that exist in organization–process–product–supply-chain dimensions can be used to reduce complexity and facilitate systems integration. Furthermore, the research has identified two key characteristics of these reinforcement relationships. First, they can reduce the complexity of realizing design. Second, they can be used to integrate various design strategies, such as eliminating the fragmented use of digital tools and design guidelines.

This research lays the foundation and bridge for the theoretical exploration of design activities by using modularity as the pathway. It investigates modularity, which reduces complexity and improves building systems integration. In addition to the alignment relationship explained by the ‘mirroring hypothesis’, this case illustrates two types of misalignment relationships also contribute to complexity reduction, thereby offering a unique insight into understanding engineering design. Practically, this research also extends the application of modularity in the field of complex engineering projects, especially in the healthcare setting. Modularity has practical implications for two groups: design organizations and design practitioners. This research offers a roadmap for implementing modularity, and thus enhances the ability of both organizations and practitioners to manage and simplify complex engineering design activities. By referencing Wuhan's experience, the reinforcement relationships between the dimensions of product, process, organization, and supply chain are crucial for the complexity reduction in design activities.

### Data Availability Statement

The data that support the findings of this study are available from the corresponding author upon reasonable request.

### Acknowledgments

This article is an adaptation of the first author's Ph.D. thesis titled “Integrated Approaches to Digital-Enabled Design for Manufacture and Assembly: A Modularity Perspective and Case Study of Huoshenshan Hospital in Wuhan, China.” Special thanks to Prof. Andrew Edkins and Prof. Wei Pan for their valuable feedback during the Ph.D. defence and revision period.

### References

- Baldwin, C. Y., K. B. Clark, and K. B. Clark. 2000. Vol. 1 of *Design rules: The power of modularity*. Cambridge, UK: MIT Press.
- Bask, A., M. Lipponen, M. Rajahonka, and M. Tinnilä. 2010. “The concept of modularity: Diffusion from manufacturing to service production.” *J. Manuf. Technol. Manage.* 21 (3): 355–375. <https://doi.org/10.1108/17410381011024331>.

- Bekdik, B., J. Pörzgen, S. S. Bull, and C. Thuesen. 2018. "Modularising design processes of façades in Denmark: Re-exploring the use of design structure matrix." *Archit. Eng. Des. Manage.* 14 (1–2): 95–108. <https://doi.org/10.1080/17452007.2017.1360760>.
- Bonvoisin, J., F. Halstenberg, T. Buchert, and R. Stark. 2016. "A systematic literature review on modular product design." *J. Eng. Des.* 27 (7): 488–514. <https://doi.org/10.1080/09544828.2016.1166482>.
- Braha, D. 2016. "The complexity of design networks: Structure and dynamics." In *Experimental design research: Approaches, perspectives, applications*, edited by P. Cash, T. Stanković, and M. Štorga, 129–151. Cham, Switzerland: Springer. [https://doi.org/10.1007/978-3-319-33781-4\\_8](https://doi.org/10.1007/978-3-319-33781-4_8).
- Campagnolo, D., and A. Camuffo. 2010. "The concept of modularity in management studies: A literature review." *Int. J. Manage. Rev.* 12 (3): 259–283. <https://doi.org/10.1111/j.1468-2370.2009.00260.x>.
- Choi, J. O., B. K. Shrestha, Y. H. Kwak, and J. Shane. 2022. "Exploring the benefits and trade-offs of design standardization in capital projects." *Eng. Constr. Archit. Manage.* 29 (3): 1169–1193. <https://doi.org/10.1108/ECAM-08-2020-0661>.
- Colfer, L. J., and C. Y. Baldwin. 2016. "The mirroring hypothesis: Theory, evidence, and exceptions." *Ind. Corporate Change* 25 (5): 709–738. <https://doi.org/10.1093/icc/dtw027>.
- Creswell, J. W., and C. N. Poth. 2016. *Qualitative inquiry and research design: Choosing among five approaches*. Thousand Oaks, CA: SAGE.
- da Rocha, C. G., and S. Kemmer. 2018. "Integrating product and process design in construction." *Construct. Manage. Econ.* 36 (9): 535–543. <https://doi.org/10.1080/01446193.2018.1464198>.
- Doran, D., and M. Giannakis. 2011. "An examination of a modular supply chain: A construction sector perspective." *Supply Chain Manage.* 16 (4): 260–270. <https://doi.org/10.1108/13598541111139071>.
- Frandsen, T. 2017. "Evolution of modularity literature: A 25-year bibliometric analysis." *Int. J. Oper. Prod. Manage.* 37 (6): 703–747. <https://doi.org/10.1108/IJOPM-06-2015-0366>.
- Gershenson, J. K., G. Prasad, and Y. Zhang. 2003. "Product modularity: Definitions and benefits." *J. Eng. Des.* 14 (3): 295–313. <https://doi.org/10.1080/09544820310000910668>.
- Gokpinar, B., W. J. Hopp, and S. M. Irvani. 2010. "The impact of misalignment of organizational structure and product architecture on quality in complex product development." *Manage. Sci.* 56 (3): 468–484. <https://doi.org/10.1287/mnsc.1090.1117>.
- Gravina da Rocha, C., H. B. El Ghooz, and S. Guadanhim Jr. 2020. "A model for implementing product modularity in buildings design." *Eng. Constr. Archit. Manage.* 27 (3): 680–699. <https://doi.org/10.1108/ECAM-02-2019-0096>.
- Hall, D. M., J. K. Whyte, and J. Lessing. 2020. "Mirror-breaking strategies to enable digital manufacturing in Silicon Valley construction firms: A comparative case study." *Construct. Manage. Econ.* 38 (4): 322–339. <https://doi.org/10.1080/01446193.2019.1656814>.
- Hofman, E., H. Voordijk, and J. Halman. 2009. "Matching supply networks to a modular product architecture in the house-building industry." *Build. Res. Inf.* 37 (1): 31–42. <https://doi.org/10.1080/09613210802628003>.
- Jensen, T. C., B. Bekdik, and C. Thuesen. 2014. "Understanding complex construction systems through modularity." In *Proc., 7th World Conf. on Mass Customization, Personalization, and Co-Creation (MCPC 2014)*, edited by T. Brunoe, 541–555. Cham, Switzerland: Springer. [https://doi.org/10.1007/978-3-319-04271-8\\_45](https://doi.org/10.1007/978-3-319-04271-8_45).
- Kluck, M., and J. O. Choi. 2023. *Modularization: The Fine art of offsite preassembly for capital projects*. New York: Wiley.
- Krinner, M., F. Elezi, I. Tommelein, and U. Lindemann. 2011. "Managing complexity in lean construction design—using the MDM methodology to create organizational modularity." In *Proc., DSM 2011: Proc., 13th Int. DSM Conf.*, 377–390. London: The Design Society.
- Kusiak, A. 2002. "Integrated product and process design: A modularity perspective." *J. Eng. Des.* 13 (3): 223–231. <https://doi.org/10.1080/09544820110108926>.
- Langlois, R. N. 2002. "Modularity in technology and organization." *J. Econ. Behav. Organ.* 49 (1): 19–37. [https://doi.org/10.1016/S0167-2681\(02\)00056-2](https://doi.org/10.1016/S0167-2681(02)00056-2).
- Morse, J. M. 1994. *Critical issues in qualitative research methods*. Thousand Oaks, CA: SAGE.
- Pan, W., A. G. Gibb, and A. R. Dainty. 2008. "Leading UK housebuilders' utilization of offsite construction methods." *Build. Res. Inf.* 36 (1): 56–67. <https://doi.org/10.1080/09613210701204013>.
- Pan, W., D. Parker, and M. Pan. 2023. "Problematic interfaces and prevention strategies in modular construction." *J. Manage. Eng.* 39 (2): 05023001. <https://doi.org/10.1061/JMENE.A.MEENG-5083>.
- Pan, W., Y. Yang, Z. Q. Zhang, and Y. S. Chan. 2019. *Modularisation for modernisation: A strategy paper rethinking Hong Kong construction*. Hong Kong: Univ. of Hong Kong.
- Pan, W., and Z. Zhang. 2022. "Evaluating modular healthcare facilities for COVID-19 Emergency response—A case of Hong Kong." *Buildings* 12 (9): 1430. <https://doi.org/10.3390/buildings12091430>.
- Pandremenos, J., J. Paralikas, K. Salonitis, and G. Chryssolouris. 2009. "Modularity concepts for the automotive industry: A critical review." *CIRP J. Manuf. Sci. Technol.* 1 (3): 148–152. <https://doi.org/10.1016/j.cirpj.2008.09.012>.
- Parraguez, P., S. A. Piccolo, M. M. Perišić, M. Štorga, and A. M. Maier. 2019. "Process modularity over time: Modeling process execution as an evolving activity network." *IEEE Trans. Eng. Manage.* 68 (6): 1867–1879. <https://doi.org/10.1109/TEM.2019.2935932>.
- Pero, M., N. Abdelkafi, A. Sianesi, and T. Blecker. 2010. "A framework for the alignment of new product development and supply chains." *Supply Chain Manage.* 15 (2): 115–128. <https://doi.org/10.1108/13598541011028723>.
- Pero, M., M. Stöfllein, and R. Cigolini. 2015. "Linking product modularity to supply chain integration in the construction and shipbuilding industries." *Int. J. Prod. Econ.* 170 (Nov): 602–615. <https://doi.org/10.1016/j.ijpe.2015.05.011>.
- Rocha, C. G., and L. Koskela. 2020. "Why is product modularity underdeveloped in construction?" In *Proc., 28th Annual Conf. of the Int. Group for Lean Construction (IGLC)*, edited by I. D. Tommelein and E. Daniel, 697–708. Berkeley, CA: International Group for Lean Construction. <https://doi.org/10.24928/2020/0064>.
- Saldaña, J. 2021. *The coding manual for qualitative researchers*. Thousand Oaks, CA: SAGE.
- Salvador, F. 2007. "Toward a product system modularity construct: Literature review and reconceptualization." *IEEE Trans. Eng. Manage.* 54 (2): 219–240. <https://doi.org/10.1109/TEM.2007.893996>.
- Schilling, M. A. 2000. "Toward a general modular systems theory and its application to interfirm product modularity." *Acad. Manage. Rev.* 25 (2): 312–334. <https://doi.org/10.2307/259016>.
- Shafiee, S., P. Piroozfar, L. Hvam, E. R. Farr, G. Q. Huang, W. Pan, A. Kudsk, J. B. Rasmussen, and M. Korell. 2020. "Modularisation strategies in the AEC industry: A comparative analysis." *Archit. Eng. Des. Manage.* 16 (4): 270–292. <https://doi.org/10.1080/17452007.2020.1735291>.
- Simon, H. A. 1962. "The architecture of complexity." *Proc. Am. Philos. Soc.* 106 (6): 467–482.
- Simon, H. A. 1996. "The architecture of complexity." In *Managing in the modular age: Architectures, networks, and organizations*, edited by R. Garud, A. Kumaraswamy, and R. Langlois, 15–38. Hoboken, NJ: Wiley.
- Sonego, M., M. E. S. Echeveste, and H. G. Debarba. 2018. "The role of modularity in sustainable design: A systematic review." *J. Cleaner Prod.* 176 (Mar): 196–209. <https://doi.org/10.1016/j.jclepro.2017.12.106>.
- Sosa, M. E., S. D. Eppinger, and C. M. Rowles. 2004. "The misalignment of product architecture and organizational structure in complex product development." *Manage. Sci.* 50 (12): 1674–1689. <https://doi.org/10.1287/mnsc.1040.0289>.
- Soyer, A., U. Asan, and Ö. U. Eriş. 2019. "Toward a conceptualization of organizational modularity." In *Handbook of research on contemporary approaches in management and organizational strategy*, 355–382. Hershey, PA: IGI Global.
- Stake, R. E. 1978. "The case study method in social inquiry." *Educ. Res.* 7 (2): 5–8. <https://doi.org/10.2307/1174340>.
- Starr, M. K. 1965. "Modular production—A new concept." *Harv. Bus. Rev.* 3 (1): 131–142.
- Tan, T., G. Mills, J. Hu, and E. Papadonikolaki. 2021. "Integrated approaches to design for manufacture and assembly: A case study of Huoshenshan

- hospital to combat COVID-19 in Wuhan, China.” *J. Manage. Eng.* 37 (6): 05021007. [https://doi.org/10.1061/\(ASCE\)ME.1943-5479.0000972](https://doi.org/10.1061/(ASCE)ME.1943-5479.0000972).
- Tan, T., G. Mills, E. Papadonikolaki, B. Li, and J. Huang. 2023. “Digital-enabled Design for Manufacture and Assembly (DfMA) in offsite construction: A modularity perspective for the product and process integration.” *Archit. Eng. Des. Manage.* 19 (3): 267–282. <https://doi.org/10.1080/17452007.2022.2104208>.
- Tee, R., A. Davies, and J. Whyte. 2019. “Modular designs and integrating practices: Managing collaboration through coordination and cooperation.” *Res. Policy* 48 (1): 51–61. <https://doi.org/10.1016/j.respol.2018.07.017>.
- Tsoukas, H. 2009. “Craving for generality and small-N studies: A Wittgensteinian approach towards the epistemology of the particular in organization and management studies.” In *The sage handbook of organizational research methods*, edited by D. A. Buchanan and A. Bryman, 285–301. London: SAGE.
- Ulrich, K. 1994. “Fundamentals of product modularity.” In *Management of design*, 219–231. New York: Springer.
- Ulrich, K. 1995. “The role of product architecture in the manufacturing firm.” *Res. Policy* 24 (3): 419–440. [https://doi.org/10.1016/0048-7333\(94\)00775-3](https://doi.org/10.1016/0048-7333(94)00775-3).
- Voordijk, H., B. Meijboom, and J. de Haan. 2006. “Modularity in supply chains: A multiple case study in the construction industry.” *Int. J. Oper. Prod. Manage.* 26 (6): 600–618. <https://doi.org/10.1108/01443570610666966>.
- Weick, K. E. 1976. “Educational organizations as loosely coupled systems.” *Administrative Sci. Q.* 21 (1): 1–19. <https://doi.org/10.2307/2391875>.
- Wolters, M. 2002. “The business of modularity and the modularity of business.” Ph.D. dissertation, Erasmus Research Institute of Management, Erasmus Univ. Rotterdam.
- Wynn, D., C. Eckert, and P. J. Clarkson. 2005. “Abstracting complexity for design planning.” In *Complexity in design and engineering*, 20–23. Aarhus, Denmark: Interaction Design Foundation.
- Yin, R. K. 2017. *Case study research and applications: Design and methods*. Thousand Oaks, CA: SAGE.
- Zhou, S. 2023. “Platforming for industrialized building: A comparative case study of digitally-enabled product platforms.” *Building research & information*, 1–15. New York: Taylor & Francis. <https://doi.org/10.1080/09613218.2023.2200157>.
- Zhou, S., L. Mosca, and J. Whyte. 2023. “How the reliability of external competences shapes the modularization strategies of industrialized construction firms.” *Construct. Manage. Econ.* 41 (7): 608–619. <https://doi.org/10.1080/01446193.2023.2187071>.