

Mode substitution induced by electric mobility hubs

Results from Amsterdam

Liao, Fanchao; Vleugel, Jaap; Bösehans, Gustav; Dissanayake, Dilum; Thorpe, Neil; Bell, Margaret; van Arem, Bart; Homem de Almeida Correia, Gonçalo

DOI

[10.1016/j.trd.2024.104118](https://doi.org/10.1016/j.trd.2024.104118)

Publication date

2024

Document Version

Final published version

Published in

Transportation Research Part D: Transport and Environment

Citation (APA)

Liao, F., Vleugel, J., Bösehans, G., Dissanayake, D., Thorpe, N., Bell, M., van Arem, B., & Homem de Almeida Correia, G. (2024). Mode substitution induced by electric mobility hubs: Results from Amsterdam. *Transportation Research Part D: Transport and Environment*, 129, Article 104118. <https://doi.org/10.1016/j.trd.2024.104118>

Important note

To cite this publication, please use the final published version (if applicable). Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.



ELSEVIER

Contents lists available at [ScienceDirect](https://www.sciencedirect.com)

Transportation Research Part D

journal homepage: www.elsevier.com/locate/trd

Mode substitution induced by electric mobility hubs: Results from Amsterdam

Fanchao Liao^{a,*}, Jaap Vleugel^b, Gustav Bösehans^c, Dilum Dissanayake^d,
Neil Thorpe^e, Margaret Bell^c, Bart van Arem^b,
Gonçalo Homem de Almeida Correia^b

^a Radboud University, Nijmegen School of Management, Nijmegen, the Netherlands

^b Delft University of Technology, Faculty of Civil Engineering and Geosciences, Department of Transport & Planning, P.O. Box 5048, 2600 GA Delft, the Netherlands

^c Newcastle University, School of Engineering, NE1 7RU Newcastle upon Tyne, United Kingdom

^d University of Birmingham, School of Geography, Earth and Environmental Sciences B15 2TT Birmingham, United Kingdom

^e Jacobs, 4th Floor, Rotterdam House, 116 Quayside, NE1 3DY Newcastle Upon Tyne, United Kingdom

ARTICLE INFO

Keywords:
eHUBS
Carsharing
Shared e-bike
Mode choice

ABSTRACT

Electric mobility hubs (eHUBS) are locations where multiple shared electric modes including electric cars and e-bikes are available. To assess their potential to reduce private car use, it is important to investigate to what extent people would switch to eHUBS modes after their introduction. Moreover, people may adapt their behaviour differently depending on their current travel mode. This study is based on stated preference data collected in Amsterdam. We analysed the data using mixed logit models. We found that users of different modes not only have varied general preferences for different shared modes but also have different sensitivity for attributes such as travel time and cost. Public transport users are more likely to switch to eHUBS modes than car users. People who bike and walk have strong inertia, but the percentage choosing eHUBS modes doubles when the trip distance is longer (5 or 10 km).

1. Introduction

Mobility hubs have recently gained popularity in many cities (Anderson et al., 2017; Chauhan et al., 2021; Kelley et al., 2020; Miramontes et al., 2017; Roukouni et al., 2023). They are defined as a location where multiple shared transport modes (e.g., vehicles, bikes, cargo-bikes, scooters) are provided. Making these mobility services available at hubs is expected to substantially benefit the citizens and cities. On the one hand, it can potentially mitigate the negative externalities such as CO₂ emissions, air pollution, road congestion and high demand for parking space brought about by road transport which is mainly done by private cars (Becker et al., 2018; Kondor et al., 2019; Le Vine and Polak, 2019; Tikoudis et al., 2021). On the other hand, the provision of new transport alternatives also is supposed to enhance accessibility for locations that were not previously well connected, thus promoting transport equity for people living in these regions (Guo et al., 2020; Jiao and Wang, 2021; Portland Bureau of Transportation, 2019; Shaheen et al., 2017). Electric mobility hubs or eHUBS which are equipped with EVs and e-bikes are expected to strengthen the potential for combatting pollution since electric modes have zero tailpipe related emissions (Millard-Ball et al., 2005; Shaheen and Cohen, 2013;

* Corresponding author.

E-mail address: fanchao.liao@ru.nl (F. Liao).

<https://doi.org/10.1016/j.trd.2024.104118>

Received 29 October 2023; Received in revised form 12 February 2024; Accepted 14 February 2024

Available online 29 February 2024

1361-9209/© 2024 The Author(s).

Published by Elsevier Ltd.

This is an open access article under the CC BY license

(<http://creativecommons.org/licenses/by/4.0/>).

Vasconcelos et al., 2017) although particles due to road abrasion and braking remain.

For the eHUBS' potential in reducing externalities to materialise, sufficient mode substitution needs to occur, in particular the replacement of private car trips, which can eventually lead to a reduction of private car ownership (Ye et al., 2021). To assess the potential impact of eHUBS, knowledge regarding people's adoption and usage of the shared electric modes in eHUBS is crucial. More specifically, it is important to know to what extent people would use eHUBS to replace the modes they are currently using. Whilst substituting car trips is the desired impact, eHUBS also may substitute the use of public transport and active modes. If this latter substitution occurs to a greater extent than compared to the former, it may even lead to a net increase in terms of emissions which is unwanted. Furthermore, since it is already known that people's choice of current mode and their subjective perceptions of it significantly affect their preference for new mobility services (Mo et al., 2021), it will also enhance our understanding of eHUBS adoption by studying how eHUBS preference and substitution patterns vary for current users of different modes.

There has been much previous research regarding the intention and choice for adopting car-sharing. Many researchers have explored the general intention to use this mode, while several studies have conducted stated choice experiments also to examine the impact of trip and mode attributes on carsharing behaviour (Jin et al., 2020; Kim et al., 2017). Much less research focused on consumer preferences for shared e-bikes (Reck et al., 2022; Teixeira et al., 2021). Lately, there have been some studies using GPS tracking data or operational data from shared mobility service providers to study factors impacting the demand for existing shared e-bike services (Reck et al., 2022; 2020); however, these systems are mostly dockless which are expected to be different from docked systems and some attributes such as travel cost (unit cost of shared services) cannot be varied and sometimes are unknown. Moreover, among these studies on shared mobility, only a limited number applied the results to specifically demonstrate the substitution pattern between modes (Li and Kamargianni, 2020; Papu Carrone et al., 2020), and did not account for the influence of the current modes being used by respondents.

To better understand the potential of eHUBS modes in substituting other transport modes and reducing negative externalities, we aim to answer the following research questions:

- How do mode and trip attributes affect people's decision of using eHUBS modes (shared electric cars and e-bikes) to substitute their current modes?
- How does the pattern of mode substitution vary depending on people's current modes?

In order to answer these questions, we conducted a survey including a stated choice experiment regarding people's choice of whether or not to use eHUBS modes to replace their current mode of transport. We have estimated multiple choice models to analyse the data; furthermore, we derived insights concerning mode substitution patterns and policy impact by applying the modelling result as input for scenario simulation.

The remainder of this paper is organised as follows: Section 2 gives a critical overview of the existing literature on shared electric mobility adoption and its mode substitution; Section 3 presents the methodology for data collection and analysis including survey design and model specification; Section 4 discusses the results of the modelling. The final section draws conclusions and discusses implications, limitations, and potential for future research.

2. Literature review

There are several approaches to studying how shared EVs and e-bikes substitute existing modes, especially their potential to reduce car use. The first approach investigates how the aggregate use of transport modes of each individual (instead of at the individual trip level) changes after adopting a new mode. Kopp et al. (2015) compared the demand for different transport modes between members of carsharing services and non-members. Other studies use longitudinal data to study whether e-bike usage substitutes car use (Haas et al., 2021; Kroesen, 2017; Sun et al., 2020). Their approach applied regression or cross-lagged panel models to examine whether e-bike adoption/use reduces car use (and also affects the use of other modes). They found that e-bike adoption and use significantly reduced the number of conventional bike trips in the Netherlands, while it only substituted car and public transport trips to a lesser extent, which may lead to an unwanted aggregate impact. These findings can only provide limited insights into our research questions. Firstly, these studies only concerned private e-bikes, probably because shared e-bikes are a fairly recent innovation that renders the collection of longitudinal data impossible. As previous studies have found that shared EVs are used differently compared to privately owned ones (Wang et al., 2020), this difference between shared services and owned vehicles also may be present for e-bikes (Reck et al., 2022; Teixeira et al., 2021). Secondly, the studies only used aggregate indicators such as the number of trips by a certain mode, which does not allow the investigation of mode substitution at the trip level.

The second type of study directly asks current car/bike-sharing users which mode they would have used for their trips had the sharing service not been available. Liao and Correia (2022) reviewed several studies using this method to learn the mode substitution effect for shared EVs and e-bikes (Becker and Rudolf, 2018; Campbell et al., 2016; Martin and Shaheen, 2016). Bigazzi and Wong (2020) conducted a meta-analysis of 24 studies and found that median mode substitution is the highest for public transit (33%), followed by conventional bicycle (27%), automobile (24%), and walking (10%). It included studies on both shared and private e-bikes; shared e-bikes are found to substitute fewer car trips than private e-bikes. More recent studies in the US however found that the mode substitution for public transit is much lower (5%) (Fitch et al., 2020; Fukushige et al., 2021). The common limitation of this type of study is that it only provides descriptive statistics (X% of shared EV/e-bike trips would have been conducted using Y mode). Zhou et al. (2023) categorized trips by different distances and calculated a distinct substitution pattern for each distance. Fukushige et al. (2021) went a step further by estimating a statistical model: it uses variables including trip attributes and individual characteristics to predict

the substituted mode of each shared e-bike trip. However, it did not include attributes of different modes such as travel time and cost.

The third approach analyses data of shared mobility trips. These trip data can be directly analysed on an aggregated level via spatial regression to find out the impact of factors such as land use and population density on shared mobility demand (Guidon et al., 2020; 2019). If data from multiple shared mobility services are available, a choice model between different shared mobility services can also be estimated (Reck et al., 2020). However, these studies do not provide information regarding how shared services substitute traditional modes such as private car and public transport. Reck et al. (2022) collected a large dataset that enabled the estimation of a mode choice model between both traditional modes (private car, public transport) and shared mobility including an existing shared e-bike service. However, this study can only provide limited insight into our research questions for two reasons. First, the shared e-bike service has a dockless system which is expected to have different characteristics from docked systems such as eHUBS. The common trip distance range for dockless shared e-bike systems is 1–3.5 km (Guidon et al., 2019; Reck et al., 2020), while the average distance of docked systems is 4.2 km (Bielinski et al., 2021) or even around 7.5 km (He et al., 2019) and a non-negligible percentage of trips are even longer than 10 km (He et al., 2019). Therefore, a study based on an existing dockless shared e-bike system mostly used for shorter trips does not provide much information on the substitution patterns of shared e-bikes when it is used for longer trips. Second, these studies used data collected from shared mobility services that were in operation: this usually does not allow adjustment in level-of-service attributes such as the unit price of shared mobility, implying that it is impossible to explore the impact of these attributes on mode choice. The studies above used data from existing e-bike sharing systems and their users: apart from the limitations already discussed above, the results of these studies may also suffer from sample self-selection. Since shared electric mobility services are not yet widely available, individuals who are already using these services are early adopters and may have different preferences compared to the other sectors of the population. In order to explore the potential of shared e-mobility services among the general population and investigate the impact of level-of-service attributes such as travel time and cost, many studies used the stated preference approach. Some of these studies do not provide insights on mode substitution due to limitations such as only eliciting the general intention of using the new mode without trip and service attributes (Efthymiou et al., 2013; Efthymiou and Antoniou, 2016), focusing on services with a specific purpose (park & carsharing, Carteni et al., 2016) or studying membership choice instead of mode choice (Le Vine et al., 2014). As mentioned in the introduction, several studies investigated people's preference for carsharing and explicitly focused on its implication regarding mode substitution (Li and Kamargianni, 2020; Papu Carrone et al., 2020). Many factors were found to have significant impacts on mode choice and substitution, including mode attributes (such as travel time, travel cost, parking time and cost), trip contexts (trip purpose, trip distance) and individual characteristics (socio-demographic variables and attitudes). There were however few stated choice experiments involving shared e-bikes (or e-bikes in general). For example, Li and Kamargianni (2018) included private e-bike as an alternative in their choice experiment, although it does not form the focus of their analysis. Moreover, most of these studies did not examine how the substitution pattern differs between people currently using different modes.

As for the impact of the current mode on people's mode choice and substitution patterns involving innovative modes such as electric and shared mobility, there have only been a few relevant studies. Bielinski et al. (2021) found that people who reduced their public transport use are more likely to use shared e-bikes. Ceccato and Diana (2021) analysed substitution on the trip level. They asked people whether they were willing to use car-sharing for a certain trip (chain) in their travel diary and found that the intention is affected by the modes they previously used for this trip. Since people can state multiple previously used modes for a specific trip, the lack of information regarding the frequency of using each mode may bias the analysis. Furthermore, the propensity of using carsharing for a trip is not entirely equivalent to preference over the mode they are currently using. In a study of a different innovative mode (autonomous mobility-on-demand service, AMOD), Mo et al. (2021) incorporated the interaction of people's current modes with the Alternative Specific Constant (ASC) of AMOD and found all of them to be significant, which reveals the impact of existing modes on the preference for new modes. However, they did not investigate whether users of different current modes also have different sensitivity to the attributes of the new mode. De Luca and Di Pace (2015) explicitly addressed this when analysing stated preference data for a longer-distance (>10 km) inter-urban car-sharing programme. The authors have estimated conditional switching models separately for users of private cars, car-pooling and buses; users of these three modes indeed have different sensitivities for car-sharing service attributes. Based on indicators of model fit and elasticity values, this modelling approach also is found to be better than assuming a universal choice set for all individuals.

To summarize, despite the existing contribution regarding substitution between (shared) electric modes and existing modes, there are two main research gaps: first, there is no research investigating the mode choice and substitution pattern involving docked shared e-bike services; second, most studies did not explicitly account for the influence of the mode that is currently being used by people on their intention to use shared electric modes.

Given the identified research gaps, this study contributes to the existing literature in the following ways. Firstly, we explore to what extent people will use shared EVs and e-bikes in eHUBS to replace their current modes for short trips. More specifically, we investigate how mode (such as travel time and cost) and trip (e.g. purpose) attributes affect the substitution by conducting trip-level analysis. Secondly, we specifically focus on how the preference for eHUBS modes and the substitution pattern vary for people who currently use different modes.

3. Methods of data collection and analysis

3.1. Survey design

We conducted an online survey to collect stated preference data and investigate people's mode choices when shared electric mobility services become available. The survey consisted of four sections:

- respondents’ current mobility profile including their ownership of vehicles and current travel pattern,
- information regarding typical trips for a given purpose,
- stated choice experiments for mode choice, and
- sociodemographic information.

The eHUBS service in our stated choice experiments is assumed to be a one-way station-based system: the users can pick up a vehicle from an eHUB station and return it to any other station in the same city. We choose this setting because it does not involve the consideration of activity duration at the destination. We also assume that a shared vehicle is always available in eHUBS and there is no parking search time when returning the shared vehicle. To ensure that all respondents have some basic knowledge of eHUBS, they were given an introduction to the basic characteristics and procedures of using an eHUB before the start of the experiment.

Since people’s mode choices may be different depending on their trip purpose, we designed two separate experiments: one for commuting and the other for non-commuting trips. Respondents were directed to the commuting experiment if their current commute trip meets the following criteria: 1) no longer than 10 km (longer trips are likely inter-city and unlikely to be covered by the same sharing service network); 2) at least three times per week (we prefer to obtain responses from more frequent and experienced commuters) and 3) not by walking (we assume these trips are most likely rather short and very few would intend to switch towards eHUB). All respondents completed the non-commuting experiment.

For non-commuting experiments, we included multiple contexts aiming to cover different trip distances and purposes. Regarding distance, each choice task concerns a trip of around 2, 5 or 10 km. Mode shares are expected to be different for these three distinct distance ranges: 5 km is no longer within “walking distance” for most people; trips over 10 km are no longer considered “short trips” and are unlikely to be covered by an intra-city shared mobility service. A similar division was adopted in a previous mode choice study (Li and Kamargianni, 2020). We also covered both leisure and shopping trips since shopping trips involve the transport of goods which enables us to explore the preference for electric cargo-bikes.

We adopted a design similar to a stated adaptation experiment (see Langbroek et al., 2017; Pan et al., 2019 for recent studies using this approach) instead of including all viable transport modes as alternatives in each choice task. In all choice tasks, the respondents chose between three alternatives: their current mode, shared EVs in an eHUB and shared e-bikes in an eHUB (or shared e-cargo bike in case of a shopping trip). The current mode alternative is thus respondent-specific. Not only does this reduce the cognitive burden of respondents, but it also presents a more realistic choice problem. Our focus is not to study the substitution between existing modes due to the change in their level of service. Given the *status quo*, we assume that a respondent’s currently used mode is his/her most preferred among all existing modes; we aim to investigate to what extent people would switch from their currently most preferred mode to shared modes in eHUBS after its introduction. Fig. 1 shows an example choice task.

In the commuting experiment, we fix the attribute values of the current mode alternative as the real values provided by the respondent. The respondents provided the following details regarding their regular commuting trip (before COVID): approximate distance, most frequently used mode, travel time, congestion, travel cost, access and egress time. For those whose current mode is a private vehicle, we also ask for their parking search time and parking cost. The travel time of the eHUBS modes (excluding access and egress time) is calculated based on the distance of this reference trip. The design with a fixed reference alternative has been applied in




Fig. 1. Example of a choice task.

many stated preference studies in transport (De Luca and Di Pace, 2015; Hensher et al., 2011; Krueger et al., 2016; Rose et al., 2008; Yan et al., 2019).

In the case of the non-commuting experiment, because we cover trips of two purposes (shopping and leisure) and three trip distances, it is difficult to elicit all detailed information for six reference trips. Therefore, we only ask for the respondent’s default mode for a typical trip of a given distance and purpose (for example a 2 km leisure trip). Since these reference trips do not have specific fixed destinations, the attributes of the current mode alternative are assigned by the experiment instead of elicited from respondents (apart from access time). All attributes involved in the experiment design are varied by three levels. The attribute levels are based on their current value range or values in possible future scenarios; in both cases, they shall be easily understood by the respondents. Table 1 and Table 2 list the attribute levels in the commuting and non-commuting experiment respectively.

For both commuting and non-commuting experiments, we constructed an orthogonal design consisting of 27 choice tasks based on the attributes and levels in Table 1 and 2. We did not adopt an efficient design because we do not yet have good estimates for the coefficients of eHUBS attributes and D-efficient design is not robust when priors are far from the real value (Walker et al., 2018). For the commuting experiment, each respondent is randomly assigned to six choice tasks. In the case of the non-commuting experiment, one choice task is randomly selected for each combination of trip distance (2, 5 and 10 km) and purpose (shopping and leisure). Therefore, each respondent also gets six (3x2) tasks in total.

3.2. Data collection and sample characteristics

Our survey’s target population was adults with a driver’s licence and living in Amsterdam, in the Netherlands. We exclude people who do not have a driving license because our study involves shared electric vehicle service and these people are unable to use such a service. We collaborated with a panel company to distribute online surveys and collect responses in March 2021. We obtained 1003 responses. After excluding all responses with less than a 5-minute completion time (Because it is not reasonable to finish the survey within 5 min given the number of questions), the size of the valid sample used in the analysis is 880. All respondents completed the non-commuting experiment, while only 487 respondents participated in the commuting experiment because the others did not meet the criteria discussed in section 3.1.

Table 3 presents an overview of the sample’s socio-demographic variables, showing that males and people older than 45 are slightly underrepresented. Highly educated people are overrepresented probably because they are more accessible via online surveys. This shall be taken into account if one wishes to directly extrapolate the results to the entire population. We have decided not to adjust sample weight during the estimation of choice models because the estimated coefficients are unbiased regardless of sample representativeness, particularly when socio-demographic variables are included in the model (Mo et al., 2021).

Table 4 illustrates the share of the current mode in both experiments. Although the majority of respondents have at least one car in their household, the share of private car use for short trips below 10 km is consistently less than half. We notice that several modes (such as shared mobility) are used by only a small share of respondents (less than 10% or even 5%), while they have vastly different substitution patterns compared to other more commonly used modes: a much larger share of these people choose to switch to shared EV and e-bikes compared to users of other modes, but the absolute number of users of these modes is too small and does not allow us to estimate their taste parameters with sufficient reliability. Therefore, we choose to analyse only the substitution for those current modes that are used by a considerable number of respondents, namely private car, public transport, bike and walk in the non-commuting experiment. As for the commuting trip experiment, only private car and bike are included. After this step, the number of remaining respondents in the non-commuting and commuting experiment are 867 and 345 respectively.

The values of the *status quo* alternative attributes in the commute choice experiment are entirely provided by the respondents; moreover, if the current mode is the private car, the travel time of the shared EV alternative is constrained to be identical to the travel time of the car. If the values of the *status quo* alternative are incorrect (for example bike trips with a speed of over 40 km/h or access and egress time over an hour for a short trip), it can result in unrealistic choice tasks. Therefore, we cleaned the data and only retained the responses with realistic values for the commute trip analysis. The final sample used for the commuting mode choice model has 295 respondents. Table 5 shows the attribute distribution of the final sample of current commute trips.

Table 1
Attributes for the commuting experiment.

Attributes	eHUB	
Access and egress time	2,10,18 mins	
	EV	E-bike
Travel time	If the current mode is private car: same as car Otherwise: Reference *80%,100%,120% Reference is calculated based on distance assuming 30 km/h	Reference * 80%,100%,120% Reference is calculated based on distance assuming 20 km/h
Travel cost	0.15, 0.25, 0.35 €/min	€0.5, 1.5, 2.5 (regardless of distance) ¹
Congestion level	If current mode is private car: same as car Otherwise: Chance of delay: 0%, 20%, 40% Possible delay: 25%, 50%, 75% of travel time	

¹The e-bike cost levels are not distance-specific because the current range of attributes can cover all distances explored in our study (less than 10km).

Table 2
Attributes for the non-commuting experiment.

Attributes	eHUB			
Access and egress time	2 km: 2,6,10 min. 5 km: 2,10,18 min 10 km: 2,10,18 min			
	EV	E-bike		
Travel time	2 km: 3, 5, 7 min 5 km: 7, 10, 13 min 10 km: 15, 20, 25 min	2 km: 4, 6, 8 min. 5 km: 10, 12, 14 min 10 km: 20, 25, 30 min		
Travel cost	0.15, 0.25, 0.35 €/min	€0.5, 1.0, 1.5 (regardless of distance)		
Congestion level	Chance of delay: 0%, 20%, 40% Possible delay: 25%, 50%, 75% of travel time			
Attributes	Private car	PT	Private Bike	Walking
Access and egress time	Egress 2km: 1, 3, 5 min. 5km: 1, 5, 9 min 10km: 1, 5, 9 min	Egress 2km: 1, 3, 5 min. 5km: 1, 5, 9 min 10km: 1, 5, 9 min		
Travel time	Same as shared EV	2km: 4, 6, 8 min 5km: 10, 15, 20 min 10km: 20, 30, 40 min	2km: 6, 8, 10 min 5km: 15, 20, 25 min 10km: 30, 40, 50 min	2km: 20, 25, 30 min 5km: 50, 60, 70 min
Travel cost	€0.1, 0.2, 0.3/km	2km: €0.5, 1, 1.5 5km: €1, 1.5, 2 10km: €2, 3, 4		
Congestion level	Same as shared EV			
Parking search time	0, 5, 10 min		0, 5, 10 min	
Parking fee	€0, 3, 6			

Table 3
Sample characteristics.

Variable	Value	Percentage in sample	Percentage in population*
Gender	Female	54.1%	50.4%
	Male	45.9%	49.6%
Age	18–24	16.0%	12.0%
	25–34	27.4%	26.1%
	35–44	19.3%	17.4%
	45 or older	37.3%	44.5%
Education	No higher education	39.5%	52.0%
	With higher education	60.5%	48.0%
Household Income	Low (\leq €40.000)	41.0%	
	Middle ($>$ €40.000 and \leq €80.000)	32.7%	
	High ($>$ €80.000)	13.5%	
	Missing value	12.8%	
Occupation	Employed	71.1%	68.1%
	Student	8.4%	8.1%
	Others	20.5%	23.8%
Number of children	0	63.9%	76.0%
	1	16.4%	11.7%
	More than 1	19.7%	12.3%
Cars in household	0	17.5%	
	1	65.0%	
	More than 1	17.5%	

*Source: CBS.

3.3. Model specification and estimation

We used mixed logit model with error components to analyse the choice data. Mixed logit model allows us to capture the unobserved correlation between the two eHUBS alternatives (shared EV and e-bike). It is estimated with a panel structure to also account for the correlation between the responses of the same individual.

Following the terminology in De Luca and Di Pace (2015), instead of the “holding model” which explores consumers’ choices among all available transport modes, our model is a switching model that is conditional on the currently used mode: the existing mode alternative is only available for people who are currently using it. This approach does not aim to study the trade-off among all modes; instead, it focuses on whether consumers would switch from their current mode to new modes when they become available. However, our approach is slightly different from De Luca and Di Pace in that we did not estimate separate models for different current modes.

Table 4

The share of currently used modes for each trip context.

Mode	Share in commuting trip	Share in 2 km non-commuting trip	Share in 5 km non-commuting trip	Share in 10 km non-commuting trip
Private car	38.4%	16.2%	28.6%	48.0%
Car passenger	2.1%	4.6%	5.3%	7.0%
Public transport	15.6%	5.7%	11.3%	17.2%
Walk	0.0%	35.0%	7.7%	2.9%
Private e-bike	4.9%	5.1%	6.6%	4.4%
Bike	33.3%	27.8%	31.5%	12.0%
Bikesharing	1.2%	1.2%	2.5%	1.2%
Carsharing	0.4%	1.0%	1.7%	3.9%
Taxi	0.8%	0.6%	1.1%	1.0%
Motorcycle	3.3%	2.8%	3.6%	2.4%

Table 5

Mode attributes distribution of the reference commuting trip.

		N	Mean	Std Dev	Min	25%	50%	75%	Max
Private car	Travel time (min)	906	12.8	6.6	1	10	12	15	45
	Travel cost (euro)	906	0.9	1.1	0	0.3	0.6	1.3	9.9
	Access and egress time (min)	906	8.8	9.1	0	3	5	11	48
	Congestion frequency (%)	906	28.5	26.8	0	10	20	50	100
	Congestion time (min)	906	7.1	6.6	0	1	5	11	30
	Parking search time (min)	906	4.2	4.1	0	1	2	6	20
	Parking fee (euro)	906	4.7	5.5	0	0	3	8	20
Bike	Travel time (min)	864	19.2	8.4	4	13	20	25	45
	Parking search time (min)	864	1.2	1.6	0	0	1	2	10

Instead, we pooled all data to estimate a single model. By doing this, we can examine whether different users share some coefficients for eHUBS modes (see more details in the model specification part later).

The utility specification for the currently used mode is as follows:

$$U_{SQnt} = V_{SQnt} + \varepsilon_{SQnt} = \sum_{k=1}^K I_{knt} \beta_k^X X_{knt} + \varepsilon_{SQnt} \quad (1)$$

where U_{SQnt} is the utility of the current mode alternative (*Status Quo*) for respondent n in choice task t . I_{knt} is an indicator which equals 1 if mode k is the current mode of respondent n in choice task t . X_{knt} is a vector of the attributes corresponding to mode k . β_k^X are coefficients to be estimated. ε_{knt} is an extreme value type 1 error term that is identically and independently distributed. The specification for the eHUBS modes is as follows:

$$U_{jnt} = V_{jnt} + \varepsilon_{jnt} = ASC_j + \sum_{k=1}^K I_{knt} ASC_{jk} + \beta_{jk}^X X_{jnt} + \beta_j^S S_n + \mu_{Shared} + \mu_{jn} + \varepsilon_{jnt} \quad (2)$$

where ASC_{jk} denotes the influence of current mode k on the alternative specific constant of eHUBS mode j . S_n is the vector of respondent n 's socio-demographic variables. Note that instead of specifying separate ASCs for each current mode in the *status quo* alternative, we estimated ASCs of the two eHUBS modes for users of each current mode (ASC_{jk}), which allows different relative preferences between the two shared modes to be captured. β_{jk}^X and β_j^S are coefficients to be estimated. There are two error components in each eHUBS alternative: μ_{Shared} captures the unobserved correlation between eHUBS alternatives and μ_{jn} is the alternative-specific error term. All error components are independently and identically distributed (with zero mean normal distribution) across respondents. The standard deviations of these error terms are also model parameters to be estimated.

We specify all attribute coefficients as alternative-specific even if the attribute is generic (such as travel cost). This alternative-specific parameter specification is widely adopted in stated/revealed preference mode choice studies and is found to increase model fit compared to generic parameter specification (Li and Kamargianni, 2020; 2018; Mo et al., 2021; Reck et al., 2020). Moreover, empirical studies have also shown that sensitivity to attributes such as cost can vary widely between different products (Erdem et al., 2002; Wang, 2012). From a theoretical point of view, this is also plausible: although the alternatives are all travel modes, the travel experience they offer are quite different (e.g. more pleasant or productive), therefore people may have different tastes for different modes which can lead to varied marginal disutility of travel time and cost (Li and Kamargianni, 2019; Shires and Jong, 2009). In transport research this can be termed the mode-specific effect and empirical evidence has been reported in previous studies such as Mackie et al. (2003) and Wardman (2004). Similar to the conditional switching model in De Luca and Di Pace (2015), we start with the most flexible specification and assign separate coefficients for users of each mode. For example, we estimate three separate coefficients of shared e-bike cost for people who are currently using a car, public transport and bike. If different mode users' estimates for the same

attribute (e.g., the coefficient for shared e-bike cost for car and bike users) are similar in value and do not significantly reduce model fit after being constrained to be identical, they will then share a common coefficient for a parsimonious model structure. All attribute coefficients are retained in the final model even if they do not appear to be statistically significant as suggested in [Ortúzar and Willumsen \(2011\)](#). We also tested preference heterogeneity among different socio-demographic groups. We only present the variables that are statistically significant in the final model.

The probability that respondent n makes a sequence of choices $i = \{i_1, \dots, i_t\}$ is thus given by

Table 6
Results of the choice models for the non-commuting trip experiment.

Parameters	Estimate	Std. error	p-value
Alternative specific constants			
Shared Electric Vehicle (SEV)	-4.33	0.40	0.00
SEV: shopping	0.47	0.13	0.00
SEV: PT user	1.02	0.47	0.03
SEV: Bike user	-0.98	0.40	0.02
SEV: Walk 2 km	-0.56	0.73	0.44
SEV: Walk 5 km	0.86	1.52	0.57
SEV: standard deviation	1.28	0.19	0.00
Shared Electric Bike (SEB)	-3.47	0.47	0.00
SEB: shopping	-0.18	0.13	0.16
SEB: PT user	0.46	0.51	0.37
SEB: Bike user	-1.68	0.48	0.00
SEB: Walk 2 km	-0.28	0.73	0.71
SEB: Walk 5 km	0.72	1.52	0.64
SEB: standard deviation	1.07	0.21	0.00
Shared: standard deviation	1.64	0.14	0.00
Mode attributes			
SQ Car: Travel time	-0.02	0.03	0.56
SQ PT: Travel time	-0.06	0.02	0.00
SQ Bike: Travel time	-0.04	0.02	0.01
SQ Walk: Travel time	-0.01	0.02	0.53
SQ Car: Travel cost	-0.38	0.12	0.00
SQ PT: Travel cost	-0.39	0.15	0.01
SQ All: Access/egress time	0.02	0.02	0.33
SQ Car: Congestion	-0.16	0.11	0.15
SQ Car & Bike: Parking time	-0.04	0.02	0.01
SQ Car: Parking cost	-0.08	0.04	0.02
SEV: Car&PT user Travel time	-0.06	0.03	0.03
SEV: Bike&Walk Travel time	0.05	0.04	0.21
SEV: Car user Travel cost	0.02	0.08	0.78
SEV: PT user Travel cost	-0.28	0.11	0.01
SEV: Bike&Walk Travel cost	-0.16	0.11	0.14
SEV: All user Access/egress time	-0.04	0.01	0.00
SEV: Car user Congestion	-0.37	0.13	0.00
SEV: PT,Bike&Walk user Congestion	0.02	0.08	0.81
SEB: Car&PT user Travel time	-0.05	0.02	0.00
SEB: Bike&Walk Travel time	0.02	0.03	0.38
SEB: All user Travel cost	-0.47	0.16	0.00
SEB: All user Access/egress time	-0.03	0.01	0.02
Socio-demographic variables			
SEV: age<=35	1.45	0.21	0.00
SEV: with children	1.48	0.22	0.00
SEB: age ≤ 35	0.68	0.22	0.00
SEB: age ≥ 60	-0.99	0.33	0.00
SEB: income ≤ 40,000 euro	0.48	0.20	0.01
SEB: higher education	0.46	0.20	0.02
SEB: with children	0.72	0.23	0.00
Model summary			
Null LL	-4660.3		
Final LL	-2354.4		
pseudo rho square	0.495		
Number of model parameters	44		
Number of observations	4242		
Number of individuals	867		

Notes: Estimates in bold are significant at $p < 0.05$. Estimates in italic are significant at $p < 0.10$.

$$P_{ni} = \int \prod_{t=1}^T \left[\frac{e^{V_{int}}}{e^{V_{SQt}} + \sum_j e^{V_{jnt}}} \right] f(\mu) d\mu \quad (3)$$

The conditional probability that respondent n makes a sequence of choices is a product of logit formulas; the unconditional probability P_{ni} is then calculated as the integral of this product over all values of μ s.

We estimated the model using PandasBiogeme (Bierlaire, 2020) with 1000 MLHS (modified Latin Hypercube sampling) random draws. A model with 2000 draws was also tested and the estimated coefficients are broadly similar.

4. Results and discussion

This section first presents the modelling results for the commuting and non-commuting experiments. Then we will apply the modelling results in several scenario simulations to better understand the insights of the findings.

4.1. Model for non-commuting trip

The results for the choice model of the non-commuting trips are presented in Table 6. In this model, we specified a distance-based ASC for walking because the share of people switching to eHUBS becomes much higher for longer walking trips (the percentage choosing the status quo alternative drops from 80% to 55%) and this leads to a statistically significant positive travel time coefficient of eHUBS modes for active mode users. In a study based on revealed preference data, Ton et al. (2019) also found statistically significant positive travel time parameters for car and PT because people are more likely to choose these modes when the trip is longer. However, a significant positive travel time coefficient is especially undesirable in the context of stated preference studies since it implies that people are more likely to choose a mode when it is slower (given a fixed trip distance). After adding the distance-based ASCs, the travel time coefficients of eHUBS modes for active mode users are still positive but non-significant. Since we have mode-specific attribute coefficients, we cannot directly compare ASCs to derive mode preference. The standard deviation of the ASCs of eHUBS modes are statistically significant, showing that there is preference heterogeneity for the two modes. The error component shared by the two modes is also statistically significant, indicating that people perceive the two eHUBS modes to be similar. This suggests that shared e-bike is considered a viable substitute for shared EV.

All travel time and cost coefficients that are statistically significant have the expected negative sign. The travel cost coefficients for car and public transport users are statistically significant and have different values. The travel time coefficient is significant for bike and public transport users. It should be kept in mind that existing travel modes only appear in the choice tasks for their current users and the estimates may differ from the population average. As for the non-significant travel time parameters, it is possibly due to people being indifferent within the time range or under the short trip context specified in our experiment or that the disutility of travelling is offset by the benefits brought by conjoint activities or travel-experience factors (in which case the travel time coefficient can even become positive, see Hess et al. (2005) and Li and Kamargianni (2018) for more discussion).

We will focus on the eHUBS cost and time coefficients. Users of all modes share a common cost coefficient for shared e-bike, while this is not the case for shared EV: cost only has a significant impact for public transport users. As for the travel time coefficients, users of the two slow modes (bike and walk) are not significantly affected by the travel time of the two eHUBS modes, probably because these two modes are much faster than their current mode and the variation in time does not make a big difference. The travel time of the shared modes is significant for users of cars and public transport. For public transport users (because only they have a significant cost coefficient for both shared modes), the corresponding VOT is respectively 6.9 and 12.7 euro/hour for shared e-bike and EV.

For both eHUBS modes, we estimated a common coefficient for access time for all mode users and they were found to significantly affect the intended usage of both eHUBS modes. However, its absolute value is lower than that of the travel time coefficient for car and public transport users. This is probably because car and public transport users' travel time sensitivity is higher than that of those who walk and cycle. If we estimate a single travel time coefficient for all mode users in our model, its absolute value is indeed smaller than that of the access time coefficient. The access time for the current mode is not significantly different from zero.

Moreover, higher parking costs and longer parking search time are both found to significantly reduce the use of the current mode (private car and bike), suggesting that higher parking pressure and costs of the private car can encourage car users to switch towards shared modes.

The congestion variable in the non-commuting model is specified as the probability of congestion multiplied by the ratio of possible congestion time to travel time.¹ Car users are less likely to use shared EV when there is more congestion during the trip, while users of other modes are not found to be significantly deterred by a higher extent of congestion. This is probably because people, in general, care less about congestion in the context of non-commuting trips which are usually not with high time pressure (Wardman and Nicolás Ibáñez, 2012), but car users prefer to stick to the comfort of their car when there is more congestion (the congestion extent is the same between shared EV and private car in the experiment).

As for trip purposes, we found that people are more likely to choose shared EV for shopping trips (in contrast to leisure trips). In the case of the shared e-bike, the coefficient for a shopping trip is negative but only statistically significant at a 90% confidence level,

¹ We also tested the congestion specification used in the commuting model. The model fit (log-likelihood) is slightly lower, therefore we adopted the specification described in the text.

which suggests that given their capabilities of carrying large goods, e-cargo bikes still cannot substitute as many shopping trips as e-bikes in the case of leisure trips. A larger sample is needed to be conclusive regarding this finding.

As for the impact of socio-demographic variables, gender is non-significant in the choice of using eHUBS for non-commuting trips. Young people are more willing to use the eHUBS modes, while older people are less inclined to use e-bike probably due to worse health conditions. [Bielinski et al. \(2021\)](#) mentioned in their literature review that several previous studies found that privately owned e-bike has considerable popularity among older people (above 50–55 years old), but their study also found that older people are less likely to use shared e-bikes. Low-income earners are more likely to choose shared e-bike, indicating its potential in increasing the accessibility of this group. The impact of higher education is positive and the coefficient for shared e-bike is statistically significant. People with children are significantly more inclined to use both shared modes. This resonates with the fact that many Dutch carsharing users have families with small children ([KiM, 2015](#)), which has also been found in studies conducted in Norway ([Mouratidis, 2022](#)).

4.2. Model for commuting trip

[Table 7](#) presents the results of the mixed logit model for commuting trips. Since the sample used to estimate the commuting trip model is much smaller than the model for non-commuting trips, these results are exploratory and mostly used to detect whether there are major differences compared to non-commuting trips. Similar to the non-commuting model, the common error component for shared mobility in the mixed logit model is statistically significant, showing that the perceived similarity between eHUBS modes also holds in the case of commuting trips.

All travel time and cost coefficients have a negative sign except the travel time coefficient of the private car (although non-significant). While interpreting the results, it shall be kept in mind that the attributes of the current mode alternative are not varied within-person unlike the two eHUBS modes. For each individual, the attribute values of the current mode are fixed throughout the experiment, which strictly speaking does not allow within-person comparison such as “to what extent can variation of travel time change the probability of choosing the alternative”, although it is generally acceptable if these variables are considered exogenous ([Chorus and Kroesen, 2014](#)). Moreover, the existing modes only appear in the choice tasks for their current users which may render the attribute coefficient estimates different from the population average. Apart from travel time and cost attributes, we also examined attributes related to parking of private cars and bikes: parking cost of private cars is non-significant, while parking search time only has a significant impact on bike users, indicating that bike users with more parking difficulty are more likely to switch towards eHUBS modes.

We will again focus on the travel time and cost coefficients of the two eHUBS modes (shared e-bike and shared EV). Users of both current modes share a common cost coefficient for shared e-bike. In contrast, the coefficients for shared EV cost are significantly different between users of private cars and bikes, although both turn out to be non-significant in the final model.

All mode users also share a common travel time coefficient for the shared e-bike: it was statistically significant in the multinomial logit model but turned non-significant in the final mixed logit model, probably due to the small sample size. It corresponds to the value of time (VOT) of around 6.9 euro/hr which is identical to the value in the case of non-commuting trips. As for the travel time coefficient for shared EV, we kept the coefficients separate for different mode users. The travel time coefficient for bike users is extremely large (corresponding to a VOT of over 31.7 euro/hour), although only statistically significant at the 0.1 level. Instead of revealing the genuine impact of travel time, this most likely indicates the impact of distance in our sample as we discussed earlier. Only around 30 respondents are choosing shared EV among bike users and they are almost all distributed among trips shorter than 6 km, therefore trips with longer distance (and longer travel time) are greatly penalized. Since the number of responses choosing shared EV among bike users is too few, we did not add a distance-specific ASC to correct this bias.

As for the access time of shared e-bike, bike users value it around the same as travel time (only statistically significant at the 0.1 level), while we do not find its impact significant for car users. Access time for shared EV is non-significant as well. Congestion is specified as possible congestion time multiplied by the probability of congestion and it is found to be non-significant for both car and bike users.

Similar to what happens with non-commuting trips, young age is also a significant indicator for the usage of eHUBS for non-commuting trips, while the impact of gender is non-significant. Older people are still less inclined to use shared e-bike. People with high income are significantly less likely to switch to eHUBS modes, while low income also has a significant negative impact on the use of shared EV. Although we tested the interaction of income and cost and found it to be non-significant, maybe carsharing is in general too expensive for people with a low income. Unlike the case of non-commuting trips, highly educated people are not found to be more likely to switch to eHUBS for their commute trips. In general, the results regarding socio-demographic variables for both commuting and non-commuting trips match the typical early adopter profile and confirm most related findings on transport innovation adoption ([Becker et al., 2017](#); [Campbell et al., 2016](#); [Hess and Schubert, 2019](#); [Hu et al., 2018](#); [Jie et al., 2021](#); [Kaplan et al., 2018](#); [Wang and Yan, 2016](#)).

4.3. Mode substitution and policies promoting eHUBS use for car users

In order to extract more tangible insights from the model, we conducted several numerical simulations to illustrate our findings. We would like to stress again that the main purpose of this article is not to forecast market share under constraints in reality and the choice probabilities in the simulation are used for comparison between different scenarios. Many studies based on stated preference data conducted similar sensitivity analyses to provide insights regarding the impact of attribute variation or policy incentives ([Alonso-González et al., 2020](#); [Danielis et al., 2020](#); [Hackbarth and Madlener, 2016](#); [2013](#); [Tanaka et al., 2014](#)).

Table 7
Results of the choice models for the commuting trip experiment.

Parameters	Estimate	Std.error	p-value
Alternative specific constants			
Shared Electric Vehicle (SEV)	-4.26	0.90	0.00
SEV: Bike user	-0.74	1.14	0.52
SEV: standard deviation	0.95	0.28	0.00
Shared Electric Bike (SEB)	-4.20	0.92	0.00
SEB: Bike user	-0.84	1.08	0.44
SEB: standard deviation	0.08	0.71	0.91
Shared: standard deviation	2.23	0.26	0.00
Mode attributes			
Status Quo (SQ) Car: Travel time	0.03	0.03	0.38
SQ Bike: Travel time	-0.02	0.04	0.52
SQ All: Travel cost	-0.69	0.32	0.03
SQ All: Access/egress time	0.00	0.04	0.95
SQ Car: Congestion	0.03	0.10	0.79
SQ Car: Parking search time	-0.16	0.10	0.11
SQ Bike: Parking search time	-0.72	0.16	0.00
SQ Car: Parking cost	-0.07	0.05	0.16
SEV: Car user Travel time	-0.08	0.05	0.10
SEV: Bike user Travel time	-0.19	0.11	0.09
SEV: Car user Travel cost	0.11	0.09	0.20
SEV: Bike user Travel cost	-0.36	0.36	0.32
SEV: All user Access/egress time	-0.02	0.02	0.21
SEV: Car user Congestion	0.05	0.06	0.38
SEV: Bike user Congestion	-0.08	0.25	0.74
SEB: All user Travel time	-0.04	0.02	0.12
SEB: All user Travel cost	-0.35	0.16	0.03
SEB: Car user Access/egress time	0.03	0.03	0.27
SEB: Bike user Access/egress time	-0.04	0.03	0.09
Socio-demographic variables			
SEV: age \leq 35	1.79	0.53	0.00
SEV: income \geq 80.000 euro	-1.85	0.86	0.03
SEB: age \leq 35	1.10	0.43	0.01
SEB: age \geq 60	-1.91	0.91	0.04
SEB: income \geq 80.000 euro	-1.59	0.77	0.04
Model summary			
Null LL	-1944.5		
Final LL	-708.7		
pseudo rho square	0.636		
Number of model parameters	31		
Number of observations	1770		
Number of individuals	295		

Notes: Estimates in bold are significant at $p < 0.05$. Estimates in italic are significant at $p < 0.10$.

First, we will simulate the choice probability of each alternative for users of each mode under different distances. This allows us to explore the eHUBS preference of different modes and observe how they vary by trip distance. Second, to identify effective measures for promoting private car users to switch towards eHUBS, we will also simulate the impact of several policies on car users' choice probability.

4.3.1. Mode substitution patterns of users of different modes

We used the non-commuting choice model estimates because the reference trip is also varied in the non-commuting experiment which allows for within-person comparison. We simulate leisure trips and the attribute values are all set to be the middle level in the experiment setting (apart from zero congestion). This level represents the average condition of these modes and can serve as a reference point. The individual is assumed to be a young person with higher education, supposedly the most inclined to use eHUBS.

Table 8 presents the mode substitution pattern of users of each mode under three different distance contexts. We can see that the mode substitution pattern differs greatly by people's current mode and trip distance. Regarding the influence of distance, we observe that the share of switchers among active mode users spikes for long-distance trips (walkers at 5 km and bike users at 10 km). Public transport users have a slightly stronger preference for eHUBS modes for longer distances, which is noticeably mainly caused by the increased share of shared e-bike due to its larger relative advantage in travel time and cost for long distance trips. The share of switchers of car users is relatively stable across all distances.

As for the relative preference between the two shared modes in the eHUBS, public transport users and walkers have a stronger

preference for shared e-bikes, while car users and cyclists slightly prefer shared EVs more. The fact that cyclists prefer EV to e-bike is at odds with the conclusion of Mo et al. (2021) that people are more likely to switch to a new mode if it is more similar to their current mode. In our case it seems to be the other way around: if the new mode is too similar to the currently used mode and does not provide sufficient added value, there is less need to switch. This is probably why the share of cyclists choosing shared e-bike increases with trip distance: the benefits of e-bike (higher speed and less effort) are more pronounced on long trips.

In general, car users are less likely to switch towards eHUBS modes than public transport users. Active mode users' inertia for their current mode is on par with car users for short trips, but their preference for eHUBS strongly increases with distance.

Table 9 shows the simulation results for commuting trips. It uses identical attribute values as the non-commuting trip simulation (apart from a zero parking search time for bike users because the vast majority of bike users in our sample have 0 or 1 min of parking search time for their commuting trip). We exclude the results of 10 km trips for bike users because we hardly have any respondents with such commuting trips in our sample. Several observations can be made: Firstly, young car users are much more willing to switch towards eHUBS for commuting trips than non-commuting trips. Secondly, bike users generally stick to their current mode for commuting trips.

4.3.2. The impact of policies on mode substitution patterns of car users

We tested the impact of four policies/measures on reducing car use and promoting eHUBS use. Two of them focus on increasing the attractiveness of eHUBS by reducing its access time and usage fee. We did not test reduction on shared EV price because car users are not sensitive to its cost variation. The other two policies aim to curb car use by increasing parking search time (for example by reducing available parking space) and raising parking fees.

The simulation uses a 5 km non-commuting trip as the base scenario. Table 10 presents the results. The effectiveness of cutting eHUBS access time is almost on par with the two policies targeting car use, which probably makes it a less efficient measure: reducing access time implies expanding the network and increasing the density of eHUBS, which requires investment in new vehicles and hub facilities and can be rather costly. Moreover, this measure would also induce more public transport and active modes users to switch towards shared EV which is undesirable. Reducing the usage fee of shared e-bike seems to be the most effective in reducing car use and increasing shared e-bike usage. Moreover, it even reduced the use of shared EV compared to the base scenario due to the substitution effect between shared e-bike and EV. However, it is at the cost of harming the profitability and sustainability of shared mobility providers. The findings of this simulation exercise seem to suggest that eHUBS deployment can be accompanied by policies targeting car use to realize its potential in cutting car use and its externalities.

5. Conclusion

This paper studies people's mode choice when eHUBS become available. More specifically, we investigate people's choices regarding whether to use multiple shared electric mobility services including shared EV and e-bike to substitute their current modes (private car, public transport and active modes). We also explicitly study how the preference for and choice of using eHUBS varies for users of those different current modes. We used a stated choice experiment tailor-made for each current mode user: the choice set consists of only the two eHUBS modes and the respondent's current mode for a trip of a certain distance and purpose. We estimated mixed logit models to study people's choice of using eHUBS modes to substitute their current modes. We also conducted several simulations based on the results of the choice models to give insights regarding the mode substitution patterns and effectiveness of various policies in reducing private car use and promoting shared mobility.

We explored the unobserved correlation between shared EV and e-bike by assigning a communal error component for the two eHUBS modes. The results show that the standard deviation of the component is statistically significant in both models for commuting and non-commuting trips, which suggests that in both contexts these two modes are perceived to be similar.

We found that most factors that are influential in choices among existing modes are also found to play a significant role in the choice of eHUBS adoption, such as transport mode attributes (travel time and cost, access time, parking search time and parking fee for private car) and socio-demographic variables. Apart from different general preferences for shared electric modes, our choice models also show that users of different current modes have different sensitivity for eHUBS attributes such as travel time and travel cost. This further confirms the necessity of investigating the impact of current transport modes on people's choices regarding new transport services.

The simulation based on the choice model results shows that under average trip conditions (in terms of attribute values), a small but significant share of young people with higher education are willing to use eHUBS to replace their current travel mode. This result holds for both commuting and non-commuting trips, which demonstrates the potential of eHUBS in replacing car trips for both trip purposes. As for non-commuting trips, shared EVs are preferred for shopping trips compared to leisure trips, while the preference for using e-bikes in leisure trips is higher than the preference for using e-cargo bikes for shopping trips, although the latter effect is only statistically significant at 90% confidence level and calls for more evidence to be conclusive.

We also found that the substitution patterns differ greatly by current mode and trip distances. Given similar trip conditions (in terms of the attributes of current modes), public transport users are consistently more willing to switch towards eHUBS than car users. Active modes users have even stronger inertia for their current modes (bike and walking) than car users for short trips (shorter than 2 km for walking and 5 km for bike), while their preference for shared modes increases when the trip is longer than the threshold. The relative preference between the two shared modes in the eHUBS also differs by current mode: public transport users and walkers have a stronger preference for shared e-bikes, while car users and cyclists slightly prefer shared EVs more. Our findings can enhance our understanding of people's adoption of eHUBS modes, which can play a vital role in the design, deployment and promotion of eHUBS

Table 8

Simulation results of mode substitution for non-commuting trips of young people with higher education.

Current mode	2 km			5 km			10 km		
	Status Quo	Shared EV	Shared e-bike	Current mode	Shared EV	Shared e-bike	Current mode	Shared EV	Shared e-bike
Car	75.6%	12.2%	12.3%	77.7%	11.0%	11.2%	78.7%	11.2%	10.1%
PT	68.1%	16.8%	15.1%	67.5%	14.6%	17.9%	59.2%	13.6%	27.2%
Bike	86.1%	8.6%	5.3%	82.4%	10.3%	7.4%	70.8%	15.5%	13.6%
Walk	78.7%	8.7%	12.5%	56.0%	20.2%	23.8%			

Table 9

Simulation results of mode substitution for commuting trips of young people.

Current mode	2 km			5 km			10 km		
	Status Quo	Shared EV	Shared e-bike	Status Quo	Shared EV	Shared e-bike	Status Quo	Shared EV	Shared e-bike
Car	66.4%	22.6%	11.1%	66.2%	20.9%	12.8%	67.6%	19.8%	12.6%
Bike	90.5%	5.4%	4.2%	93.4%	2.1%	4.5%			

Table 10

Simulation results of the impact of different policies on mode substitution of car users.

Policy	Status Quo	Shared EV	Shared e-bike
Base	77.7%	11.0%	11.2%
Access time to eHUBS from 10 to 7.5 min	76.6%	11.7%	11.7%
SEB price from €1 to €0.5	76.2%	10.6%	13.2%
Car parking search time from 5 to 7.5 min	76.3%	11.7%	12%
Car parking fee from €3 to €4.5	76.4%	11.7%	11.9%

services.

Our study has two main limitations. A larger sample from the commuting experiment would have allowed us to achieve more reliable estimates for the corresponding mode choice model. We also only allowed respondents to specify a single (most frequently used) mode for each trip although people can be multimodal; this may have an impact on our results considering that preferences vary between different mode users.

There remain many areas for future research regarding the mode choice involving shared electric modes and eHUBS. First, since public transport and active modes already take a significant share in Amsterdam, similar studies can be conducted in other cities that are more car-dominated to see whether car users in these places have different preferences for shared modes. Second, our study focuses on the usage of one-way station-based eHUBS for short full trips and assumes full availability of shared vehicles. It is interesting to investigate how different types of organizations (e.g. roundtrip, free-floating), different trip contexts (first/last-mile connecting trips combined with public transport), and uncertain and limited availability affect people's preference for shared mobility services. Third, future studies can incorporate more factors that may potentially affect mode choices involving shared mobility services and mobility hubs, especially those that may not be easily accommodated in existing forms of choice experiments. For example, switching from current mode to new mobility services incurs coordination costs, such as checking time tables and availability of vehicles; this has been found to play a significant role in mode choices (Jochem et al., 2021). Future studies may use VR experiment to measure people's coordination costs for new mobility services, how these costs vary in different mobility service settings, and to what extent can efforts such as mobility hubs reduce such costs. Furthermore, it is also crucial to study the added value of mobility hubs: is integrating multiple shared modes more effective in boosting shared mode usage and reducing car use compared to independent existing single-mode shared mobility services? Finally, when more eHUBS and shared electric mobility services are available, it is important to use revealed preference data to assess the real impact of eHUBS and the validity of stated preference studies.

CRedit authorship contribution statement

Fanchao Liao: Writing – review & editing, Writing – original draft, Software, Methodology, Investigation, Formal analysis, Data curation, Conceptualization. **Jaap Vleugel:** Writing – review & editing. **Gustav Bösehans:** Writing – review & editing, Methodology. **Dilum Dissanayake:** Writing – review & editing, Methodology. **Neil Thorpe:** Writing – review & editing, Methodology. **Margaret Bell:** Writing – review & editing, Methodology. **Bart van Arem:** Writing – review & editing. **Gonçalo Homem de Almeida Correia:** Writing – review & editing, Methodology.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to

influence the work reported in this paper.

Acknowledgments

This work was supported by the eHUBS - Smart Shared Green Mobility Hubs project funded by INTERREG NWE.

References

- Alonso-González, M.J., Cats, O., van Oort, N., Hoogendoorn-Lanser, S., Hoogendoorn, S., 2020. What are the determinants of the willingness to share rides in pooled on-demand services? *Transportation*. Springer, US. <https://doi.org/10.1007/s11116-020-10110-2>.
- Anderson, K., Blanchard, S.D., Cheah, D., Levitt, D., 2017. Incorporating equity and resiliency in municipal transportation planning: Case study of mobility hubs in Oakland, California. *Transp. Res. Rec.* 2653, 65–74. <https://doi.org/10.3141/2653-08>.
- Becker, H., Ciari, F., Axhausen, K.W., 2017. Comparing car-sharing schemes in Switzerland: User groups and usage patterns. *Transp. Res. Part A Policy Pract.* 97, 17–29. <https://doi.org/10.1016/j.tra.2017.01.004>.
- Becker, H., Ciari, F., Axhausen, K.W., 2018. Measuring the car ownership impact of free-floating car-sharing – A case study in Basel, Switzerland. *Transp. Res. Part D Transp. Environ.* 65, 51–62. <https://doi.org/10.1016/j.trd.2018.08.003>.
- Becker, S., Rudolf, C., 2018. Exploring the potential of free Cargo-Bikesharing for sustainable mobility. *GAIA - Ecol. Perspect. Sci. Soc.* 27, 156–164.
- Bielinski, T., Kwapisz, A., Wazna, A., 2021. Electric bike-sharing services mode substitution for driving, public transit, and cycling. *Transp. Res. Part D* 96. <https://doi.org/10.1016/j.trd.2021.102883>.
- Bierlaire, M., 2020. A short introduction to PandasBiogeme, Technical report TRANSP-OR 200605. Transport and Mobility Laboratory, ENAC, EPFL.
- Bigazzi, A., Wong, K., 2020. Electric bicycle mode substitution for driving, public transit, conventional cycling, and walking. *Transp. Res. Part D Transp. Environ.* 85, 102412. <https://doi.org/10.1016/j.trd.2020.102412>.
- Campbell, A.A., Cherry, C.R., Ryerson, M.S., Yang, X., 2016. Factors influencing the choice of shared bicycles and shared electric bikes in Beijing. *Transp. Res. Part C Emerg. Technol.* 67, 399–414. <https://doi.org/10.1016/j.trc.2016.03.004>.
- Carteni, A., Cascetta, E., de Luca, S., 2016. A random utility model for park & carsharing services and the pure preference for electric vehicles. *Transp. Policy* 48, 49–59. <https://doi.org/10.1016/j.tranpol.2016.02.012>.
- Ceccato, R., Diana, M., 2021. Substitution and complementarity patterns between traditional transport means and car sharing: a person and trip level analysis. *Transportation (Amst)* 48, 1523–1540. <https://doi.org/10.1007/s11116-018-9901-8>.
- Chauhan, V., Gupta, A., Parida, M., 2021. Demystifying service quality of Multimodal Transportation Hub (MMTH) through measuring users' satisfaction of public transport. *Transp. Policy* 102, 47–60. <https://doi.org/10.1016/j.tranpol.2021.01.004>.
- Chorus, C.G., Kroesen, M., 2014. On the (im-)possibility of deriving transport policy implications from hybrid choice models. *Transp. Policy* 36, 217–222. <https://doi.org/10.1016/j.tranpol.2014.09.001>.
- Danielis, R., Rotaris, L., Giansoldati, M., Scorrano, M., 2020. Drivers' preferences for electric cars in Italy. Evidence from a country with limited but growing electric car uptake. *Transp. Res. Part A Policy Pract.* 137, 79–94. <https://doi.org/10.1016/j.tra.2020.04.004>.
- De Luca, S., Di Pace, R., 2015. Modelling users' behaviour in inter-urban carsharing program: A stated preference approach. *Transp. Res. Part A Policy Pract.* 71, 59–76. <https://doi.org/10.1016/j.tra.2014.11.001>.
- Efthymiou, D., Antoniou, C., 2016. Modeling the propensity to join carsharing using hybrid choice models and mixed survey data. *Transp. Policy* 1–7. <https://doi.org/10.1016/j.tranpol.2016.07.001>.
- Efthymiou, D., Antoniou, C., Waddell, P., 2013. Factors affecting the adoption of vehicle sharing systems by young drivers. *Transp. Policy* 29, 64–73. <https://doi.org/10.1016/j.tranpol.2013.04.009>.
- Erdem, T., Swait, J., Louviere, J., 2002. The impact of brand credibility on consumer price sensitivity. *Int. J. Res. Mark.* 19, 1–19.
- Fitch, D., Mohiuddin, H., Handy, S., Fitch, D., Mohiuddin, H., Handy, S., 2020. Investigating the influence of dockless electric bike-share on travel behavior. *Attitudes Health Equity*. <https://doi.org/10.7922/G2F18X0W>.
- Fukushige, T., Fitch, D.T., Handy, S., 2021. Factors influencing dock-less E-bike-share mode substitution: Evidence from Sacramento, California. *Transp. Res. Part D* 99, 102990. <https://doi.org/10.1016/j.trd.2021.102990>.
- Guidon, S., Becker, H., Dediu, H., Axhausen, K.W., 2019. Electric bicycle-sharing: A new competitor in the urban transportation market? An empirical analysis of transaction data. *Transp. Res. Rec.* 2673, 15–26. <https://doi.org/10.1177/0361198119836762>.
- Guidon, S., Reck, D.J., Axhausen, K., 2020. Expanding a(n) (electric) bicycle-sharing system to a new city: Prediction of demand with spatial regression and random forests. *J. Transp. Geogr.* 84, 102692. <https://doi.org/10.1016/j.jtrangeo.2020.102692>.
- Guo, Y., Chen, Z., Stuart, A., Li, X., Zhang, Y., 2020. A systematic overview of transportation equity in terms of accessibility, traffic emissions, and safety outcomes: From conventional to emerging technologies. *Transp. Res. Interdiscip. Perspect.* 4, 100091. <https://doi.org/10.1016/j.trip.2020.100091>.
- Haas, M.D., Kroesen, M., Chorus, C., 2021. E - bike user groups and substitution effects: Evidence from longitudinal travel data in the Netherlands. *Transportation (Amst)*. <https://doi.org/10.1007/s11116-021-10195-3>.
- Hackbarth, A., Madlener, R., 2013. Consumer preferences for alternative fuel vehicles: A discrete choice analysis. *Transp. Res. Part D* 25, 5–17. <https://doi.org/10.1016/j.trd.2013.07.002>.
- Hackbarth, A., Madlener, R., 2016. Willingness-to-pay for alternative fuel vehicle characteristics: A stated choice study for Germany. *Transp. Res. Part A Policy Pract.* 85, 89–111. <https://doi.org/10.1016/j.tra.2015.12.005>.
- He, Y., Song, Z., Liu, Z., Sze, N.N., 2019. Factors influencing electric bike share ridership: Analysis of Park City, Utah. *Transp. Res. Rec.* 2673, 12–22. <https://doi.org/10.1177/0361198119838981>.
- Hensher, D.A., Rose, J.M., Collins, A.T., 2011. Identifying commuter preferences for existing modes and a proposed Metro in Sydney, Australia with special reference to crowding. *Public Transp.* 3, 109–147. <https://doi.org/10.1007/s12469-010-0035-4>.
- Hess, S., Bierlaire, M., Polak, J.W., 2005. Estimation of value of travel-time savings using mixed logit models. *Transp. Res. Part A Policy Pract.* 39, 221–236. <https://doi.org/10.1016/j.tra.2004.09.007>.
- Hess, A.K., Schubert, I., 2019. Functional perceptions, barriers, and demographics concerning e-cargo bike sharing in Switzerland. *Transp. Res. Part D Transp. Environ.* 71, 153–168. <https://doi.org/10.1016/j.trd.2018.12.013>.
- Hu, S., Chen, P., Lin, H., Xie, C., Chen, X., 2018. Promoting carsharing attractiveness and efficiency: An exploratory analysis. *Transp. Res. Part D Transp. Environ.* 65, 229–243. <https://doi.org/10.1016/j.trd.2018.08.015>.
- Jiao, J., Wang, F., 2021. Shared mobility and transit-dependent population: A new equity opportunity or issue? *Int. J. Sustain. Transp.* 15, 294–305. <https://doi.org/10.1080/15568318.2020.1747578>.
- Jie, F., Standing, C., Biermann, S., Standing, S., Le, T., 2021. Factors affecting the adoption of shared mobility systems: Evidence from Australia. *Res. Transp. Bus. Manag.* 41, 100651. <https://doi.org/10.1016/j.rtbm.2021.100651>.
- Jin, F., An, K., Yao, E., 2020. Mode choice analysis in urban transport with shared battery electric vehicles: A stated-preference case study in Beijing, China. *Transp. Res. Part A Policy Pract.* 133, 95–108. <https://doi.org/10.1016/j.tra.2020.01.009>.
- Jochem, P., Lissn, C., Khanna, A.A., 2021. The role of coordination costs in mode choice decisions: A case study of German cities. *Transp. Res. Part A Policy Pract.* 149, 31–44. <https://doi.org/10.1016/j.tra.2021.04.001>.
- Kaplan, S., Wrzesinska, D.K., Prato, C.G., 2018. The role of human needs in the intention to use conventional and electric bicycle sharing in a driving-oriented country. *Transp. Policy* 71, 138–146. <https://doi.org/10.1016/j.tranpol.2018.09.010>.

- Kelley, S.B., Lane, B.W., Stanley, B.W., Kane, K., Nielsen, E., Strachan, S., 2020. Smart transportation for all? A typology of recent U.S. Smart transportation projects in midsize cities. *Ann. Am. Assoc. Geogr.* 110, 547–558. <https://doi.org/10.1080/24694452.2019.1643702>.
- Kim, J., Rasouli, S., Timmermans, H.J.P., 2017. The effects of activity-travel context and individual attitudes on car-sharing decisions under travel time uncertainty: A hybrid choice modeling approach. *Transp. Res. Part D Transp. Environ.* 56, 189–202. <https://doi.org/10.1016/j.trd.2017.07.022>.
- KiM, 2015. Carsharing in the Netherlands Trends , user characteristics and mobility effects.
- Kondor, D., Zhang, H., Tachet, R., Santi, P., Ratti, C., 2019. Estimating savings in parking demand using shared vehicles for home-work commuting. *IEEE Trans. Intell. Transp. Syst.* 20, 2903–2912. <https://doi.org/10.1109/TITS.2018.2869085>.
- Kopp, J., Gerike, R., Axhausen, K.W., 2015. Do sharing people behave differently? An empirical evaluation of the distinctive mobility patterns of free-floating car-sharing members. *Transportation (Amst)* 42, 449–469. <https://doi.org/10.1007/s11116-015-9606-1>.
- Kroesen, M., 2017. To what extent do e-bikes substitute travel by other modes? Evidence from the Netherlands. *Transp. Res. Part D Transp. Environ.* 53, 377–387. <https://doi.org/10.1016/j.trd.2017.04.036>.
- Krueger, R., Rashidi, T.H., Rose, J.M., 2016. Preferences for shared autonomous vehicles. *Transp. Res. Part C Emerg. Technol.* 69, 343–355. <https://doi.org/10.1016/j.trc.2016.06.015>.
- Langbroek, J.H.M., Franklin, J.P., Susilo, Y.O., 2017. When do you charge your electric vehicle? A stated adaptation approach. *Energy Policy* 108, 565–573. <https://doi.org/10.1016/j.enpol.2017.06.023>.
- Le Vine, S., Lee-Gosselin, M., Sivakumar, A., Polak, J., 2014. A new approach to predict the market and impacts of round-trip and point-to-point carsharing systems: Case study of London. *Transp. Res. Part D Transp. Environ.* 32, 218–229. <https://doi.org/10.1016/j.trd.2014.07.005>.
- Le Vine, S., Polak, J., 2019. The impact of free-floating carsharing on car ownership: Early-stage findings from London. *Transp. Policy* 75, 119–127. <https://doi.org/10.1016/j.tranpol.2017.02.004>.
- Li, W., Kamargianni, M., 2018. Providing quantified evidence to policy makers for promoting bike-sharing in heavily air-polluted cities: A mode choice model and policy simulation for Taiyuan-China. *Transp. Res. Part A Policy Pract.* 111, 277–291. <https://doi.org/10.1016/j.tra.2018.01.019>.
- Li, W., Kamargianni, M., 2019. An integrated choice and latent variable model to explore the influence of attitudinal and perceptual factors on shared mobility choices and their value of time estimation an integrated choice and latent variable model to explore the influence of Attitu. *Transp. Sci.* 54, 62–83.
- Li, W., Kamargianni, M., 2020. Steering short-term demand for car-sharing: A mode choice and policy impact analysis by trip distance. *Transportation*. Springer, US. <https://doi.org/10.1007/s11116-019-10010-0>.
- Liao, F., Correia, G., 2022. Electric carsharing and micromobility: A literature review on their usage pattern, demand, and potential impacts. *Int. J. Sustain. Transp.* 16, 269–286. <https://doi.org/10.1080/15568318.2020.1861394>.
- Mackie, P.J., Wardman, M., Fowkes, A.S., 2003. Value of travel time savings. *Transp. Res. Rec. J. Transp. Res. Board* 2470, 161–168. <https://doi.org/10.3141/2470-17>.
- Martin, E., Shaheen, S., 2016. Impacts of Car2go on vehicle ownership, modal shift, vehicle miles traveled, and greenhouse gas emissions: An analysis of five North American cities.
- Millard-Ball, A., Murray, G., Schure, J.T., Fox, C., Burkhardt, J., 2005. *Car-Sharing: Where and How it Succeeds*. TCRP Report, Washington, DC.
- Miramontes, M., Pfortner, M., Rayaprou, H.S., Schreiner, M., Wulffhorst, G., 2017. Impacts of a multimodal mobility service on travel behavior and preferences : user insights from Munich ' s first Mobility Station. *Transportation (Amst)* 44, 1325–1342. <https://doi.org/10.1007/s11116-017-9806-y>.
- Mo, B., Wang, Q.Y., Moody, J., Shen, Y., Zhao, J., 2021. Impacts of subjective evaluations and inertia from existing travel modes on adoption of autonomous mobility-on-demand. *Transp. Res. Part C Emerg. Technol.* 130, 103281. <https://doi.org/10.1016/j.trc.2021.103281>.
- Mouratidis, K., 2022. Bike-sharing, car-sharing, e-scooters, and Uber: Who are the shared mobility users and where do they live ? *Sustain. Cities Soc.* 86, 104161. <https://doi.org/10.1016/j.scs.2022.104161>.
- Ortúzar, J.de.D., Willumsen, L.G., 2011. *Modelling Transport*. 4th ed. Wiley, New York.
- Pan, X., Rasouli, S., Timmermans, H., 2019. Modeling social influence using sequential stated adaptation experiments: A study of city trip itinerary choice. *Transp. Res. Part A Policy Pract.* 130, 652–672. <https://doi.org/10.1016/j.tra.2019.10.007>.
- Papu Carrone, A., Hoening, V.M., Jensen, A.F., Mabit, S.E., Rich, J., 2020. Understanding car sharing preferences and mode substitution patterns: A stated preference experiment. *Transp. Policy*. <https://doi.org/10.1016/j.tranpol.2020.03.010>.
- Portland Bureau of Transportation, 2019. *2018 E-Scooter Findings Report*.
- Reck, D.J., Guidon, S., Haitao, H., Axhausen, K.W., 2020. Explaining shared micromobility usage, competition and mode choice by modelling empirical data from Zurich, Switzerland. *Transp. Res. Part C* 15, 12–19. <https://doi.org/10.1016/j.trc.2020.102947>.
- Reck, D.J., Martin, H., Axhausen, K.W., 2022. Mode choice, substitution patterns and environmental impacts of shared and personal micro-mobility. *Transp. Res. Part D Transp. Environ.* 102, 103134. <https://doi.org/10.1016/j.trd.2021.103134>.
- Rose, J.M., Bliemer, M.C.J., Hensher, D.A., Collins, A.T., 2008. Designing efficient stated choice experiments in the presence of reference alternatives 42, 395–406. <https://doi.org/10.1016/j.trb.2007.09.002>.
- Roukouni, A., Junyent, I.A., Casanovas, M.M., Correia, G.H.de.A., 2023. An analysis of the emerging “shared mobility hub” concept in European cities: Definition and a proposed typology. *Sustainability* 15, 5222. <https://doi.org/10.3390/su15065222>.
- Shaheen, S.A., Cohen, A.P., 2013. Carsharing and personal vehicle services: worldwide market developments and emerging trends. *Int. J. Sustain. Transp.* 7, 5–34. <https://doi.org/10.1080/15568318.2012.660103>.
- Shaheen, S., Bell, C., Cohen, A., Yelchuru, B., 2017. Travel Behavior: Shared Mobility and Transportation Equity. Rep. PL-18-007 66.
- Shires, J.D., Jong, G.C.D., 2009. An international meta-analysis of values of travel time savings. *Eval. Program Plann.* 32, 315–325. <https://doi.org/10.1016/j.evalprogplan.2009.06.010>.
- Sun, Q., Feng, T., Kemperman, A., Spahn, A., 2020. Modal shift implications of e-bike use in the Netherlands: Moving towards sustainability? *Transp. Res. Part D Transp. Environ.* 78, 102202. <https://doi.org/10.1016/j.trd.2019.102202>.
- Tanaka, M., Ida, T., Murakami, K., Friedman, L., 2014. Consumers ' willingness to pay for alternative fuel vehicles : A comparative discrete choice analysis between the US and Japan. *Transp. Res. Part A* 70, 194–209. <https://doi.org/10.1016/j.tra.2014.10.019>.
- Teixeira, J.F., Silva, C., Moura, F., 2021. Empirical evidence on the impacts of bikesharing: A literature review. *Transp. Rev.* 41, 329–351. <https://doi.org/10.1080/01441647.2020.1841328>.
- Tikoudis, I., Martinez, L., Farrow, K., Bouysson, C.G., Petrik, O., Oueslati, W., 2021. Exploring the impact of shared mobility services on CO2 (No. 175). OECD Environment Working Papers. Paris. 10.1787/9d20da6c-en.
- Ton, D., Duives, D.C., Cats, O., Hoogendoorn-lanser, S., Hoogendoorn, S.P., 2019. Cycling or walking? Determinants of mode choice in the Netherlands. *Transp. Res. Part A* 123, 7–23. <https://doi.org/10.1016/j.tra.2018.08.023>.
- Vasconcelos, A.S., Martinez, L.M., Correia, G.H.A., Guimarães, D.C., Farias, T.L., 2017. Environmental and financial impacts of adopting alternative vehicle technologies and relocation strategies in station-based one-way carsharing: An application in the city of Lisbon, Portugal. *Transp. Res. Part D Transp. Environ.* 57, 350–362. <https://doi.org/10.1016/j.trd.2017.08.019>.
- Walker, J.L., Wang, Y., Thorhaug, M., Ben-Akiva, M., 2018. D-efficient or deficient? A robustness analysis of stated choice experimental designs. *Theory Decis.* 84, 215–238. <https://doi.org/10.1007/s11238-017-9647-3>.
- Wang, R., 2012. Capacitated assortment and price optimization under the multinomial logit model. *Oper. Res. Lett.* 40, 492–497. <https://doi.org/10.1016/j.orl.2012.08.003>.
- Wang, N., Yan, R., 2016. Research on Consumers' Use Willingness and Opinions of Electric Vehicle Sharing : An Empirical Study in Shanghai. 10.3390/su8010007.
- Wang, W., Zhang, Q., Peng, Z., Shao, Z., Li, X., 2020. An empirical evaluation of different usage pattern between car-sharing battery electric vehicles and private ones. *Transp. Res. Part A Policy Pract.* 135, 115–129. <https://doi.org/10.1016/j.tra.2020.03.014>.
- Wardman, M., 2004. Public transport values of time. *Transp. Policy* 11, 363–377. <https://doi.org/10.1016/j.tranpol.2004.05.001>.

- Wardman, M., Nicolás Ibáñez, J., 2012. The congestion multiplier: Variations in motorists' valuations of travel time with traffic conditions. *Transp. Res. Part A Policy Pract.* 46, 213–225. <https://doi.org/10.1016/j.tra.2011.06.011>.
- Yan, X., Levine, J., Zhao, X., 2019. Integrating ridesourcing services with public transit: An evaluation of traveler responses combining revealed and stated preference data. *Transp. Res. Part C Emerg. Technol.* 105, 683–696. <https://doi.org/10.1016/j.trc.2018.07.029>.
- Ye, J., Wang, D., Li, X., Axhausen, K.W., Jin, Y., 2021. Assessing one-way carsharing's impacts on vehicle ownership : Evidence from Shanghai with an international comparison. *Transp. Res. Part A* 150, 16–32. <https://doi.org/10.1016/j.tra.2021.05.012>.
- Zhou, Y., Yu, Y., Wang, Y., He, B., Yang, L., 2023. Mode substitution and carbon emission impacts of electric bike sharing systems. *Sustain. Cities Soc.* 89, 104312 <https://doi.org/10.1016/j.scs.2022.104312>.