

Delft University of Technology

Where do professionals find sustainability and innovation value? Empirical tests of three sustainable design methods

Faludi, Jeremy; Yiu, Felix; Agogino, Alice

DOI 10.1017/dsj.2020.17

Publication date 2020

Document Version Final published version

Published in **Design Science**

Citation (APA)

Faludi, J., Yiu, F., & Agogino, A. (2020). Where do professionals find sustainability and innovation value? Empirical tests of three sustainable design methods. Design Science, 6(e22), Article e22. https://doi.org/10.1017/dsj.2020.17

Important note

To cite this publication, please use the final published version (if applicable). Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.

Where do professionals find sustainability and innovation value? Empirical tests of three sustainable design methods

Jeremy Faludi¹, Felix Yiu² and Alice Agogino³

- 1 Department of Design Engineering, Delft University of Technology, Landbergstraat, 15 2628 CE Delft, The Netherlands
- 2 Department of Architecture, University of California Berkeley, 230 Wurster Hall #1820, Berkeley, CA 94720, USA
- 3 Department of Mechanical Engineering, University of California Berkeley, Blum Hall 200E, Berkeley, CA 94720, USA

Abstract

Recommendations of sustainable design methods are usually based on theory, not empirical industry tests. Furthermore, since professionals often mix components of different design methods, recommending whole methods may not be relevant. It may be better to recommend component activities or mindsets. To provide empirical grounding for recommendations, this study performed 23 workshops on three sustainable design methods involving over 172 professionals from 27 companies, including consultancies and manufacturers in three industries (consumer electronics, furniture and clothing). The design methods tested were The Natural Step, Whole System Mapping and Biomimicry. Participants were surveyed about what components in each design method drove perceived innovation, sustainability or other value, and why. The most valued components only partially supported theoretical predictions. Thus, recommendations should be more empirically based. Results also found unique and complementary value in components of each method, which suggests recommending mixed methods for sustainable design. This may help design professionals find more value in green design practices, and thus integrate sustainability more into their practice.

Key words: sustainable design methods, green design methods, eco-design, design methodology, design activities, design mindsets

1. Introduction

Integrating sustainability into product design is an ethical imperative (Chan 2018), and has been so even before the term 'sustainability' was coined (Papanek 1995), but it has been difficult. Many claim that considering sustainability can improve product innovation (Hawken, Lovins & Lovins 1999; Charter & Clark 2007; Aronson 2013; Keskin, Diehl & Molenaar 2013), but others have found it to inhibit creativity (Collado-Ruiz & Ghorabi 2010). The very definition of sustainability is not consistent, though there is a general consensus that it should include environmental, social and economic benefits, as described in the UN Sustainable

Received 26 May 2019 Revised 19 June 2020 Accepted 19 June 2020

Corresponding author J. Faludi j.faludi@tudelft.nl

© The Author(s), 2020. Published by Cambridge University Press. This is an Open Access article, distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike licence (http://creativecommons.org/ licenses/by-nc-sa/4.0/), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the same Creative Commons licence is included and the original work is properly cited. The written permission of Cambridge University Press must be obtained for commercial re-use.

Des. Sci., vol. 6, e22 journals.cambridge.org/dsj **DOI:** 10.1017/dsj.2020.17





Development Goals (UN 2015) or the Brundtland report (Brundtland *et al.* 1987), versus focusing primarily on environmental sustainability as in Ecological Design (Cowan & Ryn 1996).

Definitions of innovation are also not consistent, varying from measuring Quantity, Quality, Novelty and Variety (Shah, Smith & Vargas-Hernandez 2003) or variants thereof (Oman *et al.* 2013) to the 'Sapphire' method (Srinivasan & Chakrabarti 2010), 'linkography' (Vidal, Mulet & Gómez-Senent 2004), 'Creative Product Semantic Scale' (Besemer & O'Quin 1986), and others. However, a general consensus is that innovation is creativity that improves product or service value versus the competition, especially financial value (Baregheh *et al.* 2009).

Thus, industry needs effective tools in order to drive substantive sustainability innovations, especially as sustainable design evolves from individual products to larger socio-technical systems (Scott, Bakker & Quist 2012; Ceschin & Gaziulusoy 2016; da Costa, Diehl & Snelders 2019). Hundreds of sustainable design methods exist (Oehlberg *et al.* 2012), many existing for decades (Keoleian & Menerey 1994), though few are used. Which methods will pay off in sustainability and innovation value for a specific design team on a specific project?

To help practitioners choose between sustainable design methods, most experts provide theoretical analyses displaying differences by environmental or social considerations, application to life cycle phases or other factors (Brink, Destandau & Hamlett 2009a; Shedroff 2009; Oehlberg et al. 2012; Ceschin & Gaziulusoy 2016; Faludi 2017a). However, this study's empirical testing found theoretical analyses are not always supported by facts. It also treated design methods not as competitors, but as prototypes to user test, enabling future iteration to improve each design method or hybridize components from different methods into more effective and inspiring practice. The study asked professional designers, engineers, managers and sustainability specialists what they valued about three different design methods, after they participated in workshops on each method performing green redesigns of their own real products. The goal was to find where and why practitioners found sustainability value, innovation value or other business value in each design method, as the practitioners defined these values. This should help practitioners to more mindfully choose design methods (or components thereof) that optimize for their circumstances.

2. Background and theory

Previous empirical studies on sustainable design have usually studied individual methods in isolation (Devanathan *et al.* 2010; Uang & Liu 2013; Reap & Bras 2014; Tempelman *et al.* 2015; Arlitt *et al.* 2017; Mattson *et al.* 2019) or considered all sustainable design practices as the same (see first paragraph citations). Some have compared whole design methods to each other (Behrisch, Ramirez & Giurco 2011*a*; Behrisch, Ramirez & Giurco 2011*b*). However, these may not be optimal approaches; designers have been found to use far fewer tools than are available to them (Gonçalves, Cardoso & Badke-Schaub 2014), and one study found industry sustainable design choices depended more on designers' expertise than the methods they use (Vallet *et al.* 2013*a*). Interviews with professional sustainable design methods; rather, they usually mix parts of several methods opportunistically, or use only parts of a method (Faludi & Agogino 2018).

While studies of this for sustainable design are lacking, researchers of traditional design methods have long documented practitioners mixing parts of methods opportunistically (Homans 1949; Visser 1990; Pahl *et al.* 1999; Cross 2001). Studies have also found managers often prefer using multiple strategy tools at once (Jarratt & Stiles 2010; Wright, Paroutis & Blettner 2013), and this helps drive innovation (Andriopoulos & Lewis 2010). Because design teams are acknowledged to combine multiple methods, traditional design methods have been deconstructed to measure component-level innovation value (Shah *et al.* 2003; Hernandez, Shah & Smith 2010; Kramer, Roschuni & Agogino 2016); some studies deconstruct even further to substages of ideation techniques (Gonçalves, Cardoso & Badke-Schaub 2016). Such deconstruction allows practitioners to be more flexible and mindful in their application of design practices (Cardin 2013).

The opportunistic mixing described above means designers do not use sustainable design methods as monolithic tunnels of process to pass through completely and in order, but as toolboxes to pull from as needed. Therefore, sustainable design methods should be examined at their component level, since these components are largely what designers will actually use. This study empirically assessed innovation value, sustainability value, and other business value in components of three sustainable design methods: The Natural Step (Robèrt 1991; Baxter *et al.* 2009), Whole System Mapping (Faludi & Danby 2010; Faludi 2015), and one implementation of Biomimicry (Faludi & Menter 2013), of which there are several variants (Benyus 1997; Baumeister *et al.* 2008; Baumeister *et al.* 2013; Reap & Bras 2014). Other work performed the same empirical testing of these three design methods with students, but student responses do not perfectly predict those of experienced professionals (Faludi *et al.* 2019).

These design methods were chosen because of a combination of them being recommended by industry experts previously interviewed by the authors, and the belief that they would be complementary to each other based on theoretical analysis explained below. Note that the Whole System Mapping method was developed by the lead author of this paper. This is not a conflict of interest because this research was not a comparison to determine which method is best; instead, as mentioned above, the goal was to find both strong and weak points in all three design methods, to enable future hybridization or other improvement of all the methods. Just as human centred design user-tests product prototypes and recombines their features for an improved final product, this user testing can enable others to create improved sustainable design practices by recombining components of these and/or other sustainable design methods.

To enable this perspective, the units of analysis for most of this study were 'activities' (what practitioners physically enact) and 'mindsets' (what practitioners mentally consider, from individual ideas to entire paradigms). While terminology is not universal, most engineering design literature uses 'activities' (Stoyell *et al.* 2001; Kudrowitz 2010; Vallet *et al.* 2013*b*; Cash, Stanković & Štorga 2014; Montagna & Cantamessa 2019). Smith (1998) found 172 ideation practices were merely combinations of 50 core activities. Others use 'techniques' (Hanington & Martin 2012). Business management literature often breaks practices into 'toolsets, skillsets and mindsets' (Horth & Vehar 2012); however, 'skillsets' imply previous training, which not all activities described here require. Theorists often do not distinguish between low-level activities and ordered collections thereof, calling both 'methods' (Stout 2003; Ostergaard & Summers

2009; Roschuni, Agogino & Beckman 2011; Roschuni, Kramer & Agogino 2015). Here, 'method' is defined as an ordered collection of activities and/or mindsets; any collection of activities, mindsets and/or methods is generically called a 'practice'.

Terminology is less consistent on mental activities. While some use 'mindsets' (Horth & Vehar 2012; IDEO.org 2015; Kramer *et al.* 2016; da Costa *et al.* 2019), others use 'strategies' (De Pauw, Karana & Kandachar 2012; Haemmerle, Shekar & Walker 2012; White, Belletire & Pierre 2013), 'guidelines' (Telenko, Seepersad & Webber 2008; Knight & Jenkins 2009; Telenko & Seepersad 2010), 'framing' (Cross 2004; Björklund 2013), 'internal logic' (Wright *et al.* 2013), or 'principles' (Telenko *et al.* 2008; Brink, Destandau & Hamlett 2009*b*; Oehlberg *et al.* 2012). Abstract overarching concepts are often called design 'paradigms' (Fuad-Luke 2008; De Pauw *et al.* 2010). Here, 'mindset' includes all these variants. Regardless of terminology, Badke-Schaub described how important shared mental models are in design processes (Badke-Schaub *et al.* 2007). In fact, much sustainable design literature and training proposes no specific activities, only proposing goals or strategies to consider during normal design activities (Papanek 1995; Hawken *et al.* 1999; McDonough & Braungart 2002; White *et al.* 2013).

Sustainable design methods generally perform several functions, as traditional design and business strategy methods do (Ulrich & Eppinger 1995; Frost 2003). The three sustainable design methods here (and others) have been deconstructed into their constituent activities and mindsets (Faludi 2017*a*). For readers unfamiliar with these design methods, summaries follow. Readers requiring a more extensive description of the methods and workshop procedures (3000 words) may read chapter 4 of Faludi (2017*b*), or may contact the authors.

The Natural Step uses the notion of 'Backcasting' to begin with the ultimate goal in mind and move toward it. This begins with defining perfect sustainability for the product system (Awareness/Vision activity); this uses the method's Four System Conditions mindset to define perfect sustainability. Then practitioners perform a gap analysis between this vision and today's circumstances (Baseline activity). They then generate ideas to close the gaps (Creative Solutions activity). Finally, they choose which of these ideas to act on (Decide on Priorities activity), using the Three Prioritizing Questions mindsets. These mindsets prioritize ideas based on how much they push towards the ideal vision, provide return on investment (either economic or environmental or social), and provide long-term as well as short-term progress.

Whole System Mapping begins by practitioners cooperatively creating a visual map of the product's system (Draw Whole System Map activity). They then use Life-Cycle Assessment (LCA) to identify environmental hot-spots; these hot-spots inform the Prioritized Design Spec, along with business priorities. Then practitioners ideate solutions using the system map (Brainstorm on System Map activity) with the goals of having new ideas about every part of the system (Brainstorm All System Nodes mindset) and eliminating parts of the system to drive radical creativity (Eliminate System Nodes mindset). Winning ideas are chosen by comparing to the design priorities (Decide activity).

Biomimicry (as taught) looks to nature for inspiration. First, practitioners redefine the problem in biological terms (Define Problem Biologically activity). Then they seek inspiration in nature (Nature as Model, Nature as Mentor), first by examining physical natural specimens (Discover Models in Life, Learn Life

The Natural Step		
Activities	Туре	
Awareness / Vision	G, C	
Baseline	Α	
Creative Solutions	1	
Decide by Priorities	D	
Mindsets	Туре	
Backcasting	OG	
Natural Step Funnel	PG-E-A	
Four System Conditions (4 mindpate)	PG-E-A	
(4 minusets)	PG-5-A	
 3 Prioritizing Questions (3 mindsets) 	Р	
• 5 Levels (not taught)	ST, OG	



Biomimicry (as taught)			
Activities	Туре		
Define Problem Biologically	G		
Discover Model Strategies Online (AskNature.org)	R, I		
Discover Models in Life	R, I		
Learn Life Model Strategies	Α		
Translate to Buildable Things	1		
Choose Nature's Principles	G		
Brainstorm Nature's Principles	1		
Mindsets	Туре		
Nature as Model	OG		
Nature as Measure	_		
Nature as Mentor	OG		
Nature's Principles	PG-E-A,		
(32 mindsets)	PG-E-C		

Figure 1. Activities and mindsets in the studied design methods, with categorizations. Image adapted from Faludi (2017*a*).

Model Strategies) then using the online database AskNature.org (Discover Model Strategies Online). Then practitioners brainstorm how to imitate these strategies with existing materials and technology (Translate to Buildable Things). Abstract concepts of how nature designs (Nature's Principles) are used to test for sustainability (Choose Nature's Principles), and for ideation (Brainstorm Nature's Principles).

Figure 1 summarizes these, classifying activities as Research (R), Analysis (A), Ideation (I), Build (B), Decision (D), Goal-setting (G), and Communication (C) types. It classifies mindsets as Systems Thinking (ST), Checklists (C), Priorities (P), Determine Own Goals (OG), and Predetermined Goals (PG); the latter were subdivided into Environmental (PG-E), Social (PG-S), Abstract (PG-A), and Concrete (PG-C) goal types. Note that Biomimicry's Discover Models in Life and Discover Model Strategies Online have been revised from the cited analysis to be both Research and Ideation, based on participant feedback in this study (described in Section 6).

These three design methods were believed to be complementary because product development requires activities in most categories listed above, in balance (Ulrich & Eppinger 1995; Cash, Hicks & Culley 2013). As Figure 1 shows, Biomimicry has more Research and Ideation activities than Whole System Mapping or The Natural Step, while Whole System Mapping has more Analysis activities, and The Natural Step is fairly balanced across goal-setting, analysis, ideation and decision-making activities. They were also believed complementary because The Natural Step contains only Abstract Predetermined Goal mindsets, while the others contain Concrete Predetermined Goals, but it is the only one with social goals; likewise, Biomimicry has no Prioritization, whereas the others do, and

Whole System Mapping contains no Abstract Predetermined Goals. Also note the lack of 'Build' activities in any of the methods; having a balanced development process implies combining these design methods with traditional design methods such as Human-Centred Design to fill that gap. Overall, finding which activities and mindsets are most valued should help practitioners choose what components to use or combine.

These design methods are recommended by their creators and others for various theoretical reasons: Descriptions of The Natural Step (and its descendent, the Framework for Strategic Sustainable Development; Broman & Robert 2017) emphasize primarily its mindsets defining sustainability, the Four System Conditions, and secondarily its Backcasting activity (Robert 1991; Baxter et al. 2009; Keen & Bailey 2012). Descriptions of Whole System Mapping emphasize primarily its visual systems thinking (Draw System Map activity) and secondarily its integration of LCA into early-stage design (Faludi 2015; Egenhoefer 2017). Descriptions of Biomimicry emphasize primarily Nature as Model or Nature as Mentor (they are generally conflated in the act of seeking inspiring models from mentors) and secondarily Nature's Principles (Benyus 1997; Vincent & Mann 2002; Kennedy et al. 2015). The theoretical analysis cited above (Faludi 2017a) also made recommendations by job type: The Natural Step was recommended primarily to managers due to its strategy-level approach and abstract goals; Biomimicry was recommended to designers and engineers due to its concrete goals and focus on research and ideation; Whole System Mapping was recommended equally to all three job types because of its balance of high-level systems thinking with detailed analysis and ideation.

3. Aims

This study aims to help practitioners choose sustainable design practices. Specifically, it aims to help them choose components of design methods to recombine with each other or different design practices, for greater effectiveness and inspiration. To enable this, the study aims to test whether theoretical recommendations are supported empirically.

These hypotheses were tested:

H1: Some components of design methods are valued more than others, and valued for different reasons.

- H1A: Each design method will have some component(s) much more valued than others, such that design teams might choose to only use those components.
- H1B: Perceived sustainability value will be highest in Analysis and Goal-Setting activities, because those are where environmental and social performance are assessed or decided upon, while perceived innovation value will be highest in Ideation and Research activities, because those are where most new ideas are created or found.
- H1C: Highly valued components of the different methods will be complementary, so that a design team could benefit from mixing parts of the three design methods.

H2: Theory accurately predicts what professionals value.

- H2A: The most valued component of The Natural Step will be the Four System Conditions, mostly valued for sustainability; next will be Backcasting, valued for strategic planning.
- H2B: The most valued component of Whole System Mapping will be the Draw System Map activity, mostly valued for systems thinking; next will be LCA, valued for sustainability.
- H2C: The most valued component of Biomimicry will be Nature as Model and/or Nature as Mentor, valued for both sustainability and innovation; next will be Nature's Principles, also valued for both.
- H2D: The Natural Step will be more valued by managers than designers or engineers; Biomimicry will be the reverse; and Whole System Mapping will be similarly valued by all three job types.

Only hypothesis H2D was tested at the level of whole design methods; all other hypotheses were tested at the component level. The results may help practitioners find best practices for their circumstances, or help mix and match practices from different sustainable design methods.

4. Significance

This study's significance is twofold: First, to show the need for empirical validation of theoretical recommendations for sustainable design practices, especially at the granular level of activities and mindsets, including sustainability value and innovation value. Second, to show specific recommendations for practitioners on these three design methods and their many activities and mindsets, to help practitioners consider what to use and what to learn.

5. Methods

To assess what professionals valued and why, this study followed Creswell's 'concurrent nested' approach (Creswell 2013) to mixing quantitative and qualitative methods, as well as Blessing and Chakrabarti's 'descriptive study II' phase of design research method #4 (Blessing & Chakrabarti 2009). Each design method was taught by the lead author in a separate workshop. Most companies performed each design method on a product currently in development.

5.1. Participant and workshop demographics

Twenty-three workshops were performed for 258 total attendees from over 30 different companies, including several Fortune 500 and Fortune 100 manufacturers. Note that 26 participants were disqualified due to having nondesign-related job roles (e.g., marketing), and 60 did not respond to surveys, thus leaving 172 qualified respondents from 27 companies. Participants were allowed to complete surveys anonymously if desired, so details of job role, gender, and so on are not available for all respondents. For each workshop, participants were divided into teams of four to six people, though teams were occasionally as small as three or as large as eight.

Each design method was performed with five or more companies of different sizes, industries and types. Companies chose which workshops they took, but researchers helped decide the order and continued recruiting companies until enough participants for each design method were reached. Most companies

received two or more workshops performed in different orders, and, when possible, weeks or months apart and/or with different participants, to minimize 'carryover effect' interaction bias and order effects.

Almost all participants were completely unfamiliar with all three design methods; presurveys showed that only nine participants from any companies had used Biomimicry, and fewer had used the other two methods, so there should not be significant bias due to different levels of familiarity. Most companies received dedicated workshops at their offices for existing teams, but one workshop at the SustainableBrands conference conglomerated participants from many different companies into teams, and one workshop at Singularity University taught several companies' separate existing teams.

Companies in different industries were specifically sought out, especially consumer electronics, apparel, and furniture, to attempt to find conclusions broadly generalizable across industries. Each team workshopped a different product, even within the same company. Consumer electronics products included a laptop, a home stereo, a wearable health monitor and others. Apparel included a waterproof jacket, rock climbing pants, a swimsuit and others. Furniture included a writing desk, an office chair and others. Other products included a bicycle, a refrigerator, food products, an industrial flow sensor and others. While there are valid arguments for the specificity of design practices by product sector or even company team, many of the most successful design consultancies, such as IDEO, Frog Design, Teague, Designworks, Lunar and more, pride themselves on the applicability of their practices across product sectors. Design Thinking is often claimed universally-applicable (Martin 2009; Goldschmidt & Rodgers 2013), and most design pedagogy strives for universality (Pahl & Beitz 1984; Ulrich & Eppinger 1995).

Workshops were taught step-by-step with everything applied to the company products; full descriptions would be prohibitively long, but they are publicly available (Faludi 2017*b*). The descriptions in the Background and Theory section above summarize them. All workshops were taught by the lead author. Workshop sizes varied from 3 to 50 participants. All three design methods were taught in 4-hour and 2-hour versions. In the shorter workshops, some were simplified or eliminated. In Whole System Mapping, LCA was simplified from interactive use of LCA software in long workshops to a slide of typical LCA results in short workshops; also, in the 'Decide' activity, decision matrices for the 'Score Ideas by Goals' mindset were shortened to dot voting. In Biomimicry, the activities 'Choose Nature's Principles' and 'Brainstorm Nature's Principles' were abbreviated from 40 minutes to 10 minutes.

Companies were anonymized using 'C' for product development consultancy and 'M' for manufacturer, followed by a number. Table 1 lists the number of qualified participants from each company and demographic; some companies do not appear due to all participants being disqualified or nonresponsive. The division for 'small' versus 'large' company was 100 employees. Note that the 'Responses/ Attendees Total' column is often less than the sum of individual workshop columns because many people participated in more than one workshop.

Table 2 lists demographics by number of people responding, not by number of survey responses as in Table 1. Note that in job roles, the number of people sums to over 172, with a total percentage over 100%, because many participants performed more than one role. Similarly, industry sector sums to over 100% because some consultancies design products in multiple industries.

Table 1. Demographics by company								
		Time		Responses/Attendees				
Company	Туре	Size	(hours)	Industry	TNS	WSM	BIO	Total
C1	Cons.	S	2	Cons.elec.	_	11/14 (79%)	16/21 (76%)	21/29 (72%)
M1	Mfr.	L	4	Apparel	15/18 (83%)	_	9/16 (56%)	22/32 (69%)
C2	Cons.	S	4	Cons.elec.		6/6 (100%)		6/6 (100%)
M2	Mfr.	L	4	Cons.elec.	_	9/10 (90%)	_	9/10 (90%)
C3	Cons.	S	2	Cons.elec.		_	9/12 (75%)	9/12 (75%)
C4	Cons.	S	2	Cons.elec.	_	4/6 (67%)	6/6 (100%)	10/12 (83%)
M3	Mfr.	L	2	Furniture	9/9 (100%)	19/21 (90%)	21/24 (88%)	31/36 (86%)
C5	Cons.	L	4	Cons.elec.	4/4 (100%)	5/5 (100%)	_	6/6 (100%)
C6	Cons.	S	4	Other		5/5 (100%)		5/5 (100%)
M4	Mfr.	L	4	Apparel	7/8 (88%)	5/6 (83%)	_	9/11 (82%)
M5–M14, others anonymous	9 Mfr., 24 anon.	9 L, 24 anon.	2	3 Cons.elec., 1 Apparel, 5 other, 24 anon.	-	9 identified, 24 anon./40 (83%)	_	9 identified, 24 anon./40 (83%)
M15-M23	Mfr.	S	4	3 Cons.elec., 1 Medical, 4 other	10/32 (31%)	_	_	11/33 (33%)
		Total qualifie	d response	s/total attendees:	45/71 (63%)	97/113 (86%)	61/79 (77%)	172/232 (74%)
			Total ident	tified companies:				27

1 · 1

'Apparel' includes apparel and soft goods. Abbreviations: Anon., anonymous; Cons., product development consultancy; Cons.elec., consumer electronics; L, large; Mfr., manufacturers; Responses/Attendees, number of qualified respondents followed by number of attendees and percent of attendees responding; S, small.

9/34

Table 2. Demographics by participant			
Job role		Industry Sector	
Designer	54 (29%)	Consumer electronics	68 (38%)
Engineer	52 (28%)	Apparel/soft goods	36 (20%)
Manager/executive	38 (20%)	Furniture	35 (19%)
Sustainability specialist	17 (9%)	Housewares/other	15 (8%)
(blank)	25 (13%)	(blank)	26 (14%)
Company type		Gender	
Manufacturer	89 (52%)	Female	60 (35%)
PD consultancy	59 (34%)	Male	83 (48%)
(blank)	24 (14%)	(blank)	29 (17%)

Each demographic is listed with the number of respondents and percentage of total qualified respondents from that demographic.

5.2. Data collection and analysis

Surveys were performed on-site immediately preceding and following each workshop, via Google Forms for those with computers and on paper for those without. Presurveys asked demographic questions, as well as other questions not discussed in this paper. (See the Appendix for full text.) Postsurveys asked what activities or mindsets from the design method they perceived to be most useful, not valuable, drive innovative ideas, what improve product sustainability, and drive any other business value not related to innovation or sustainability. Postsurveys also asked for feedback on the workshops, and other questions not discussed in this paper. (See the Appendix for full text.) All value, including sustainability and innovation value, was measured by self-reporting because all workshops produced large numbers of early-stage ideas, many of which were vague or unclear; thus, objectively assessing them for sustainability and innovation was deemed too subjective and too highly uncertain.

Surveys were not constrained to multiple choice lists of activities or mindsets, participants wrote free text. Most mentions of activities and mindsets matched those identified in Figure 1, but not all – some were surprises. Responses saying that they valued 'all' activities or mindsets were counted as valuing all activities and mindsets identified in Figure 1, but not counted as valuing the surprises. Survey text was qualitatively coded at the level of words or phrases for mentions of specific activities or mindsets, mentions of sustainability, innovation, or other benefits, positive or negative statements about an activity or mindset or the overall method, and reasons why. Initial 'open coding' of these responses were clustered into code categories for final coding.

Several measures were taken to try to avoid bias in survey responses. As mentioned above, performing workshops in different orders and weeks apart minimized 'carryover effect' interaction bias and order effects. To avoid social pressure bias, all surveys were private and most submitted electronically, and participants had the option to submit their surveys anonymously, as noted above. Of the 172 respondents, only 3 had a personal connection to any authors. The primary author, who led all workshops, did not discuss his involvement in their

creation. Researchers specifically asked for negative feedback as well as positive, to reduce potential optimism bias. However, because all workshops were voluntary, there may have been selection bias, where those who attended were more interested in sustainability, thus rating the methods higher than those who did not attend or did not complete surveys. To compare this study to another study of the same design methods but performed with students in a nonsustainability-focused class where workshop attendance was required, see Faludi *et al.* (2019).

MaxQDA software was used to quantify co-occurrences of these codes in text. Co-occurrences were only counted once per participant, to prevent vocal minorities from swaying results; however, an analysis counting all mentions was compared to the one-person-one-vote approach as a validity check for enthusiasm. Counting mentions were then consolidated into four main questions: what do practitioners value, what do they criticize, what do they say drives sustainability, what do they say drives innovation? It was not assumed that mentions of driving sustainability or innovation should also count as mentions of value; mentions of value were only counted in the other questions, not the sustainability question or innovation question. However, most activities or mindsets mentioned as driving sustainability or innovation were also mentioned as valuable in other questions as well. All 373 pre- and postsurveys were coded by both the author and a research assistant to check reliability. The author established coding rubrics by providing the research assistant 30 coded surveys for training; after one iteration of checking intercoder agreement and discussing for consensus adjusting codes, the final intercoder reliability had a Cohen's Kappa of 0.84 for presurveys and 0.83 for postsurveys. This measure was used to be more robust than merely measuring percent agreement, accounting for possible agreements by chance.

All hypotheses of 'most' valued or 'more' valued were tested by quantifying selfreported value in surveys. 'Most' valued was measured by an item being mentioned more than the average of all other items beyond 95% binomial confidence intervals. This is a conservative measure compared to single standard deviation confidence intervals, to ensure greater reliability of conclusions. These confidence intervals were calculated by an Adjusted Wald method for greater accuracy at small numbers of respondents (Agresti & Coull 1998; Bonett & Price 2012). 'More' valued was measured by pairwise comparisons being beyond 95% confidence intervals. Differences were deemed 'statistically significant' only for p values below 0.05 for disproving the null hypothesis; while this does not automatically indicate significance (Browner & Newman 1987), it is a strong indicator, and was considered meaningful after qualitative validation. Especially when testing demographic differences, where there were a large number of comparisons, qualitative analysis was combined with inductive reasoning estimating how different demographics might respond, and was used to check consistency among responses to similar activities or mindsets, to determine validity of p values below 0.05.

6. Results

This section first discusses results within each of the three design methods, then results by activity category, then results by demographic.

6.1. Results within each design method

6.1.1. The Natural Step

Figures 2 and 3 show quantitative results for overall value and sustainability or innovation value of components in The Natural Step. Table 3 shows qualitative reasons for these values with illustrative quotes. Figure 2 and forthcoming figures show, at left, all activities and mindsets identified by literature in the introduction; at right, they show only the activities or mindsets mentioned as being valued or criticized overall by more than five people. Note that these graphs only count percentages of respondents mentioning each activity or mindset in their survey text; they do not count number of mentions (to avoid vocal minorities), nor do they count the strength of praise or criticism in each response. Table 3 and forthcoming



Figure 2. Percent of respondents mentioning activities or mindsets they generally value or do not value in The Natural Step; n = 48. Error bars represent 95% confidence intervals.



Figure 3. Percent of respondents mentioning anything driving sustainability or innovation in The Natural Step n = 48. Error bars represent 95% confidence intervals.

 Table 3. Qualitative categories of reasons for valuing or criticizing components of The Natural Step, with supporting quotes

Activity/Mindset [+] Reasons Valued [—] Reasons Criticized	Quotes
Four System Conditions	
[+] Focusing/clarifying thought on sustainability	 'the different "wrongs" help critical thinking'. 'This method takes into account the social side of things that is missing from LCA'. [FUI] 'it's actually prescriptive in some of the categories it suggests categories that you just do not tend to think about automatically. And so having at least a suggestion of, "Hey, go look over there", I think is useful'.
[+] New lens	[PWI] 'I would say the Four System Conditions were the most useful, "cause they give me a specific frame or lens through which to look that I would not necessarily have looked through before".
[-] Vague/confusing	<i>'it was difficult to keep track of the four pillars'</i> <i>'but I would do it again with a different forum maybe, with a more clear objective, maybe a specific one.'</i>
Backcasting	
[+] Focusing/clarifying thought towards desired outcome	 'Backcasting provided a great means to work backwards from a desired outcome. It was an interesting method for downselecting ideas based on pre-established goals and criteria.' 'the sequencing of standing in the future in the awareness step, and then finding the gaps, and then brainstorming around the gaps and then figuring out what you are gonna do about it, I think that's great'.
[+] New lens	'Backcasting was an interesting, innovative way to look at a problem, it helped me look at it from a different vantage point'. 'It's a good method for brainstorming independent of sustainability'.
[+] Business strategy	'Back-casting was helpful to bring ideals back to reality' 'Workshop methodology that can be used for many other objectives'. (see quotes for Focusing / clarifying thought)
[+] Ease of use	<i>`a good and easy way to introduce this to our team. If this was more complex, it would not spread as easily to other co-workers'.</i>
Awareness/Vision	
[+] Broadening scope	 'I like how it tells you to aim for the impossible, at first view. This open [sic] our eyes to new possibilities and innovation' 'I felt more innovative during the first brainstorm [Awareness activity] than when I actually reached concept stage. I suppose it was due to the fact that I immediately looked out of the box at bigger issues than those I already encounter as a product designer' [PWI] Tm usually more focused on what do I have now, how can I make it incrementally better. And thinking about what is the real end goal is a very different question and that's really interesting'.

Downloaded from https://www.cambridge.org/core. TU Technische Universiteit Delft, on 19 Oct 2020 at 15:29:16, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/dsj.2020.17

Table 3. Continued	
Activity/Mindset [+] Reasons Valued [–] Reasons Criticized	Quotes
[+] New lens	'thinking of big picture awareness first led us to come up with different specifics and paths than we would have otherwise'
Baseline	
[+] Focusing/clarifying thought	 'it was a good reality check on where we currently stand with our sustaining efforts'. 'more than any, the Baseline work would guide this because it allows you to really focus on where the product currently is. Without that, the concepts [in Creative Solutions] would be too scattered'.
Creative Solutions	
[+] Focusing/clarifying thought	'The structured and methodical brainstorm'
[+] Practical/actionable	 'because it leads somewhere'. [FUI] 'the concepts were most valuable to me because that seems to me like the real meat of the value to what can I apply to future designs? What is the most tangible thing I can do, most immediate that gets me on that path?' 'I was hoping to learn more about product sustainability from this workshop, instead I felt like we generated all the content on sustainability in the brainstorm'
Decide by Priorities	
[+] Converging on solutions	<i>`working through the decide section put it all into perspective and we were able to recognize some low hanging fruit that we can action on [sic] now'</i>
[+] New lens	'Deciding at the end came up with surprising solutions'.

Quotes are from surveys except [PWI] = postworkshop interview or [FUI] = follow-up interview.

tables list frequently-mentioned and notable reasons why survey respondents valued or criticized the components of the design method. Since these were validated with postworkshop interviews and follow-up interviews months later, which generated lengthier responses, some quotes are from interviews rather than surveys.

Figure 2 shows that Backcasting was valued most often (p = 0.003 compared to the average of other activities and mindsets). All other components in Figure 2 were valued by similar percentages of people, but for different reasons (see qualitative results below). Postworkshop and follow-up interviews supported these findings.

Figure 3 shows that Creative Solutions (an ideation activity) scored highly for innovation, but not statistically significantly more than the goal-setting activity Awareness/Vision. See reasons why in Table 3. Similarly, while the goal-setting of Awareness/Vision and Four System Conditions were highly valued for sustainability, they were not statistically significantly more so than Creative Solutions ideation; indeed, all components were similarly valued for sustainability.

Comparing Figure 3 to Figure 2 shows that rates of general value are similar to the greater of the rates of perceived sustainability or innovation value; this means

neither sustainability nor innovation was clearly valued more, but if an activity or mindset was highly valued for either, it was highly valued generally. However, Backcasting was valued overall far more than its sustainability or innovation value; this is likely because it was mentioned as connecting all four activities into a strategic whole (see Table 3).

6.1.2. Whole System Mapping

Figures 4 and 5 show quantitative results for overall value and sustainability or innovation value of components in Whole System Mapping. Table 4 shows qualitative reasons for these values, with illustrative quotes. Note that Prioritized Design Spec was always called just 'Priorities' by participants, so text from here forward matches this. Also, respondents sometimes mentioned the Brainstorm on System Map activity as two different activities, based on the two mindsets 'Brainstorm All System Nodes' and 'Eliminate System Nodes', despite them happening simultaneously. This illustrated the interplay between mindsets and activities. To accommodate this, the combination of activity and mindsets was recoded as 'Brainstorm All System' and 'Brainstorm to Eliminate'. Figure 4 shows Brainstorm to Eliminate being mentioned much less for two reasons: First, because mentions of Brainstorm on System Map, Brainstorm All System Nodes, and general brainstorming were often difficult to distinguish from each other textually; second, because it was not counted in mentions of valuing 'all' activities, but only mentions of it specifically.



Figure 4. Percent of respondents mentioning activities or mindsets they generally value or do not value in Whole System Mapping; *n* = 96. Priorities, Prioritized Design Spec. 'Brainstorm All System' is the Brainstorm on System Map activity with the Brainstorm All System Nodes mindset. 'Brainstorm to Eliminate' is the Brainstorm on System Map activity with the Eliminate System Nodes mindset. Error bars represent 95% confidence intervals.

15/34

Downloaded from https://www.cambridge.org/core. TU Technische Universiteit Delft, on 19 Oct 2020 at 15:29:16, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/dsj.2020.17

Whole System Mapping



Figure 5. Percent of respondents mentioning anything driving sustainability or innovation in Whole System Mapping; n = 96. Error bars represent 95% confidence intervals.

Figure 4 shows that Draw System Map was the most valued part of the design method, significantly more than the average of other activities and mindsets (p = 0.0001). Some mindsets were seldom mentioned: Sustainability Goals, Business/User Goals, Scoring Ideas by Goals, and Visual Thinking (the latter was mentioned five times, but as a reason for valuing Draw System Map, not for itself). Postworkshop and follow-up interviews supported these findings.

Figure 5 shows that several activities were valued for perceived sustainability; none is a statistically significant favorite. LCA was highly valued for sustainability but not innovation. Draw System Map and Brainstorm All System Nodes were each highly rated for both sustainability and innovation. Comparing Figure 5 with Figure 4 shows that Draw System Map's overall value is far higher than its sustainability or innovation value, similar to Backcasting. Its primary value may be in uniting other components, or other business benefits (see Table 4).

6.1.3. Biomimicry

Figures 6 and 7 show quantitative results for overall value and sustainability or innovation value of components in Biomimicry. Table 5 shows qualitative reasons for these values, with illustrative quotes. Note the activity Discover Model Strategies Online was always referred to by participants simply as 'AskNature.org', so it is referred to as such from here forward. Also, participants frequently mentioned one item not appearing in literature analysis: Examples (describing biomimetic product examples during the workshop's lecture). See Table 5 for reasons.

Figure 6 shows that the most often valued mindset was Nature as Mentor (p < 0.0001 compared to the average of others), and the most often valued activity was AskNature.org (p = 0.03). These are intertwined, as AskNature.org physically enacts Nature as Mentor (and Nature as Model), as does Discover Models in Life.

 Table 4. Qualitative categories of reasons for valuing or criticizing components of Whole System

 Mapping, with supporting quotes

Activity/Mindset

Draw System Man	
Reasons Valued [+] or Criticized [-]	Quotes
110tivity/mindoot	

Draw System Map	
[+] Broadening scope	 'Visualizing the whole system was very valuable, it allowed us to consider solutions outside of normal development' 'seemed like a great way to be as broad as possible when coming up with ideas to reduce environmental impact'. 'valuable for all the different stuff through the process, to think of like, if we apply this constraint, maybe it makes our problem better, but maybe it screws up everything for everyone else'.
[+] Focusing/clarifying thought	'Breaking down the system into different components helped make the thought process more approachable'.'Specifically, it was helpful to me to have all of the nodes in the system available visually so that areas that might benefit from more attention end up drawing attention to themselves organically'.
[+] Collaboration/align team	'Visual mapping – helps put everyone on the same page'. [FUI] 'it involves everyone in the chain maybe marketing needs to do a whole systems approach, or supply chain'
[+] Design strategy	'Thinking through an entire system, mapping it out, and identifying opportunities for improvement. I would like to do that with my team at work, not necessity even for sustainability, but for good process'. [FUI] 'I do not know that we have done any of it that was really specifically geared towards the environmental sustainability, but we have definitely looked at a whole systems approach on some, like costing, and time decisions. And that's been really helpful'.
Systems Thinking	
[+] Broadening scope	'The mindset of zooming out and looking at the systemic view of a product is helpful'.
LCA	
[+] Focusing/clarifying thought quantitatively	 'have a sense of which areas have much bigger impacts than others'. 'the ability to test or estimate the impact of independent variables. Side by side comparisons'. 'It was interesting to see how the perceived impact of things might actually be very different from the actual impact'. [FUI] 'from the engineering side of it, it gives us something we can latch on to and just fully get behind and point to a number and say this is why'.
[-] Difficult/time-consuming	'seems too "deep" for design at our level – would be good to leverage someone focused on that subject'. (4-hour workshop performing simplified LCA)
[-] Inapplicable (too general)	' <i>The scoring system seemed a bit arbitrary without having data to back it up.</i> ' (2-hour workshop with pre-calculated LCAs of product categories)

Downloaded from https://www.cambridge.org/core. TU Technische Universiteit Delft, on 19 Oct 2020 at 15:29:16, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/dsj.2020.17

Table 4. Continued	
Activity/Mindset Reasons Valued [+] or Criticized [-]	Quotes
Priorities	
[+] Focusing/clarifying thought	'the prioritization exercise was useful to see where to get the most bang for the buck' 'identifying opportunities (and priority for) sustainability was most helpful'.
Brainstorm on System Map/Br	rainstorm All System
[+] Broadening scope	'Brainstorming improvements AFTER mapping the whole system is a powerful way to find opportunities that go beyond the usual methods'.
[+] Focusing/clarifying thought	'Having to fill the entire map with ideas forced our team to think deeper'.
Brainstorm to Eliminate	
[+] New lens	'finding ways to cut out steps seemed to foster the most creative solutions' looking at baseline Bill of Materials to see what elements we could combine or eliminate seemed valuable. This led to reduction in cost and improved sustainability numbers'.
Decide	
[+] Converge on solutions	'I liked the decision matrix. Good way to choose solutions'. (Decide activity + Priorities mindset) 'Rating the priorities for each idea was nice to see in the impacts and not just go with which ideas we thought were cool'
[-] Difficult/time-consuming	'Voting/prioritizing was a challenge. It still felt like we should go with our gut'.

Quotes are from surveys except [PWI] = post-workshop interview or [FUI] = followup interview.





Figure 6. Percent of respondents mentioning activities or mindsets they generally value or do not value in Biomimicry; n = 57. 'Models in Life', Discover Models in Life; 'Translate to Buildable', Translate to Buildable Things. Error bars represent 95% confidence intervals.

Downloaded from https://www.cambridge.org/core. TU Technische Universiteit Delft, on 19 Oct 2020 at 15:29:16, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/dsj.2020.17

Design Science _____

Biomimicry (as tag	ught)		
Activities	Туре		0% 10% 20% 30%
Define Problem Biologically	G		
Discover Model Strategies Online (AskNature.org)	R, I	Examples	
Discover Models in Life	R.I	Models in Life	
Learn Life Model Strategies	A	Define Problem Biologically	
Translate to Buildable Things	1	Notice of Mantan	
Choose Nature's Principles	G	Nature as Mentor	
Brainstorm Nature's Principles	1	AskNature.org	
Mindsets	Туре	Translate to Buildable	
Nature as Model	OG		
Nature as Measure	_	Nature's Principles	
Nature as Mentor	OG		Sustainability
Nature's Principles	PG-E-A,		,
(32 mindsets)	PG-E-C		
		/	

Figure 7. Percent of respondents mentioning anything driving sustainability or innovation in Biomimicry; n = 57. 'Models in Life', Discover Models in Life; 'Translate to Buildable', Translate to Buildable Things. Error bars represent 95% confidence intervals.

Table 5. Qualitative categorsupporting quotes	ries of reasons for valuing or criticizing components of Biomimicry, with
Activity/Mindset Reasons Valued [+] or Criticized [–]	Quotes
Examples	
[+] Making concepts concrete	'Things that seem far-fetched become more tangible when you learn of actual examples of how nature has done it'. [FUI] 'I'm trying to remember what the actual activities we did during the workshop were. I remember the demos more than the activities, like the materials that you demoed'.
Discover Models in Life	
[+] New lens	'Looking at objects from nature made me think about natural design', or 'thinking like nature, made new and odd solutions'
[+] Inspiring	'the mentor (shells, etc.) was cool to see and feel the objects in person'.
[—] Inapplicable	 'In-person research is probably a no-go for consulting engineers, as it would be difficult to justify the hours consumed in transit'. 'Breaking down a biological sample into engineering applications did not feel useful but I understand why we did it'
Define Problem Biological	ly
[+] New lens	'Framing the problem as biological is really helpful to prompting ideas'.

19/34

40%

50%

Innovation

60%

Downloaded from https://www.cambridge.org/core. TU Technische Universiteit Delft, on 19 Oct 2020 at 15:29:16, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms.https://doi.org/10.1017/dsj.2020.17

Design Science _____

Table 5. Continued	
Activity/Mindset Reasons Valued [+] or Criticized [–]	Quotes
[+] Focusing/clarifying thought	 'Breaking the problem down to the principle issues really helped prepare for searching using AskNature'. [FUI] 'searching for inspiration or redefining the problem in a way that makes it easy to search for inspiration has been helpfulabstracting the problem: rather than like, oh, I need to design a seal for this particular button, it's like We need waterproofing'.
Nature as Mentor	
[+] New lens	'using a new perspective – through looking at nature – to re-inspire challenges that seemed impossible'.
[+] Inspiring	'Getting engineers inspired to think of the linkages between nature and the mechanical world'.
[-] Inapplicable	[FUI] 'the idea of looking to nature for examples was powerful, though we have not been using that concretely'.
AskNature	
[+] New lens	'Asknature.com [sic] was useful, as it is not always easy to think of the outside-of-the-box biomimetic ideas'.
[+] Inspiring/engaging	 'very helpful and fun. Get inspired by real life solutions and ideas from our natural environment'. 'going on the site ask nature was very interesting / sparked the most creative thought'
[-] Marketing value for consultancies	'Having another source of inspiration is great especially if it's something that we can do in front of clients when we are brainstorming being able to look really competent in initial meetings with clients has a lot of sales value'.
Translate to Buildable Thin	ngs
[+] Practicality	'The connection to workable designs was perhaps the most valuable to me'.
[-] Difficult/time- consuming	'coming up with buildable ideas was really difficult. It was fun to see how we could emulate nature, but how to actually build off of that was a brain stretch'.
Nature's Principles	
[+] New lens	'How Nature Designs principles are a good reminder to evaluate solutions through another lens'.
[+] Focusing/clarifying thought	'I also liked the Life's Principles checklist to open new mindsets for positive sustainability impacts'.
[-] Vague/confusing	'it was too high-level'.

Quotes are from surveys except [PWI] = postworkshop interview or [FUI] = follow-up interview.

Downloaded from https://www.cambridge.org/core. TU Technische Universiteit Delft, on 19 Oct 2020 at 15:29:16, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/dsj.2020.17

Note that these and the qualitative responses caused AskNature.org to be reclassified from a research-only activity to a research and ideation activity. Some activities and mindsets were seldom mentioned: Learn Life Model Strategies, Nature as Measure, and Nature as Model. Postworkshop and follow-up interviews supported these findings.

Figure 7 shows AskNature.org was the most highly rated for innovation of any activity or mindset in any of the three design methods (p = 0.0006 compared to average of all acomponents of all methods). No activities or mindsets scored highly for sustainability; Nature's Principles may have scored highest, but not statistically significantly so.

6.2. Results by activity type

To determine if entire categories of design activity were similarly valued regardless of what design method the activities come from, as hypothesized in H1B, results from activities in all three design methods were combined by type (see Figure 1). To summarize which activities comprise which categories, see Table 6; for results, see Figure 8.

Figure 8 shows that there may be differences in overall value; analysis and communication were mentioned more often than the average of others (p = 0.005), but qualitative comments did not clearly explain this. It may be a statistical artifact, or it may be due to business benefits described in the qualitative results tables. For perceived sustainability value, analysis and goal-setting were not more highly valued than the average of all activity types; indeed, there was no significant winner for perceived sustainability value. For perceived innovation value, research activities were more valued than the average of the others (p = 0.017), due to the high value of AskNature.org. However, ideation activities were not significantly more valued for innovation than average. As noted earlier, none of these methods had 'Build' activities; the graph includes it simply because it is an important stage of product development, which designers must address with activities outside of these methods.

Table 6. Categories of design activities in each design method			
	The Natural Step	Whole System Mapping	Biomimicry
Research	(None)	(None)	AskNature.orgModels in Life
Analysis	• Baseline	Draw System MapLCA	(None)
Ideation	Creative Solutions	• Brainstorm All System	Translate to BuildableNature's Principles
Build	(None)	(None)	(None)
Communicate	• Awareness/Vision	• Draw System Map	(None)
Decision	• Decide by Priorities	• Decide	(None)
Goal-setting	• Awareness/Vision	• Priorities	Define Problem BiologicallyNature's Principles

Downloaded from https://www.cambridge.org/core. TU Technische Universiteit Delft, on 19 Oct 2020 at 15:29:16, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/dsj.2020.17



Figure 8. Percentage of respondents mentioning different types of activities or mindsets from all three design methods: valued or not valued overall, and valued for sustainability or innovation. Note: there were no Build activities in any of the three design methods.

6.3. Results by demographics

As mentioned in Section 5, demographic divisions were by job role (designer, engineer, manager/executive and sustainability specialist), company type (manufacturer, product development consultancy), company size (under or over 100 employees), industry sector (consumer electronics, furniture, apparel and other) and gender (female and male). Of the 172 qualified participants, some data was incomplete, as 25% of participants did not answer demographic questions for privacy, so numbers of demographic subdivisions did not add to 100% of participants.

There were almost no statistically-significant differences in how different demographics perceived the value of design activities, mindsets, or whole design methods. The one significant difference with both quantitative and qualitative evidence was that fewer engineers valued Biomimicry for sustainability, compared to designers, managers/executives and sustainability professionals, as shown in Figure 9.

This lack of difference was not only by job role, but all demographics analysed. This includes thousands of comparisons, due to the dozens of variables: general value/criticism, sustainability value, and innovation value of all 35 activities and mindsets from all three design methods; and sustainability value and innovation value of the three design methods overall. The thousands of comparisons resulted in some with p values below 0.05, but these were checked against qualitative text analysis and inductive reasoning to test consistency of responses within demographics that might indicate meaningful differences rather than inevitable coincidences from high numbers. No demographic differences in valued activities or mindsets were supported by qualitative analysis. For all 64 graphs of quantitative comparisons, see the doctoral dissertation (Faludi 2017*b*).

Figure 9 shows fewer engineers mentioning sustainability value in Biomimicry than other job roles (p = 0.01). The statistical significance was confirmed qualitatively by quotes from three engineers. For example: 'I do not agree that biomimicry should be in as part of the sustainability discussion. ...if I mimic something, but man it's destroyed the environment cause I've got to do this chemical process to get those



Figure 9. Percent of respondents mentioning anything driving sustainability in all three design methods. Dsn, Designer; Eng, Engineer; Mgr, Manager; Sust, Sustainability Specialist. Error bars represent 95% confidence intervals. Grey background bars show 95% confidence intervals for all respondents combined.

little gecko foot pads. ...For me as an engineer, biomimicry is probably the most interesting one just from a mechanism point of view, or new materials, or new processes point of view'. However, engineers did still value Biomimicry overall, and for innovation. This same difference (valuing Biomimicry less for sustainability but highly for innovation and overall) was also found to a lesser degree in Consultancies (versus Manufacturers) and Small companies (versus Large companies), but this was due to the preponderance of engineers in the consultancies, which were also predominantly the small companies, in this study.

7. Discussion

Results above showed some hypotheses supported and some unsupported. Most of H1 was supported: Some components of design methods were valued more than others, and valued for different reasons. H1A was entirely supported: Each design method had some component(s) much more valued than others, the most overall valued being Backcasting from The Natural Step, Draw System Map from Whole System Mapping and Nature as Mentor or AskNature.org from Biomimicry. Some seldom-mentioned activities or mindsets may be expendable, or may be so intertwined with others (such as Whole System Mapping's Sustainability Goals being conflated with its Priorities activity) that they were indistinguishable to participants.

Interestingly, all of these top-rated components were valued for reasons other than (or in addition to) sustainability – either for innovation or other business benefits. For example, Backcasting was valued for innovation and business value. AskNature.org was the most valued activity for innovation in any of the three design methods, even said to have marketing value for consultancies. Draw System Map was used after workshops to facilitate brainstorms cutting cost and time. Such benefits are clearly important to build the business case for sustainable

design practices. However, we must not let such benefits dilute sustainability improvements.

Also supporting H1A, some components were more criticized and respondents mentioned potentially using highly-valued components without others. For example, using Backcasting without the Four System Conditions: '*It's a good method for brainstorming independent of sustainability*'. LCA was perhaps the most criticized, both in its easier and more thorough versions, as Table 4 showed. Participants in 4-hour workshops performing (simplistic) estimated LCAs sometimes called it too difficult or time-consuming, while participants in 2-hour workshops, not performing LCAs but using precalculated graphs for common product categories, sometimes called it too generic to be applicable. Indeed, teaching LCA must always balance the level of detail required for meaningful LCA results, without overburdening participants with technical details. Even so, many more participants praised LCA than criticized it (p = 0.002).

It may, however, be difficult to use highly valued activities or mindsets without some less-valued ones. There was much interaction between components, and both highly valued and less-valued components were often valued for strengthening others. For example, in The Natural Step, Awareness/Vision goals and Baseline analyses were valued for focusing thought in Creative Solutions ideation ('*I think* more than any, the Baseline work would guide this because it allows you to really focus on where the product currently is. Without that, the concepts would be too scattered'). One respondent even suggested improving the design method through deeper connection ('*The Concepts section felt innovative, but more so if we had time* to iterate back and forth between that and the Awareness section, which was not possible today'.) Similarly, in Whole System Mapping, Draw System Map analysis was valued for focusing thought in Brainstorm on System Map ideation. In Biomimicry, Translate to Buildable made AskNature.org ideations more practically viable.

H1B had mixed, inconclusive support: results by activity type showed that perceived sustainability value was not always higher in Analysis and Goal-Setting activities, while innovation value was not always higher in Ideation activities, though it was highest in the combined Research and Ideation activity (AskNature.org). Sometimes Analysis activities were valued for innovation because of their influence on later ideation activities (*'thinking of big picture awareness first led us to come up with different specifics and paths than we would have otherwise'*). Surprisingly, ideation activities were often valued as much for sustainability as analysis or goal-setting activities whose entire purpose is sustainability, because these are where implementable solutions are proposed (*'the real meat of the value to what can I apply to future designs? What is the most tangible thing I can do'*). This reinforces the degree of interconnection between some activities and mindsets. However, AskNature.org had no dependencies mentioned, so activities can provide high innovation value when used alone.

H1C was supported: Highly valued components of the different methods were valued for complementary reasons, with Backcasting uniquely valued for focusing thought towards a desired outcome, Draw System Map uniquely valued for broadening scope to the whole system and for collaboration, and AskNature.org uniquely valued for its new lens of biological mentors and for being inspiring. These unique values suggest that a design team could benefit from mixing parts of the three design methods. Even activities and mindsets that were not the most

popular still had unique value. The Four System Conditions was uniquely valued for including social, not just environmental, sustainability. LCA was valued for its quantitative environmental impact comparisons. Define Problem Biologically was noted as a form of functional decomposition (Kusiak & Larson 1995). Even such less-valued components from one design method might greatly multiply the value of components in another design method, such as LCA improving sustainability value of Biomimicry by rating new ideas.

Methodologically, using free-text surveys rather than multiple choice showed that practitioners sometimes understand design methods differently than their creators, for example distinguishing one activity as two when it involved two different mindsets (Whole System Mapping's 'Brainstorm All System' and 'Brainstorm To Eliminate'), or identifying explanatory examples as a mindset with as much value as some workshop activities (in Biomimicry). This further supports the hypothesis that some design activities might be strengthened by hybridizing them with new mindsets. Further research should investigate such recombination of practices.

The second main hypothesis, that theory accurately predicts what professionals value, was only half-supported at best, showing theory alone is not enough to predict value in industry. H2A was less than half-supported: The Four System Conditions were not the most valued component of The Natural Step, nor were they most highly valued for sustainability. Backcasting was by far the most highly valued, but theory correctly predicted it being valued for strategic planning.

H2B was more than half-supported: The most valued component of Whole System Mapping was indeed the Draw System Map activity, and it was mostly valued for systems thinking; however, it was also valued for collaboration, which theory did not predict and might drive adoption in companies more than its perceived sustainability value. LCA was not as highly valued as theory predicted, due to frustrations with its difficulty or imprecision or both. It was highly valued for sustainability, but not remarkably more than other activities or mindsets, as predicted. This implies that the Whole System Mapping method might benefit from other metrics or goal-setting from other design methods, such as eco-label certification checklists.

H2C was less than half-supported: Nature as Mentor was tied for the most valued component, but AskNature.org was similarly valued, and while the latter was extremely highly valued for innovation, nothing in Biomimicry was highly valued for sustainability. Also, Nature's Principles were not particularly highly valued, and were just valued moderately for sustainability and innovation.

Finally, H2D was unsupported: different demographics did not value design methods differently in most ways. The Natural Step was not more valued by managers than designers or engineers, despite being valued strongly for strategic planning. Biomimicry was not more valued by designers and engineers, despite being valued primarily for innovation. The one demographic difference was Biomimicry being less valued for sustainability by engineers, which was surprising, given the reverence for nature implicit in Biomimicry's paradigm. However, engineers felt that sustainability requires more concrete targets or metrics than it provided. They still valued it highly for innovation. Whole System Mapping was similarly valued by all three job types, as predicted, but because the other two design methods were also, this is not considered a meaningful result.

The lack of significant demographic differences may be because the demographic splits most anticipated to produce differences (Job Role and Industry Sector) were also splits between several subgroups, thus dividing the total participant pool into small demographic groups (average n = 20, sometimes as low as n = 1 for certain demographics in some workshops). These small sample sizes made statistical significance less likely. However, the Manufacturer versus Consultancy split resulted in reasonable sample sizes (average n = 38), as did Male versus Female (average n = 29), and they produced no statistically significant results.

Note that despite the lack of reported value difference, some business strategy benefits might not be actionable for design consultancies or teams with limited scope. As one followup interviewee stated, 'I think it's quite interesting if you think of holistic impact, like what are the systems we can skip [Brainstorm to Eliminate], but it comes back to my role as a designer... I would never do any calls, come up with any ideas for that. I think that would be at a little bit of a higher level of advancement in the company'.

The overall lack of differences by demographics is actually a positive outcome, convenient for those teaching sustainable design. It means that overall, different job roles or other demographics need not learn different design methods, and these design methods need not be modified for the different demographics tested.

8. Limitations and future work

This study had several limitations, which could affect results and suggest future research: Workshops were voluntary, so respondents only participated in design methods they were interested in; this may introduce selection bias, as mentioned in Section 5. Timing in the product development process was not controlled, since real projects were used and professionals' schedules were constrained; this may have made different design practices more or less relevant to teams than they would be at other times. The large number of workshops performed for different companies was an attempt to minimize the influence of this variable. Workshops were performed in different orders at different companies to attempt to eliminate ordering effects, but there was not a large enough sample size of combinations for this to be truly eliminated. Sample size, while large by the standards of design method case studies, was still small for statistical analysis, and was confined to participants in the San Francisco bay area, California; Grand Rapids, Michigan; and attendees of the 2016 U.S. SustainableBrands conference (largely U.S. companies).

Sustainability and innovation value were both measured by self-reporting, because assessing them for the early-stage ideas in the workshops was deemed too subjective and too highly uncertain, but self-assessments may contain biases or inaccuracies. Future studies could attempt to objectively quantify these factors. Value was not measured by enthusiasm of mentions, only by the number of participants mentioning an item; this was done to avoid vocal minorities, but might skew results to favour items merely acceptable to more practitioners rather than the best for a subset of them. Workshops are not necessarily a direct reflection of what would occur in situ in companies, especially over the long term. Finally, this study did not test how well highly valued activities or mindsets can be used alone, or in recombination with those from other design methods.

Future studies overcoming any or all of these limitations would be valuable. Most importantly, future research should use this study's results of most-valued components in different design methods and attempt to recombine them into improved hybrid design methods, then test those new methods in industry, just as human centred design user-tests prototypes and recombines features among them.

9. Conclusions

Because theory was only half-right at best in predicting which components of these sustainable design methods were valued by professionals, and why, the field should rely less on theory and more on empirical testing of sustainable design methods. However, the fact that different job roles did not prefer different design methods means that any of these methods could be taught fairly universally, for easier integration into company processes. In any case, testing sustainable designers, engineers, and managers consider environmental and social implications of their products more than they otherwise would.

More important, it was useful to analyse design methods not as unified tunnels of process, but as toolboxes containing components that could be mixed and matched across methods. Professional practitioners were legitimized in mixing components of methods, because theory successfully predicted that each design method would have some activity or mindset valued far more than the rest, and predicted that they would be valued for different reasons, complementary to each other. This invites hybridization. As one of the designers said, 'formal design methods are like musical scales; real design practice is jazz'.

Some design activities or mindsets may stumble without others that they depend on in their design method, but others may enhance the activities or mindsets of other design methods. Future research should use human centred design principles, treating design methods as prototypes to user test and recombine features from, to find more optimal combinations and see how they vary for different circumstances. Future research should also test sustainable design practices crafted not as unified methods but as collections of independent tools.

Empirically testing what practitioners value in sustainable design methods can help them improve design practices. Designers, engineers, and managers in different industries and company types can use these results to mindfully choose design activities and mindsets to maximize sustainability value, innovation value and other design process value. Finding more effective and inspiring sustainable design practices in this way can make them not just responsible choices, but even desired by design teams.

Financial support

This work was partially supported by National Science Foundation Integrative Graduate Education and Research Traineeship grant #1144885.

Acknowledgements

The authors thank many industry participants, especially those organizing teams, and thanks to SustainableBrands and Singularity University for helping organize two of the workshops.

Appendix A. Survey Questions

Note: questions marked with an asterisk (*) were not used in this paper's results. For results pertaining to them, see Faludi (2017*b*).

A.1. Pre-survey questions full text

- 1. In your practice, what design methods, activities, or mindsets do you get the most value from? Why?*
- 2. How do you measure the innovativeness of your design ideas?*
- 3. In your experience, what effect does sustainability usually have on design? (Check all that apply)*
 - 3.1. Increases legal risk
 - 3.2. Decreases legal risk
 - 3.3. Increases design process cost
 - 3.4. Decreases design process cost
 - 3.5. Increases final product cost
 - 3.6. Decreases final product cost
 - 3.7. Restricts creativity
 - 3.8. Enhances creativity
 - 3.9. Increases your motivation
 - 3.10. Decreases your motivation
 - 3.11. Eases manufacturing
 - 3.12. Complicates manufacturing
 - 3.13. Increases product quality
 - 3.14. Decreases product quality
 - 3.15. Increases product marketability
 - 3.16. Decreases product marketability
 - 3.17. Other: _
- 4. What is your job role?
- 5. What is your gender?

A.2. Post-survey questions full text

- 1. Which design workshop are you giving feedback for? (Mark only one.)
 - 1.1. The Natural Step
 - 1.2. Biomimicry
 - 1.3. Whole System Mapping
- 2. In your opinion, what activities or mindsets from the design method were most useful? (If none, say none.)
- 3. In your opinion, what activities or mindsets were not valuable, or not valuable enough to be worth your time? (If none, say none.)
- 4. In your opinion, which of the design method's activities or mindsets gave you innovative ideas? (If none, say none.)
- 5. In your opinion, which of the design method's activities or mindsets improved product sustainability? (If none, say none.)
- 6. In your opinion, did anything in the design method provide any other value, not related to innovation or sustainability? If so, when or how?
- How do you think this design method, or the ideas you got from it, will affect your product design? (Check all that apply)*

- 7.1. Increases legal risk
- 7.2. Decreases legal risk
- 7.3. Increases design process cost
- 7.4. Decreases design process cost
- 7.5. Increases final product cost
- 7.6. Decreases final product cost
- 7.7. Restricts creativity
- 7.8. Enhances creativity
- 7.9. Increases your motivation
- 7.10. Decreases your motivation
- 7.11. Eases manufacturing
- 7.12. Complicates manufacturing
- 7.13. Increases product quality
- 7.14. Decreases product quality
- 7.15. Increases product marketability
- 7.16. Decreases product marketability
- 7.17. Other: ____
- 8. Would you recommend this workshop to others? If so, what would you say?
- 9. Anything else you would like to say?

References

- Agresti, A. & Coull, B. A. 1998 Approximate is better than "exact" for interval estimation of binomial proportions. *The American Statistician* 52, 119–126.
- Baregheh, A., Rowley, J. & Sambrook, S. 2009. Towards a multidisciplinary definition of innovation. *Management Decision* 47, 1323–1339; doi:10.1108/00251740910984578.
- Andriopoulos, C. & Lewis, M. W. 2010 Managing innovation paradoxes: ambidexterity lessons from leading product design companies. *Long range planning* 43, 104–122.
- Arlitt, R., Van Bossuyt, D. L., Stone, R. B. & Tumer, I. Y. 2017 The function-based design for sustainability method. *The Journal of Mechanical Design* 139, 041102–041112; doi:10.1115/1.4035431.
- Aronson, D. 2013 Sustainability Driven Innovation: Harnessing Sustainability's Ability to Spark Innovation. Deloitte Development LLC.
- Badke-Schaub, P., Neumann, A. & Lauche, K., Mohammed, S. 2007 Mental models in design teams: a valid approach to performance in design collaboration? *CoDesign* 3, 5–20.
- Baumeister, D., Tocke, R., Dwyer, J., Ritter, S. & Benyus, J. 2013 Biomimicry Resource Handbook: A Seed Bank of Best Practices, 2013 Edition. Biomimicry 3.8.
- Baumeister, D., Tocke, R., Dwyer, J., Ritter, S. & Benyus, J. 2008 Biomimicry Resource Handbook: A Seed Bank of Best Practices, 2008 Edition. Biomimicry 3.8.
- Baxter, K., Boisvert, A., Lindberg, C. & Mackrael, K. 2009. Sustainability Primer: Step By Natural Step. The Natural Step Canada.
- Behrisch, J., Ramirez, M. & Giurco, D. 2011a Ecodesign Report: Results of a Survey Amongst Australian Industrial Design Consultancies [WWW Document] (downloadable on May 11th 2015) https://www.academia.edu/2764803/Ecodesign_report_results_of_a_sur vey_amongst_Australian_industrial_design_consultancies
- Behrisch, J., Ramirez, M. & Giurco, D. 2011b Ecodesign Report: Results of a Survey Amongst German Industrial Design Consultancies [WWW Document] (downloadable on May 11th 2015) https://www.academia.edu/2764797/Ecodesign_report_results_of_ a_survey_amongst_German_industrial_design_consultancies

- Benyus, J. M. 1997 Biomimicry. William Morrow New York.
- Besemer, S. & O'Quin, K. 1986 Analyzing creative products: refinement and test of a judging instrument. *The Journal of Creative Behavior* 20, 115–126.
- Björklund, T. A. 2013 Initial mental representations of design problems: differences between experts and novices. *Design Studies* 34, 135–160; doi:10.1016/j.destud.2012.08.005.
- Blessing, L. T. & Chakrabarti, A. 2009 DRM: A Design Research Methodology. Springer.
- Bonett, D. G. & Price, R. M. 2012 Adjusted Wald confidence interval for a difference of binomial proportions based on paired data. *Journal of Educational and Behavioral Statistics* 37, 479–488.
- Brink, G., Destandau, N. & Hamlett, P. 2009a Genealogy of the Living Principles. AIGA Center for Sustainable Design.
- Broman, G. I. & Robèrt, K. -H. 2017 A framework for strategic sustainable development. *Journal of Cleaner Production* 140, 17–31; doi:10.1016/j.jclepro.2015.10.121.
- Browner, W. S. & Newman, T. B. 1987 Are all significant P values created equal. Jama 257, 63.
- Brundtland, G. H., Khalid, M., Agnelli, S., Al-Athel, S. & Chidzero, B. 1987 Our common future. In World Commission on Environment and Development. Oxford University Press.
- Cardin, M.-A. 2013 Enabling flexibility in engineering systems: a taxonomy of procedures and a design framework. *The Journal of Mechanical Design* 136, 011005–011014; doi:10.1115/1.4025704.
- Cash, P., Stanković, T. & Štorga, M. 2014 Using visual information analysis to explore complex patterns in the activity of designers. *Design Studies* 35, 1–28; doi:10.1016/j. destud.2013.06.001.
- Cash, P. J., Hicks, B. J. & Culley, S. J. 2013 A comparison of designer activity using core design situations in the laboratory and practice. *Design Studies* 34, 575–611; doi: 10.1016/j.destud.2013.03.002.
- Ceschin, F. & Gaziulusoy, I. 2016. Evolution of design for sustainability: from product design to design for system innovations and transitions. *Design Studies* 47, 118–163.
- Charter, M.; Clark, T. Key Conclusions from Sustainable Innovation Conferences 2003-2006 Organized by the Centre for Sustainable Design Available online: http://cfsd.org. uk/Sustainable%20Innovation/Sustainable_Innovation_report.pdf.
- Chan, J. K. H. 2018 Design ethics: reflecting on the ethical dimensions of technology, sustainability, and responsibility in the Anthropocene. *Design Studies* 54, 184–200; doi:10.1016/j.destud.2017.09.005.
- Collado-Ruiz, D. & Ghorabi, H. O.-A. 2010 Influence of environmental information on creativity. *Design Studies* 31, 479–498.
- Cowan, S. & van der Ryn, S. 1996 Ecological Design. Island Press.
- **Creswell, J. W.** 2013 Research Design: Qualitative, Quantitative, and Mixed Methods Approaches. Sage Publications.
- Cross, N. 2004 Expertise in design: an overview. Design studies 25, 427-441.
- Cross, N. 2001 Design cognition: results from protocol and other empirical studies of design activity. In Eastman, C.; Newstatter, W. and McCracken, M. eds. *Design knowing and learning: cognition in design education*. Oxford, UK: Elsevier Science, 2001; pp. 79–103.
- da Costa, J., Diehl, J. C. & Snelders, D. 2019 A framework for a systems design approach to complex societal problems. *Design Science* 5 e2 pp.1–32; doi:10.1017/dsj.2018.16.

- De Pauw, I., Kandachar, P., Karana, E., Peck, D. & Wever, R. 2010 Nature inspired design: Strategies towards sustainability. In: Knowledge Collaboration & Learning for Sustainable Innovation: 14th European Roundtable on Sustainable Consumption and Production (ERSCP) Conference and the 6th Environmental Management for Sustainable Universities (EMSU) Conference, Delft, The Netherlands, October 25–29, 2010. Delft University of Technology, The Hague University of Applied Sciences, TNO.
- De Pauw, I. C., Karana, E. & Kandachar, P. V. 2012 Nature-inspired design strategies in sustainable product development: A case study of student projects In DESIGN 2012: 12th International Conference on Design, Dubrovnik, Croatia, 21–24 May 2012. Faculty of Mechanical Engineering and Naval Architecture, University of Zagreb. The Design Society, Glasgow.
- Devanathan, S., Ramanujan, D., Bernstein, W.Z., Zhao, F. & Ramani, K. 2010 Integration of sustainability into early design through the function impact matrix. *Journal of Mechanical Design* 132, 081004; doi:10.1115/1.4001890.
- Egenhoefer, R. B. 2017 Routledge Handbook of Sustainable Design. Routledge.
- Faludi, J. 2017a Recommending sustainable design methods and combinations by characterizing activities and mindsets. *International Journal of Sustainable Design* 3, 100–136.
- Faludi, J. 2017b Golden tools in green design: what drives sustainability, innovation, and value in green design methods? PhD Thesis, UC Berkeley.
- Faludi, J. 2015 A sustainable design method acting as an innovation tool. In: ICoRD'15– Research into Design Across Boundaries (Vol 2), pp. 201–212. Springer.
- Faludi, J. & Agogino, A. M. 2018 What design practices do professionals use for sustainability and innovation? In DS92: Proceedings of the DESIGN 2018 15th International Design Conference, pp. 2633–2644. Dubrovnik, Croatia.
- Faludi, J. & Danby, D. 2010 Introduction to Whole Systems Design Companion to the video: Script and Illustrations. Autodesk Sustainability Workshop (downloadable on July 21st 2016) http://sustainabilityworkshop.autodesk.com/sites/default/files/core-chapterfiles/wholesystemsdesign_videoscript.pdf
- Faludi, J. & Menter, A. 2013 Product Design: Biomimicry [WWW Document]. Autodesk Sustainability Workshop (downloadable on July 21st 2016) http:// sustainabilityworkshop.autodesk.com/products/biomimicry
- Faludi, J., Yiu, F., Srour, O., Kamareddine, R., Ali, O. & Mecanna, S. 2019 Do student trials predict what professionals value in sustainable design practices? *Journal of Mechanical Design* 141(10), 1–29.
- Frost, F. A. 2003 The use of strategic tools by small and medium-sized enterprises: an Australasian study. *Strategic Change* 12, 49–62.
- Fuad-Luke, A. 2008 Slow design. In Design Dictionary, pp. 361-363. Springer.
- Goldschmidt, G. & Rodgers, P. A. 2013 The design thinking approaches of three different groups of designers based on self-reports. *Design Studies, Special Issue: Articulating Design Thinking* 34, 454–471; doi:10.1016/j.destud.2013.01.004.
- Gonçalves, M., Cardoso, C. & Badke-Schaub, P. 2016 Inspiration choices that matter: the selection of external stimuli during ideation. *Design Science* 2; doi:10.1017/dsj.2016.10
- Gonçalves, M., Cardoso, C. & Badke-Schaub, P. 2014 What inspires designers? Preferences on inspirational approaches during idea generation. *Design Studies* 35, 29–53; doi: 10.1016/j.destud.2013.09.001.
- Haemmerle, L., Shekar, A. & Walker, D. 2012 Key concepts of radical innovation for sustainability, with complementary roles for industrial design and engineering. *International Journal of Sustainable Design* 2, 24–45.

- Hanington, B. & Martin, B. 2012 Universal Methods of Design: 100 Ways to Research Complex Problems, Develop Innovative Ideas, and Design Effective Solutions. Rockport Publishers.
- Hawken, P., Lovins, A. B. & Lovins, L. H. 1999. Natural Capitalism: The Next Industrial Revolution. Taylor & Francis Ltd.
- Hernandez, N. V., Shah, J. J. & Smith, S. M. 2010 Understanding design ideation mechanisms through multilevel aligned empirical studies. *Design Studies* 31, 382–410; doi:10.1016/j.destud.2010.04.001.
- Homans, G. C. 1949 The strategy of industrial sociology. American Journal of Sociology 54 (4), 330–337.
- Horth, D. M. & Vehar, J. 2012 *Becoming a Leader Who Fosters Innovation*. Center for Creative Leadership.
- IDEO.org. 2015 Design Kit: The Field Guide to Human-Centered Design. IDEO.org.
- Jarratt, D. & Stiles, D. 2010 How are methodologies and tools framing managers' strategizing practice in competitive strategy development? *British Journal of Management* 21, 28–43; doi:10.1111/j.1467-8551.2009.00665.x.
- Keen, M. F. & Bailey, K. 2012 The natural step for colleges and universities. Sustainability: The Journal of Record 5, 147–151.
- Kennedy, E., Fecheyr-Lippens, D., Hsiung, B.-K., Niewiarowski, P. H. & Kolodziej, M. 2015 Biomimicry: a path to sustainable innovation. *Design Issues* **31**, 66–73.
- Keoleian, G. A. & Menerey, D. 1994 Sustainable development by design: review of life cycle design and related approaches. *Air & Waste* 44, 645–668; doi:10.1080/1073161X. 1994.10467269.
- Keskin, D., Diehl, J. C. & Molenaar, N. 2013 Innovation process of new ventures driven by sustainability. *Journal of Cleaner Production* 45, 50–60.
- Knight, P. & Jenkins, J. O. 2009. Adopting and applying eco-design techniques: a practitioners perspective. *Journal of Cleaner Production* 17, 549–558; doi:10.1016/j.jclepro. 2008.10.002.
- Kramer, J., Roschuni, C. & Agogino, A. 2016 Characterizing skills for human-centered design. In *Proceedings of ASME IDETC 2016*. Design Education.
- **Kudrowitz, B. M.** 2010 Haha and Aha!: Creativity, Idea Generation, Improvisational Humor, and Product Design. Massachusetts Institute of Technology.
- Kusiak, A. & Larson, N. 1995 Decomposition and representation methods in mechanical design. Transactions-American Society of Mechanical Engineers Journal of Mechanical Design 117, 17–17.
- Martin, R. L. 2009 The Design of Business: Why Design Thinking is the Next Competitive Advantage. Harvard Business Press.
- Mattson, C. A., Pack, A. T., Lofthouse, V. & Bhamra, T. 2019 Using a product's sustainability space as a design exploration tool. *Design Science* 5; doi:10.1017/dsj.2018.6.
- **McDonough, W. & Braungart, M.** 2002 *Cradle to Cradle: Remaking the Way We Make Things.* MacMillan.
- Montagna, F. & Cantamessa, M. 2019 Unpacking the innovation toolbox for design research and practice. *Design Science* 5; doi:10.1017/dsj.2019.3.
- **Oehlberg, L., Bayley, C., Hartman, C. & Agogino, A.** 2012 Mapping the life cycle analysis and sustainability impact of design for environment principles. In *Leveraging Technology for a Sustainable World*, pp. 221–226. Springer.
- Oman, S. K., Tumer, I. Y., Wood, K. & Seepersad, C. 2013 A comparison of creativity and innovation metrics and sample validation through in-class design projects. *Research in Engineering Design* 24, 65–92.

- Ostergaard, K. J. & Summers, J. D. 2009 Development of a systematic classification and taxonomy of collaborative design activities. *Journal of Engineering Design* 20, 57–81.
- Pahl, G., Badke-Schaub, P. & Frankenberger, E. 1999 Resume of 12 years interdisciplinary empirical studies of engineering design in Germany. *Design Studies* 20, 481–494.
- Pahl, G. & Beitz, W. 1984 Engineering Design: A Systematic Approach. Springer-Verlag.
- Papanek, V. 1995 *The Green Imperative: Natural Design for the Real World*. Thames and Hudson.
- Reap, J. & Bras, B. 2014 A method of finding biologically inspired guidelines for environmentally benign design and manufacturing. *The Journal of Mechanical Design* 136, 111110–111111; doi:10.1115/1.4028303.
- Robèrt, K.-H. 1991 Educating a nation: the natural step. Context 28, 10.
- Roschuni, C., Agogino, A. M. & Beckman, S. L. 2011 The DesignExchange: supporting the design community of practice, In DS 68-8: Proceedings of the 18th International Conference on Engineering Design (ICED 11), Impacting Society through Engineering Design, (Vol. 8): Design Education, Lyngby/Copenhagen, Denmark.
- Roschuni, C., Kramer, J., Agogino, A., 2015. Design talking: how design practitioners talk about design research methods. In ASME 2015 International Design Engineering Technical Conferences and Computers and Information in Engineering Conference, pp. V003T04A027–V003T04A027. American Society of Mechanical Engineers.
- Scott, K., Bakker, C. & Quist, J. 2012 Designing change by living change. Design Studies 33, 279–297; doi:10.1016/j.destud.2011.08.002.
- Shah, J. J., Smith, S. M. & Vargas-Hernandez, N. 2003 Metrics for measuring ideation effectiveness. *Design Studies* 24, 111–134.
- Shedroff, N., 2009. Design is the Problem: The Future of Design Must be Sustainable. Rosenfeld Media.
- Smith, G. F. 1998 Idea-generation techniques: a formulary of active ingredients. *The Journal of Creative Behavior* 32, 107–134.
- Srinivasan, V. & Chakrabarti, A. 2010 Investigating novelty–outcome relationships in engineering design. Artificial Intelligence for Engineering Design, Analysis and Manufacturing 24, 161–178.
- Stout, W. F. 2003 IDEO Method Cards: 51 Ways to Inspire Design. IDEO.
- Stoyell, J. L., Kane, G. W., Norman, P. & Ritchey, I. 2001 Analyzing design activities which affect the life-cycle environmental performance of large made-to-order products. *Design Studies* 22, 67–86; doi:10.1016/S0142-694X(00)00013-2.
- Telenko, C. & Seepersad, C. C. 2010 A methodology for identifying environmentally conscious guidelines for product design. *Journal of Mechanical Design* 132, 091009.
- Telenko, C., Seepersad, C. C. & Webber, M. E. 2008. A compilation of design for environment principles and guidelines. In ASME 2008 International Design Engineering Technical Conferences and Computers and Information in Engineering Conference, pp. 289–301. American Society of Mechanical Engineers.
- Tempelman, E., Pauw, I. C. D., der Grinten, B. V., Mul, E.-J. & Grevers, K. 2015 Biomimicry and cradle to cradle in product design: an analysis of current design practice. *Journal of Design Research* 13, 326–344; doi:10.1504/JDR.2015.074151.
- Uang, S.-T. & Liu, C.-L. 2013 The development of an innovative design process for ecoefficient green products. In *Human–Computer Interaction. Users and Contexts of Use, Lecture Notes in Computer Science* (ed M. Kurosu), pp. 475–483. Springer; doi: 10.1007/978-3-642-39265-8_53.

Ulrich, K. T. & Eppinger, S. D. 1995 *Product Design and Development.* Irwin McGraw-Hill. UN. 2015 *Sustainable Development Goals.* United Nations.

- Vallet, F., Eynard, B., Millet, D., Mahut, S. G., Tyl, B. & Bertoluci, G. 2013a Using ecodesign tools: an overview of experts' practices. *Design Studies* 34, 345–377; doi:10.1016/j. destud.2012.10.001
- Vidal, R., Mulet, E. & Gómez-Senent, E. 2004 Effectiveness of the means of expression in creative problem-solving in design groups. *Journal of Engineering Design* 15, 285–298.
- Vincent, J. F. V. & Mann, D. L. 2002 Systematic technology transfer from biology to engineering. *Philosophical Transactions of the Royal Society of London A: Mathematical, Physical and Engineering Sciences* **360**, 159–173; doi:10.1098/rsta.2001.0923.
- **Visser, W.** 1990 More or less following a plan during design: opportunistic deviations in specification. *International Journal of Man–Machine Studies* **33**, 247–278.
- White, P., Belletire, S. & Pierre, L. S. 2013 Okala Practitioner: Integrating Ecological Design. IDSA.
- Wright, R. P., Paroutis, S. E. & Blettner, D. P. 2013 How useful are the strategic tools we teach in business schools? *Journal of Management Studies* 50, 92–125.