

## Compound flood potential in Europe

Paprotny, Dominik; Vousdoukas, Michalis I.; Morales Napoles, Oswaldo; Jonkman, Sebastiaan N.; Feyen, Luc

**Publication date**

2018

**Document Version**

Final published version

**Published in**

Geophysical Research Abstracts (online)

**Citation (APA)**

Paprotny, D., Vousdoukas, M. I., Morales Napoles, O., Jonkman, S. N., & Feyen, L. (2018). Compound flood potential in Europe. *Geophysical Research Abstracts (online)*, 20, Article EGU2018-6990.

**Important note**

To cite this publication, please use the final published version (if applicable).  
Please check the document version above.

**Copyright**

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

**Takedown policy**

Please contact us and provide details if you believe this document breaches copyrights.  
We will remove access to the work immediately and investigate your claim.



## **Compound flood potential in Europe**

Dominik Paprotny (1), Michalis Vousdoukas (2,3), Oswaldo Morales-Nápoles (1), Bas Jonkman (1), and Luc Feyen (2)

(1) Delft University of Technology, Faculty of Civil Engineering and Geosciences, Department of Hydraulic Engineering, Delft, Netherlands (d.paprotny@tudelft.nl), (2) European Commission, Joint European Research Centre (JRC), Ispra, Italy, (3) University of the Aegean, Department of Marine Sciences, Mitilene, Lesbos, Greece

The interaction between storm surges and hydrometeorological phenomena on the land has been gaining increasing attention recently, especially after the severe flooding during the Harvey storm. In Europe, several compound events were recorded in the past century in western Europe and the Mediterranean region. Here, we investigate the joint occurrence of storm surges, precipitation, river discharges and waves through a statistical analysis based on copulas. We use several datasets covering most of Europe, including observations and data from the European Flood Awareness System (EFAS), ERA-Interim climate reanalysis and a regional climate model within CORDEX framework. The results show considerable regional differences in dependency structures and resulting joint probability of extreme surge, precipitation and river discharge events. We also compare correlations obtained from modelled data with those calculated from observational datasets. Finally, we synthesize the joint probability of occurrence of extreme compound events, and intensity of their components, in the form of a composite index, thus identifying areas where compound floods could be of most concern.