

Open energy system modelling to support the European Green Deal

Süsser, Diana; Pickering, Bryn; Hülk, Ludwig; Pfenninger, Stefan

10.12688/f1000research.121619.1

Publication date

Document Version Final published version Published in F1000Research

Citation (APA)
Süsser, D., Pickering, B., Hülk, L., & Pfenninger, S. (2022). Open energy system modelling to support the European Green Deal. *F1000Research*, *11*, Article 531. https://doi.org/10.12688/f1000research.121619.1

Important note

To cite this publication, please use the final published version (if applicable). Please check the document version above.

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.



EDITORIAL

Open energy system modelling to support the European Green Deal [version 1; peer review: not peer reviewed]

Diana Süsser¹, Bryn Pickering (D², Ludwig Hülk (D³, Stefan Pfenninger⁴)

v1

First published: 16 May 2022, 11:531

https://doi.org/10.12688/f1000research.121619.1

Latest published: 16 May 2022, 11:531

https://doi.org/10.12688/f1000research.121619.1

Abstract

Energy models are used to explore decarbonisation pathways and potential future energy systems. In this editorial, we comment on the importance of energy system modelling and open tools to inform policymaking in the context of the European Green Deal. We also summarise the seven contributions to the special collection on Energy Systems Modelling, among which are papers that have been presented at the Energy Modelling Platform for Europe (EMP-E) 2021 conference. The presented research advances current modelling approaches and supports energy modelling with open tools and datasets.

Keywords

Energy modelling, energy models, open source, transparency, EMP-E



This article is included in the **Energy** gateway.



This article is included in the Energy Systems Modelling collection.

Not Peer Reviewed

This article is an Editorial and has not been subject to external peer review.

Any comments on the article can be found at the end of the article.

¹Institute for Advanced Sustainability Studies (IASS), Potsdam, Germany

²Institute for Environmental Decisions (IED), ETH Zurich, Zurich, Switzerland

³Reiner Lemoine Institut (RLI), Berlin, Germany

⁴Faculty of Technology, Policy and Management, TU Delft, Delft, The Netherlands

Corresponding author: Diana Süsser (diana.suesser@iass-potsdam.de)

Author roles: Süsser D: Writing – Original Draft Preparation, Writing – Review & Editing; **Pickering B:** Writing – Original Draft Preparation, Writing – Review & Editing; **Pickering F:** Writing – Original Draft Preparation, Writing – Review & Editing; **Pickering F:** Writing – Original Draft Preparation, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: D.S., B.P. and S.P. have received funding from the European Union's Horizon 2020 research and innovation programme under the grant agreement No 837089 (Sustainable Energy Transitions Laboratory [SENTINEL]). *The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.*

Copyright: © 2022 Süsser D *et al.* This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Süsser D, Pickering B, Hülk L and Pfenninger S. Open energy system modelling to support the European Green Deal [version 1; peer review: not peer reviewed] F1000Research 2022, 11:531 https://doi.org/10.12688/f1000research.121619.1

First published: 16 May 2022, 11:531 https://doi.org/10.12688/f1000research.121619.1

To fulfil its obligations under the Paris Agreement, the European Union is committed to reducing its greenhouse gas emissions by 55% from 1990 levels by 2030 and achieving climate neutrality by 2050 (European Commission, 2020). Climate neutrality implies complete decarbonisation of energy, and therefore requires a profound transformation. The *European Green Deal* lays the foundation for this and can be understood as a compass for transforming the EU economy into a resource-efficient, competitive and climate neutral economy (European Commission, 2019).

Energy system models and tools can be used to explore decarbonisation pathways and test the outcomes of interconnected choices about the design of our future energy systems. They can support decision-makers in assessing the benefits, costs, risks, and trade-offs of strategies and investments related to the transition to a climate-neutral society. To make models more relevant for policymaking, they need to be (i) better tailored to the needs of those who will use them, and (ii) "opened up" to become eventually more understandable (Cao *et al.*, 2016; Pfenninger, 2017; Pfenninger *et al.*, 2018).

First, decision-makers seek models that go beyond the techno-economic sphere and take into account all relevant aspects of the energy transition, including social, political, and environmental aspects (Süsser *et al.*, 2022). Yet, factors such as social preferences and policy dynamics are entirely ignored most of the time, or only considered as an exogenous narrative (Krumm, Süsser and Blechinger, 2022). Therefore, existing approaches need to be extended and new modelling approaches need to be developed so that the models can better represent real-world conditions and developments. This special collection on Energy Systems Modelling includes new modelling methods and datasets that address energy sufficiency policies (Best *et al.*, 2022) and peer-to-peer trading (Perger and Auer, 2022) in modelling, as well as assess energy infrastructure needs (Arduin *et al.*, 2022).

Second, much of the data and results from energy models need to be made as open and accessible as possible to be useful to different users (Bazilian *et al.*, 2012; Süsser *et al.*, 2022). Transparency is key to ensuring that the implications and limitations of each model are fully understood such that they can be better applied in the context of potential policy options (Hülk *et al.*, 2018). Previous research has shown that open source and transparent energy model developments allow modellers and users to discuss different needs and create a shared understanding of modelling (Pfenninger *et al.*, 2018; Ben Amer *et al.*, 2020). Furthermore, open exchange about different modelling aspects creates confidence and trust in models (Süsser et al., 2022). These are reasons why there is a paradigm shift towards open methods in energy modelling projects (Morrison, 2018), as also reflected in the contributions of this special collection. It presents new open datasets (Sterl *et al.*, 2022) and new methods for citizen-driven data collection (del Cañizo *et al.*, 2021) as well as a better processing of open data sets (Fleischer, 2022) to increase the use of open data in modelling. Additionally, the collection presents a new tool for the analysis and visualisation of results (Huppmann *et al.*, 2022) to streamline the postprocessing pipeline.

The special collection on Energy Systems Modelling, running concurrently on F1000Research and Open Research Europe, presents various contributions that advance current modelling approaches and support energy modelling with open tools. This collection includes papers from the Energy Modelling Platform for Europe (EMP-E) 2021 conference, which were discussed with researchers and decision-makers. The annual EMP-E conference brings together the European energy modelling community over a three-day period in a forum for an intensive and diverse exchange of research and modelling practice (Müller, Gardumi and Hülk, 2018). The fifth edition of this annual conference discussed the role of models for setting and achieving policy targets, the linking of different sectors in energy models and specific modelling challenges, including the representation of social aspects in models and model transparency. In addition, the conference offered scientists and decision-makers the opportunity to learn about and test various modelling tools in dedicated "skill workshops".

The Energy Systems Modelling collection currently includes seven diverse scientific contributions, ranging from Software Tool Articles and Data Notes to Research Articles. Here, we provide a summary of the individual contributions that have been published in the collection to date.

Modelling country or continent-wide multi-energy systems at a high resolution is a data intensive task. In Europe, preprocessed data is relatively abundant online. However, coordinating and combining this data is not straightforward. Fleischer (2022) presents EU-SES, a software package to process the myriad online datasets available to describe energy demand and supply for up to 28 European countries. With EU-SES a user can first build a standardised dataset for their geographic area of interest, containing 19 data variables with a possible hourly temporal resolution and sub-national spatial resolution. These variables describe the location of power plants, the physical limits on renewable technology capacity and hourly productivity, and the hourly demand for heat and electricity. With this dataset constructed, a user can then build their preferred representation of the system by aggregating to regions. These regions could match administrative units or be derived by EU-SES based on clustering areas to match areas with similar population and renewable resource potential. This clustering algorithm is a particularly unique methodological advancement in the processing of European datasets, with the potential to maintain the spatio-temporal features of the underlying data without compromising on overall model size.

The work of an energy systems analyst is not over when they have completed their model runs. The processing and visualisation of results remains a time-consuming hurdle. With *pyam*, Huppmann *et al.* (2022) hope to solve this issue by bridging the gap between different data formats and modelling frameworks to provide a way for all energy system and integrated assessment modellers to easily process and visualise their data. *pyam* is a Python toolbox with clear design principles, based on lessons learned from several Horizon 2020 projects and the Integrated Assessment Modeling Consortium (IAMC) data format. With strong links to the well-known *pandas* package, both seasoned and novice Python users can quickly get to grips with pyam's functionality. It is already proving valuable as part of the IPCC's Sixth Assessment Report (AR6) and the Horizon 2020 project *European Climate and Energy Modelling Forum* (ECEMF).

To model renewable energy in energy systems, modellers require data on renewable resource profiles with high spatiotemporal resolution. This data is available for solar power and wind power but was not available for hydropower across continents. Therefore, Sterl et al. (2022) developed a new open-access database, the "African Hydropower Atlas", which contains seasonal hydropower generation profiles for nearly all existing and several hundred future hydropower plants in Africa. The atlas builds on continental-scale hydrological modelling in combination with detailed technical databases of hydropower plant characteristics. The atlas provides an important contribution to facilitate modelling of hydropower generation across Africa.

Citizen science has gained increasing relevance in bringing science and society closer together. del Cañizo et al. (2021) present a case study of the citizen science initiative "Generation Solar". The aim of the initiative is to co-create an open database of PV installations, including their technical characteristics, and an online map to visualise the locations. The research team involved citizens, companies and public institutions in the research process from the beginning to co-develop research questions and identify interests and concerns. If Generation Solar is successful, it will provide valuable, openly licensed data for a wide range of researchers, including energy modellers.

Energy sufficiency aims to reduce electricity use, substitute technical services or adjust service use, thereby reducing the overall energy consumption of a households or country. It is rarely considered in energy modelling and is also underrepresented in energy and climate policy, unlike energy efficiency and renewable energy (Zell-Ziegler et al., 2021). Best et al. (2022) conducted an extensive literature review of European and national sufficiency policies to fill a gap in existing databases. The "Energy Sufficiency Policy Database" presents almost 300 policy instruments from seven sectors. They show that one third of the sufficiency measures have been introduced in the transport sector. The sufficiency policies go beyond the ban of products or information tools and address issues of 'avoid', such as reducing trips, and 'shift', such as shifting from high-energy to lower-energy modes. In the energy sector, measures concentrate on the overall policy goal to 'reduce energy consumption' with instruments like 'subsidise energy savings'. This database provides insights for energy modelling and sufficiency policy options for the decarbonisation of the energy system.

Electricity generation is increasingly decentralised and therefore provides communities the opportunity to participate in the generation, storage, and trading of electricity. The research article by Perger and Auer (2022) deals with the participation of energy communities in local electricity markets via peer-to-peer trading. They apply a bi-level optimisation model to investigate how the preferences of existing community members influences the kind of new members which are allowed to join, and the impact of those new members on the system performance. First, the current welfare (emissions, system cost, etc.) of the existing community is captured. Next, the bi-level optimisation defines the kind of new member which would maximise the community's welfare in the future using the existing community's welfare as a benchmark. Two primary types of communities are defined, with different objectives to achieve welfare maximisation: environment-oriented (CO₂ emissions minimisation) and profit-oriented (financial cost minimisation). They show that these two communities prefer very different kinds of new members. Profit-oriented communities would prefer new prosumers with high electricity demands and little existing PV capacity, since they will more likely increase the overall profits of the community. Conversely, environment-oriented communities prefer their new members to have low demands and high PV capacity. The methods described in this paper could be used by energy communities to ensure that their selection processes guarantee long-term community performance.

For a climate neutral future by 2050, the cross-border energy infrastructure needs to be assessed and quantified. Arduin *et al.* (2022) used a European energy system model to perform a detailed scenario analysis focusing on the electricity, methane and hydrogen transport. The multi-energy model Artelys Crystal Super Grid optimises on national granularity and in an hourly time resolution for the year 2050. The study concludes that large investments in electricity infrastructure are needed, especially between Central European countries. In addition, existing methane pipelines should be repurposed

and supplemented by new hydrogen pipelines. Arduin et al. (2022) also find that hydrogen infrastructure requirements are highly dependent on the geographical allocation of renewables in Europe. The key policy recommendation from this scenario analysis is that detailed cost-benefit analyses, especially for power-to-x projects, should examine the impacts of a consistent deployment of renewable energy and electrolysers to avoid unnecessary investments in wires and pipelines. There is no need for additional investments in methane infrastructure (besides repurposing for hydrogen) in any scenario to meet the targets to support 1.5°C scenarios in the European Union.

The research presented in this collection makes valuable contributions to advance the modelling of energy systems. We strongly believe that an open modelling community will enable exchange among modelling teams and between the community and decision-makers. Such exchanges will foster collaboration and trust between modellers and users and thus increase the relevance of models in guiding Europe's transition to climate neutrality.

We, the collection advisors, would like to thank the European Commission for supporting the Energy Modelling Platform for Europe and for funding the participating research projects AURES II, MAGNITUDE, NAVIGATE, Open ENTRANCE, Plan4RES, PLANET, SPINE, WHY and, especially the coordinating project SENTINEL. We would also like to thank the reviewers for taking the time to review the contributions. Finally, we would like to thank F1000Research and Open Research Europe for offering this collection and assisting us with the submission process and outreach. The Energy Systems Modelling collection remains open for further contributions to F1000Research and Open Research Europe.

Data availability

No data are associated with this article.

References

Arduin I, Andrey C, Bossmann T: What energy infrastructure will be needed by 2050 in the EU to support 1.5°C scenarios? [version 1; peer review: 2 approved]. F1000Res. 2022; 11: 387. Publisher Full Text | Reference Source

Ben Amer S, et al.: Too complicated and impractical? An exploratory study on the role of energy system models in municipal decision-making processes in Denmark, Energy Res. Soc. Sci. 2020; 70: 101673. **Publisher Full Text**

Bazilian M, et al.: Open source software and crowdsourcing for energy analysis. Energy Policy. 2012; 49: 149-153.

Best B, et al.: Building a database for energy sufficiency policies. F1000Res. 2022: 11: 229.

PubMed Abstract | Publisher Full Text

del Cañizo C, et al.: Promoting citizen science in the energy sector: Generation Solar, an open database of small-scale solar photovoltaic installations. Open Research Europe. 2021; 1: 21.

Cao K, et al.: Raising awareness in model-based energy scenario studies — a transparency checklist. Energ. Sustain. Soc. 2016; 6. [Preprint].

European Commission: Communication from the Commission to the European Parliament, the European Council, the Council, the European Economic and Social Committee and the Committee of the Regions: The European Green Deal - COM/2019/640 final. Brussels: European Commission; 2019.

European Commission: Communication COM/2020/562: Stepping up Europe's 2030 climate ambition Investing in a climate-neutral future for the benefit of our people 2020. 17 September 2020.

Fleischer CE: A data processing approach with built-in spatial resolution reduction methods to construct energy system models [version 2; peer review: 2 approved]. Open Research Europe; 2022. pp. 1-22. Reference Source

Hülk L, et al.: Transparency, reproducibility, and quality of energy system analyses – A process to improve scientific work. Energ. Strat. Rev. 2018; 22(March): 264-269. **Publisher Full Text**

Huppmann D, et al.: pyam: Analysis and visualisation of integrated assessment and macro-energy scenarios [version 2; peer review: 3 approved]. Open Research Europe: 2022; pp. 1–30. **Reference Source**

Krumm A, Süsser D, Blechinger P: Modelling social aspects of the energy transition: What is the current representation of social factors in energy models?. Energy. 2022; 239: 121706. **Publisher Full Text**

Morrison R: Energy system modeling: Public transparency, scientific reproducibility, and open development. Energ. Strat. Rev. 2018; 20: 49-63.

Publisher Full Text

Müller B, Gardumi F, Hülk L: Comprehensive representation of models for energy system analyses: Insights from the Energy Modelling Platform for Europe (EMP-E) 2017. Energ. Strat. Rev. 2018; 21(January):

Publisher Full Text

Perger T, Auer H: Dynamic participation in local energy communities with peer- to-peer trading [version 1; peer review: 1 approved] Theresia Perger. Open Research Europe; 2022; pp. 1-34.

Pfenninger S: Energy scientists must show their workings. Nature. Nature Publishing Group; 2017; p. 393. doi: **Publisher Full Text**

Pfenninger S, et al.: Opening the black box of energy modelling: Strategies and lessons learned. Energ. Strat. Rev. 2018; 19: 63-71. **Publisher Full Text**

Sterl S. et al.: A spatiotemporal atlas of hydropower in Africa for energy modelling purposes [version 3; peer review: 1 approved, 2 approved with reservations]. Open Research Europe; 2022.

Reference Source

Süsser D, et al.: Better suited or just more complex? On the fit between user needs and modeller-driven improvements of energy system models. Energy. 2022; 239: 121909.

Publisher Full Text

Zell-Ziegler C, et al.: Enough? The role of sufficiency in European energy and climate plans. Energy Policy. 2021; 157: 112483. **Publisher Full Text**

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

