

“Erratum to keeping your best options open with AI-based treatment planning in prostate and cervix brachytherapy” [Brachytherapy Volume 23, ISSUE 2, P188-198, March 2024]

Dickhoff, Leah R.M.; Scholman, Renzo J.; Barten, Danique L.J.; Kerkhof, Ellen M.; Roorda, Jelmen J.; Bouter, Anton; Velema, Laura A.; Stalpers, Lukas J.A.; Bosman, Peter A.N.; More Authors

DOI

[10.1016/j.brachy.2024.11.009](https://doi.org/10.1016/j.brachy.2024.11.009)

Publication date

2025

Document Version

Final published version

Published in

Brachytherapy

Citation (APA)

Dickhoff, L. R. M., Scholman, R. J., Barten, D. L. J., Kerkhof, E. M., Roorda, J. J., Bouter, A., Velema, L. A., Stalpers, L. J. A., Bosman, P. A. N., & More Authors (2025). “Erratum to keeping your best options open with AI-based treatment planning in prostate and cervix brachytherapy” [Brachytherapy Volume 23, ISSUE 2, P188-198, March 2024]. *Brachytherapy*, 24(1), 197. <https://doi.org/10.1016/j.brachy.2024.11.009>

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

“Erratum to keeping your best options open with AI-based treatment planning in prostate and cervix brachytherapy” [Brachytherapy Volume 23, ISSUE 2, P188-198, March 2024]

Leah R.M. Dickhoff^{a,#,*}, Renzo J. Scholman^{b,c,#}, Danique L.J. Barten^d, Ellen M. Kerkhof^a,
Jelmen J. Roorda^d, Anton Bouter^b, Laura A. Velema^a, Lukas J.A. Stalpers^{d,e,f},
Bradley R. Pieters^{d,e}, Peter A.N. Bosman^{b,c}, Tanja Alderliesten^a

^aDepartment of Radiation Oncology, Leiden University Medical Center, Leiden, The Netherlands

^bEvolutionary Intelligence Group, Centrum Wiskunde & Informatica, Amsterdam, The Netherlands

^cFaculty Electrical Engineering, Mathematics and Computer Science, Delft University of Technology, Delft, The Netherlands

^dDepartment of Radiation Oncology, Amsterdam University Medical Centers (location University of Amsterdam), Amsterdam, The Netherlands

^eCancer Center Amsterdam, Cancer Treatment and Quality of Life, Amsterdam, The Netherlands

^fCancer Center Amsterdam, Cancer biology and immunology, Amsterdam, The Netherlands

The publisher regrets that one of the authors is missing in the PDF and web version of the article. Namely, Anton Bouter, who is affiliated with the Centrum Wiskunde & Informatica as described above in this erratum. In table 1, a space is missing after the character “<” in the line ‘Cervix -> Sigmoid’ in column ‘Sparing criteria’. In table 3, the ‘%’ signs in first column (DVI) should also be in subscript, similar to how it is written in the first column of Table 4. The supplementary material should state that needle contribution is limited to up to 40% of the total given dwell time (in applicator and needles). Lastly, the article should be seen as a research article and the authors would like to be cited as “L.R.M. Dickhoff and R.J. Scholman et al”.

The publisher would like to apologise for any inconvenience caused.

DOI of original article: [10.1016/j.brachy.2023.10.005](https://doi.org/10.1016/j.brachy.2023.10.005)

* Renzo J. Scholman, Centrum Wiskunde & Informatica and Delft University of Technology.

E-mail address: Renzo.scholman@cw.nl (L.R.M. Dickhoff).

These authors contributed equally.