



Delft University of Technology

Integration of GIS and CAD data to perform preliminary environmental analyses at district scale

Tsai, Bing-Shiuan; Huizer, Lars; Giampaolo, Michele; Monté, Sérénic; Gong, Sicong; García González, Francisco Gabriel; Agugiaro, Giorgio

Publication date

2024

Document Version

Final published version

Published in

Digitalisation of the Built Environment: 3rd 4TU-14UAS Research Day

Citation (APA)

Tsai, B.-S., Huizer, L., Giampaolo, M., Monté, S., Gong, S., García González, F. G., & Agugiaro, G. (2024). Integration of GIS and CAD data to perform preliminary environmental analyses at district scale. In G. Agugiaro, P. Savanović, & R. Sebastian (Eds.), *Digitalisation of the Built Environment: 3rd 4TU-14UAS Research Day* (pp. 59-62). TU Delft OPEN Publishing.

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

Digitalisation of the Built Environment

3rd 4TU-14UAS Research Day

Extended abstracts

25 April 2024

Delft

Edited by

Giorgio Agugiaro, Perica Savanović and Rizal Sebastian



Colophon

Digitalisation of the Built Environment
3rd 4TU-14UAS Research Day

Editors:

Giorgio Agugiaro¹, Perica Savanović², Rizal Sebastian³

¹ 3D Geoinformation group, Department of Urbanism, Faculty of Architecture and Built Environment, Delft University of Technology – g.agugiaro@tudelft.nl <https://orcid.org/0000-0002-2611-4650>

² Research and Innovation Centre Engineering, Design and Computing, Inholland University of Applied Sciences – perica.savanovic@inholland.nl <https://orcid.org/0000-0003-3232-1362>

³ Future Urban Systems Research Group, The Hague University of Applied Sciences – r.sebastian@hhs.nl <https://orcid.org/0000-0003-1714-8418>

Keywords:

Built Environment, Artificial Intelligence, Robotics, Augmented/Virtual/Mixed Reality, Digital Twins

Published by:

TU Delft OPEN Publishing | Delft University of Technology, The Netherlands

DOI: <https://doi.org/10.59490/mg.112>

ISBN: 978-94-6366-912-2

Copyright statement:



This work is licensed under a Creative Commons Attribution 4.0 International ([CC BY 4.0](https://creativecommons.org/licenses/by/4.0/)) licence.

© 2024 published by TU Delft OPEN Publishing on behalf of the authors
Copyright clearance made by the TU Delft Library copyright team.

Use of AI:

During the preparation of this work, the author(s) used Paperpal in order to language editing. After using this tool/service, the author(s) reviewed, edited and made the content their own as needed and take(s) full responsibility for the content of the publication.

Disclaimer:

Every attempt has been made to ensure the correct source of images and other potentially copyrighted material was ascertained, and that all materials included in this book have been attributed and used according to their license. Unless differently stated in the caption, all figures are attributed to the respective authors. If you believe that a portion of the material infringes someone else's copyright, please contact g.agugiaro@tudelft.nl

To cite this publication:

Agugiaro, G., Savanović, P., Sebastian, R. (2024) *Digitalisation of the Built Environment: 3rd 4TU/14UAS Research Day*. TU Delft OPEN Publishing, Delft University of Technology, The Netherlands.

Integration of GIS and CAD data to perform preliminary environmental analyses at district scale

Bing-Shiuan Tsai¹, Lars Huizer¹, Michele Giampaolo¹, Sérénic Monté¹, Sicong Gong¹,
Francisco Gabriel García González², Giorgio Agugiaro³

¹ MSc in Geomatics, Delft University of Technology, Delft, The Netherlands –
{b.tsai, l.c.huizer, m.giampaolo, s.g.m.monte, s.gong}@student.tudelft.nl,

² Royal HaskoningDHV, The Netherlands – gabriel.garcia@rhdhv.com

³ Delft University of Technology, Faculty of Architecture and Built Environment, Department of Urbanism, 3D
Geoinformation Group, Delft, The Netherlands – g.agugiaro@tudelft.nl

Keywords: CAD, GIS, data integration, Grasshopper, solar analysis, wind analysis.

Extended Abstract

With the current high speed and scale of urbanisation, there is a growing demand for affordable housing – together with all other aspects that are tightly related to it: infrastructure for transportation, utility networks, etc. For this reason, integrated planning is playing more and more a crucial role as the impacts of a new construction project should be investigated, evaluated and minimised from the very early stages of the design process (Josuf *et al.*, 2017; Agugiaro *et al.*, 2020).

However, there still exists a “scale-dependent” dichotomy between the different disciplines involved in the different types of analyses (Ohuri *et al.*, 2017). For example, a new building is generally planned and designed by practitioners (architects, engineers, etc.) using tools from the AEC (Architecture, Environment and Construction) domain that, traditionally, follow the CSG (Constructive Solid Geometry) modelling paradigm and use a local coordinate system. On the other hand, in order to estimate the impacts of the new building in the urban context (e.g. at district level), information about the “surroundings”, i.e. its urban context, is needed. As a matter of fact, such information is more and more digitally available nowadays thanks to the growing availability of 3D city models that however generally consist of GIS data. The recent advances of spatial data acquisition and processing technologies have brought a considerable yield of 3D data, with particular focus on the built environment. These data often consist either in point clouds, or in polygon-based models – the latter following the B-rep model. Additionally, data are georeferenced, and semantics may be also added, as in the case of city models based on the international standard CityGML (Gröger and Plümer, 2012). Collecting, harmonising, integrating and merging these kinds of heterogeneous data (both from AEC and from GIS domains) can still be a challenging task for a practitioner that may lack deep knowledge on data integration strategies.

This work provides a possible solution to this problem when it comes to performing speedy and interactive preliminary environmental analyses at the district scale in the case of a newly planned project (e.g., a building). The proposed methodology is the result of an initial analysis

in terms of data and software requirements carried out between GIS specialists and practitioners from the AEC domain. In particular, the latter have expressed their needs in terms of data and functionalities as well as set some limitations in terms of software solutions. The reason behind these choices, both in the form of functionalities and constraints, stems from the desire not to create a new *ad hoc* tool, but to extend and adapt (as far as possible) existing tools and workflows that are mostly used by end users, that is, AEC practitioners. The main topics that have been subject to specific research work are summarised in the following text.

First, regarding the software platforms to be used and the accompanying constraints, a set of tools to be used within Grasshopper/Rhinoceros¹ 3D was developed. This is because Grasshopper is one of the most commonly used software solutions in the AEC domain for parametric modelling and design. Additionally, it has been decided to avoid, as far as possible, adding or linking to existing external libraries, unless already natively supported by Grasshopper, as this would represent a welcome simplification in terms of software management within a large(r) company (Figure 1).




Figure 1. Schematic overview of identified workflow and of the use cases resulting from the interaction between GIS and AEC specialists.

Second, regarding the initial step of GIS data import, the availability of open geospatial data (e.g., buildings, vegetation, terrain, and land use) has been explored in 10 different countries, together with the possibility of accessing these data sources ideally via existing web-based APIs instead of file downloads (Figure 2). Although Grasshopper scripts have been developed to import and integrate the GIS-based “urban context” data into Grasshopper, research in different countries has highlighted the extreme heterogeneity of open data available (or not) and *de facto* a lack of common solutions to access such data despite the existence of open standards.

¹ <https://www.rhino3d.com>




Figure 2. Schematic overview of the data requirement analysis resulting from interaction between GIS and AEC specialists.

Third, when it comes to the actual data usage in Grasshopper, the integration of the GIS data of the “urban context” with the parametric model of a building (representing the actual object being planned or designed by the AEC practitioners) has been investigated. This means that the resulting urban scene model (building + surroundings) had to be prepared in order to be compatible with the Ladybug tools², that is, a set of tools for environmental building design that can also be used in Grasshopper, which have been identified by AEC practitioners as target tools. Therefore, several tests were conducted in this study. The goal was to evaluate and compare the simulation results and the overall usability and user experience of the workflow of the operations carried out on the urban scene model (either as B-rep or voxelised) for a) visibility analysis, b) solar irradiation, and c) wind simulation (Figures 3 and 4). Finally, an assessment of the developed methodology (and the implemented prototype) was carried out by both GIS specialists and AEC practitioners to identify current strengths and limitations, and to reason for possible future improvements. Further information and details regarding the entire project can be found in Tsai *et al.* (2024). The developed software and Rhinoceros scripts were freely available on GitHub³.




Figure 3. Example of visualisation of results from solar simulation on the urban context [left] and on the planned building [right].

² <https://www.ladybug.tools>

³ https://github.com/biscuittsai1022/Synthesis-project_1-repository_2023




Figure 4. Example of visualisation of results from wind simulation before [left] and after [right] insertion of the planned building in the urban context.

References

- Agugiaro, G., García González, F.G., Cavallo, R. (2020). The city of tomorrow from... the data of today. *ISPRS International Journal of Geo-Information*, 9(9), 554. <https://doi.org/10.3390/ijgi9090554>.
- Gröger, G., Plümer, L. (2012). CityGML—Interoperable semantic 3D city models. *ISPRS Journal of Photogrammetry and Remote Sensing*, 71, 12-33. <https://doi.org/10.1016/j.isprsjprs.2012.04.004>
- Jusuf, S.K., Mousseau, B., Godfroid, G., Soh Jin Hui, V. (2017). Integrated modeling of CityGML and IFC for city/neighborhood development for urban microclimates analysis. *Energy Procedia*, 122, 145-150. <https://doi.org/10.1016/j.egypro.2017.07.329>
- Ohori, K.A., Biljecki, F., Diakité, A., Krijnen, T., Ledoux, H., Stoter, J. (2017). Towards an integration of GIS and BIM data: what are the geometric and topological issues. *ISPRS Annals Photogrammetry, Remote Sensing and Spatial Information Sciences*, IV-4/W5. <https://doi.org/10.5194/isprs-annals-IV-4-W5-1-2017>
- Tsai, B.S., Huizer, L., Giampaolo, M., Monté, S., Gong, S. (2023). (Co-)development of an open-data-based tool to perform preliminary environmental analyses at district scale in different (European) countries. Delft University of Technology. <http://resolver.tudelft.nl/uuid:f837eb15-b62b-4981-865c-b85bac2d0a65>