

Subspace identification of individual systems operating in a network (SI²ON)

Yu, Chengpu; Verhaegen, Michel

DOI

[10.1109/TAC.2017.2739341](https://doi.org/10.1109/TAC.2017.2739341)

Publication date

2017

Document Version

Accepted author manuscript

Published in

IEEE Transactions on Automatic Control

Citation (APA)

Yu, C., & Verhaegen, M. (2017). Subspace identification of individual systems operating in a network (SI²ON). *IEEE Transactions on Automatic Control*, 63 (April 2018)(4), 1120-1125.
<https://doi.org/10.1109/TAC.2017.2739341>

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

Subspace Identification of Individual Systems Operating in a Network (SI²ON)

Chengpu Yu, Michel Verhaegen

Abstract—This note studies the identification of individual systems operating in a large-scale distributed network by considering the interconnection signals between neighboring systems to be unmeasurable. The unmeasurable interconnections act as unknown system inputs to the individual systems in a network, which poses a challenge for the identification problem. A subspace identification framework is proposed in this note for the consistent identification of individual systems using only local input and output information. The key step of this identification framework is the accurate estimation of the unknown system inputs of individual systems using local observations. Sufficient identifiability conditions are provided for the proposed identification framework and a simulation example is given to demonstrate its performance.

Index Terms—Large-scale distributed network, subspace identification, blind system identification.

I. INTRODUCTION

In this note, we consider the identification of a single system operating in a heterogeneous network using local observations. Examples of the concerned networks are discretized partial-differential-equation (PDE) systems such as fluid mechanics [1], flexible structures [2] and large telescope mirrors [3]. For these networks, the local system state as well as the interconnection signals between neighbouring systems are unmeasurable, resulting in a challenge for the single system identification problem using local measurements only. It is noted that the concerned identification problem is fundamentally different from those parametric network identification methods [4]–[7] for which the interconnections between neighboring systems are assumed to be measurable.

To date, there have been several local identification methods for state-space represented heterogeneous networks. A subspace identification algorithm was developed by approximating the unknown interconnections using a linear combination of local input and output observations [8]. This approach however requires an exhaustive search of all input and output data combinations. In other words, it is still an open problem on the selection of the local observations for the approximation of unknown interconnection signals. In [9], a nuclear norm algorithm was developed to identify a system by exploiting the different rank and order properties between the considered




Fig. 1. Demonstration of a 1D network consisting of distinct LTI systems. The local cluster of systems $\{\Sigma_j\}_{j=i-R}^{i+R}$ centered by Σ_i is encircled by a dashed rectangle.

local and global dynamics; however, this approach is not able to identify the interconnections between neighboring systems.

In this note, the *consistent* identification of individual systems operating in a heterogeneous network is to be investigated. Key to the proposed identification framework is the accurate estimation of the unknown inputs of the system to be identified. To this end, a subspace-intersection based estimation algorithm is developed and a sufficient condition for the reconstruction of the unknown inputs (up to a similarity transformation) is given. This approach addresses the problem in [8] on the selection of local observations for the approximation of the unknown interconnection signals.

The following notations will be used throughout the note. For a sequence $x(k)$, we denote $\text{Row}[x(k)]$ as the row subspace of $[x(k) \ x(k+1) \ \dots \ x(k+h-1)]$ with h being a positive integer. $\text{Row}[x_1(k) \cap x_2(k)]$ and $\text{Row}[x_1(k) \cup x_2(k)]$ stand for the intersection and union of $\text{Row}[x_1(k)]$ and $\text{Row}[x_2(k)]$, respectively.

The structured block matrices that will be used in the note are abbreviated as follows:

$$x_{j_1:j_2}(k) = [x_{j_1}^T(k), \dots, x_{j_2}^T(k)]^T \text{ for } j_2 \geq j_1.$$

$$x_j(k_1 : k_2) = [x_j^T(k_1), \dots, x_j^T(k_2)]^T \text{ for } k_2 \geq k_1.$$

$$\text{Diag}(D_1, \dots, D_d) = \begin{bmatrix} D_1 & & & \\ & \ddots & & \\ & & \ddots & \\ & & & D_d \end{bmatrix}.$$

$$\mathcal{O}_s(C, A) = \begin{bmatrix} C \\ CA \\ \vdots \\ CA^{s-1} \end{bmatrix}.$$

II. PROBLEM FORMULATION

In order to focus on the essence of the new identification method and for the sake of notational simplicity, the identification of a spatially varying 1D networked system, as shown

C. Yu is with School of Automation, Beijing Institute of Technology, Beijing 100081, China and with the Delft Center for Systems and Control, Delft University, Delft 2628CD, Netherlands (c.yu-4@tudelft.nl)

M. Verhaegen is with the Delft Center for Systems and Control, Delft University, Delft 2628CD, Netherlands (m.verhaegen@tudelft.nl)

The research leading to these results has received funding from the European Research Council under the European Union's Seventh Framework Programme (FP7/2007-2013) / ERC grant agreement no. 339681.

in Fig. 1, will be investigated in detail. For this 1D network model, the local systems Σ_i for $i = 1, \dots, N$ are represented as

$$\begin{aligned} \Sigma_1 : \quad & x_1(k+1) = A_1 x_1(k) + A_{1,r} x_2(k) + B_1 u_1(k) \\ & y_1(k) = C_1 x_1(k) + e_1(k), \\ \Sigma_i : \quad & x_i(k+1) = A_i x_i(k) + A_{i,l} x_{i-1}(k) + A_{i,r} x_{i+1}(k) \\ & \quad + B_i u_i(k) \\ & y_i(k) = C_i x_i(k) + e_i(k), \\ & i = 2, \dots, N-1 \\ \Sigma_N : \quad & x_N(k+1) = A_N x_N(k) + A_{N,l} x_{N-1}(k) \\ & \quad + B_N u_N(k) \\ & y_N(k) = C_N x_N(k) + e_N(k), \end{aligned} \quad (1)$$

where $x_i(k) \in \mathbb{R}^{n \times 1}$, $u_i(k) \in \mathbb{R}^{m \times 1}$, $y_i(k) \in \mathbb{R}^{p \times 1}$ and $e_i(k) \in \mathbb{R}^{p \times 1}$ are respectively the state, input, output and measurement noise of the system Σ_i . The system matrices $A_i, A_{i,l}, A_{i,r}, B_i$ and C_i have appropriate sizes. For the above network model, we assume that $N \geq n$ and $p, m < n$.

By denoting $u(k) = u_{1:N}(k)$, $x(k) = x_{1:N}(k)$, $y(k) = y_{1:N}(k)$ and $e(k) = e_{1:N}(k)$, the matrix form of (1) can be written as

$$\begin{aligned} x(k+1) &= Ax(k) + Bu(k) \\ y(k) &= Cx(k) + e(k), \end{aligned} \quad (2)$$

where $A = \begin{bmatrix} A_1 & A_{1,r} & & & \\ A_{2,l} & A_2 & \ddots & & \\ & \ddots & \ddots & A_{N-1,r} & \\ & & & A_{N,l} & A_N \end{bmatrix}$,

$$B = \text{Diag}(B_1, B_2, \dots, B_N),$$

$$C = \text{Diag}(C_1, C_2, \dots, C_N).$$

The standard assumptions of the network model in (1) are made as follows.

- A1. The global system model in (2) and individual systems in (1) are minimal.
- A2. The input vector $u(k)$ is a quasi-stationary signal and is persistently exciting of any finite order.
- A3. The measurement noise $e(k)$ is a white noise sequence satisfying $e(k) \sim \mathcal{N}(0, \sigma^2 I)$ and is uncorrelated with $u(k)$.

In this note, the *problem of interest* is to identify the system matrices $\{C_i, A_i, A_{i,l}, A_{i,r}, B_i\}$ of the system Σ_i up to a similarity transformation, as defined in Definition 1, using the input and output measurements from a *local cluster* consisting of the systems, $\{\Sigma_j\}_{j=i-R}^{i+R}$, centered by Σ_i with R being the radius of the concerned local cluster. Due to the unmeasurable interconnections between neighboring systems, the local system model has two unknown inputs, causing the identification problem to be quite challenging.

Definition 1. The system matrix tuple $\{C_i, A_i, A_{i,l}, A_{i,r}, B_i\}$ is similarly equivalent to $\{\hat{C}_i, \hat{A}_i, \hat{A}_{i,l}, \hat{A}_{i,r}, \hat{B}_i\}$ if there exist non-singular matrices $Q_i, Q_{i-1}, Q_{i+1} \in \mathbb{R}^{n \times n}$ such that

$$\begin{aligned} \hat{A}_i &= Q_i^{-1} A_i Q_i, \hat{A}_{i,l} = Q_i^{-1} A_{i,l} Q_{i-1}, \hat{A}_{i,r} = Q_i^{-1} A_{i,r} Q_{i+1}, \\ \hat{C}_i &= C_i Q_i, \hat{B}_i = Q_i^{-1} B_i. \end{aligned}$$

The rest of the note is organized as follows. In Section III, given a noisy estimate of the unknown interconnection signal, the identification of a single subsystem is formulated as an errors-in-variables system identification problem, which is then consistently identified using the instrumental-variable method [10]. In order to estimate the unknown interconnection signals, in Section IV, a subspace-based estimation method is developed by taking into account the local network structure.

III. CONSISTENT IDENTIFICATION OF A SINGLE SUBSYSTEM

We consider the identification of the system matrices, $\{C_i, A_i, A_{i,l}, A_{i,r}, B_i\}$, of the system Σ_i :

$$\begin{aligned} x_i(k+1) &= A_i x_i(k) + [A_{i,l} \ A_{i,r}] \begin{bmatrix} x_{i-1}(k) \\ x_{i+1}(k) \end{bmatrix} + B_i u_i(k) \\ y_i(k) &= C_i x_i(k) + e_i(k). \end{aligned} \quad (3)$$

To identify the above system, it is necessary to estimate the subspace spanned by the sequence of unknown system inputs $x_{i-1}(k)$ and $x_{i+1}(k)$ from the local input and output observations.

Before proceeding to discover knowledge about the unknown system inputs, we provide a subspace identification framework for the local system Σ_i by assuming that the estimates, $\hat{x}_{i\pm 1}(k)$, of the unknown inputs, $x_{i\pm 1}(k)$, are available and satisfy

$$\begin{aligned} \hat{x}_{i-1}(k) &= \Gamma_l x_{i-1}(k) + v_{i-1}(k) \\ \hat{x}_{i+1}(k) &= \Gamma_r x_{i+1}(k) + v_{i+1}(k), \end{aligned} \quad (4)$$

where $\Gamma_l, \Gamma_r \in \mathbb{R}^{n \times n}$ are unknown but nonsingular square coefficient matrices, and $v_{i\pm 1}(k) \in \mathbb{R}^n$ are zero-mean ergodic stochastic processes that are uncorrelated with the input $u_j(k)$ and the state $x_j(k)$ for all $j = 1, \dots, N$.

Substituting equation (4) into equation (3) yields

$$\begin{aligned} x_i(k+1) &= A_i x_i(k) + B_i u_i(k) + A_{i,lr} (\bar{x}_i(k) - \bar{v}_i(k)) \\ y_i(k) &= C_i x_i(k) + e_i(k), \end{aligned} \quad (5)$$

where $A_{i,lr} = [A_{i,l} \Gamma_l^{-1} \ A_{i,r} \Gamma_r^{-1}]$, $\bar{x}_i(k) = \begin{bmatrix} \hat{x}_{i-1}(k) \\ \hat{x}_{i+1}(k) \end{bmatrix}$ and $\bar{v}_i(k) = \begin{bmatrix} v_{i-1}(k) \\ v_{i+1}(k) \end{bmatrix}$. It is noted that the ambiguity matrices Γ_l, Γ_r do not affect the similarity transformation that is defined in Definition 1. Therefore, we will focus on the identification of the system model (5) instead of (3).

The identification of the system Σ_i then boils down to identifying the system matrices $(C_i, A_i, A_{i,lr}, B_i)$ using the values of $u_i(k), \bar{x}_i(k)$ and $y_i(k)$. Due to the noisy input and output measurements, the system model in (5) is an errors-in-variables (EIV) model. In order to achieve a consistent identification of (5), as defined in Definition 2, the instrumental-variable method [10] is adopted in this note.

Definition 2. Suppose that the true system matrices of (5) are $\{A_i^*, [B_i^* \ A_{i,lr}^*], C_i^*\}$ and the transfer function is $H^*(z) = C_i^*(zI - A_i^*)^{-1} [B_i^* \ A_{i,lr}^*]$ with $z \in \mathbb{C}$. The estimates of the system matrices, denoted by $(\hat{A}_i, [\hat{B}_i \ \hat{A}_{i,lr}], \hat{C}_i)$, are consistent if they satisfy

$$\hat{C}_i (zI - \hat{A}_i)^{-1} [\hat{B}_i \ \hat{A}_{i,lr}] = H^*(z)$$

Next, we shall develop a numerical method to compute the subspace intersection in (18). More importantly, we need to find an estimate of $x_{i+1}(k)$ satisfying equation (4).

As illustrated by Corollary 8 in [13], in order to compute the row-subspace intersection in (18), we need to estimate the orthogonal complement of the column subspace of

$$\begin{bmatrix} \mathbf{U}_k^i \\ \mathbf{Y}_k^i - \mathbf{E}_k^i \\ \mathbf{U}_k^{i-R+1} \\ \mathbf{Y}_k^{i-R+1} - \mathbf{E}_k^{i-R+1} \end{bmatrix}. \quad (22)$$

Denote

$$\Delta = \lim_{h \rightarrow \infty} \frac{1}{h} \begin{bmatrix} 0 \\ \mathbf{E}_k^i \\ 0 \\ \mathbf{E}_k^{i-R+1} \end{bmatrix} \begin{bmatrix} 0 \\ \mathbf{E}_k^i \\ 0 \\ \mathbf{E}_k^{i-R+1} \end{bmatrix}^T.$$

In order to obtain a consistent estimate of the orthogonal complement of the column subspace of (22) where the noise terms \mathbf{E}_k^i and \mathbf{E}_k^{i-R+1} are unknown, the noise variance σ^2 in Assumption A3 needs to be estimated. This can be done by exploiting the rank deficiency of $\begin{bmatrix} \mathbf{U}_k^i \\ \mathbf{Y}_k^i - \mathbf{E}_k^i \end{bmatrix}$ as shown in equation (19).

Given the estimate of the noise variance σ^2 , the matrix Δ is known. Then an estimate of $x_{i+1}(k)$ satisfying equation (4) can be obtained, which will be shown in the following theorem.

Theorem 1. Denote

$$\mathbf{R} = \lim_{h \rightarrow \infty} \frac{1}{h} \begin{bmatrix} \mathbf{U}_k^i \\ \mathbf{Y}_k^i \\ \mathbf{U}_k^{i-R+1} \\ \mathbf{Y}_k^{i-R+1} \end{bmatrix} \begin{bmatrix} \mathbf{U}_k^i \\ \mathbf{Y}_k^i \\ \mathbf{U}_k^{i-R+1} \\ \mathbf{Y}_k^{i-R+1} \end{bmatrix}^T - \Delta. \quad (23)$$

Let the SVD of \mathbf{R} be given as

$$\mathbf{R} = [U_1 \ U_2] \begin{bmatrix} S_1 & \\ & S_2 \end{bmatrix} \begin{bmatrix} V_1^T \\ V_2^T \end{bmatrix}, \quad (24)$$

where U_2 contains the left singular vectors corresponding to the smallest n singular values. Partition U_2 as

$$U_2 = [U_{21}^T \ U_{22}^T \ U_{23}^T \ U_{24}^T]^T,$$

where the dimensions of U_{2j} for $j = 1, \dots, 4$ accord with the block rows of the matrix in (22).

Under Assumption A3, the following estimate of $x_{i+1}(k)$ satisfies equation (4):

$$\hat{x}_{i+1}(k) = U_{21}^T \mathbf{u}_i(k) + U_{22}^T \mathbf{y}_i(k), \quad (25)$$

where $\mathbf{u}_i(k)$ and $\mathbf{y}_i(k)$ are defined in (11).

Proof: Since U_2 spans the orthogonal complement of the column subspace of the matrix in (22), by the result of Corollary 8 in [13], we can obtain that

$$\text{Row}[x_{i+1}(k)] = \text{Row} \left[U_{21}^T \mathbf{u}_i(k) + U_{22}^T (\mathbf{y}_i(k) - \mathbf{e}_i(k)) \right].$$

From the above equation, we can derive that the estimate $\hat{x}_{i+1}(k)$ in (25) satisfies equation (4). ■

To ease the reference, the estimation scheme for the unmeasurable inputs is summarized in Algorithm 1.

| Algorithm 1: Subspace estimation of unmeasurable inputs | |
|---|---|
| Step 1 | Construct the data equation (13); |
| Step 2 | Form the matrix \mathbf{R} in (23) and compute its SVD in (24); |
| Step 3 | Compute the estimate of $x_{i+1}(k)$ as shown in (25). |

V. NUMERICAL SIMULATIONS

In this section, one simulation example is provided to validate the proposed identification method. The network model in the simulation example includes 40 systems in a line and the 20-th subsystem is to be identified. The system matrices of individual systems are generated by the superposition of fixed matrices and random matrices with small entries, where the fixed matrices are given by

$$\begin{aligned} A_i &= \begin{bmatrix} 0.2728 & -0.2068 \\ 0.1068 & 0.2728 \end{bmatrix}, A_{i,l} = \begin{bmatrix} -0.1195 & -0.3565 \\ 0.0874 & -0.1048 \end{bmatrix} \\ A_{i,r} &= \begin{bmatrix} 0.0699 & -0.4278 \\ 0.3842 & 0.1135 \end{bmatrix}, B_i = \begin{bmatrix} 0.3870 \\ -1.2705 \end{bmatrix} \\ C_i &= [-0.9075 \quad -1.3651] \text{ for } i = 1, \dots, 40. \end{aligned}$$

The system input and measurement noise are randomly generated as white Gaussian noise. The dimension parameters s and R involved in the proposed identification method are respectively set to $s = 10$ and $R = 8$.

To measure the identification performance, the impulse-response-fitting (IRF) criterion for the i -th system is defined as

$$\text{IRF} = \frac{1}{N} \sum_{k=1}^N \frac{\sum_{j=1}^{10} \|\hat{C}_i^k (A_i^k)^j \hat{B}_i^k - C_i^* (A_i^*)^j B_i^*\|_F^2}{\sum_{j=1}^{10} \|C_i^* (A_i^*)^j B_i^*\|_F^2}, \quad (26)$$

where N is the number of Monte-Carlo trials which is set to 200; A_i^*, B_i^*, C_i^* are true system matrices; $A_i^k, \hat{B}_i^k, \hat{C}_i^k$ are the estimated system matrices at the k -th Monte-Carlo trial. In order to show the influence of the measurement noise to the identification performance, the signal-to-noise ration (SNR) is defined as

$$\text{SNR (dB)} = 10 \log \frac{\text{var}(y_i(k) - e_i(k))}{\text{var}(e_i(k))}.$$

First, in order to demonstrate the effectiveness of the proposed method, the IRF curve with respect to SNR is shown in Fig. 2. The data length in this simulation is set to 2000. It can be seen that the IRF values decay to zero along with the increase of SNR, indicating that the proposed algorithm can perfectly address the local identification problem in the absence of measurement noise.

Second, we will provide the experimental evidence for the consistent identification result. In this simulation, we set SNR=70 dB. The IRF curve against the length of input-output data is shown in Fig. 3, where we can see that IRF values decrease along with the increase of data length. In addition, the system poles of the 20-th system are estimated by performing 200 independent simulation trials. The distributions of the estimated poles at data lengths 2000, 4000 and 8000 are given in Fig. 4. It can be observed that, as the data length increases, the estimated poles are more concentrated at their true values.




Fig. 2. IRF of the identified system with respect to the SNR.




Fig. 3. IRF of the identified system with respect to the data length.

VI. CONCLUSION

In this note, we have presented subspace identification methods for individual systems operating in a large-scale network. Compared with the existing local system identification methods, the proposed algorithm can yield consistent identification results. The novelty of our work lies at the accurate estimation of the unknown system inputs of individual systems operating in a network. A simulation example has been given to show the effectiveness of the proposed identification algorithm.

APPENDIX A LEMMA 2

Lemma 2. Consider the dynamical system in (7), where only $\underline{y}_i(k)$ and $\underline{u}_i(k)$ are available. The unknown input $\underline{v}_i(k)$ is unidentifiable in the sense that the row space spanned by the sequence $\underline{v}_i(k)$ cannot be uniquely determined.

Proof: Denote

$$\underline{\Delta}_i = \text{Diag}(A_{i+1,l}\Delta_l, 0, \dots, 0, A_{i+R,r}\Delta_r),$$

$$\bar{\Delta}_i = \begin{bmatrix} \Delta_l & 0 \\ 0 & \Delta_r \end{bmatrix},$$

where $\Delta_l, \Delta_r \in \mathbb{R}^{n \times m}$ are arbitrary real matrices. We have




Fig. 4. Estimated poles of 20-th system by 200 Monte-Carlo trials. The red stars represent true poles, while the blue crosses denote estimated poles.

the following equation:

$$\underline{B}_i \underline{u}_i(k) + \underline{D}_i \underline{v}_i(k) = (\underline{B}_i + \underline{\Delta}_i) \underline{u}_i(k) + \underline{D}_i \left(\underline{v}_i(k) - \bar{\Delta}_i \begin{bmatrix} u_{i+1}(k) \\ u_{i+R}(k) \end{bmatrix} \right).$$

From the equation above, we can see that $(\underline{B}_i + \underline{\Delta}_i)$ can be regarded as an estimate of \underline{B}_i , and $\left(\underline{v}_i(k) - \bar{\Delta}_i \begin{bmatrix} u_{i+1}(k) \\ u_{i+R}(k) \end{bmatrix} \right)$ can be an estimate of $\underline{v}_i(k)$. Since Δ_l, Δ_r can be any real matrices, it can be concluded that $\underline{v}_i(k)$ is unidentifiable. ■

REFERENCES

- [1] T. R. Bewley and S. Liu, "Optimal and robust control and estimation of linear paths to transition," *Journal of Fluid Mechanics*, vol. 365, pp. 305–349, 1998.
- [2] F. Wu and S. E. Yildizoglu, "Distributed parameter-dependent modeling and control of flexible structures," *Journal of dynamic systems, measurement, and control*, vol. 127, no. 2, pp. 230–239, 2005.
- [3] D. G. MacMynowski, R. Heimsten, and T. Andersen, "Distributed force control of deformable mirrors," *European Journal of Control*, vol. 17, no. 3, pp. 249–260, 2011.
- [4] A. Dankers, P. Van den Hof, and P. Heuberger, "Predictor input selection for direct identification in dynamic networks," in *Decision and Control (CDC), 2013 IEEE 52nd Annual Conference on*, pp. 4541–4546, Dec 2013.
- [5] P. M. Van den Hof, A. Dankers, P. S. Heuberger, and X. Bombois, "Identification of dynamic models in complex networks with prediction error methods basic methods for consistent module estimates," *Automatica*, vol. 49, no. 10, pp. 2994–3006, 2013.
- [6] J. Gonçalves and S. Warnick, "Necessary and sufficient conditions for dynamical structure reconstruction of lti networks," *IEEE Transactions on Automatic Control*, vol. 53, no. 7, pp. 1670–1674, 2008.
- [7] D. Materassi and M. V. Salapaka, "On the problem of reconstructing an unknown topology via locality properties of the wiener filter," *IEEE transactions on automatic control*, vol. 57, no. 7, pp. 1765–1777, 2012.
- [8] A. Haber and M. Verhaegen, "Subspace identification of large-scale interconnected systems," *Automatic Control, IEEE Transactions on*, vol. 59, no. 10, pp. 2754–2759, 2014.
- [9] N. Matni and A. Rantzer, "Low-rank and low-order decompositions for local system identification," *arXiv preprint arXiv:1403.7175*, 2014.
- [10] C. T. Chou and M. Verhaegen, "Subspace algorithms for the identification of multivariable dynamic errors-in-variables models," *Automatica*, vol. 33, no. 10, pp. 1857–1869, 1997.
- [11] A. C. Antoulas, "New results on the algebraic theory of linear systems: The solution of the cover problems," *Linear Algebra and its Applications*, vol. 50, pp. 1–43, 1983.

- [12] M. Verhaegen and V. Verdult, *Filtering and system identification: a least squares approach*. Cambridge university press, 2007.
- [13] B. D. Moor, *Mathematical Concepts and Techniques for Modelling of Static and Dynamic Systems*. Ph.D. Thesis, KU Leuven, 1988.