

A tunable two-dimensional crossbar array comprising 16 quantum dots

Research Briefing

Borsoi, F.; Veldhorst, M.

DOI

[10.1038/s41565-023-01511-2](https://doi.org/10.1038/s41565-023-01511-2)

Publication date

2023

Document Version

Final published version

Published in

Nature Nanotechnology

Citation (APA)

Borsoi, F., & Veldhorst, M. (2023). A tunable two-dimensional crossbar array comprising 16 quantum dots: Research Briefing. *Nature Nanotechnology*, 19(1), 7-8. <https://doi.org/10.1038/s41565-023-01511-2>

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

Green Open Access added to TU Delft Institutional Repository

'You share, we take care!' - Taverne project

<https://www.openaccess.nl/en/you-share-we-take-care>

Otherwise as indicated in the copyright section: the publisher is the copyright holder of this work and the author uses the Dutch legislation to make this work public.

A tunable two-dimensional crossbar array comprising 16 quantum dots

Drawing inspiration from classical semiconductor technology, a strategy to address many quantum dots through a small number of control lines is presented. The two-dimensional array consisting of 16 germanium quantum dots can be tuned in the few-hole regime with odd charge fillings and individually addressable tunnel couplings.

This is a summary of:

Borsoi, F. et al. Shared control of a 16 semiconductor quantum dot crossbar array. *Nat. Nanotechnol.* <https://doi.org/10.1038/s41565-023-01491-3> (2023).

Publisher's note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Published online: 13 September 2023

The problem

Building fault-tolerant quantum computers requires the ability to manage millions of interacting qubits¹. Although classical semiconductor technology has advanced to control billions of transistors using only thousands of control lines, this streamlined approach has not yet been applied in quantum technology. Leading solid-state quantum computing platforms, such as those based on superconducting and semiconducting qubits, still rely on a one-to-one connection between control lines and qubits – a brute-force method that is straightforward, but unfeasible for large-scale quantum computation².

Semiconductor qubits are compatible with semiconductor manufacturing³, and proposals to efficiently scale the number of qubits take inspiration from integrated circuits⁴. But challenges in material uniformity and device quality pose major challenges. Hence, so far, experimental work has focused primarily on small and linear arrays, and it is an open question how to scale to larger systems.

The solution

In this research, we established a strategy for the sustainable control of semiconductor quantum dots. We have introduced an elegant gate layout based on a crossbar architecture to efficiently operate a two-dimensional quantum dot system. In our design, we exploit two barrier layers for the selective control of the interdot tunnel couplings, and a layer of plunger lines to collectively vary the on-site quantum dot energies (Fig. 1a). In contrast to brute-force implementations, a single shared plunger gate is used to control up to four quantum dots, and an individual shared barrier gate is used to control the coupling between quantum dots for up to six pairs (Fig. 1b).

Owing to the uniformity of our material system – a planar germanium quantum well in a silicon–germanium heterostructure – we were able to control the most

(to the best of our knowledge) extensive two-dimensional quantum dot array so far constructed. We used charge-sensing methods and statistical tools to identify each quantum dot from complex charge-stability diagrams, and then defined a routine through which we were able to prepare the array in the few-hole regime and confine an unpaired spin in each site.

Our final step was to establish a random-access method for addressing the inter-dot tunnel coupling, achieving remarkable consistency between vertically and horizontally coupled pairs. These two demonstrations – tunability into an odd charge state with an unpaired spin, and selective control of the inter-dot tunnel coupling – satisfy the basic requirements for the development of quantum logic in shared-control architectures.

Future directions

Our work is relevant for the definition of a semiconductor-qubit unit cell that is compact and scalable. We envisage that our crossbar array will find application in dense semiconductor quantum processors, or be used as a register coupled via long-range quantum links for networked computing⁵.

Although the shared-control approach is beneficial in terms of hardware scalability and interconnectivity, it might introduce crosstalk challenges in qubit control. Therefore, future research should focus on the implementation of high-fidelity quantum gates in such crossbar devices and on the integration of quantum buses for linking multiple registers. Furthermore, as manual tuning operations become a bottleneck, it might be necessary to adopt autonomous operations based on machine-learning algorithms to achieve more rapid and reproducible control over charge and spin.

Francesco Borsoi & Menno Veldhorst

QuTech and Kavli Institute of Nanoscience, Delft University of Technology, Delft, The Netherlands.

EXPERT OPINION

"The authors have targeted a critical challenge in scaling up qubits in general, and especially semiconductor qubits — namely that of shared control. The experimental achievement reported is at the impressive scale of a 4×4 quantum-dot array and based around a crossbar

architecture, which has been discussed in various theoretical proposals for spin qubits, but to my knowledge this the first serious experimental effort aimed at realizing these ideas." **John Morton, University College London, London, UK.**

FIGURE




Fig. 1 | The crossbar array of 16 quantum dots. a, Scanning electron microscope image of the crossbar array device. The gate stack consists of two staircase barrier gate layers (two lines of each layer are shown in red and blue), and one plunger gate layer (two lines of which are shown in green). The 16 quantum dots are defined under the plunger gates, and four charge sensors are located at the corners. Scale bar, 100 nm. **b,** Illustration of the stack of the shared-control elements: from the bottom of the gate stack, these comprise two layers of barrier gates (UB and LB) and seven plunger gates (P). © 2023, Borsoi, F. et al., [CC BY 4.0](#).

BEHIND THE PAPER

The field of semiconductor qubit technology has seen remarkable advances in the past few years. The focus has been on small systems, mostly arranged in one-dimensional geometries, and operated using 'brute force' approaches. So trying to realize a 4×4 quantum dot using shared control was certainly daunting — a step forward that required advances on several fronts. However, as the days went by in the laboratory, it became evident that each of the 16 quantum dots could

indeed be tuned. Utilizing a video-mode technique, millions of charge-stability diagrams appeared at a rate of more than one per second, and, through meticulous adjustments of the gate voltages, the desired charge configuration was achieved. After a few weeks of hands-on tuning, the full array was finally operational. Although this had always been the goal of our experiment, we were still surprised by the pace of this development. **F.B. & M.V.**

REFERENCES

1. Fowler, A. G., Mariantoni, M., Martinis, J. M. & Cleland, A. N. Surface codes: towards practical large-scale quantum computation. *Phys. Rev. A* **86**, 032324 (2012).
A review article that presents the implementation of practical quantum error correction schemes.
2. Franke, D. P., Clarke, J. S., Vandersypen, L. M. K. & Veldhorst, M. Rent's rule and extensibility in quantum computation. *Microprocess. Microsyst.* **67**, 1–7 (2019).
This paper considers solid-state qubit control strategies in relation to Rent's rule.
3. Loss, D. & DiVincenzo, D. P. Quantum computation with quantum dots. *Phys. Rev. A* **57**, 120–126 (1998).
This article proposes using the spin of trapped electrons as a native two-level system for quantum computing.
4. Li, R. et al. A crossbar network for silicon quantum dot qubits. *Sci. Adv.* **4**, 3960 (2018).
This article presents the idea of using crossbar technology to efficiently control quantum-dot qubits.
5. Vandersypen, L. M. K. et al. Interfacing spin qubits in quantum dots and donors — hot, dense, and coherent. *npj Quantum Inf.* **3**, 34 (2017).
A review article that discusses using interconnected quantum-dot registers integrated with classical electronics circuits.

FROM THE EDITOR

"This work introduces a quantum-dot device geometry that includes shared control gates and a double-barrier design to allow, in principle, selective tunnel-coupling tunability within the array — key features towards scalability. The experimental achievement reported is at the impressive scale of a 4×4 quantum-dot array. They realize the co-existence of common barrier gates to selectively control the individual inter-dot couplings." **Jiajun Zhu, Senior Editor, Nature Nanotechnology.**