

## GRoS

### Workshop on graph neural networks for recommendation and search

Thonet, Thibaut; Clinchant, Stéphane; Lassance, Carlos; Isufi, Elvin; Ma, Jiaqi; Xie, Yutong; Renders, Jean Michel; Bronstein, Michael

#### DOI

[10.1145/3460231.3470937](https://doi.org/10.1145/3460231.3470937)

#### Publication date

2021

#### Document Version

Accepted author manuscript

#### Published in

RecSys 2021 - 15th ACM Conference on Recommender Systems

#### Citation (APA)

Thonet, T., Clinchant, S., Lassance, C., Isufi, E., Ma, J., Xie, Y., Renders, J. M., & Bronstein, M. (2021). GRoS: Workshop on graph neural networks for recommendation and search. In *RecSys 2021 - 15th ACM Conference on Recommender Systems* (pp. 780-782). (RecSys 2021 - 15th ACM Conference on Recommender Systems). Association for Computing Machinery (ACM). <https://doi.org/10.1145/3460231.3470937>

#### Important note

To cite this publication, please use the final published version (if applicable). Please check the document version above.

#### Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

#### Takedown policy

Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.

# GReS: Workshop on Graph Neural Networks for Recommendation and Search

THIBAUT THONET, STÉPHANE CLINCHANT, and CARLOS LASSANCE, Naver Labs Europe, France

ELVIN ISUFI, Delft University of Technology, Netherlands

JIAQI MA and YUTONG XIE, University of Michigan, USA

JEAN-MICHEL RENDERS, Naver Labs Europe, France

MICHAEL BRONSTEIN, Imperial College London / Twitter, United Kingdom

Graph neural networks (GNNs) have recently gained significant momentum in the recommendation community, demonstrating state-of-the-art performance in top-k recommendation and next-item recommendation. Despite promising results on GNN-based recommendation and search, most of the current GNN research remains essentially concentrated on more traditional tasks such as classification or regression. The GReS workshop on Graph Neural Networks for Recommendation and Search is then a first endeavor to bridge the gap between the RecSys and GNN communities, and promote recommendation and search problems amongst GNN practitioners.

Additional Key Words and Phrases: recommendation, graph neural networks, information retrieval

## ACM Reference Format:

Thibaut Thonet, Stéphane Clinchant, Carlos Lassance, Elvin Isufi, Jiaqi Ma, Yutong Xie, Jean-Michel Renders, and Michael Bronstein. 2021. GReS: Workshop on Graph Neural Networks for Recommendation and Search. In *Fifteenth ACM Conference on Recommender Systems (RecSys '21)*, September 27–October 1, 2021, Amsterdam, Netherlands. ACM, New York, NY, USA, 4 pages. <https://doi.org/10.1145/3460231.3470937>

## 1 DESCRIPTION

### 1.1 Motivation

The longstanding paradigm of collaborative filtering in recommender systems posits that users with similar behavior tend to exhibit similar preferences. A graph formulation naturally arises from this view: the user-item interactions form a bipartite graph, which can be leveraged to refine recommendations by integrating similarities in users' historical preferences. This perspective inspired numerous graph-based recommendation approaches in the past [3, 5, 10, 12, 21, 23].

Recently, the success brought about by deep learning led to the development of graph neural networks (GNNs) [1, 4, 9, 14, 16]. The key idea of GNNs is to propagate high-order information in the graph so as to learn representations which are similar for a node and its neighborhood. GNNs were initially applied to traditional machine learning problems such as classification [9] or regression [8], and later to recommendation [6, 7, 15, 18, 19, 22] and search [2, 11, 13]. GNNs have in particular led to a new state of the art in top-k recommendation [6] and next-item recommendation [17]. A more comprehensive review of the GNN-based recommendation literature can be found in [20].

Despite promising results on GNN-based recommendation and search, most of the fundamental GNN research remains essentially focused on the more traditional tasks of node/graph classification and regression. Bringing together

---

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

© 2021 Copyright held by the owner/author(s).

Manuscript submitted to ACM

the RecSys and GNN communities for discussion would prove beneficial on both sides. For the RecSys community this could be a path to discovering possible connections between GNNs and traditional methods for recommendation and search that can lead to improved performance on those tasks, while for GNN researchers it can be a venue to discover new challenges specific to recommendation and search. The GReS workshop on Graph Neural Networks for Recommendation and Search is then a first endeavor to bridge the gap between these two communities and foster inter-collaborations, creating a more attractive and dedicated space to foster contributions that could be seen as too GNN-specific for RecSys or that do not have sufficient emphasis on recommendation for the conference.

## 1.2 Topics

The topics relevant to the GReS workshop include (but are not limited to):

- Top-k recommendation and matrix completion approaches based on GNNs;
- Session-based and next-item recommendation via GNNs and dynamic graphs;
- Knowledge graph and social network-enhanced recommendation models;
- Multimodal recommendation and search approaches based on GNNs;
- Explainability, fairness, accountability, transparency, and privacy issues in GNN-based recommendation;
- GNN-based result diversification in recommendation or search;
- Hypergraph neural networks for recommendation or search;
- GNNs for personalized recommendation via link prediction in multipartite or heterogeneous graphs;
- Temporal and Dynamic GNNs or applications of GNNs to next-item recommendation and dynamic environments;
- Graph topology inference for recommendation and search;
- Challenges, pitfalls, and negative results in applying GNNs to recommendation or search;
- Libraries, benchmarks, and datasets for GNN-based recommendation or search;
- Industrial applications and scalability of GNNs for recommendation or search.

The selected topics complement the RecSys themes in two ways: they give a special focus on GNN-based approaches for recommendation and search, and extend to more fundamental subjects relevant for both RecSys and GNN practitioners.

## 2 WORKSHOP ORGANIZATION

### 2.1 Format

The submissions to the workshop were evaluated through double-blind peer review. Each submission was assigned to 2 to 3 reviewers. The submissions with the highest ratings were accepted as papers with oral presentation and the other ones as posters. Papers were limited to 14 pages excluding references following the standard single-column ACM RecSys template.

### 2.2 Program Committee

The workshop benefitted from a program committee composed of experts in the domain and that was diverse in institution, country, gender, domain expertise (RecSys/Search or GNNs), and seniority level. In addition to the organizers, the following invited researchers participated in the program committee:

- Devanshu Arya (University of Amsterdam)
- Evgeny Burnaev (Skoltech)

- Fei Cai (National University of Defense Technology)
- Mark Coates (McGill University)
- Fernando Gama (University of California, Berkeley)
- Chen Gao (Tsinghua University)
- Vincent Gripon (IMT Atlantique)
- Stephan Günnemann (Technical University of Munich)
- Ruining He (Google)
- Vassilis Ioannidis (University of Minnesota)
- Alexandros Karatzoglou (Google Research)
- Irwin King (The Chinese University of Hong Kong)
- Ira Ktena (DeepMind)
- Muyang Ma (Shandong University)
- Jose Moreno (University of Toulouse)
- Athanasios Nikolakopoulos (Amazon)
- Xia Ning (Ohio State University)
- Chanyoung Park (KAIST)
- Rajesh Piryani (SAU, Delhi)
- Benjamin Piwowarski (Sorbonne Université)
- Emanuele Rossi (Twitter)
- Luana Ruiz (University of Pennsylvania)
- Neil Shah (Snap Inc.)
- Julien Velcin (University of Lyon 2)
- Hongwei Wang (Stanford University)
- Marcel Worring (University of Amsterdam)

### 2.3 Dissemination

As a follow-up of the workshop, the co-chairs will write a report summing up the main themes and discussions during the workshop.

### REFERENCES

- [1] Michael M Bronstein, Joan Bruna, Yann LeCun, Arthur Szlam, and Pierre Vandergheynst. 2017. Geometric deep learning: going beyond euclidean data. *IEEE Signal Processing Magazine* 34, 4 (2017), 18–42.
- [2] Thibault Formal, Stéphane Clinchant, Jean-Michel Renders, Sooyeol Lee, and Geun Hee Cho. 2020. Learning to Rank Images with Cross-Modal Graph Convolutions. In *European Conference on Information Retrieval*. 589–604.
- [3] François Fous, Alain Pirotte, Jean-Michel Renders, and Marco Saerens. 2007. Random-Walk Computation of Similarities between Nodes of a Graph with Application to Collaborative Recommendation. *IEEE Trans. Knowl. Data Eng.* 19, 3 (2007), 355–369.
- [4] Fernando Gama, Elvin Isufi, Geert Leus, and Alejandro Ribeiro. 2020. Graphs, convolutions, and neural networks: From graph filters to graph neural networks. *IEEE Signal Processing Magazine* 37, 6 (2020), 128–138.
- [5] Ziyu Guan, Jiajun Bu, Qiaozhu Mei, Chun Chen, and Can Wang. 2009. Personalized tag recommendation using graph-based ranking on multi-type interrelated objects. In *International ACM SIGIR Conference on Research and Development in Information Retrieval*. 540–547.
- [6] Xiangnan He, Kuan Deng, Xiang Wang, Yan Li, Yong-Dong Zhang, and Meng Wang. 2020. LightGCN: Simplifying and Powering Graph Convolution Network for Recommendation. In *International ACM SIGIR Conference on Research and Development in Information Retrieval*. 639–648.
- [7] Elvin Isufi, Matteo Pochiari, and Alan Hanjalic. 2021. Accuracy-diversity trade-off in recommender systems via graph convolutions. *Information Processing & Management* 58, 2 (2021), 102459.

- [8] Sergei Ivanov and Liudmila Prokhorenkova. 2021. Boost then Convolve: Gradient Boosting Meets Graph Neural Networks. In *International Conference on Learning Representations*.
- [9] Thomas N. Kipf and Max Welling. 2017. Semi-Supervised Classification with Graph Convolutional Networks. In *International Conference on Learning Representations*.
- [10] Xin Li and Hsinchun Chen. 2013. Recommendation as link prediction in bipartite graphs: A graph kernel-based machine learning approach. *Decis. Support Syst.* 54, 2 (2013), 880–890.
- [11] Jiyun Luo, Pak Ming Cheung, Wenyu Huo, Ying Huang, and Rajat Raina. 2020. User Taste-Aware Image Search. In *ACM International Conference on Information and Knowledge Management*. 3301–3304.
- [12] Batul J. Mirza, Benjamin J. Keller, and Naren Ramakrishnan. 2003. Studying Recommendation Algorithms by Graph Analysis. *J. Intell. Inf. Syst.* 20, 2 (2003), 131–160.
- [13] Aashish Kumar Misraa, Ajinkya Kale, Pranav Aggarwal, and Ali Aminian. 2020. Multi-Modal Retrieval using Graph Neural Networks. *arXiv:2010.01666* (2020).
- [14] Federico Monti, Davide Boscaini, Jonathan Masci, Emanuele Rodola, Jan Svoboda, and Michael M Bronstein. 2017. Geometric deep learning on graphs and manifolds using mixture model cnns. In *IEEE Conference on Computer Vision and Pattern Recognition*. 5115–5124.
- [15] Rianne van den Berg, Thomas N. Kipf, and Max Welling. 2017. Graph Convolutional Matrix Completion. *arXiv:1706.02263* (2017).
- [16] Petar Veličković, Guillem Cucurull, Arantxa Casanova, Adriana Romero, Pietro Liò, and Yoshua Bengio. 2018. Graph Attention Networks. *International Conference on Learning Representations* (2018).
- [17] Jianling Wang, Kaize Ding, Liangjie Hong, Huan Liu, and James Caverlee. 2020. Next-item Recommendation with Sequential Hypergraphs. In *International ACM SIGIR Conference on Research and Development in Information Retrieval*. 1101–1110.
- [18] Xiang Wang, Xiangnan He, Meng Wang, Fuli Feng, and Tat-Seng Chua. 2019. Neural Graph Collaborative Filtering. In *International ACM SIGIR Conference on Research and Development in Information Retrieval*. 165–174.
- [19] Shu Wu, Yuyuan Tang, Yanqiao Zhu, Liang Wang, Xing Xie, and Tieniu Tan. 2019. Session-Based Recommendation with Graph Neural Networks. In *AAAI Conference on Artificial Intelligence*. 346–353.
- [20] Shiwen Wu, Wentao Zhang, Fei Sun, and Bin Cui. 2020. Graph Neural Networks in Recommender Systems: A Survey. *arXiv:2011.02260* (2020).
- [21] Rui Yan, Mirella Lapata, and Xiaoming Li. 2012. Tweet Recommendation with Graph Co-Ranking. In *Annual Meeting of the Association for Computational Linguistics*. 516–525.
- [22] Rex Ying, Ruining He, Kaifeng Chen, Pong Eksombatchai, William L. Hamilton, and Jure Leskovec. 2018. Graph Convolutional Neural Networks for Web-Scale Recommender Systems. In *ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*. 974–983.
- [23] Quan Yuan, Gao Cong, and Aixin Sun. 2014. Graph-based Point-of-interest Recommendation with Geographical and Temporal Influences. In *ACM International Conference on Information and Knowledge Management*. 659–668.