



# Reimaging New Density in Apartment Urbanism

The conflicted social and economic space of  
apartment complexes in Seoul, Korea

2021.09.21.  
P5 presentation  
Presenter: Yeeun Boo (5075017)

Mentors: Dipl.ing. Birgit Hausleitner | Luiz de Carvalho





## Part 1 - Introduction and Methodology

*Seoul, the republic of apartment complexes*

## 1.1 Introduction

### 1.1.1 Apartment Complexes as common living environment

The inevitable result from rapid urbanization and the lack of lands with quick and efficient objective from the government.



## 1.2 Research Statement

### 1.2.1 The urban island: unintegrated and self-sufficient block

The challenges of current living environment in Seoul arise from the characteristics of apartment complex: **the enlargement and the internalization**. Therefore, the critic that I want to address in this graduation project is not about the high-rise apartment building itself, but the large-scaled high-rise complexes / blocks (*danji*) that are conflicted spatially and socially.




## 1.2 Research Statement

### 1.2.2 Problems and objectives

The density issue has been justified by the population density to build the high-rise and enlarged blocks inside of the city. However, the current role of apartment complexes in Seoul is the materialized production in speculating the profits. Meanwhile, Seoul has kept seeking a sustainable regeneration in other housing districts. Due to the lack of infrastructure and the low business profit, the urban renewal projects are complicated in these areas compared to the apartment complexes, which are under cycle of reconstructing its height. Why not think these two fabrics together?

- The edge interface (enlarged territory of *danji*)
- Homogenous buildings (profit oriented market)
- Open structure to the neighborhoods? (physical)
- Bring back the role of publicity (public sector)? (process)



## 1.2 Research Statement

### 1.2.3 Research questions


The Seoul Metropolitan Area has struggled with difficulties to make consensus on the long-term socially and economically sustainable urban management. When it comes to current urban development trends, it would be hard to conclude that whether they have positive impact on urban fabric as the government's urban management aims at.

"What are the **socio-spatial and functional interrelations** between the apartment complexes and urban fabric? How can we envision the **diverse and synergetic spaces** by shifting the role of apartment complexes in perspective of **building depth structure**?"

Conceptual background	Analysis	Process
<ul style="list-style-type: none"><li>• How to transfer the dynamic in density to the urban life?</li><li>• What are the other practices of qualifying the density beyond the quantification?</li></ul>	<ul style="list-style-type: none"><li>• How has the spatial structure of apartment complexes evolve in relation with its immediate urban fabrics as well as policy and the value of the time?</li><li>• What persistence or convergence is learned in spatial intervention in apartment complexes? What can be transferable from these legacy of modernity? Do they inform a new definition of urban structure, reacting as patterns?</li></ul>	<ul style="list-style-type: none"><li>• How does design with the patterns inform new possibilities in designing apartment complexes apart from the traditional custom?</li><li>• In what extent, can we adjust the patterns to make transformation to integrate the apartment complexes into the city?</li></ul>


## 2.1 Methodology: The triangulated approach

### 2.1.1 Conceptual framework




## 2.1 Methodology: The triangulated approach

### 2.1.2 Methods





## 2.1 Methodology: The triangulated approach

### 2.1.3 Theoretical underpinning



## 2.1 Methodology: The triangulated approach

### 2.1.4 Design strategies






## Part 2 – Multi-scalar analysis

*Timeline and general profile of Seoul*

## 3.1 The Territorial Construction

### 3.1.1 Overview

The current apartment complexes in construction year.




(source: Seoul Open Data Plaza; modified at QGIS)

## 3.1 The Territorial Construction

### 3.1.1 1962-1971

The start of modernization and urbanization with the foundation of urban planning policy




(source: Seoul Museum of History)


## 3.1 The Territorial Construction

### 3.1.1 1962-1971

The start of modernization and urbanization with the foundation of urban planning policy



(source: Kwon, 2012, p.139; <https://data.si.re.kr/node/373>)



## 3.1 The Territorial Construction

### 3.1.1 1962-1971

The start of modernization and urbanization with the foundation of urban planning policy

 Expanded territory in 1963

 Decreased territory

 Flooding risk area

 Waterbody before embankment


 Land readjustment program

 Major road networks

 Railway

- 1 - First apartment complex in 1962
- 2 - Migration project for displaced people (1968-71)
- 3 - Collapse disaster of Wau civic apartment in 1970
- 4 - Hangang mansion apartment complex in 1970
- 5 - Yeouido Demonstrative apartment complex in 1971

- a - Historic city center inside of fortress
- b - Cheonggye elevated expressway
- c - National 1st highway
- d - 3rd Han River bridge
- e - Land readjustment program
- f - Han River embankment project in 1967
- g - Jamsil district reclamation in 1971



### 3.1 The Territorial Construction

#### 3.1.1 1972-1981

Promotion of suburbanization of areas  
by acceleration of enlargement





(source: Seoul Museum of History)

## 3.1 The Territorial Construction

### 3.1.1 1972-1981

Proliferation of southern Han River areas  
and acceleration of enlargement



(source: The Seoul Institute, 2013, <http://data.si.re.kr/node/55513>)


## 3.1 The Territorial Construction

### 3.1.1 1972-1981

Proliferation of southern Han River areas  
and acceleration of enlargement

- h Development restriction areas
- i Decreased territory
- j Apartment District zoning
- k Slum Clearance

- Land readjustment program
- Major road networks
- Railway



## 3.1 The Territorial Construction

### 3.1.1 1982-1991

5 million housing project and massive housing development at peripheries



Decreased territory



Land Readjustment program



Housing Site Development program




Major networks (including subway)

- 10 - Gaepo Jugong apartment Complexes in 1983
- 11 - Goduck Jugong Apartment Complexes in 1984
- 12 - Mokdong New Town development
- 13 - Sanggye New Town development
- 14 - Asian athletic game Apartment Complex in 1986
- 15 - Olympic game Apartment Complex in 1988

l - 2nd subway line in 1980



m - 3rd and 4th subway lines in 1985

n - Han River Comprehensive Development Plan



## 3.1 The Territorial Construction


### 3.1.2 Summary(policy)



### 3.1 The Territorial Construction

#### 3.1.2 Summary(power-interest)


(source: Hwang , 2018, p.2



## 3.2 Representative ACs

### 3.2.1 Case blocks

The overview of the apartment complexes for diachronic and synchronic studies






2021.09.21.

1960	1962 Urban Planning Law National Housing Corporation established	1967 First national highway constructed	1972 District designation in Urban Planning Law	1974 First subway line opened	1976 Apartment District Act Housing Redevelopment Act	1980 1980 Housing Site Development Projects 5 million housing projects	1984 Housing Reconstruction Act	1989 1st suburban New City planning Seoul Housing & Communities Corporation established	1990 1990 TOD concept introduced	2000 2000 Seoul local self-government by law (restriction) Apartment District commission to Seoul	2002 Urban and Residential Environmental Improvement New Town Development Project	2003 Apartment District Abolished Public housing provision plan	2005 Balcony extension legalized
------	---	---	---	-------------------------------	--	---	---------------------------------	--	----------------------------------	--	--	--	----------------------------------


#### 1960s ~ HOUSING STANDARDS AND HEIGHT CONTROLS

There are strict regulations regarding the protection of privacy, sunlight and the view. The distance between the buildings has to be 0.8 of the height of the buildings, based on the sunlitgible building face. It guarantees a minimum of 2 hours of sunlight between 9 to 15 during the winter period.




#### 1976 ~ NEIGHBORHOOD UNIT CONCEPT, TOD AND APARTMENT DISTRICT


The Seoul local self-government laws proposed that the apartment district development is based on neighborhood unit planning. It contains fundamental principles such as elementary central neighborhood and separate network of vehicles and pedestrians. Meanwhile, the Transit-Oriented Development by Calthorpe in 1990s introduced to promote the high-density mixed development around the subway stations.




1971 - Hangang Mansion



1973 - Banpo Jugong 1&2




1975 - Hyundai 1&2



1975 - Jamsil Jugong 4



1988 - Olympic village



1991 - Mokdong




2009 - Banpo Xi

## 3.2 Representative ACs

### 3.2.2 Form

- Plot – Individual plots to agglomerated into massive size
- Buildings: Linear form to clustering , and to the towers in the park (human-scale to non-legibility)
- Open space:
  - separate playgrounds in early stage,
  - semi-private communal space in between the clustered buildings,
  - open to the street (more interactive with the context),
  - And spreading parks with pedestrian-friendly environment




## 3.2 Representative ACs

### 3.2.3 Function / network

- Retail functions:
  - Linear street market along the street
  - Located in center of the block for supporting the locals
  - Detached as separate building on the edge
  - TOD concept to become more higher level of function to support locals and citizens


- Network:
  - Linear with core integrated part
  - Bounded network due to neighborhood concept (separate the pedestrian and vehicle movement)
  - Underground parking lot frees the network design, no static format (curved)



## 3.2 Representative ACs

### 3.2.4 Density profile

The space matrix of Seoul blocks (island) in perspectives of density




## 3.2 Representative ACs

### 3.2.4 Density profile

The doctrines on the density and the reversing trends.

1. Unwin (1912)
2. Hoenig (1920s)
3. Le Corbusier (1920s)
4. Gropius (1930)
5. Jacobs (1961)
6. Lozano (1990)
7. Compact (1990)
8. UN Habitat (2015)




(source:  
Berghauer Pont and  
Haupt , 2020, p. 210)

## 4.1 General Profile

### 4.1.1 Socio-economic structure

The cluster analysis on population structure: population density (ha), single-person households, children, working, and elderly groups.



	Cluster 1	Cluster 2	Cluster 3	Cluster 4	Cluster 5	Cluster 6
# of neighborhood	152 units	73 units	57 units	52 units	48 units	42 units
Population density	377	198	303	150	275	195
% of single-person HH	31.63	43.74	18.00	23.90	57.13	36.82
% of children	9.77	8.08	15.80	12.37	6.17	7.58
% of working	73.87	76.47	72.31	72.39	81.12	70.76
% of elderly	16.36	15.45	11.89	15.24	12.70	21.66



## 4.1 General Profile

### 4.1.1 Socio-economic structure


The cluster analysis on population structure: population density (ha), single-person households, children, working, and elderly groups.



## 4.1 General Profile

### 4.1.1 Socio-economic structure

The average sales price of apartment buildings in 2020 with the low-income class accumulated districts (hatches)




## 4.1 General Profile

### 4.1.2 Housing types

The cluster analysis on housing types:  
detached housing, multi-family housing,  
and apartment complexes.

- Apartment dominant districts
- Apartment oriented districts
- Multi-household housing dominant districts
- Mixture of detached and multi-household districts
- Mixture of single and multi-household districts
- Detached housing dominant districts



# of neighborhood	Cluster 1	Cluster 2	Cluster 3	Cluster 4	Cluster 5	Cluster 6
% of apartment	126 units	107 units	91 units	49 units	45 units	6 units
% of multi-household	90.59	62.79	23.94	46.00	13.78	10.10
% of detached	5.73	27.15	62.44	24.97	53.04	17.06
	3.27	9.03	12.25	26.58	31.40	69.10


(source: Open Data Plaza; modified at GeoDa)

40km

## 4.1 General Profile

### 4.1.2 Housing types

The cluster analysis on housing types:  
detached housing, multi-family housing,  
and apartment complexes.




## 4.1 General Profile

### 4.1.3 Streetscape

The % of mixed use (detached house with shop)  
(source: Open Data Plaza; modified at QGIS)

- 1) Yeonnam
- 2) Gyeongridan
- 3) Jong-ro
- 4) Taheran
- 5) Jamsil





(source: map.kakao.com)


## 4.1 General Profile

### 4.1.3 Streetscape

Active districts

#### Gyeongridan & Yeonnam

- Originally detached housing district
- Inducing commercial function
- Gentrification ongoing
- active use of roof
- semi-direct to the building using terrace  
(narrow pedestrian street)
- non-residential functions on groundfloor





(source: map.kakao.com)


## 4.1 General Profile

### 4.1.3 Streetscape

Office districts


#### Historic Center

- Setback for POP
- Bicycle network
- Porous network (attached retail building)



#### Gangnam District

- Setback for POP
- Lack of space to stay compared to the width of the road
- Non-residential functions on groundfloor (usually for public usage)




## 4.1 General Profile

### 4.1.3 Streetscape

Residential districts

#### Jamsil District

- Street between two apartment complexes in Jamsil district
- Wide road for vehicle
- Elevated wall as buffer (not accessible)
- Groundfloor as piloti structure






### Part 3 – Design exploration

*Patterns and two conditions*

## 4.1 Introducing patterns

### 4.1.1 Overview

Cards of pattern



Framework - Scale - Derivation

Region	Theory
Neighborhood	Case
Block	Policy
Street	Context
Interface	
Building	

T / S / I

Code of depth strategies

Title of pattern

Framework - Scale - Derivation

Diagram

Description

Relation w/ other patterns

**T.01**

### GENERATIVE STREET INTERFACE • ACTIVE FACADE

FUNCTION/NETWORK - INTERFACE - THEORY




The generative street interfaces allow the interaction between private and public and connect the opportunities of contact and exchange (Jacobs, 1964; Sim, 2019). One of the challenges in designing the active facade is how to define the fronts and the corresponding backs - whether to make distinction or give hybridity.

Relational to:  
T.01 / T.02 / T.03 / T.04 / S.07

## 4.1 Introducing patterns

### 4.1.2 Preliminary exploration


Application exploration to see the interacting and conflicting forces



## 4.1 Introducing patterns

### 4.1.2 Preliminary exploration


Application exploration to validate the local transferability



Campus Town where university and neighborhood live together.

Start-up, learning, activated market, affordable housings, ...

Public-led Redevelopment #2



Synergistic residential neighborhood with shared benefits...




## 4.1 Introducing patterns


### 4.1.2 Preliminary exploration

Specific zoom to the apartment complexes in perspective of boundary edge and inner space: private-public transition


occupied parking




unlegible large park




vegetation boundary



bounded wall



elevated ground




## 4.1 Introducing patterns


### 4.1.2 Preliminary exploration

Application exploration to see the interacting and conflicting forces


terrace gardens




void facade




connected deck




separate entrance




active groundfloor




street furniture



porous network



natural privacy



# 4.1 Introducing patterns

## 4.1.3 Finalized patterns

### List of patterns

**T.01 GENERATIVE STREET INTERFACE • ACTIVE FAÇADE**

FUNCTION/NETWORK - INTERFACE - THEORY

The generative street interfaces allow the interaction between private and public and connect the opportunities of contact and exchange (Jacobs, 1961; Sim, 2019). One of the challenges in designing the active facade is how to define the fronts and the corresponding backs - whether to make distinction or give hybridity.

Relational to:  
T.01 / T.02 / T.03 / T.04 / S.07 / 0.00 / 0.00

**T.02 PEDESTRIAN PERMEABILITY THROUGH THE BLOCK**

FUNCTION/NETWORK - INTERFACE - THEORY

The medium-sized blocks have acknowledged for increasing connectivity and activities along the streets (Jacobs, 1961). Yet, the adequate size of the blocks is controversial as too small blocks can be susceptible to traffic congestion. The porosity through the block maintains the connectivity in both movement of people without deconstructing the mega-structure.

Relational to:  
T.01 / T.03 / T.04 / T.07 / S.02 / S.03

**T.03 TRANSPARENT • VISIBLE GROUNDFLOOR**

FORM/FUNCTION - INTERFACE - THEORY

The groundfloors need visibility to connect the people with activities through the private and public realms, while ensuring the protection between them. From the perspective of city at eye level, it accentuates the experiences on the street through the visual continuity.

Relational to:  
T.01 / T.02 / T.04 / T.07 / S.03 // T.06 / S.05

**T.04 FREE ACCESSIBLE GROUND LEVEL**

FORM/FUNCTION - INTERFACE - THEORY

The right to access or use the ground freely is essential in making the inclusive city. The ground level can be the public space with trees and sitting furniture or the public function without the payment. When the ground level is open to everyone, regardless of gender, age, class, or physical ability, it allows people to share the common experiences.

Relational to:  
T.01 / T.02 / T.03 / S.07

**T.05 PLEASANT CLIMATE CONDITION**

FORM - BLOCK - THEORY

The pleasant climate conditions enhance the quality of the activities at outside such as the duration and encounter. It is related to the overall health and well-being (Sim, 2019). The micro climate can be controlled by the small design of orientation and distance of the building or size of the window.

Relational to:  
T.09 / T.11 / T.14

**T.06 MULTIPLE USE • MIXED USE**

FUNCTION - BLOCK/BUILDING - THEORY

The mono-functional areas are not sustainable in long-term perspective in that it increases the travel time and cost. The mixed use development in both horizontal and vertical way invites various users and functions and increase the intensity in land use.

Relational to:  
S.06 / S.08 / S.09 // S.04

**T.07 OPEN TO THE STREET OR ADJACENT SURROUNDING**

FORM/NETWORK - BLOCK - CASE

Not as perimeter block nor tower block, the open block allows the activities as well as visual connection to the inner side of the block. The variety of programs takes a place between the corridors stretching towards the shared communal space. A sensitive design approach is needed between opening the block and securing the privacy.

Relational to:  
T.02 / T.08 / T.09

**QUARTIER MASSENA, Paris**

Atelier Christian de Portzamparc

(source: <http://www.sachsenstaden.de/maissen/maissen.html>)

**T.08 CONTROL PRIVACY**

FORM/NETWORK - BLOCK/BUILDING - CONTEXT

The integration strategy does not have to ensure the full openness. The thorough approaches towards in controlling the privacy give comfortability and safety to the residents living there and create more diverse urban space by ordering the depth structure.

Relational to:  
T.07 / T.11 / T.14

**GWL TERREIN, Amsterdam**

KCAP

(source: [https://www.kcap.eu/en/projects/gwl\\_terrein/](https://www.kcap.eu/en/projects/gwl_terrein/))

**T.09 OPEN TO THE GREEN • VIEW TOWARDS THE GREEN**

FORM - BLOCK/BUILDING - CASE

The visibility to the nature or the green provides a feeling of connection to the outside as well as adequate sunlight and fresh air. This can be facilitated with the balconies and terraces using the height differences.

Relational to:  
T.05 / T.07 / S.06

**T.10 CREATE POSITIVE SPACE • SHARED COMMUNAL SPACE**

FUNCTION - BLOCK/BUILDING - CASE

The inner spaces in the block are occupied with vehicles or distributed as green without clear intention. The intended positive spaces in needs of residents result in lingering and social interaction in that space (Gehl, 2011).

Relational to:  
T.06 / S.04

**LIVING ROOM OF THE SONNENWENDVIERTEL, Wien**

Studio Vly Streerwitz

(source: <https://www.vly.at/en/projekte/sonnenwendviertel/#1>)

**T.11 RESPONSE TO ELEVATION CHANGE • LEVEL DIFFERENCE**

FORM - BLOCK/BUILDING - CONTEXT

The level differences give varieties in space and different sequence of experiences, yet control the accessibility by distinguishing the realms. The natural topography itself is a great opportunity to draw the nature into the block with adaptation.

Relational to:  
S.1 / R.1

**SHINONOME CANAL COURT BLOCK 12**

Riken Yamamoto & Field Shop

(source: <https://arquitecturaviva.com/works/viviendas-oficina-shinonome/>)

**T.12 TEMPORARY • FLEXIBLE USE**

FUNCTION - BUILDING - CASE/CONTEXT

The temporary and flexible use is one of tactics that is applied for short-term strategy in local context. By testing what works or not through the pilot projects, the users are able to diversify their needs and obtain their own management skills and organization. It gives a capacity to respond the sudden external changes.

Relational to:  
T.06 / T.10 / T.13 / S.08 // S.10

**T.13 STREET TO STAY • THRESHOLD STREET**

FUNCTION/FUNCTION - STREET - CASE/CONTEXT

The good street design functions as place to appropriate, not as through movement. It invites citizens to linger and engage with spontaneous public life on the street. The blurred boundaries between public and private spaces and adequate furnitures hybrid the realms and enrich the experiences.

Relational to:  
S.10 / T.03 / T.04

**T.14 LAYERING AND SOFT EDGE**

FORM/FUNCTION - INTERFACE - CASE
















The overlapping method achieves the bigger impact of result without transforming many things. It considers the time and speed as rhythms, and expands the degree of experience through the senses.

Relational to:  
T.06 / T.08 / S.10

# 4.1 Introducing patterns

## 4.1.3 Finalized patterns


List of patterns (continue)



## 4.2 Feature of Patterns

### 4.2.1 Mutual relationship


Scale of application



## 4.2 Feature of Patterns

### 4.2.1 Mutual relationship

Institutional relationship






## 4.2 Feature of Patterns

### 4.2.2 Example of application

Density cluster and the primary pattern




#### ① Courtyard type (clustered)

- : all size / family
- ~ 5th. / 350.1.
- arcade.
- mixed-type







#### ② open to nature (to mountain or the river)

- : Small / medium / family
- 5th ~ 12th / 150.1.



#### ③ street friendly type.

- : Small / medium / w2 family
- mixed-use
- 3 ~ 8th / 250.1.



## 5.1 Selection of sites



### 5.1.1 The northern Seoul

Homogeneous apartment complexes  
Low and middle-income people  
Aging infrastructure  
New potential as core

(source: SMG, 2014)


#### 2030 SEOUL PLAN

##### Happy City of Citizens with “Communication and Consideration”



#### Northeast Area Neighborhood Plan

- Area: 171.08 km<sup>2</sup>  
- Population: 3,351,170  
(The City of Seoul, 2010)




---

## 5.1 Selection of sites

### 5.1.1 The northern Seoul

---

Space syntax of 2500m




---

## 5.1 Selection of sites

### 5.1.1 The northern Seoul

---


Space syntax of 500m



## 5.2 Design Exploration

### 5.2.1 Initial approach


- 1) Central Activity block
- 2) Community blocks for new relationship between people
- 3) Synergetic and symbiosis block



*What if we enrich the urban depth to facilitate the centrality and activities?*



*What if we enrich the urban depth to mix the various social groups?*




*What if we enrich the urban depth to support the improve the quality of overall neighborhoods?*

## 5.2 Design Exploration

### 5.2.2 Setting the condition


Two supplementary sites



## 5.3 Central Activity Block

### 5.3.1 Context of site

- Private property
- Reconstruction Project
- APT: 99%
- Pop den: 257 /ha
- % single-person HH: 27%
- % of two-person HH: 28%
- % of big family: 45%
- % children: 12%
- % of working: 74%
- % of elderly: 14%
- % of low income: 1.7%






## 5.3 Central Activity Block

### 5.3.2 Overview (Before)

- Private property
- Reconstruction Project






## 5.3 Central Activity Block

### 5.3.2 Overview (After)



- Private property
- Reconstruction Project



## 5.3 Central Activity Block

### 5.3.3 Zone 1 – Global Network Interface


- Global network of 8 lanes
- Adjacent to subway station and work spaces
- Target the new comers (1-person households, young workers)
- Provide the shared function



## 5.3 Central Activity Block



### 5.3.3 Zone 1 – Global Network Interface

- Global network of 8 lanes
- Adjacent to subway station and work spaces
- Target the new comers (1-person households, young workers)
- Provide the shared function




## 5.3 Central Activity Block

### 5.3.3 Zone 1 – Global Network Interface



## 5.3 Central Activity Block


### 5.3.4 Zone 2 - Local Street Interface



## 5.3 Central Activity Block



### 5.3.4 Zone 2 – Local Street Interface

- Local street of 2 lanes
- School zone
- Community functions
- Control the car movement



## 5.3 Central Activity Block

### 5.3.4 Zone 2 – Local Street Interface





---

## 5.4 Community Block for New Relationship

### 5.4.1 Context of site

---



- Public property
- Gradual Transformation Project
- APT: 99%
- Pop den: 432 /ha
- % single-person HH: 29%
- % of two-person HH: 30%
- % of big family: 41%
- % children: 10%
- % of working: 70%
- % of elderly: 19%
- % of low income: 9%



## 5.4 Community Block for New Relationship

### 5.4.1 Neighborhood hub interface



- Phase 0: status quo, the aging infrastructure does not meet the demand of the residents



## 5.4 Community Block for New Relationship

### 5.4.1 Neighborhood hub interface


- Phase 1: emphasize from the important public nodes and network. Insert the functions of living support (kitchen, laundry, warehouse) and income generating activity (local store, farming, delivery, etc.)



## 5.4 Community Block for New Relationship

### 5.4.1 Neighborhood hub interface


- Phase 2: densify the inner parts of the block to accommodate new comers. At the same time, reprogram the ground floor with sharing functions.



## 5.4 Community Block for New Relationship

### 5.4.1 Neighborhood hub interface


- Local street of 2 lanes
- Major junction of community functions
- Control the car movement



## 5.4 Community Block for New Relationship

### 5.4.1 Neighborhood hub interface

Public street to the interface,  
interface to the inner space



## 5.4 Community Block for New Relationship

### 5.4.1 Neighborhood hub interface

Public street to the interface,  
interface to the inner space



## Part 5

*Discussion and Conclusion*

---

## 6.1 Conclusion

### 6.1.1 Discussion

---

Overview

Infrastructural boundary: [edge] where things end

[enclosure]→[open]

[stack]→[layer]

[alone]→[cluster]

[mono]→[multiple]


[spread]→[intensity]

Programmatic border [interface] where different groups interact

## 6.1 Conclusion

### 6.1.1 Discussion

Shifting trends and the apartment complexes




(source: Jung, Kim & Lee, 2012, p.55; adapted by author)

## 6.1 Conclusion


### 6.1.1 Discussion

Application of the patterns?



[Area-based zoning system]

"patterns" as language  
Relation-oriented system



[neighborhood unit planning]

(source: <https://chingusai.net/xe/newsletter/606291>; <https://seoulsolution.kr/en/node/6381>)

---

## 6.2 Reference

### 6.2.1 Sources

---

- Berghauser-Pont, M. Y., & Haupt, P. (2021). *Spacematrix: space, density and urban form*. Rotterdam: NAi010 Publishers.
- Hwang, S. W. (2018, July). Seoul's morphology as 'Apartment Complex City' shaped by housing development methods [paper presentation]. The 18th International Planning History Society Conference ,Yokohama, Japan.
- Jung H.Y., Kim, S. I., & Lee J. S. (2012). *Building the Future of Seoul, Prospects and Policy Agendas in the Context of Spatial Evolution*. (Report No. 2012-PR-56). The Seoul Institute.
- Kwon, Y. D. (2012). *The Issues and Policies in Urban Planning of Seoul in the 1960s*(Report No. 2012-BR-14). The Seoul Institute.
- SMG(2014). *2030 Seoul Plan*. Seoul Metropolitan Government.
- Street maps from Daum(n.d.) Daum map <https://map.kakao.com/>.
- Historic pictures from Seoul Museum of History(2011). Seoul History Archives [https://museum.seoul.go.kr/archive/NR\\_index.do](https://museum.seoul.go.kr/archive/NR_index.do).
- Diagrams from The Seoul Institute(n.d.). The Seoul Research Data Service <https://data.si.re.kr/>.
- Statistics from Korean Statistical Information Service (n.d.). <https://kosis.kr/index/index.do>.
- GIS data from Seoul Metropolitan Government(2019). Seoul Open Data Platform <https://data.seoul.go.kr/>.
- Diagrams from Seoul Solution(n.d.). Seoul and the global metropoliran cities <https://seoulsolution.kr/ko/area-and-population-size>
- Past aerial images from Vworld(n.d). <http://vworld.kr>.

Q & A

*Thanks for listening*