

## Correction: Psychoacoustic Characterization of Multirotor Drones in Realistic Flyover Maneuvers

Yupa Villanueva, R.M.; Merino Martinez, R.; Altena, A.; Snellen, M.

**DOI**

[10.2514/6.2024-3015.c1](https://doi.org/10.2514/6.2024-3015.c1)

**Publication date**

2024

**Document Version**

Final published version

**Published in**

30th AIAA/CEAS Aeroacoustics Conference (2024)

**Citation (APA)**

Yupa Villanueva, R. M., Merino Martinez, R., Altena, A., & Snellen, M. (2024). Correction: Psychoacoustic Characterization of Multirotor Drones in Realistic Flyover Maneuvers. In *30th AIAA/CEAS Aeroacoustics Conference (2024)* (30 ed.). Article AIAA 2024-3015.c1 (30th AIAA/CEAS Aeroacoustics Conference, 2024). <https://doi.org/10.2514/6.2024-3015.c1>

**Important note**


To cite this publication, please use the final published version (if applicable).  
Please check the document version above.

**Copyright**

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

**Takedown policy**

Please contact us and provide details if you believe this document breaches copyrights.  
We will remove access to the work immediately and investigate your claim.



# Correction: Psychoacoustic Characterization of Multirotor Drones in Realistic Flyover Maneuvers

**Author(s) Name:** Renatto M. Yupa-Villanueva<sup>1</sup>, Roberto Merino-Martínez<sup>1</sup>, Anique Altena<sup>1</sup>, Mirjam Snellen<sup>1</sup>.

**Author(s) Affiliations:** 1. Delft University of Technology, Kluyverweg 1, 2629 HS Delft, the Netherlands

## Correction Notice

- Place  $S_5$  in front of the symbols ‘greater than or equal to ( $\geq$ )’ and ‘less than ( $<$ )’ in Equation 2, as shown below.

$$\omega_S = \begin{cases} 0.25(S_5 - 1.75)\log_{10}(N_5 + 10), & \text{for } S_5 \geq 1.75 \\ 0, & \text{for } S_5 < 1.75 \end{cases} \quad (2)$$

- Replace the correlation coefficient ‘0.886’ showed in Table 6 to ‘-0.886’. This correction also apply to the paragraph below Section 3 (Correlation between Annoyance and Drone Characteristics) and in the last paragraph of the Conclusions. This negative value indicates an inverse relationship between the installation ratio ( $d/D$ ) and the annoyance computed using the More PA model.
- Replace ‘0.337 (Zwicker PA model)’ by ‘0.362 (Willemsen PA model)’ in the paragraph below Section 3 (Correlation between Annoyance and Drone Characteristics). This value (0.362) is also reported in Table 6.