

Rendering diffraction Phenomena on rough surfaces in Virtual Reality

Clausen, Olaf; Fuhrmann, Arnulph; Mišiak, Martin; Latoschik, Marc Erich; Marroquim, Ricardo

DOI

[10.1145/3641825.3689516](https://doi.org/10.1145/3641825.3689516)

Publication date

2024

Document Version

Final published version

Published in

Proceedings

Citation (APA)

Clausen, O., Fuhrmann, A., Mišiak, M., Latoschik, M. E., & Marroquim, R. (2024). Rendering diffraction Phenomena on rough surfaces in Virtual Reality. In S. N. Spencer (Ed.), *Proceedings: VRST 2024 - 30th ACM Symposium on Virtual Reality Software and Technology* Article 85 (Proceedings of the ACM Symposium on Virtual Reality Software and Technology, VRST). Association for Computing Machinery (ACM). <https://doi.org/10.1145/3641825.3689516>

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.



Rendering diffraction Phenomena on rough surfaces in Virtual Reality

Olaf Clausen
 Arnulph Fuhrmann
 olafclausen@posteo.de
 arnulph.fuhrmann@th-koeln.de
 TH Köln
 Cologne, Germany

Martin Mišiak
 Marc Erich Latoschik
 martin.misiak.89@gmail.com
 marc.latoschik@uni-wuerzburg.de
 University of Würzburg
 Würzburg, Germany

Ricardo Marroquim
 r.marroquim@tudelft.nl
 Delft University of Technology
 Delft, The Netherlands

ABSTRACT

Wave-optical phenomena, such as diffraction, significantly impact the visual appearance of surfaces. Despite their importance, wave-optical reflection models are rare and computationally expensive. Recently, we presented a real-time model that accounts for diffraction-induced color shifts and speckle. Given that diffraction phenomena are highly dependent on illumination and viewing directions, as well as stereoscopic vision, we developed a VR demo to evaluate the new model. This demo shows the substantial impact of diffraction on the appearance of rough surfaces, particularly in stereoscopic viewing.

CCS CONCEPTS

• Computing methodologies → Reflectance modeling.

KEYWORDS

Virtual Reality, Predictive Rendering, Diffraction, Modeling

ACM Reference Format:

Olaf Clausen, Arnulph Fuhrmann, Martin Mišiak, Marc Erich Latoschik, and Ricardo Marroquim. 2024. Rendering diffraction Phenomena on rough surfaces in Virtual Reality. In *30th ACM Symposium on Virtual Reality Software and Technology (VRST '24)*, October 09–11, 2024, Trier, Germany. ACM, New York, NY, USA, 2 pages. <https://doi.org/10.1145/3641825.3689516>

1 INTRODUCTION

Virtual Reality (VR) systems, such as head-mounted displays (HMDs), offer significantly higher immersion compared to conventional monitors due to their larger Field of View (FOV), stereoscopic display, and interactivity. However, this heightened immersion often comes at the expense of render quality. To achieve the required high resolution and framerates, light simulation is typically simplified. Reflection models based on geometric optics are used, which assume light transport along rays and, thereby, neglect the wave characteristics of light. Nevertheless, wave-optical phenomena, such as diffraction, have a substantial impact on the visual appearance of rough surfaces, particularly under stereoscopic viewing [3].

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).
 VRST '24, October 09–11, 2024, Trier, Germany
 © 2024 Copyright held by the owner/author(s).
 ACM ISBN 979-8-4007-0535-9/24/10
<https://doi.org/10.1145/3641825.3689516>




Figure 1: Upper row: Comparison of our model including diffraction phenomena and the Cook-Torrance model against macrophotos of a rough aluminum sample. Lower row: The teapot renderings demonstrate the huge impact of diffraction on the visual appearance.

Recent advancements in reflection models have enabled the simulation of wave-optical phenomena occurring on rough surfaces [6–8, 10]. However, due to the computational cost, these models are not yet considered in VR applications. This omission results in a synthetic appearance of rough surfaces, as illustrated in Figure 1. Rendering rough aluminum samples using the popular Cook-Torrance GGX model [5, 9] fails to resemble reality accurately. In the macrophotos on the left, we observe color shifts leading to reddish and bluish appearances in forward- and backscattering, as well as speckle patterns. In previous works [2, 4], we developed a real-time model that closely approximates these phenomena, clearly improving realism as shown in the middle. However, since both phenomena are highly dependent on illumination and viewing angle, as well as stereoscopic vision, the quality of the diffraction model cannot be adequately evaluated on a conventional monitor.

To address this, we integrated the model into a popular game engine, enabling VR applications. We provide a VR demo that allows for further evaluation of the dynamic behavior of color shifts and, particularly, speckle patterns. This integration facilitates a more comprehensive assessment of the model's degree of realism.

2 DIFFRACTION MODEL

Our diffraction model extends the Cook-Torrance model by incorporating a shift function that approximates color shifts. The speckle patterns are modeled using a 4D simplex-noise function, with their distribution calculated by a multivariate distribution function.



Figure 2: Screenshot of VR demo.

An important material quality for stereoscopically viewed surfaces, such as those in VR, is highlight disparity [1]. Highlight disparity describes the difference in binocular disparities between a specular reflection and the underlying reflective surface. It enhances the realism of a material by strengthening its specular appearance. Although the diffraction pattern is not a specular reflection as defined by geometric optics, it exhibits highlight disparity. This can be observed on surfaces with a diffraction pattern, where the pattern requires a different eye convergence angle than the underlying surface.

Rendering small-scale effects, such as the proposed speckle pattern, involves managing minification. While the speckle pattern is clearly visible during close interactions, it can be problematic at greater viewing distances. When multiple speckles fall within the footprint of a single screen pixel, the diffraction pattern becomes a source of aliasing. To address this issue, we leverage the fact that the simplex distribution has a mean of zero and is superimposed on the shift value. As the number of speckles per pixel increases, the noise amplitude is reduced toward zero, causing the diffraction pattern to converge to the shift value. To prevent aliasing during this convergence, we also employ multi-sampling on the noise distribution.

3 VR-DEMO

To evaluate our diffraction model, we integrated it into the Unity game engine. As shown in Figure 2, we created a VR demo featuring a simple museum scene with four podiums, each displaying different exhibits illuminated by a central point light source on the ceiling.

The first podium features two knot objects: one rendered using our diffraction model and the other using the original Cook-Torrance GGX model. The curved and simple geometry of these objects allows for a clear assessment and comparison of the diffraction phenomena. The second podium displays two vases: one rendered with highlight disparity and the other without. This setup allows participants to easily compare the influence of highlight disparity on the visual appearance of rough surfaces. The third podium showcases two horse sculptures with more complex geometries. Despite the intricate details, the diffraction phenomena remain clearly visible on these objects. The final podium features

three conic sculptures, all rendered using the diffraction model but with varying levels of roughness. The parameters for these models are derived from measured data, allowing for an accurate representation of different surface textures.

Since it is difficult to evaluate the dynamic speckle behavior during head movement, the participant can grab all exhibits with the controller and manipulate them freely in space thus continuously changing the illumination and viewing angle.

4 CONCLUSION

We provide a VR demo highlighting the importance of diffraction phenomena for realistic rendering. This demo enables participants to interactively examine diffraction effects on rough surfaces and compare them to renderings using the geometric optics-based Cook-Torrance model.

Acknowledgements

This work was partially funded by the Ministry of Culture and Science of the State of North Rhine-Westphalia in the *Zukunftsfonds* program as part of the project *Games Technology Network*.

REFERENCES

- [1] Andrew Blake and Heinrich Bülthoff. 1990. Does the brain know the physics of specular reflection? *Nature* 343, 6254 (1990), 165–168. <https://doi.org/10.1038/343165a0>
- [2] Olaf Clausen, Yang Chen, Arnulph Fuhrmann, and Ricardo Marroquim. 2023. Investigation and Simulation of Diffraction on Rough Surfaces. *Computer Graphics Forum* 42, 1 (2023), 245–260. <https://doi.org/10.1111/cgf.14717>
- [3] Olaf Clausen, Yang Chen, Arnulph Fuhrmann, and Ricardo Marroquim. 2024. Importance of multi-modal reflection data for predictive rendering. In *To appear in Workshop on Material Appearance Modeling (MAM)*, Jon Hardeberg and Holly Rushmeier (Eds.). The Eurographics Association.
- [4] Olaf Clausen, Martin Miśiak, Arnulph Fuhrmann, Ricardo Marroquim, and Marc E. Latoschik. 2024. A Practical Real-Time Model for Diffraction on Rough Surfaces. *Journal of Computer Graphics Techniques (JCGT)* 13, 1 (2024), 1–27. <http://jcgt.org/published/0013/01/01/>
- [5] Robert L. Cook and Kenneth E. Torrance. 1981. A Reflectance Model for Computer Graphics. *SIGGRAPH Comput. Graph.* 15, 3 (Aug. 1981), 307–316. <https://doi.org/10.1145/965161.806819>
- [6] Zhao Dong, Bruce Walter, Steve Marschner, and Donald P. Greenberg. 2016. Predicting Appearance from Measured Microgeometry of Metal Surfaces. *ACM Trans. Graph.* 35, 1, Article 9 (Dec. 2016), 13 pages.
- [7] Nicolas Holzschuch and Romain Pacanowski. 2017. A Two-Scale Microfacet Reflectance Model Combining Reflection and Diffraction. *ACM Trans. Graph.* 36, 4, Article 66 (July 2017), 12 pages.
- [8] Shlomi Steinberg and Ling-Qi Yan. 2022. Rendering of Subjective Speckle Formed by Rough Statistical Surfaces. *ACM Trans. Graph.* 41, 1, Article 2 (Feb. 2022), 23 pages.
- [9] Bruce Walter, Stephen R. Marschner, Hongsong Li, and Kenneth E. Torrance. 2007. Microfacet models for refraction through rough surfaces. In *Proceedings of the 18th Eurographics Conference on Rendering Techniques* (Grenoble, France) (EGSR'07). Eurographics Association, Goslar, DEU, 195–206. <http://dx.doi.org/10.2312/EGWR/EGSR07/195-206>
- [10] Ling-Qi Yan, Miloš Hašan, Bruce Walter, Steve Marschner, and Ravi Ramamoorthi. 2018. Rendering Specular Microgeometry with Wave Optics. *ACM Trans. Graph.* 37, 4, Article 75 (July 2018), 10 pages.