

3D geomechanical modelling of induced seismicity: finite source wavefield simulation to moment tensor inversion

Ruan, J.; Masfara, L.O.M.; Ghose, R.; Mulder, W.A.

Publication date

2022

Document Version

Final published version

Citation (APA)

Ruan, J., Masfara, L. O. M., Ghose, R., & Mulder, W. A. (2022). *3D geomechanical modelling of induced seismicity: finite source wavefield simulation to moment tensor inversion*. Poster session presented at NAC Nederlands Aardwetenschappelijk Congres 2022 , Utrecht, Netherlands.

Important note

To cite this publication, please use the final published version (if applicable). Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.

3D geomechanical modelling of induced seismicity: full moment tensor inversion on finite-source wavefields

Jingming Ruan, La Ode Marzujriban Masfara, Ranajit Ghose, Wim Mulder

Geomechanical modelling is generally used to simulate the nucleation of induced earthquakes in, for instance, the Groningen gas field. We apply quasi-static simulation to investigate the stress changes from gas production. When a fault reaches a critical state, dynamic simulation provides information on the dynamic rupture during earthquake nucleation and the resulting wavefield. With the use of geomechanical modelling, it is possible to investigate the effects of the model parameters, e.g., depletion pattern and friction parameters. In the modelling, the dynamic rupture at a finite fault is simulated both in space and time. The generated seismic wavefield from such a finite source is considered to be more realistic than the resulting wavefield from a point source. The latter is often assumed in previous studies on the inversion of induced-earthquake data in the Groningen area. To link the wavefield generated by a geomechanically simulated finite source to the field-seismic data for an earlier earthquake, we apply the same full moment tensor inversion to the waveform of a finite and of a point source. The inverted moment tensor from the field seismic observation provides a constraint to our geomechanical simulation. This allows us to perform a more realistic simulation of an induced earthquake.