

## Demonstrating Dark Haptics Scenarios for Future XR Advertising

Venkatraj, Karthikeya Puttur; Schneegass, Christina; Huisman, Gijs; El Ali, Abdallah

**DOI**

[10.1145/3707640.3731926](https://doi.org/10.1145/3707640.3731926)

**Publication date**

2025

**Document Version**

Final published version

**Published in**

CHIWORK '25 Adjunct: Adjunct Proceedings of the 4th Annual Symposium on Human-Computer Interaction for Work

**Citation (APA)**

Venkatraj, K. P., Schneegass, C., Huisman, G., & El Ali, A. (2025). Demonstrating Dark Haptics Scenarios for Future XR Advertising. In S. Sadeghian, A. El Ali, C. Lallemand, P. Wintersberger, & E. Solovey (Eds.), *CHIWORK '25 Adjunct: Adjunct Proceedings of the 4th Annual Symposium on Human-Computer Interaction for Work* Article 20 Association for Computing Machinery (ACM). <https://doi.org/10.1145/3707640.3731926>

**Important note**

To cite this publication, please use the final published version (if applicable).  
Please check the document version above.

**Copyright**

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

**Takedown policy**

Please contact us and provide details if you believe this document breaches copyrights.  
We will remove access to the work immediately and investigate your claim.



# Demonstrating Dark Haptics Scenarios for Future XR Advertising

Karthikeya Puttur Venkatraj  
Delft University of Technology  
Delft, Netherlands  
Centrum Wiskunde & Informatica  
Amsterdam, Netherlands  
k.p.venkatraj@tudelft.nl

Gijs Huisman  
Delft University of Technology  
Delft, Netherlands  
g.huisman@tudelft.nl

Christina Schneegass  
Delft University of Technology  
Delft, Netherlands  
c.schneegass@tudelft.nl

Abdallah El Ali  
Centrum Wiskunde & Informatica  
Amsterdam, Netherlands  
Utrecht University  
Utrecht, Netherlands  
aea@cw.nl




Figure 1: Three Dark haptics interactions

## Abstract

We demonstrate the manipulative potential of haptics ('Dark Haptics') for the future of advertising in eXtended Reality (XR). Our demonstration showcases two haptic and one pseudo-haptic interactions as a XR-based advertising strategy that can subtly manipulate user actions in this dark future of advertising work. Developed in Unreal Engine 5.5 for the Meta Quest 3, this single-user Virtual

Reality experience presents an initial exploration of the manipulative qualities of haptics design that can be exploited within immersive environments. By highlighting these dark design patterns, our demonstration aims to raise awareness and initiate discussion around the ethical implications of haptic feedback for the future of work in immersive environments, particularly within advertising. Our work lays the groundwork for future research and development of tools to mitigate the potential harms and risks of dark haptics as immersive technologies become more integrated into professional and commercial environments.



This work is licensed under a Creative Commons Attribution International 4.0 License.

CHIWORK '25 Adjunct, Amsterdam, Netherlands  
© 2025 Copyright held by the owner/author(s).  
ACM ISBN 979-8-4007-1397-2/25/06  
<https://doi.org/10.1145/3707640.3731926>

## CCS Concepts

• **Human-centered computing** → **Human computer interaction (HCI); Virtual reality.**

## Keywords

dark haptics, XR, advertising, demonstration

**ACM Reference Format:**

Karthikeya Puttur Venkatraj, Christina Schneegass, Gijs Huisman, and Abdallah El Ali. 2025. Demonstrating Dark Haptics Scenarios for Future XR Advertising. In *CHIWORK '25 Adjunct: Adjunct Proceedings of the 4th Annual Symposium on Human-Computer Interaction for Work (CHIWORK '25 Adjunct)*, June 23–25, 2025, Amsterdam, Netherlands. ACM, New York, NY, USA, 3 pages. <https://doi.org/10.1145/3707640.3731926>

## 1 Introduction

Manipulative design patterns commonly referred to as ‘Dark Patterns’ are rampant in digital interfaces [12]. Particularly present in the advertising and e-commerce sectors. These patterns, are most often visual in nature [10]. Gray et al. [4] recently developed a comprehensive classification of 65 dark pattern defining dark patterns as “design choices [that] subvert, impair, or distort the ability of a user to make autonomous and informed choices in relation to digital systems regardless of the designer’s intent” [4, p.1]. Dark pattern research has largely focused on visual design patterns [11], leaving dark design patterns in other sensory modalities such as audition, and touch less explored[9]. With increased immersion and presence in XR, digital experiences can access cognitive, emotional, and perceptual dimensions through haptics [7]. This provides a large space for deception and sensory manipulation [8, 17], especially given increased immersion and the capacity for deceptive design [6]. Research on affective haptics has shown that even simple tactile feedback can influence pro-social behavior in users [5] or evoke targeted emotional responses [3]. Examples within immersive contexts show how unpleasant haptic cues can bias user decisions, such as nudging users towards particular menu choices in AR or VR environments [18], reinforcing emotional associations towards certain type of news items[14], or how presenting proxemic thermal and vibrotactile feedback influences interactions with virtual agents [15]. Recently Tang et al. [16] presented the concept of Dark Haptics in mobile user interfaces, and showed the potential for haptics to manipulate user responses. These findings underscore a growing vulnerability of manipulation through haptics aligned with commercial objectives or a service provider. Its important to recognize the complex economic motivations that drive companies to maximize profits. Developers and designers, especially those within fast-paced, target driven advertising companies, are often caught between ethical considerations and business . Under pressure from higher management or clients to may be asked implicitly or explicitly to implement deceptive techniques to maximize user retention or conversion rates. In this context our demonstration (see attached demo video as supplementary material) explores the concept or Dark Haptics (cf., [16]) within manipulative XR advertising environments (cf., [13]), using haptic and pseudo-haptic feedback as subtle manipulation tools for immersive advertising scenarios. By investigating these possibilities, we aim to raise awareness, initiate critical dialogue that can further lay the groundwork for ethical guidelines in the future of advertising work within immersive, virtual experiences.

## 2 Dark Haptics XR advertising experience

To explore this potential in the context of immersive XR advertising [1], we build on earlier work that highlighted possibilities of manipulative XR advertising [13]. We developed a speculative

VR experience that demonstrates dark advertising haptics with a set of three manipulative interactions that subtly nudge users towards branded or advertised content. The experience was designed in Unreal Engine 5.5 for the Meta Quest 3 headset, the three distinct interactions each showcasing a different strategy of haptic or pseudo-haptic feedback.

### 2.1 Interaction Scenarios



**Figure 2: User point of view for the first interaction "Path of least resistance"**



(a) Vibration forcefield interaction (b) Pseudo-haptic resistance interaction

**Figure 3: User point of view of the non-branded (top) and branded (bottom) object for the last two dark haptic interactions**

**2.1.1 Path of least resistance.** In this interaction, the user is presented two paths (see Figure 2) that both lead to the same destination. The right hand path is lined with advertising billboards, while the left hand path is visually identical but free of advertisements. As the user decides, a constant unpleasant haptic feedback is emitted from both controllers. However, when the user’s gaze intersects with the entrance to the right hand (advertised) path the

unpleasant haptic feedback stops. Shifting the gaze away from this path reactivates the haptic feedback is triggered again. This setup subtly encourages users to choose the path with advertisements as the "path of least resistance", reinforcing exposure through relief based interaction.

**2.1.2 Vibration force field.** This interaction centers on object manipulation. The user is prompted to choose one of two objects to complete a pick and place task, one branded, the other is non-branded (see Figure 3(a)). The branded object delivers a distinct haptic confirmation upon being grasped. In contrast, the non-branded object is surrounded by a "vibration forcefield", an unpleasant haptic feedback that intensifies as the user's hand moves closer. This contrast makes the branded object feel more approachable and rewarding, increasing the likelihood of selection and thereby increasing brand exposure.

**2.1.3 Pseudo-haptic resistance.** This interaction also involves choosing between a branded and a non-branded object (see Figure 3(b)). While the branded object provides the same clear haptic confirmation as before, the non-branded object introduces a "pseudo-haptic resistance" where the user's hand movement is spatially distorted when approaching it. This distortion creates a sense of annoyance, discouraging interaction. The branded object, by contrast, feels easier to reach and more responsive, again biasing the user choice towards brand exposure through tactile and spatial manipulation.

### 3 Conclusion

Our demonstration presents an early exploration of dark haptics within XR-based advertising, where haptic and pseudo haptic feedback is used to subtly manipulate user behavior within these immersive environments. Our demo specifically highlights how haptics may be leveraged to manipulate users and guide their attention and actions. Ultimately, our work aims to spark discussion around the implications of such future work practices, further underscoring the need to better safeguard against the psychological and behavioral effects of dark haptics. In so doing, this would help ensure user (consumer) agency is preserved during such immersive virtual experiences, be they within e-commerce shopping contexts (cf., [2]) or otherwise.

### References

- [1] Sun Joo (Grace) Ahn, Jooyoung Kim, and Jaemin Kim and. 2023. The future of advertising research in virtual, augmented, and extended realities. *International Journal of Advertising* 42, 1 (2023), 162–170. <https://doi.org/10.1080/02650487.2022.2137316> arXiv:<https://doi.org/10.1080/02650487.2022.2137316>
- [2] Esmée Henricke Anne de Haas, Lik-Hang Lee, Yiming Huang, Carlos Bermejo, Pan Hui, and Zijun Lin. 2024. Towards Trustworthy MetaShopping: Studying Manipulative Audiovisual Designs in Virtual-Physical Commercial Platforms. In *Proceedings of the 32nd ACM International Conference on Multimedia* (Melbourne VIC, Australia) (MM '24). Association for Computing Machinery, New York, NY, USA, 68–77. <https://doi.org/10.1145/3664647.3681679>
- [3] Mohamad A. Eid and Hussein Al Osman. 2016. Affective Haptics: Current Research and Future Directions. *IEEE Access* 4 (2016), 26–40. <https://doi.org/10.1109/ACCESS.2015.2497316>
- [4] Colin M. Gray, Cristiana Teixeira Santos, Nataliia Bielova, and Thomas Mildner. 2024. An Ontology of Dark Patterns Knowledge: Foundations, Definitions, and a Pathway for Shared Knowledge-Building. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 289, 22 pages. <https://doi.org/10.1145/3613904.3642436>
- [5] Antal Haans, Renske de Bruijn, and Wijnand A IJsselstein. 2014. A virtual midas touch? Touch, compliance, and confederate bias in mediated communication. *Journal of Nonverbal Behavior* 38 (2014), 301–311.
- [6] Hilda Hadan, Lydia Choong, Leah Zhang-Kennedy, and Lennart E. Nacke. 2024. Deceived by Immersion: A Systematic Analysis of Deceptive Design in Extended Reality. *ACM Comput. Surv.* 56, 10, Article 250 (May 2024), 25 pages. <https://doi.org/10.1145/3659945>
- [7] Erin Kim and Oliver Schneider. 2020. Defining Haptic Experience: Foundations for Understanding, Communicating, and Evaluating HX. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3313831.3376280>
- [8] Veronika Krauß, Pejman Saeghe, Alexander Boden, Mohamed Khamis, Mark McGill, Jan Gugenheimer, and Michael Nebeling. 2024. What Makes XR Dark? Examining Emerging Dark Patterns in Augmented and Virtual Reality through Expert Co-Design. *ACM Trans. Comput.-Hum. Interact.* 31, 3, Article 32 (Aug. 2024), 39 pages. <https://doi.org/10.1145/3660340>
- [9] Mark Leiser and Cristiana Santos. 2023. Dark Patterns, Enforcement, and the emerging Digital Design Acquis: Manipulation beneath the Interface. "" "" (2023), "".
- [10] Jamie Luguri and Lior Jacob Strahilevitz. 2021. Shining a light on dark patterns. *Journal of Legal Analysis* 13, 1 (2021), 43–109.
- [11] Arunesh Mathur, Gunes Acar, Michael J. Friedman, Eli Lucherini, Jonathan Mayer, Marshini Chetty, and Arvind Narayanan. 2019. Dark Patterns at Scale: Findings from a Crawl of 11K Shopping Websites. *Proc. ACM Hum.-Comput. Interact.* 3, CSCW, Article 81 (Nov. 2019), 32 pages. <https://doi.org/10.1145/3359183>
- [12] Arunesh Mathur, Mihir Kshirsagar, and Jonathan Mayer. 2021. What Makes a Dark Pattern... Dark? Design Attributes, Normative Considerations, and Measurement Methods. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 360, 18 pages. <https://doi.org/10.1145/3411764.3445610>
- [13] Abraham Hani Mhaidli and Florian Schaub. 2021. Identifying Manipulative Advertising Techniques in XR Through Scenario Construction. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 296, 18 pages. <https://doi.org/10.1145/3411764.3445253>
- [14] Simone Ooms, Minha Lee, Pablo Cesar, and Abdallah El Ali. 2023. FeelTheNews: Augmenting Affective Perceptions of News Videos with Thermal and Vibrotactile Stimulation. In *Extended Abstracts of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) (CHI EA '23). Association for Computing Machinery, New York, NY, USA, Article 137, 8 pages. <https://doi.org/10.1145/3544549.3585638>
- [15] Simone Ooms, Minha Lee, Ekaterina R. Stepanova, Pablo Cesar, and Abdallah El Ali. 2025. Haptic Biosignals Affect Proxemics Toward Virtual Reality Agents. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems* (CHI '25). Association for Computing Machinery, New York, NY, USA, Article 494, 18 pages. <https://doi.org/10.1145/3706598.3713231>
- [16] Cheng Tang, Karthikeya Puttur Venkatraj, Hongbo Liu, Christina Schneegass, Gijis Huisman, and Abdallah El Ali. 2025. Dark Haptics: Exploring Manipulative Haptic Design in Mobile User Interfaces. In *Extended Abstracts of the CHI Conference on Human Factors in Computing Systems* (CHI EA '25) (New York, NY, USA). ACM, Yokohama, Japan, 1–7. <https://doi.org/10.1145/3706599.3719704>
- [17] Wen-Jie Tseng, Elise Bonnal, Mark McGill, Mohamed Khamis, Eric Lecolinet, Samuel Huron, and Jan Gugenheimer. 2022. The Dark Side of Perceptual Manipulations in Virtual Reality. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) (CHI '22). Association for Computing Machinery, New York, NY, USA, Article 612, 15 pages. <https://doi.org/10.1145/3491102.3517728>
- [18] Carlos Bermejo Fernandez Xian Wang, Lik-Hang Lee and Pan Hui. 2024. The Dark Side of Augmented Reality: Exploring Manipulative Designs in AR. *International Journal of Human-Computer Interaction* 40, 13 (2024), 3449–3464. <https://doi.org/10.1080/10447318.2023.2188799> arXiv:<https://doi.org/10.1080/10447318.2023.2188799>