

An architectural rendering of a courtyard. On the left is a three-story brick building with multiple windows, some with decorative lintels. On the right is a single-story brick building with a gabled roof and skylights. In the center, a dark wooden pergola structure covers a paved area with outdoor seating. Large trees are scattered throughout the courtyard, and the ground is landscaped with grass and small plants. The sky is blue with light clouds.

HEMBRUG

THE NATURAL SIDE OF HEMBRUG

JAN-WILLEM SPEK
P5 - HERITAGE & ARCHITECTURE - TU DELFT
30-01-2020













1. HEMBRUG AND ITS HISTORY

2. A NEW PROGRAM

3. REDESIGN

HEMBRUG NOWADAYS




HISTORY OF HEMBRUG



LOCATION HEMBRUG




STELLING VAN AMSTERDAM



SITE OF HEMBRUG




HISTORIC FUNCTIONS



CHARACTERISTIC ELEMENTS



CHARACTERISTIC ELEMENTS



CHARACTERISTIC ELEMENTS



CHARACTERISTIC ELEMENTS



CHARACTERISTIC ELEMENTS



CHARACTERISTIC ELEMENTS



BUILDING CHARACTERISTICS

FARM BUILDINGS - 1901



SHELL ROOF BUILDINGS - 1950's



CHARACTERISTIC ATMOSPHERE



1. HEMBRUG AND ITS HISTORY

2. A NEW PROGRAM


3. REDESIGN

“ENHANCE WHAT IS THERE”
EXISTING IS LEADING


MINIMAL INTERVENTION STRATEGY

MINIMAL **IMPACT** INTERVENTION STRATEGY

MINIMAL **IMPACT** INTERVENTION STRATEGY





SUSTAINABILITY



EXISTING SITE



NEW PROGRAM



HOTEL ROOM



SPA



RESTAURANT
OR BREAKFAST



GALLERY



STUDIO




PARKING



MEETING ROOM



FACILIATORY



Jan-Willem Spek

P5

Heritage & Architecture

TU Delft

Hembrug



30-01-2020

scale 1:500

NEW PROGRAM



- ARRIVING ON SITE
- HOTEL ROOMS
- LEISURE AND NATURE



Jan-Willem Spek

P5

Heritage & Architecture

TU Delft

Hembrug



30-01-2020

scale 1:500

30

BUILDINGS

MULTIFUNCTIONAL STUDIO


MUSIC, DANCE, YOGA

COURTYARD

ENTRANCE, OUTDOOR LOUNGE AREA

MAIN HOTEL BUILDING

9 ROOMS, LOBBY, BREAKFAST AREA



scale 1:500

1. HEMBRUG AND ITS HISTORY

2. A NEW PROGRAM

3. REDESIGN

ENTRANCE



FARM BUILDINGS





COURTYARD




COURTYARD



COURTYARD FLOORPLAN




COURTYARD VARIANT 2 - FLOORPLAN





COURTYARD





COURTYARD






MAIN HOTEL BUILDING



MAIN HOTEL BUILDING



MAIN HOTEL BUILDING FLOORPLAN - GROUND FLOOR



MAIN HOTEL BUILDING SECTION





WOODEN ROOF
TRUSSES

CAST-IRON
STRUCTURE

REUSED
BRICKWORK



CLAYTEC STRAW
PLASTER




MULTIPLEX OAK
VENEER, FSC®

MAIN HOTEL BUILDING










MAIN HOTEL BUILDING




MAIN HOTEL BUILDING FLOORPLAN - FIRST FLOOR











EXISTING SITUATION




REMOVE BRICKWORK



NEW BAYWINDOW




VARIANT 1
GLASS EXTERIOR



VARIANT 2
WOODEN EXTERIOR





GLASS
EXTERIOR




WOOD
INTERIOR














COURTYARD









RAINWATER
COLLECTION
THROUGH NEW
PIPES ON OLD
PIPELINE SYSTEM




SHOU SUGI BAN
TREATMENT FOR
RECLAIMED WOOD



PLASTER
≈ 200 M²
CONCRETE
≈ 200 M²

NEW CABIN
HOTELROOM WITHIN
OLD EARTHEN WALLS












STUDIO FLOORPLAN - GROUND FLOOR






















OVERVIEW





THANK YOU

CLIMATE DESIGN




- underground suction for pre-heating / pre-cooling ventilation air
- underground suction for pre-heating air for heat pump
- rainwater from roof collected in existing gutter through pipes on old pipelines to storage tank
- pumped underground towards machine room
- used as grey water in toilets and irrigation for plants (interior)
- PV solar cells on large box building
- supplemented with electricity from net
- own storage & buffer in reused car batteries storage



- rainwater from roof collected in existing gutter
- through pipes on old pipelines to storage tank
- pumped underground to machine room
- used as grey water in toilets and irrigation for plants (interior)


CLIMATE DESIGN



- underground suction for pre-heating / pre-cooling
- extra heated w. heat outlet air through heatexchanger
- mechanical ventilation in
- mechanical suction out, through wet rooms
- through heatexchanger
- dirty air out through roof



- underground suction for pre-heating / pre-cooling air for air-water heat pump system
- extra heated (or optionally cooled), electricity used
- heating through low-temp floor heating
- optional cooling through floor in summer
- heat/cold recaptured through ventilation system
- additional radiation pannel in bathroom for quick response
- shower heatexchanger, vertical pipe exchanger




- insulation existing cavity with EPS pearls
- insulation ground floor underneath with cellulose
- insulation roof outside with cellulose
- extra insulation hotelrooms with cellulose



- rainwater from roof collected in existing gutter
- through pipes on old pipelines to storage tank
- pumped underground towards machine room
- used as grey water in toilets and irrigation for plants




- PV solar cells on large box building
- supplemented with electricity from net
- own storage & buffer in reused car batteries storage





- 1. lattices of reused wooden beams for creating more reflective surfaces
- 2. acoustic plaster for sound-absorption on roof shells
- 3. acoustic moss panels for absorption
- 4. acoustic peat panels for sound absorption
- 5. secondary glass covers in front of existing doors and windows for acoustic insulation towards outside

sound reflectors




wooden rotatable reflectors

sound absorbers



peat acoustic panels



moss acoustic panels



acoustic plaster

