



Context


1. Introduction	005
2. Problem Statement	015
3. Research Question	035
4. Research	037
5.1 Urban Strategy	063
5.2 Cluster level 5.3 Architecture level 5.4 Dwelling units level	
6. Building Technology	109
6.1 Structure and materialization 6.2 Facade details 6.3 Climate design	
7. Redevelopment Process	137
8. Spatial Sequence & Atmosphere	145



Location





Expansion of Mumbai in the history




Development in Nalasopara












Different housing types in Nalasopara






Current chawl redevelopment



A large amount of Baithi chawls were and are being replaced by mid-rise chawls by illegal developers, with 70% agreement from residents. However, by replacing chawls with five-story buildings, private developers ignore the traditional living patterns of people, segregate them from their social relations.



Typical street view of the mid-rise chawls



Problem statement

Mumbai has seen the rapid urbanization in recent years. A large influx of migrants look for business and employee opportunities in the city, which led to the issue of over-population. The UN Habitat data in 2013 shows that the Mumbai is the second most crowded city with the population density of 31,700 people per square kilometer, just after Dhaka, the capital of Bangladesh. It is estimated that there is a population of more than 21 million in Mumbai in 2018, while over 40 percent of people live in the informal settlements in extremely poor conditions.

Meanwhile, construction activities have been carried out by both government and private developers to provide more affordable housing for the urban poor. However, there is a tendency that what a megapolis should look like is judged mainly by its form rather than the process, which gives chance to the real estate construction industry. High-rise and mid-rise towers have been built for slum dwellers, mainly migrants, which completely ignores their existing living habits and economical features. The 'modern' life differs from original rural life of migrants, leading to the social isolation as well.

Collage of the first impression




Thinking in a larger scale,

looking at residents in these cramped mid-rise chawls, or high-rise apartments, most of them are rural imgrants outside Mumbai. What is the dilemma they are facing right now?

Comparison of rural and urban population

Maharashtra

Urban 5:6 Rural



According to the latest census, India has approximately 70 percent rural population. The urban and rural population is 3 to 7


While in Maharashtra state, it is almost 1 to 1, which means Maharashtra has a high level of urbanization, lots of migrants inflex into the city in recent years.

Rural migrantion in India and Maharashtra



Migration within India


The southern states including Maharashtra are major destinations for rural migrants from the less affluent north in India.




Migration within and into Maharashtra

70% migratants are from rural area within Maharashtra, and Mumbai is the most popular destination for them.

Migrantion in Mumbai






Migrants are defined based on place of birth

Percentage of Migrants in Mumbai UA

When looking at Mumbai, the largest city in India, it has seen the rapid urbanization in recent years, and It is one of arrival cities for migrants in the world. Around 80 percent of the population born outside Mumbai at the beginning of the 20th century. These migrants tend to look for better jobs in the city, and they often bring their families into the city once they settle down.

Outmigrantion within Mumbai




In the 21th century, the trend of outmigration happened later, the number of migration increase starts to decline in Mumbai island, while the number of migration increase in Mumbai suburb keeps growing in recent 20 years.

Because of the expensive housing prices and lack of resources, the urban poor begin to move to the periphery of Mumbai to look for affordable housing.

Living conditons of migrants

Population in formal settlements



Population in informal settlements



Population in different living conditions in the Greater Mumbai

First and second generation migrants, mostly from Maharashtra.



The economical resaon for migration, to find a job.



Most are wages workers in small factories or are daily wage workers, many face job insecurity.




About 85% of households report that they 'own' their dwelling even though many do not hold a title.



Research about people living in informal settlements in Mumbai



Change of living conditons for migrants




Mid-rise chawl or high-rise apartment

Future ?



Strong social network





Less income



Accessible to street and all public space



Front door space, large indoor space, with courtyard



Self-built housing, free for extension




Village in Nalasopara

Urban Life



Strong social network



Slum or Baithi chawl



Housing is easier to be used to generate income




Accessible to street and all public space



Front door space, large indoor space, with courtyard



Self-built housing, free for extension




Baithi Chawl in Nalasopara

Future Life



Social segregation



Handshake Chawl or high-rise apartment



High maintenance fee for tax, lights, water, sanitation



Accessible to street and all public space



Limited and fixed space



No place for extension



Handshake chawl

The situation is still continuing,

In Mumbai Metropolitan Regional Plan 2016-2036, it is stated that from 2011 to 2021, there will be about **50,300 units** built by public developers, among which the remaining **41,670 units** are replacement units by SRA and MMRDA.



Research question

How can a multi-story housing complex with a reasonable density, establish a stronger connection to the ground life, to improve the local living conditions of urban poor, and simulate new possibilities for social interaction and income generation?

Sub-questionS

Urban level

1. What is the characteristic of **ground life**, and how to shape it?

Architecture level

2. How to establish **strong connections** between the upper floors and the ground?

Domestic level


3. How to leave more space within dwelling units?

Other questions

- 4. Except for extremely dense high-rise or mid-rise buildings, what is **a reasonable density** of affordable housing in Nalasopara?
- 5. Who will be the **stakeholders** and what is the **ownership** behind?

3.Research

1. What is a good ground life?



Plan Voisin

"You are under the shade of trees, vast lawns spread all round you. The air is clear and pure; there is hardly any noise ... For only 5-10 per cent of the surface area of its business centre is built over. That is why you find yourselves walking among spacious parks remote from the busy hum of the autostrada."

-- Le Corbusier, plan for Paris in the mid 1920's



Nehru Place


"People mingle casually on this plateau... a very good food stand, for instance, is located outside the offices of a firm that has pulled off an IPO. Rather than lunch in an upmarket place, the sharp young men still hang out around this stand, eating off paper plates, gossiping with the stand's half-blind, motherly proprietor."

-- Richard sennett, Building and

Dwelling




Activity: bargain in the market





Activity: window chat






Activity: lunch in the shade




Activity: socialize on the go










Activity: gully cricket




Activity: gully football






Activity: work in the multipurpose altar







Activity: productive intersection






Activity: play in the exposive stroop






Activity: gossip at the corner







Activity: chatting in the alley






Activity: socialize in the corridor






Aranya Group Housing

Year	1989
Floor	1-2
Site area	85 HA
No.of dwellings	6500 plots/6 sector
Population	60,000
Units/HA	141





Hierachial road System



Open space



Narrow alleys between plots




Back green alley



Sangharsh Nagar

Year	2002-now
Floor	8
Site area	34 HA
No.of dwellings	
Population	100,000
Units/HA	735

Different forms of open space



Pedestrian road



Street with self-built shops



Entrance



Commercialized entranace




Interlocked courtyard



Courtyard

2. How to shape the ground life in the communal scale?	Hierachial Spatial System
"Under Indian conditions, there appears the need of four major elem of intimate contact , such as the front doorstep where children	
with their neighbors; third, neighborhood meeting places, stap or village well, where people interact and become part of the cothe principal urban area, such as the maidan (ground), used be	such as the city water mmunity; and fourth,
	Charles Correas,New Landscape




Courtyards: playground/ work space/parking

Use of the space of the sp






Chand Baori – Jaipur, India



Accessible from all direction




Multi-levels of looking







Eating together



Watching TV



Working at home



Sleeping at night





Preparing food





Dry washing

Storage



Commercialized space

Market, small stores, workshops...



Clear hiearchial Street System Cars, bicycles, pedestrian



Necessary amenities

School, hosptial, temple, shops, community center...




Open space

Square, altar, courtyard, corner space...

Urban level



Density Study



FSI =1.0

FSI allowed in Mumbai

	FSI
Mumbai island	1.33
Mumbai suburb	2.5
Redevelpoment	4

FSI in Nalasopara East

	FSI	Floors
Baithi chawl	0.6	1-2
Mid-rise chawl	3	5
MHADA Colony	3-4	24







	Aranya Group Housing	CIDCO Housing	Sangharsh Nagar
Year	1989	1985-1996	2002-now
Floor	1-2	2-4	8
Site area	85 HA	9.5 HA	34 HA
No.of dwellings	6500 plots/6 sector	1048 plots	
Population	60,000	6,455	100,000
Units/HA	141	136	735

--PK. Das, Chasing for an affordable dream

Consequence of high FSI

- 1. poor life quality
- 2. high density pockets
- 3. poor physical and social infrastructure

Conclusion

FSI = < 3,

Density < 550 units/HA

Floors = 4-8

[&]quot;...opposes increasing the **FSI** for slum redevelopment beyond **3**,

^{...}limit density to a maximum of 550 tenements per hectare."

5. Design

5.1. Urban Strategy

Urban Scale




Problem: Dead ends in tertiary roads

Urban Scale



Urban strategy: connect dead ends in tertiary roads



Area near the mountain with some left over spaces










Existing Situation



Existing dead end roads with unused space



Baithi chawls and mid-rise chawls, possible for redevelopment




Lack of amentities

Intervention to the site



1.Connect tertiary roads, divide the site into six sectors

Invervention to the site




2. Add communal facilities, market space & open space


5. Design

5.2 Cluster level

Massing study




Comparison of different types of courtyards




Proposed open space

Massing operation










Street hierarchy




Connected open spaces



Ground floor plan


Open space formed by new blocks






Ground floor plan


Open space formed by new blocks and existing apartments





Ground floor plan


Open space formed by new blocks and existing apartments





Ground floor plan

Open space formed by new blocks and existing apartments









5. Design

5.3 Architecture level




Exisiting mid-rise chawls







Proposed housing type

Circulation







GF plan




1F plan




2F plan





3F plan




4F plan











5. Design


5.4 Dwelling unit level

Unit typology






3-5F units




5.4x4.5=24.3m2







2F units



Stair type




1F units




Unit typology


Stair type




Ground floor units with shops












Ground floor unit with shop 24.3m²+19.8m²=44.1m²




Ground floor unit 17.55m²+19.8m²=37.35m²





104 1F units





Defined dinning and living space




Defined living and working space

6. Building Technology

6.1 Structure and materialization

Structure and materialization





Concrete structure



Hourdi floor system



Compressed stabilized earth block (CSEB)




Bamboo roof structure




Corrugated tin sheet


Structural plans



Gr plan





1F plan




2F plan

Construction Process









1.Concrete foundation

2.Concrete floor+cast in-situ columns


3.Prefabricated b




6.Continue the first floor




7. Repeat for third level




8. Bamboo roof + CESB infi facade



eams






4.Hourdi blocks(CSEB) + a layer of concrete


5.Cast in-situ floor and stair



ll for outer



9. Finish bamboo roof + Bamboo panel and window for inner facade(build by dwellers themselves)




10. Plaster the inner facade + add bamboo handrails


6. Building Technology


6.2 Facade Details

Section- -Lower block



Outer facade- -Lower block








Inner facade- -Lower block




Section- -Higher block

















124 Detail 1:20








Roof Detail 1:5 Bamboo structure with concrete foundation, finished by corrugated tin sheets


6. Building Technology

6.3 Climate design

Climate design




Rainwater collection and reuse




In case of heavy rain




Climate design






Climate design Block direction A




December 21st 47°at noon Shadow in winter




June 21st 78° at noon Shadow in summer

Climate design Block direction B



December 21st 47°at noon

Shadow in winter




June 21st 78°at noon

Shadow in summer



Development process






Step 1: connect dead ends road



Step 2: add public facilities



Redevelopment 139


Development process



Step 4 move existing residents into finished blocks, sell the rest units, and start building new blocks



Step 5 move existing residents into finished blocks, sell the rest units, and start building new blocks



Step 6 move existing residents into finished blocks, sell the rest units, and start building new blocks



Step 7 design the green space and communal facilities



Existing Units in Baithi chawls: 784




New units: 1485 Add: 89.4%

FSI:2.3


Density: 413 unit/hectare








Domestic space






Corridor






Roof terrace






Stairs towards roof terrace






Inner courtyard with stairs





Commerical corner at the entrance of the block





Open space in the pedestrian street

