

### **Guest Editorial**

## Special issue on green internet of things: Challenges and future opportunities - Part II

Venkatesha Prasad, Ranga Rao; Mumtaz, Shahid; Menon, Varun G.; Al-Dulaimi, Anwer; Guizani, Mohsen

10.1109/TGCN.2021.3101035

**Publication date** 

**Document Version** Accepted author manuscript

Published in

IEEE Transactions on Green Communications and Networking

Citation (APA)

Venkatesha Prasad, R. R. (Guest ed.), Mumtaz, S. (Guest ed.), Menon, V. G. (Guest ed.), Al-Dulaimi, A. (Guest ed.), & Guizani, M. (Guest ed.) (2021). Guest Editorial: Special issue on green internet of things: Challenges and future opportunities - Part II. *IEEE Transactions on Green Communications and Networking*, *5*(3), 1011-1014. Article 9520685. https://doi.org/10.1109/TGCN.2021.3101035

Important note

To cite this publication, please use the final published version (if applicable). Please check the document version above.

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

**Takedown policy**Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.

# Guest Editorial Special Issue on Green Internet of Things: Challenges and Future Opportunities

FFORDABLE and clean energy is one of the critical sustainability goals of the U.N. charter. The sufficiency 3 in energy does have a profound influence on the quality of 4 life of people in that society. The development of society 5 and/or countries heavily depends on generating and sustain-6 ing the population's energy needs. One of the critical aspects 7 of energy sustainability is avoiding wastage. On average, 35% 8 of energy is wasted in homes, and around 30% is wasted in 9 the industries! However, the humongous development in elec-10 tronics, communications, embedded systems, and intelligence 11 at the edge is spearheading the innovations to make the world 12 smarted and efficient.

This revolution has been powered by the Internet of 14 Things (IoT), which is a crucial enabler. The energy sector gaining a lot to minimize losses, making the environment 16 intelligent and comfortable for people while energy-efficient. 17 IoT is modernizing applications from marine monitoring to 18 outer space exploration even. However, the complicated oper-19 ations, such as device interconnection, data transmission, and 20 service optimization, will consume substantial energy. Thus 21 the IoT being a tool to reduce waste and increase efficiency, 22 should be significantly energy efficient.

While IoT contributes to all other aspects of human lives 24 and the environment, the massive growth in the IoT domain 25 needs to be sustainable. Thus making IoT greener is an essen-26 tial aspect that researchers need to work on. Further, the 27 limited energy storage of IoT devices is also a big chal-28 lenge. To improve architectural sustainability and ultimately 29 reduce systemic cost, the greenness in IoT design has become 30 much more prominent. With the continuous penetration of 31 advanced information and communications (ICT) technologies 32 (such as VR/AR, UAVs, and automobiles), our smart world is 33 being surrounded by big IoT data that craves significantly for <sup>34</sup> energy-efficient caching, computing, networking, and security. Some emerging techniques (e.g., edge computing, 36 SDN/ICN, artificial intelligence) are envisioned to have 37 promising ability to bring novel approaches to overcome the 38 sustainability limitations of current IoT systems. However, 39 how to fully utilize these techniques from communication, 40 data processing, and computing, etc., to improve the energy 41 efficiency of IoT still faces many fundamental challenges. 42 Some open issues require immediate studies: How can we 43 achieve much higher energy efficiency of the IoT network

with limited bandwidth provisioning and low transmit power? 44 How can we utilize advanced capabilities of IoT, such as in-network storage and caching, offload the IoT data to release the traffic scale in the cellular networks and provide 47 low-latency IoT services in an energy-efficient manner?

Can we leverage recent advances in computing to design an energy-efficient computing platform for IoT? How can we create lightweight security schemes such as encryption to reduce the energy consumption of a secure IoT network?

We took off with many more questions, and our focus in bringing this special issue was to challenge the researchers in the community. We received many original to quality submissions with novel contributions on Green IoT, from energy efficiency and reducing energy consumption. Contributions by the applications of emerging technologies (e.g., social computing, big data computing, fog computing, edge computing, emotional computing, SDN) to address the greenness issues of IoT. There were many contributions, and it was tedious to select only some of them. We are eventually publishing two special issues on the Green IoT topic. We are here with the first edition of the special issue. The selected papers under various categories have been grouped, and their contributions are summarized here to benefit the readers.

65

76

**Physical Layer & MAC:** Physical layer and MAC are the basic communication layers, and making it efficient is an important task. Backscatter communication has been one of the most scalable and almost maintenance-free IoT systems. It finds a lot of use in massively deployed IoT sensors. Ahsan et al., 71 "BER Analysis of a Backscatter Communication System With Non-Orthogonal Multiple Access," have looked into the BER analysis of such a system with non-Orthogonal multiple access in backscatter communication systems. The BER expressions have been considered under various scenarios.

Syed Waqas et al., "Energy-Efficient MAC for Cellular IoT: State-of-the-Art, Challenges, and Standardization," have thrown light on the important domain of energy-efficient MAC for cellular IoT, and have studied standardization till now and the challenges. This article looks at the big canvas of Low Power WANs and provides their advantages, disadvantages and compares them. Miaowen et al., "Cyclic Delay Diversity With Index Modulation for Green Internet of Things," have contributed cyclic delay diversity (CDD) with index modulation for green IoT. Specifically, the authors have looked into increasing spectral efficiency. The potential of CDD has been exploited in the IoT domain making it computationally less complex.

Networking: The networking layer is the most studied 91 part of IoT systems and applications. Several research direc-92 tions have emerged and this is one of the most interesting 93 areas under IoT. Stable election protocol which is distance 94 aware as well as energy-efficient has been looked into by 95 Afia Naeem et al. "DARE-SEP: A Hybrid Approach of 96 Distance Aware Residual Energy-Efficient SEP for WSN." IoT 97 devices are often energy-constrained and thus the residual bat-98 tery aware management of the network is an important task. 99 Energy efficiency in WSNs has been studied for the last two 100 decades, but still, many issues are prevailing. Cluster head selection is one of the crucial aspects but making the selection more stable is also important. Diva et al., "SEC2: A Secure 103 and Energy Efficient Barrier Coverage Scheduling for WSN-104 Based IoT Applications," looked into secure and energy-105 efficient scheduling for WSNs. A cluster ensemble scheme 106 is proposed to secure a barrier from malicious attacks while 107 preventing QoS degradations. Though clustering is a means to 108 solve the energy efficiency issue and thereby increasing the 109 lifetime, one of the meta problems is to define the optimal 110 radius of the clusters. Kapal Dev et al., "Optimal Radius 111 for Enhanced Lifetime in IoT Using Hybridization of Rider and Grey Wolf Optimization," have proposed optimal clustering with hybridization of rider and Grey Wolf optimization. 114 A hierarchical energy-efficient service selection has been stud-115 ied by Endong et al., "A Hierarchical Energy Efficient Service 116 Selection Approach With QoS Constraints for Internet of 117 Things." The service-oriented architecture is most apt for 118 selections of services when the IoT devices are deployed in 119 large numbers. An IoT device can indeed be used for multiple 120 services and thus a proper selection and faster convergence at 121 yet energy efficient is the requirement of the day. The authors 122 also consider the service selection under QoS constraints.

**Resource Allocation:** Energy efficiency needs to be in every 124 domain as we have seen above. The data centers account for 125 2% of the world's energy and each data center uses at least 100MW of energy. Thus it is important to make data cen-127 ters efficient. Zhou et al., "AFED-EF: An Energy-Efficient VM Allocation Algorithm for IoT Applications in a Cloud 129 Data Center," look into the Virtual Machine (V.M.) alloca-130 tion in Data Centres. Yuzhe et al., "SSUR: An Approach Optimizing Virtual Machine Allocation Strategy Based 132 on User Requirements for Cloud Data Center," have also 133 proposed an optimization strategy to allocate V.M.s consid-134 ering the user requirements. This is one of the hard problems 135 since QoS should be considered while energy spent needs 136 to be reduced. Abdulhamid et al. proposed privacy-aware 137 R.F. spectrum reservation for virtualization of IoT "Energy-138 Efficient Multivariate Privacy-Aware RF Spectrum Reservation 139 in Wireless Virtualization for Wireless Internet of Things." 140 This work directly relates to QoS expected from deployed 141 large-scale IoT devices.

Monitoring Applications: IoTs are mainly used for data gathering and many associated applications. Efficient data storage and transmission is an important role in green IoT. IoT is being used in various scenarios. An interesting application of monitoring river water pollution is presented in "An Energy-Efficient River Water Pollution Monitoring"

System in Internet of Things" by Swathi et al. We know that 148 one of the biggest and holy rivers of India was polluted heav- 149 ily and technology interventions have been used to slowly get 150 the glory of the almost lost river by proposing an energy- 151 efficient monitoring system applying deep neural network 152 and long-range communication technology. Cache manage- 153 ment in an energy harvesting Device to device communication 154 in a cellular network is studied by Yue et al. "Cache- and 155 Energy Harvesting-Enabled D2D Cellular Network: Modeling, 156 Analysis and Optimization." Cache hit probability and suc- 157 cessful transmission probability were studied under three 158 modes using stochastic geometry. The authors show an 159 increase in the caching efficiency using their two proba- 160 bilistic caching strategies. Caching saves energy by avoiding 161 repetitive transmissions by the base stations. Xuemei et al., 162 "An Integral Data Gathering Framework for Supervisory 163 Control and Data Acquisition Systems in Green IoT," pro- 164 pose a data gathering framework for supervisory control in 165 SCADA networks. Interestingly the authors look into both 166 optimizing the selection of the node with the least energy 167 consumption as an aggregator and then UAVs for data collec- 168 tion from the SCADA networks. Radar/optical visual sensing 169 has been one of the interesting topics that are bringing mul- 170 tidisciplinary aspects of IoT. Visual data reconstruction when 171 many UAVs are involved is studied by Mohammad et al. "BL- 172 ALM: A Blind Scalable Edge-Guided Reconstruction Filter for 173 Smart Environmental Monitoring Through Green IoMT-UAV 174 Networks." The authors propose a newer version of a non- 175 linear blind edge-guided spatial filter based on linear minimum 176 mean square error estimation (LMMSE).

Learning and Edge Computing: Machine Learning (ML) 178 has been one of the recent and popular research topics. 179 Further, edge computing is very close to the area of IoT. For 180 various applications and scenarios where large-scale IoT 181 devices are deployed, ML at the edge is very useful but 182 it also throws a lot of challenges. Energy-efficient intelli- 183 gent edge computing has been the focus of many leading 184 researchers currently. Tan et al., "Latent Discriminative Low- 185 Rank Projection for Visual Dimension Reduction in Green 186 Internet of Things," proposed a latent discriminative low-rank 187 projection (LDLRP) method for visual dimension reduction. 188 Data self-expressiveness model is developed using low-rank 189 and discriminative similarity relations of data. Reducing the 190 data dimension directly helps in reducing the energy. The 191 Industrial Internet of Things (IIoT) is one of the main pillars of 192 the Industry 4.0 revolution. Reduction in energy consumption 193 is usually done by optimizing task scheduling without taking 194 into account a load of computing and energy for data transmis- 195 sion. Ning et al., "Deep-Green: A Dispersed Energy-Efficiency 196 Computing Paradigm for Green Industrial IoT," have proposed 197 Deep-Green a distributed energy-efficient computing paradigm 198 for the IIoT. The authors propose joint optimization of comput- 199 ing and network resources by merging data transmission and 200 data processing at the edge. A computation reuse architecture 201 at the edge called CoxNet has been proposed by Zouhir et al. 202 "CoxNet: A Computation Reuse Architecture at the Edge." 203 Authors propose to reuse the output of the past computations 204 when the inputs are similar and show that 66% execution time 205

228

230

231

232

233

234

<sup>206</sup> can be reduced with CoxNet. Lastly, Laisen *et al.*, "Intrusion Detection in Green Internet of Things: A Deep Deterministic Policy Gradient-Based Algorithm," propose an algorithm for intrusion detection by analyzing the behavior of the attackers before they invade the network. Finding these behaviors and learning them before can indeed protect the IoT network and the privacy of the users. The authors propose deep reinforcement learning to analyze the network traffic before an attack.

We feel that this special issue will trigger more focused research on various aspects of IoT that were hitherto not looked into. We do hope that the articles also induce more collaborative work during the situation caused by COVID-19. Finally, we wish every one of our IEEE family very good health and safety during this pandemic. Together we can bring innovation in various domains of Communication and Networking with an eye on energy.

AQ1 224

223

226

RANGA RAO VENKATESHA PRASAD Delft University of Technology 2628 CD Delft, The Netherlands (e-mail: r.r.venkateshaprasad@tudelft.nl) SHAHID MUMTAZ Instituto de Telecomunicações 3810-193 Aveiro, Portugal (e-mail: smumtaz@av.it.pt)

VARUN G. MENON SCMS School of Engineering and Technology Kochi 683576, India (e-mail: varunmenon@ieee.org)

ANWER AL-DULAIMI 235 AQ2 EXFO 236 Toronto, ON, Canada 237 (e-mail: anwer.aldulaimi@ieee.org) 238

MOHSEN GUIZANI 239
Qatar University 240
Doha, Qatar (e-mail: mguizani@ieee.org) 242



Ranga Rao Venkatesha Prasad (Senior Member, IEEE) received the Ph.D. degree from IISc, Bengaluru, India, in 2003. During the Ph.D. research, a scalable VoIP conferencing platform was designed. Many new ideas including a conjecture were formulated and tested by developing an application suite based on the research findings. The work involved an understanding of network protocols, application design, and human–computer interface. His thesis work led to a startup venture, Esqube Communication Solutions. He was leading a team of engineers developing many real-time applications including bridging anonymous VoIP calls called Click-to-Talk for Ebay.com. While at Esqube, eight patent applications and three PCT applications were filed along with my colleagues. Esqube was selected as top 100 IT innovators in India in 2006 by NASSCOM and top 100 in promising companies in Asia by RedHerring in 2008. He has been an Associate Professor with the Embedded Software Group, Delft University of Technology since 2013. His research interests are in the area of tactile Internet, Internet of Things (IoT), cyber–physical systems, energy harvesting, and 60-GHz millimeter-wave networks. He has supervised 18 Ph.D. students

256 (15 graduated and three ongoing) and more than 40 M.Sc. students (36 graduated). He has participated in several European and Dutch national projects in the area of IoT, 60-GHz communications, smart-energy systems, personal networks, and cognitive radios. He has (co)authored more than 200 publications in the peer-reviewed international transactions/journals and conferences. He was responsible for the signing of an MoU between IISc-TUDelft. From 2005 to 2012, he was a Senior Researcher and an Adjunct Faculty Member with T.U. Delft working on the EU FP7 Magnet (and Beyond) Project and the Dutch Project PNP-2008 on Personal Networks and Future Home Networks. In 2015, he received 4TU University Teaching Qualification Diploma with Distinction. He has served on the editorial board of many international journals and magazines, including IEEE TRANSACTION ON GREEN COMMUNICATION NETWORKS, IEEE JOURNAL ON SELECTED AREAS IN COMMUNICATIONS, IEEE Communication Magazine, IEEE SURVEYS AND TUTORIALS, and Communication Networks (Elsevier). He is a regular reviewer for many prestigious journals and conferences and serves as the TPC member for various conferences. He was nominated as the Vice-Chair of the IEEE Tactile Internet Standardization Group. For his excellent research contributions, he was selected as the IEEE ComSoc Distinguished Lecturer on Internet of Things from 2016 to 2018. He is also a Senior Member of ACM.



**Shahid Mumtaz** has more than 12 years of wireless industry/academic experience. He has been with the Instituto de Telecomunicações since 2011, where he currently holds the position of principal Researcher and adjunct positions with several universities across the Europe–Asian Region. He is the author of four technical books, 12 book chapters, 250+ technical papers (160+ 272 journal/transaction, 90+ conference, and two IEEE best paper awards) in mobile communications.

Dr. Mumtaz is a recipient of the IEEE ComSoC Young Researcher Award, the Founder 274 and the Editor-in-Chief of *IET Journal of Quantum Communication*, the Co-Editor-in-Chief 275 of *Alexandria Engineering Journal* (Elsevier), the Vice-Chair of Europe/Africa Region—IEEE 276 ComSoc: Green Communications & Computing Society, and the Vice-Chair for IEEE Standard 277 on P1932.1: Standard for Licensed/Unlicensed Spectrum Interoperability in Wireless Mobile 278 Networks. He is an IET Fellow, an IEEE ComSoc, and an ACM Distinguished Speaker.

AO3



Varun G. Menon (Senior Member, IEEE) received the Diploma degree in training and development, the M.B.A. degree in human resource management, the M.Sc. degree in applied 281 psychology, the M.Tech. degree (with University First Rank) in computer and communication, and the Ph.D. degree in computer science and engineering. He is currently an Associate 283 Professor and the Head of the Department of Computer Science Engineering, and International 284 Collaborations and Corporate Relations in charge with the SCMS School of Engineering 285 and Technology, India. His research interests include sensor technologies, Internet of Things, 286 green IoT, wireless communication, fog computing, and networking. He received the Top Peer 287 Reviewer Award by Publons in 2018 and 2019. He is currently an Associate Editor of Physical 288 Communication, IET Networks, and IET Quantum Communications, a Series Editor of IEEE 289 TRANSACTIONS ON INTELLIGENT TRANSPORTATION SYSTEMS, and a Technical Editor of 290 Computer Communications. He is currently the Guest Associate Editor of IEEE JOURNAL OF 291

BIOMEDICAL AND HEALTH INFORMATICS, IEEE INTERNET OF THINGS JOURNAL, and IEEE TRANSACTIONS ON GREEN 292 COMMUNICATIONS AND NETWORKING. He has served as the Guest Associate Editor for *IEEE Internet of Things Magazine*, 293 IEEE TRANSACTIONS ON INDUSTRY INFORMATICS, and *Journal of Supercomputing*. He is also currently serving on the 294 review boards of many high-impact factor journals, including IEEE TRANSACTIONS ON VEHICULAR TECHNOLOGY, IEEE 295 TRANSACTIONS ON COMMUNICATIONS, IEEE TRANSACTIONS ON INDUSTRIAL INFORMATICS, IEEE TRANSACTIONS ON 296 INTELLIGENT TRANSPORTATION SYSTEMS, and *IEEE Communications Magazine*. He has served over 20 conferences, such 297 as IEEE ICC, IEEE CAMAD 2021, IEEE ICC 2020, EAI SmartGov 2021, ICCCN 2020, IEEE COINS 2020, SigTelCom, 298 ICACCI, and ICDMAI in leadership capacities, including the Program Co-Chair, the Track Chair, the Session Chair, and a 299 Technical Program Committee Member. He is a Distinguished Speaker of the Association of Computing Machinery.



Anwer Al-Dulaimi received the Ph.D. degree in electrical and electronic engineering from Brunel 2011 University, London, U.K., in 2012. He is a System Engineering Specialist with the Research and 3022 Development Department, EXFO, Toronto, Canada. He is the Editor of IEEE 5G Initiative Series 3032 in IEEE Vehicular Technology Magazine, an Associate Editor of IEEE Communication Magazine, 3034 and an Editor of Vehicular Networking Series in IEEE Communication Standards Magazine. 30353 He is the Chair of IEEE 1932.1 Working Group "Standard for Licensed/Unlicensed Spectrum 3036 Interoperability in Wireless Mobile Network."



Mohsen Guizani received the B.S. (with Distinction) and M.S. degrees in electrical engineering and the M.S. and Ph.D. degrees in computer engineering from Syracuse University, Syracuse, NY, USA, in 1984, 1986, 1987, and 1990, respectively. He is currently a Professor with the Computer Science and Engineering Department, Qatar University. Previously, he served in different academic and administrative positions with the University of Idaho, Western Michigan University, the University of West Florida, the University of Missouri–Kansas City, the University of Colorado Boulder, and Syracuse University. He is the author of nine books and more than 500 publications in refereed journals and conferences. His research interests include wireless communications and mobile computing, computer networks, mobile cloud computing, security, and smart grid. He has guest edited a number of Special Issues in IEEE journals and magazines. Throughout his career, he received three teaching awards and four research awards. He also received the 2017 IEEE Communications Society WTC Recognition Award as well as the

2018 AdHoc Technical Committee Recognition Award for his contribution to outstanding research in wireless communica-321 tions and ad hoc sensor networks. He is currently the Editor-in-Chief of IEEE Network, serves on the editorial boards 322 of several international technical journals, and is the Founder and the Editor-in-Chief of the *Wireless Communications and* 323 *Mobile Computing* (Wiley). He has also served as a TPC member, the chair, and the general chair of a number of interna-324 tional conferences. He was the Chair of the IEEE Communications Society Wireless Technical Committee and the Chair of 325 the TAOS Technical Committee. He served as an IEEE Computer Society Distinguished Speaker and is currently an IEEE 326 ComSoc Distinguished Lecturer. He is a Senior Member of ACM.