negotiating ways to intervene

transforming an existing warehouse into a vocational school

project booklet



Jaron smit


TU Delft

Architecture Urban
Architecture

tutors

Eireen Scheurs Sam Stalker Anet Meijer

26 06 2024





1930



La Friche Josaphat history

removal marshalling yard






1996



new soil











isolated behind a dense tree line



2 to 8 metres lower than its surroundings




split by a train track




industry on the east side






stay



contested







preserve nature on the west side







densify existing constructors and logistical functions







keep central 3 buildings











connect to surrounding neighbourhoods







keep tree-line intact








car free








urban plan masterplan















Jacky Lai



Jaron Smit



Jackie Ho



-> the programme should be robust enough to withstand noisy neighbours whilst simultaneously being friendly and inviting for the nearby school and residents.




built in 1963










Proposal for extension

plan darperis

plan darperi

building permit for the shed


proposal for extension office




warehouse 30 /111



2014







building schools and training centres Brussels

Beroepsknelpunten 2021 looking at the shortages of employees there are many jobs in the construction where properly educated workers are missing.

In Brussels most of the construction oriented practical schools are located on the outside of the city.

Victor Horta !GO this school is near the site and teaches practical logistics, care and construction courses. in their year reports they mention a lack of space and the need to use container classrooms. For the programme of the project I will use the programme of this school.




building crafts college, London, UK, 2001




*techniekHuys, Veldhoven. the Netherlands, 2011



The campus of RDM, Rotterdam, the Netherlands, 2009 $\,$



societa svizzera impresari construttori, Gordola, Swiss,



hochschule fur die holzwirtschaft, Biel, Swiss, 1999



OSZ Bautechnik II, Berlin, Germany, 2008

source; The new Craft School

33 /111









then

timber framing



now



technical drawing then



now






now



then



now



education

Victor Horta

care construction logistics

workshops


making

workshops as commons workshops as public backdrop

local

community

use existing network and materials recuperated building material depot



vocational school

types of spaces

wood workshop steel workshop masonry workshop material depot classrooms for logistics classrooms for care





site visit measuring



backside railway tracks canopy

site visit










square windows

low ceiling




office & warehouse


site visit



overhead doors










column size dilatation

warehouse - ground floor site visit




depth
open plan
no insulation





challenges <u>facade</u> light organisation plan big spans big plan high ceiling robust structure opportunities potentialities stratagy


washed out paint







moss




maintain existing facade, intervene where needed

cut deteriorated facade plates

add windows

add insulation




insulation inside

insulation on the outside > deterioration


use existing sub-structure, to keep panels attached > window height

insulated sandwich panels between canopy trusses





multiplex 18mm osb10mm hsb insulation 220mm existing concrete slab 125mm





aluminium curtain wall triple glazing

steel L-profile 150x150x10mm

steel plinth h=100mm


finish 10mm
heat elements in cement 65mm
protective membrane
xps insulation 30mm
vapour barrier
eps insulation 70mm
equalising layer 40mm






1:10

finish 10mm heat elements insulation plates 24 mm thermally inductive plates vapour barrier insulation 70 mm equalising layer 40 mm




polished steel plate 5 mm water barrier, vapour open insulation 150 mm insulation plates 75 mm concrete structure



1:10


facade floor detail







soil 70mm
filter fabric 0.2mm
moisture-retention layer 79mm
aeration layer 10mm
drainage layer 30mm
root barrier 5mm
membrane protection 0.2mm
green roof waterproofing membrane0.2mm
thermal insulation 200mm
trapezoidal sheet 60mm
steel structure



aluminium curtain wall, triple glazing


aluminium profile 5mm

xps insulation

steel L-profile 110x180x10mm


1:10

multiplex 18mm
osb10mm
hsb-insulation 220mm
water barrier
xps 30mm
ventilation 45mm
existing wood fibre cement
(galvanized in steel panels) 25mm



facade roof detail

multiplex 18mm
osb10mm
hsb-insulation 220mm
water barrier
xps 30mm
ventilation 45mm
existing wood fibre cement
(galvanized in steel panels) 25mm




thermal line around the truss

aluminium curtain wall, triple glazing

aluminium profile 5mm xps insulation

steel L-profile 110x180x10mm


1:10



existing


facade 1:33 55 /111







north facade






east facade


extruded windows

extruded metal sheet sandwich





north facade






east facade










north facade






east facade


extruded windows

extruded metal sheet sandwich





north facade






east facade

extruded windows


extruded metal sheet sandwich

intruded windows






north facade






east facade


impression exterior East facade






















challenges facade long spans big plan high ceiling robust structure opportunities possibilities stratagy










a lot of beams



perpendicular with beams




perpendicular without beams




parallel with beams

parallel without beams



roof windows and floor openings



worth it?






column in the spotlight






extending the opening just over the main beam lightens up the ceiling




patios provides extra facade to place extra classrooms on the first floor





the windows of the patio serve as a roof light for ground floor


light studies patio





combine patio-vide-roof light to get light deep into the building




















first floor



(not final design)

3 dimensional puzzle between the ground and first floor


red: core/service


grey: classroom


white: corridor

blue: stair/bridge

brown: patio












above workshops & corridors




floor opening




distance from facade




vide - patio




vide - patio - classrooms




vide - patio - classrooms - corridor



vide - patio - classrooms - corridor - cores




vide - patio - classrooms - corridor - cores - classrooms



vide - patio - classrooms - corridor - cores - classrooms - the rest





north 7



context








patio




break-out










entrance



carpentry workshop










impression main stairway



canteen

impressions 98 /111






model impressions



















model impressions







model impressions 103/111







continuing







elevated






interrupting





poking through





Arch Urban Architecture P5 Jaron Smit 4719824

mentors

research Eireen Schreurs design Sam Stalker building technology Anet Meijer

reflection

My initial design approach focussed on showcasing these structural elements adding new walls and floors in such a way the structure had space to be admired. This architectural approach raised many problems later on, as it became difficult to justify my design choices. Later, my design approach shifted towards a method based approach; working with, and analysing the existing structure to try and find ways to intervene as efficiently as possible.

During this time I was also working on a research about solitude. I made multiple drawings each focusing on a different aspect of solitude. The end result was a little booklet with an incoherent set of drawings, each drawing with a different perspective and styles. Questioning the products themselves was very valuable as it revealed drawing was not a way to do the research, but it was the research itself. Each drawing focussed on a slightly different aspect of solitude. The drawing represents the logic of the space according to that specific aspect. In the second research I drew the TU Delft Faculty of Architecture, here the act of drawing

was a way to better understand how the circulation in this particular interior street works. Drawing the building following the logic of the corridor resulted in a 2 metre long drawing where the walls of the corridor wrap around multiple open spaces with a closed wall on the other side. Both researches (solitude & circulation) are based on observing a space and/or its activities, trying to draw it in such a way to represent how I interpreted the logic of that space.

While designing I can use this reflection to better understand my sketches and drawings on a conceptual level. As I was analysing the existing building I was constantly sketching and drawing the structure from different perspectives and in different ways with different colours. The first thing I always drew before anything else was the whole structure. Using the knowledge of all the little studies about utilising the structure, I continued my design drawing around what already was on paper resulting in a building in which the structure is very present but also carefully joins with the new elements.

Generally I start drawing and things unfold naturally. This process makes it difficult to reflect and realise what it precisely is I am trying to visualise. Now I realise reflection is very important in the process of drawing. Looking at the order in which things are drawn, the colours and the type of perspective can help me with this. I think the specific focus in a drawing and reflecting on that are something I can work on in the future.

Looking back at the design process, I realise the warehouse was with the same approach I had adopted: building as efficiently as possible. By using only the necessary elements the structure is visible and optimised: heavy concrete ground floor, light steel first floor, and a thin facade. The columns and beams are optimised in such a way that the side columns are smaller than the central columns.

In a sense I continued the efficiency based approach used in the original construction of the warehouse. By aligning my design approach with that of the original warehouse I think the result showcases the features of the original building while complying with the demands of

reflection 110 /111

the new programme. The beams are visible in the floor openings, the facade is punctured to make windows, eg. As a result my original vision of showcasing the structure has come to fruition but with a totally different approach.

Architecture has an important role in the climate crisis debate. Making new buildings or building parts generally have a big impact on the environment. This is not a sustainable way to move forward. A way to reduce the impact on the environment is by reusing. To normalise reuse it is important to assign a new value to the word "new", one that regards new as a luxury and used as normal. This will influence the aesthetics of the objects and the built environment. I think trends such as vintage stores and second hand shops already show great promise to how this can change on a bigger scale. As such I think we should get used to another aesthetic, one that is not perfect, one that shows tear and wear and is maybe less comfortable but also has its own story, and its own unique texture, personally I am totally fine with that. It is up to designers and individuals to position themselves in this balance between aesthetics. functionality, energy and material.

On a more personal note I think the approach of efficiency and appreciating existing things (as I had done in my graduation project) also aligns with how I approach things in real life. Before I need something new I try to look at the things I already have at my disposal. I try to deconstruct the object to its basic properties, for example when i needed a little trash can in the bathroom; box, openable. Then I try to look in and around the house to see if I can find something that has the potential to match those properties with a simple adjustment. For example, an empty tin olive oil container which has been laying around for a while. By making a cut in the top part it opens up and it becomes a trash can. The solution is focussed on efficiency and functionality whereas the aesthetics have a low priority. (The same concept applies when I throw something away but in reverse.) By recontextualising and reusing objects they can gain value and longevity. Understanding problems this way opens up to many unexpected solutions

In this graduation project I have tried the same, except on a bigger scale. As the scale increases it becomes more difficult to recognise the properties and potentialities. By carefully examining what is there and what is needed it is possible to use the same approach. Resulting in unexpected, valuable or funny solutions that otherwise would not have been possible.

In architecture I try to use the same approach, aesthetics are not the priority but a result.

reflection 111 /111