

On Capex Forecasting of District Heating Networks in Existing Neighbourhoods

Pothof, I.; Van Den Oever, R.; Huesken, L.

Publication date

2023

Document Version

Final published version

Published in

18th Conference on Sustainable Development of Energy, Water and Environment Systems

Citation (APA)

Pothof, I., Van Den Oever, R., & Huesken, L. (2023). On Capex Forecasting of District Heating Networks in Existing Neighbourhoods. In M. Ban, N. Duić, D. R. Schneider, D. Astiaso Garcia, G. Barone, S. Boldyryev, A. Buonomano, F. Calise, P. Colbertaldo, & More Editors (Eds.), *18th Conference on Sustainable Development of Energy, Water and Environment Systems: Book of Abstracts* (pp. 81). Article 621 (Digital Proceedings). University of Zagreb.

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

**18TH CONFERENCE ON
SUSTAINABLE DEVELOPMENT
OF ENERGY, WATER AND
ENVIRONMENT SYSTEMS**

 **18th
sdewes
Conference
DUBROVNIK
2023**



**SEPTEMBER 24–29, 2023
DUBROVNIK, CROATIA**

BOOK OF ABSTRACTS

Edited by:

Marko Ban, Neven Duić, Daniel Rolph Schneider, Davide Astiaso García, Giovanni Barone, Stanislav Boldyryev, Annamaria Buonomano, Francesco Calise, Paolo Colbertaldo, Neven Duić, Yee Van Fan, Cesare Forzano, Marta Gandiglio, Tomás Gómez-Navarro, Daniele Groppi, Małgorzata Kacprzak, Soteris Kalogirou, Damian Kasperczyk, Goran Krajačić, Flavio Manenti, Luis Javier Miguel González, Hrvoje Mikulčić, Carla Montagud Montalvá, Benedetto Nastasi, Adolfo Palombo, Nikola Rajakovic, Alessandro Romagnoli, Tine Seljak, Alessio Tafone, Marian Trafczynski, Laura Vanoli, Petar Sabev Varbanov, Constantinos Vassiliades, Maria Vicidomini, Milan Vujanović

Local Organizing Committee

Prof. Neven Duic, University of Zagreb, CHAIR
Prof. Goran Krajačić, University of Zagreb, CO-CHAIR

Prof. Zvonimir Guzović, University of Zagreb,
Conference secretary

Dr. Marko Ban, SDEWES Centre
Ms. Ana-Marija Ljubanović, SDEWES Centre
Ms. Andreja Biskup Lazanin, SDEWES Centre
Dr. Tomislav Pukšec, University of Zagreb
Ms. Doris Beljan, University of Zagreb
Dr. Tibor Bešenić, University of Zagreb
Mr. Francisco Flores, Pontificia Universidad
Católica de Valparaíso

Mr. Luka Herc, University of Zagreb
Mr. Filip Jurić, University of Zagreb
Ms. Ana Kodba, University of Zagreb
Mr. Marijan Marković, University of Zagreb
Mr. Josip Miškić, University of Zagreb
Ms. Zvezdana Nađ Dujmović, SDEWES
Centre
Mr. Antun Pfeifer, University of Zagreb
Mr. Goran Stunjek, University of Zagreb

Publisher Faculty of Mechanical Engineering and Naval Architecture, Zagreb

ISSN – 2706-3690 (digital proceedings)

Editors

Marko Ban
Neven Duić
Daniel Rolph Schneider
Davide Astiaso Garcia
Giovanni Barone
Stanislav Boldyryev
Annamaria Buonomano
Francesco Calise
Paolo Colbertaldo
Neven Duić
Yee Van Fan
Cesare Forzano

Marta Gandiglio
Tomás Gómez-Navarro
Daniele Groppi
Małgorzata Kacprzak
Soteris Kalogirou
Damian Kasperczyk
Goran Krajačić
Flavio Manenti
Luis Javier Miguel González
Hrvoje Mikulčić
Carla Montagud Montalvá
Benedetto Nastasi

Adolfo Palombo
Nikola Rajakovic
Alessandro Romagnoli
Tine Seljak
Alessio Tafone
Marian Trafczynski
Laura Vanoli
Petar Sabev Varbanov
Constantinos Vassiliades
Maria Vicidomini
Milan Vujanović

Technical Editors Aleksandra Mudrovčić, Marko Ban

SDEWES2023.0621**On Capex Forecasting of District Heating Networks in Existing Neighbourhoods**I. Pothof^{*1}, R. Van Den Oever², L. Huesken²¹TU Delft / Deltares, Netherlands; ²Deltares, Netherlands (*i.w.m.pothof@tudelft.nl)**Abstract**

The energy required for space heating amounts to approximately 70% of the total energy demand of existing buildings in Europe. Decarbonization of the heat demand of existing buildings is one of the grand challenges in the energy transition and sustainable district heating is a promising solution in many neighborhoods. The construction cost of district heating networks (DHNs) in an existing neighborhood is associated with large uncertainties and therefore investment risk. We have hypothesized that the CAPEX of DHNs is determined by spatial parameters that characterize the subsurface space scarcity. We have investigated this hypothesis by collecting construction cost data of 66 recently finished projects in close collaboration with Dutch district heating companies. Furthermore, we have collected construction cost data on replacement of 68 water distribution and 52 gas distribution networks. The replacement costs of these critical infrastructures might be affected by similar spatial parameters. The analysis of the district heating data reveals that the unit construction costs (€/m routing) are affected by the presence of water bodies, the road width, the zip code and the age of the neighborhood. The combined analysis with data from three infrastructures reveals that the unit construction costs (€/m routing) are affected by the presence of water bodies, soil contamination, the age of the neighborhood, the relative footprint of buildings and the zip code. The relevance of the zip code in this analysis is an indication that local regulations may have a significant impact on construction costs. Given the large number of drivers for the DHN construction costs, the datasets are too small for a statistically reliable construction cost model. We conclude that it is practically impossible to develop a project database of recently executed DH construction works with sufficient variation on all relevant characteristics. Future work will focus on automated generation of an activity-based construction cost model, using multiple GIS-layers. The improved construction cost model will be validated against traditional construction costing methods by 4 or 5 contractors.