

P5

ADVANCED HOUSING DESIGN DENSIFICATION STRATEGIES: invigorating contemporary urbanities

Laszlo Barz
4145798


Harald Mooij
Florian Eckardt
Frederique van Andel
Arjen Meijer

Co-housing as a densification and reinvigoration strategy for post war neighborhoods in the Netherlands


A typological study on densification strategies

PROBLEM STATEMENT SITE ANALYSIS RESEARCH DESIGN


PROBLEM STATEMENT | The Dutch housing crisis




PROBLEM STATEMENT | Declining production




PROBLEM STATEMENT | Increase in housing prices



PROBLEM STATEMENT | Trend towards individualism




PROBLEM STATEMENT | mismatch on the housing market




The average household size has decreased while the average housing size has remained the same.

PROBLEM STATEMENT | mismatch on the housing market



Demand for single family homes is chaning to and becoming more equal to the demand of multi family homes driven by the change in household and demand in city's

PROBLEM STATEMENT| lack of flow on the housing market



PROBLEM STATEMENT | Where to build?



WHERE SHOULD WE DENSIFY?

PROBLEM STATEMENT | Post-war neighborhoods



WHY POST-WAR NEIGHBORHOODS?

PROBLEM STATEMENT | Post-war neighborhoods relevance



1.800 post-war neighborhoods in the Netherlands

1.8 million post-war homes

22% of total housing stock

PROBLEM STATEMENT| Post-war neighborhoods definition







Built between 1945 en 1970

50% of houses built between 1945 and 1970

or

average of 500 homes built between 1945 and 1970

PROBLEM STATEMENT | Conclusion



WE HAVE A HOUSING SHORTAGE

A MISMATCH OF THE CURRENT HOUSING STOCK

A TREND TOWARDS INDIVIDUALISM AND DIVERS FAMILY COMPOSITIONS

OUTDATED POST WAR NEIGHBOURHOODS

A LACK OF SPACE

WE NEED A DENSIFICATION STRATEGY!

“housing that features space and facilities for joint use by all residents, who also maintain their own individual households.”

(Franck, 1991)

STRATEGY | co-housing

136x



136m²




344m²




671m²






136x




2475m²




2992m²




STRATEGY | co-housing



STRATEGY | co-housing





STRATEGY | co-housing



spa




cafe & laundry



communal kitchen




roof garden




cinema



hobby room




guest house




co-working space


STRATEGY | co-housing



RESEARCH DIAGRAM



LITERATURE GAP




RESEARCH QUESTION



**HOW CAN CO-HOUSING BE DESIGNED TO REINVIGORATE
AND DENSIFY POST-WAR NEIGHBORHOODS IN THE NETH-
ERLANDS?**


LOCATION



LOCATION | IJsselmonde




LOCATION | development of IJsselmonde




LOCATION | design concept of IJsselmonde



'Gelede stad'




Tree structure as road hierarchy




Face-to-face group

LOCATION | wijkgedachte




PROBLEMS

POST-WAR NEIGHBORHOODS | problems




- Small houses for families with children, sometimes partly in decay

POST-WAR NEIGHBORHOODS | problems



- Small houses for families with children, sometimes partly in decay
- Lack of union or community, moderate livability

16,2% unemployment




- Small houses for families with children, sometimes partly in decay
- Lack of union or community, moderate livability
- **Unemployment, little employment in the neighborhood**

Average income: €23.000

POST-WAR NEIGHBORHOODS | problems










- Small houses for families with children, sometimes partly in decay
- Lack of union or community, moderate livability
- Unemployment, little employment in the neighborhood
- Lack of facilities



- Small houses for families with children, sometimes partly in decay
- Lack of union or community, moderate livability
- Unemployment, little employment in the neighborhood
- Lack of facilities
- Rising crime rate, nuisance by youth

POST-WAR NEIGHBORHOODS | problems



- Small houses for families with children, sometimes partly in decay
- Lack of union or community, moderate livability
- Unemployment, little employment in the neighborhood
- Lack of facilities
- Rising crime rate, nuisance by youth
- Homogeneous typologies and architecture

OPPORTUNITIES

POST-WAR NEIGHBORHOODS | opportunities



- Near city center

POST-WAR NEIGHBORHOODS | opportunities




- Near city center
- Near main infrastructure

POST-WAR NEIGHBORHOODS | opportunities



- Near city center
- Near main infrastructure
- At the border of urban area & Mixed functions

POST-WAR NEIGHBORHOODS | opportunities




- Near city center
- Near main infrastructure
- At the border of urban area & Mixed functions
- Network of main roads

POST-WAR NEIGHBORHOODS | opportunities




- Near city center
- Near main infrastructure
- At the border of urban area & Mixed functions
- Network of main roads
- Main structure of green and waterways




- Near city center
- Near main infrastructure
- At the border of urban area & Mixed functions
- Network of main roads
- Main structure of green and waterways
- Old ribbon shaped structures


LOCATION | Neighborhood ambitions




CONNECT TO THE CITY




CONNECTING BETWEEN THE NEIGHBORHOODS




FUNCTION MIX




BRING HUMAN SCALE BACK INTO PUBLIC SPACE



DIVERSIFY HOUSING STOCK AND PUBLIC SPACE



ATTRACT NEW TARGET GROUPS AND PROVIDE FOR EXISTING



IJSSELMONDE



HORDIJKERVELD





HUNIADIJK





EXISTING | floor plans

ROOSENDAAL, PORCH FLAT


Built: 1959
 Architect: Kuiper, Gouwetor, De Ranitz Nispen
 Renovation: 2002
 Architect: Rijnvos Voorwinde Architecten




Porch-to-gallery approach: The staircase of the porch flat is added to the dwelling and a outdoor gallery is attached to make the dwelling accessible. The gallery is placed 2,5m from the facade creating bridges and a buffer zone between the dwellings and the circulation zones.




DEMOLITION



WRAPPING




MAISONETTE



EXTENSION




HIGH-RISE CONNECTION




PORCH-TO-GALLERY

**HOW CAN CO-HOUSING BE DESIGNED TO REINVIGORATE
AND DENSIFY POST-WAR NEIGHBORHOODS IN THE NETH-
ERLANDS?**


CO-HOUSING| concept




CO-HOUSING | co-housing for who?




CO-HOUSING | co-housing for who?




CO-HOUSING| student / starter cluster




CO-HOUSING| care cluster




CO-HOUSING| case studies



Gleis 21




Fleur de la Campagne



Mehr als wohnen

CO-HOUSING| Gleis 21




⊕ Outdoor space
◎ Shared space
□ Elevator
● Private apartment


■ Shared space
■ Circulation space
■ Outdoor space

GLEIS 21 | VIENNA

- 01 Gallery with room for private space to inhabit.
- 02 Hierarchy in the shared facilities from publicly accessible on the ground floor to more private on the roof.
- 03 The shared spaces have an circular accessibility connecting them to the rest of the building.
- 04 Roofs are utilized for shared green zones for residents.
- 05 High diversity in apartment size.
- 06 Each apartment has private balcony and a public balcony on the gallery.
- 07 Flexible extra apartments that can be added.




CO-HOUSING| Fleur de la Campagne




COOPERATIVE HOUSING FLEUR DE LA CHAMPAGNE | BIEL

- 01 Shared facilities located near elevator, bridge and stairs.
- 02 Hierarchy in the shared facilities from publicly accessible to more private.
- 03 The shared spaces have an circular accessibility connecting them to the rest of the building.
- 04 Roofs are utilized for shared green zones for residents.
- 05 Shared spaces within apartments are central and have access to the front door
- 06 Each apartment has private balcony for individual rooms and occasionally an extra shared balcony.
- 07 Equal individual room size per co housing unit.
- 08 Smaller private facilities when larger shared facilities are available.
- 09 Shared space within one co housing unit are divided into multiple smaller spaces but always connected.








CO-HOUSING| Mehr als wohnen




MEHR ALS WOHNEN | ZÜRICH

- 01 Rental spaces on the bottom floor.
- 02 Central circulation for engagement.
- 03 The shared space is shaped by the individual units.
- 04 Smaller private facilities when larger facilities are available
- 05 Equal apartment size




CO-HOUSING | Wijkgedachte



- create a community in a city context
- ‘bridging’ between the neighbourhoods
- a neighbourhood for all ages

CO-HOUSING | De Wijkgedachte




- create diverse scale of a community through sharing
 - ‘bridging’ between the neighbourhoods by adding facilities
 - a neighbourhood for all ages with the fitting housing typologies and facilities


MASTERPLAN | De Wijkgedachte




MASTERPLAN | Unify the public space



MASTERPLAN | connect the courtyards




MASTERPLAN | get rid of barrier





MASTERPLAN | demolish existing



MASTERPLAN | unique character





MASTERPLAN | connect to Hordijkerveld



MASTERPLAN | placing target groups



MASTERPLAN | small scale and divers




MASTERPLAN | renovation and addition




- DEMOLITION
- WRAPPING
- MAISONETTE
- EXTENSION
- HIGH-RISE CONNECTION
- PORCH-TO-GALLERY

MASTERPLAN | new masterplan



MASTERPLAN | design location




MASTERPLAN | ground floor




MASTERPLAN | ground floor




MASTERPLAN | current situation




MASTERPLAN | new masterplan



MASTERPLAN | new masterplan



MASTERPLAN | axonometric view



DESIGN | overview second floor



DESIGN | impression roofscape



BUILDING B | shared spaces


B / starter cluster

12

522 m²


51 m²

Core
starter couple / family



shared kitchen and living room

gallery connection to building A



BUILDING C | shared spaces




C - mix cluster

9

670 m²260 m²



Corridor

student / starter/ elderly





BUILDING C | C1

1
37m²
corridor
students / starter





BUILDING C | C3

2
80 m²
corridor
empty nester / starter couple





BUILDING C | C4

1
32 m²
corridor
student



BUILDING D | overview



BUILDING D | cluster

D-care cluster


26

1200 m²

540 m²

Corridor

elderly / families



BUILDING D | Co-housing



Generation living
Family de Hoop

They like that grandma lives close by and like to cook for her.





Single elderly living
Grandma de Hoop

Likes to play with her grandson and watches him when the parents are to work.




Elderly living
Grandparents Durieux

Enjoys cooking for the house and meeting everyone at the communal table.



Supported living
Grandpa van Kints

The shared room next door can be shut off to create an extra bedroom for the grandkids who like to come and visit.



Working and living
Kato & Pablo

They like to use the extra shared space as a flexible studio.




Family living
Family Nugter



Although they are living outside of the co-housing cluster their daughter likes to play and go over to the neighbours who all know her

BUILDING A | shared spaces

connecting the gallery to the roofgarden



Connecting the gallery to building B to provide roof access



BUILDING A | private spaces

A - Student/ starter cluster

15

795 m²

314 m²

corridor / gallery

students / single parents

Game room

extended living room


co-working space

Shared Kitchen


shared bathroom

shared bathroom

vertical connection of the galleries




BUILDING A | Roof




BUILDING A | A1

1+
60 m²
corridor / gallery
starter / single parent




Flexible extra bedroom





BUILDING A | A2


1
20 m²
corridor / gallery
student



Bathroom



Living room



kitchen



BUILDING A | A3

2


40 m²

corridor / gallery


students / single parents




SUSTAINABILITY | ambitions




BUILDING A | existing section




BUILDING A | old and new




BUILDING A | reused elements integrated



BUILDING A | decentralized ventilation



BUILDING A | utilizing the roof




BUILDING A | green roof construction

- Wooden profile facade 22mm) with integrated nesting cavities (110mm)
- Ventilation cavity with wooden battens, 40mm
- Vertical battens 40mm


Prefab timber frame element, 224mm

- Wood fiber insulating board, 12mm
- Water barrier
- Sheep wool insulation lambda= 0,04 W/mK, 200mm
- Timber frame (200mm)
- Vapor barrier
- Wood fiber insulating board, 12mm
- Plasterboard finish 6,5mm




- Sedum layer 80mm
- Moisture retention layer 50mm
- Root membrane
- EPDM
- XPS insulation 100mm
- Vapor barrier
- Lignatur insulated floor element 220mm
- Plasterboard finish 12mm


BUILDING A | shared facilities on ground floor



BUILDING A | connecting the old to the new



BUILDING A | extended gallery




BUILDING A | new gallery on old consoles

- Concrete balcony elements placed on T-profile on existing console element.


- Wooden facade 22mm)
- Wooden battens, 40mm
- Prefab timber frame element, 224mm
 - Wood fiber insulating board, 12mm
 - Water barrier
 - Sheep wool insulation lambda= 0,04 W/mK, 200mm
 - Timber frame (200mm)
 - Vapor barrier
 - Wood fiber insulating board, 12mm
- Plasterboard finish 6,5mm

- Extra step from balcony to indoor floor

- Wooden floor finish 10mm
- Screed layer 50mm
- Lignatur floor element 220mm
- Existing concrete roof slab 180mm
- Acoustic spring rails
- Plasterboard finish 12mm



BUILDING A | street facade




BUILDING A | old & new facade




HOW CAN CO-HOUSING BE DESIGNED TO REINVIGORATE AND DENSIFY POST-WAR NEIGHBORHOODS IN THE NETHERLANDS?


PROBLEM STATEMENT | diversification of target groups




PROBLEM STATEMENT | a tool for mixing target groups




PROBLEM STATEMENT | space efficiency





PROBLEM STATEMENT | space efficiency




PROBLEM STATEMENT | diversity



PROBLEM STATEMENT | reviving the ‘wijkgedachte’



PROBLEM STATEMENT | densification




821 dwellings

136 dwellings in block D



-212

136 dwellings in block D
+/-0



+773

309 dwellings D
+173

THANK YOU