## IN BETWEEN NATURE

Nature based placemaking for Rotterdam's territories in-between



### **PREFACE**

This report is the result of 10 months research on Rotterdam's territories in-between. It discusses its challenges, but more importantly also its qualities and potentials. I hope this thesis project inspires urban planners and designers to question current planning approaches towards in-between territories. It is essential to acknowledge and understand the social and ecological potentials of existing in-between territories as a first step to further spatial planning.

I would like to thank my mentors, Remon Rooij and Nico Tillie for guiding me throughout the whole process and helping me out with project related questions and putting confidence in me on this particular topic that was unfamiliar to me in the beginning. You also helped me at times when the project proved to be personally challenging, partly due to the corona-virus restrictions that where present. Furthermore, I would like to thank all of my fellow students, friends, my parents and Sebastiaan for the fascinating discussions and well needed mental support. Without you I could not have accomplished this.

2

### **ABSTRACT**

Territories in-between (TiB) have gained increased attention the past decades among researchers in the field of urban planning and design. These territories are identified as territories somewhere in-between the urban and rural. Typical land uses in the TiB are warehouses, sport complexes, allotment gardens and small-scale industrial activities. The TiB are often considered to be underused, lack spatial quality (sense of place) and are under mounting pressure of urban densification. However, the rich diversity of land uses and abundance of semi open spaces in the TiB provides unique habitats and social-ecological opportunities, different from exclusively urban and rural landscapes. Therefore we, as urban planners and designers, should reconsider conventional planning and design approaches towards these territories and acknowledge the social and ecological potentials of these territories.

The thesis project proposes an unconventional design perspective that makes space for the territory in-between and embraces its true unorganized and multi-functional nature. The design strategy that was developed through a research by design process is called: the recovering membrane and describes the vision for the territory around the urban fringes of the city that resembles the functioning of a membrane at landscape scale. This design strategy was developed in particular for the city of Rotterdam. The recovering membrane is defined as a spatial layer of interaction between two distinctive living environments –urban and rural- and various human and non-human actors in them. The membrane aims to bridge the urban-rural divide, enhance biodiversity and sense of place in the in-between territories at the urban fringes of the city. The proposed strategy is supported by landscape ecology theories on ecological edges and boundaries and a theory on sense of place experience emphasizing the importance of human-nature interactions.

By using these theories, the vision for the recovering membrane is elaborated at local scale for an in-between territory near Hoek van Holland. The research shows that nature-inclusive spatial design elements can mutually benefit the ecological quality of the in-between territory as well as the sense of place experience at local scale. This integrated design approach is described as nature-based placemaking. The spatial transformation of the in-between territory into a membrane landscape can be organized into three development stages at respectively: short, medium and long time period. (1) Engagement and activation of the local community through a nature-based placemaking process. (2) Connectivity and integration of the in-between territory within its surroundings through social-ecological corridors. (3) Re-distribution of clustered land-uses in order to strengthen the heterogeneous nature of the in-between territory. The latter is of specific importance as it seems that greater landscape heterogeneity does not only cause for greater ecosystem resilience and biodiversity, but also greater sense of place experience. To enable this new approach a new governing body is proposed: the Membrane Management Group.

**Key Words:** Territories in-between; Sense of place; Social-ecological development; Urban fringe; Rotterdam

### **TABLE OF CONTENTS**

1. INTRODUCTION	7
1.1 Motivation	9
1.2 Context and problem field	10
1.3 Problem Statement	14
1.4 Research questions and project aims	15
2. METHODOLOGY	17
2.1 Conceptual Framework	18
2.2 Description of Methods	19
2.3 Summery of Methods	22
3. THEORETICAL FRAMEWORK	25
3.1 Overview of key theories and concepts	26
3.2 Landscape ecology theory	28
3.3 Sense of place theory	31
4. SPATIAL ANALYSIS	33
4.1 The regional landscape	34
4.2 Case site analysis	49
5. DESIGN PRINCIPLES	71
5.1 Ecological design principles	72
5.2 Cognitive design principles	74
5.3 Nature-based placemaking elements	76
6. REGIONAL VISION AND STRATEGY	79
6.1 Concept and vision	80
6.2 The membrane structure	82
6.3 Governance structure	92
6.4 Timeline	94
7. LOCAL DESIGN INTERVENTION	97
7.1 Introduction to the site	98
7.2 Stage 1: Nature based placemaking	100
7.3 Stage 2: Social-ecological corridors	108
7.4 Stage 3: Re-configuration of land uses	112
8. CONCLUSIONS	122
8.1 Conclusions	123
8.2 Reflections	128
BIBLIOGRAPHY	<b>.</b>
	134

137

THESIS PROJECT
P5 REPORT

### **IN-BETWEEN NATURE**

Nature-based placemaking for Rotterdam's territories in-between

July, 2021

Louisa van den Brink Student No. 4720741

First mentor: Dr. Ir. Remon Rooij Second mentor: Dr. Ir. Nico Tillie

Delft University of Technology Msc Architecture, Urbanism and Building sciences Master Track: Urbanism Graduation studio: Urban Ecology & Eco-cities



All images without sources have been made by the author

<u>4</u>

**APPENDIX** 



## 1. INTRODUCTION

This chapter first discuss my personal motivation for the project and will thereafter introduce the main concepts and problems that are the reason for this thesis project

It will introduce the concept of the territories in-between and will elaborate on the specific challenges these landscapes face with respect to urbanisation, biodiversity and sense of place. In the last section these problems are synthesised into a problem statement and research questions.



### 1.1 MOTIVATION

After finishing my bachelors architecture and urbanism in my degree in Landscape Architecture master thesis. in Wageningen I noticed that my Personally, I have been particularly fascination was mostly in the fascinated by landscapes relationship between people that seemed to be somewhat and the (natural) landscape. In unplanned or unorganized. Places particular how the landscape that challenge me to explore around us serves our basic human hoping to encounter unexpected needs, how we make sense of beauty. I realised this fascination these landscapes and how we has strengthened during the attach meaning to particular covid-19 situation. In order to get places. Because of that I chose to outside and get enough exercise broaden my view and specialize while working from home I made in Urbanism at TU Delft because daily walks, often accompanied of its integrated understanding by my dad. We tried changing between people, their living our routes everyday in order environment and the interaction to discover new secret places. between them.

Traditionally, architecture has been mostly set in rural and semi-rural these walks and the interactions environments with an emphasis I had with some wild animals on wildlife and environmental (birdwatching became a new processes whereas the discipline hobby since) my sense of place of urbanism talks most about has significantly deepened. the living environment of people, the city and its anthropogenic interest in semi-urban spaces processes.

such as biodiversity loss, between them. heat stress, health problems, environmental safety issues and many more.

From this perspective I seek to deepen my understanding of the interface between landscape

New routes appeared along the landscape railway, through the pastures and along the orchards. As a result of

These experiences triggered my that quite often seem to be During the first year of my masters undervalued and neglected I noticed that this dichotomy in urban planning and design between the disciplines is not as practices. Therefore, with this clear as it may seem. I learned thesis project I hope to get a that reasoning from a landscape deeper understanding of the architecture perspective can challenges and potentials of inprovide promising solutions to between territories for people modern day's urban challenges, and wildlife and the synergies

Figure 1: Exploring Mien Ruys garden on TU Delft campus. Picture taken by my collegue and friend Floris Beijer.

### 1.2 CONTEXT AND PROBLEM FIELD

### Urban growth and densification of Rotterdam region

It is expected that the amount of households in the Netherlands will further increase for several size and ongoing immigration houses have to be built until 2040. and Rotterdam (Verdaas, 2017). new houses until 2040. The main industrial districts and semi-open city are key locations for urban business parks in Rotterdam. redevelopment and new housing projects (Strategische Verkenning

Verstedelijking, 2019). These are the typical locations that Alex Wandl has identified as Territories decades. This trend is the result In-between (TiB) (Wandl, 2020). of decreasing average household This concept will be further elaborated in the next paragraph. (PBL, 2011). In order to meet the As a result of the densification housing demand about 1 million process in these territories the functions and services that these especially in the larger cities in the territories provide are under Randstad region, which include pressure. In practice this may Amsterdam, Den Haag, Utrecht concern land-uses that are not, anymore, desirable in the centre Rotterdam aims to built 50,000 of the city, such as port activities, sewage treatment plants or large strategy to allocate these new scale sport and leisure facilities. houses is to transform and densify Figure 3 shows a selection within existing urban tissue. Brown of newspaper headlines that fields, infrastructure corridors, old address the pressured position of sport clubs, allotment gardens, spaces along the fringe of the camp sites and small-scale



Figure 2: Urban development in Rotterdam's old harbour district. Retrieved from: www.stichtinghoogbouw.

Figure 3: News headlines about threathend landuses as a result of ongoing densification in urban areas. Sources: AD.nl, BNR.nl, DeHavenloods.nl,

Rotterdam gaat de komende twintig jaar volop huizen bouwen in nog open en groene gebieden binnen de ring. Aan de oostzijde, langs de A16 tot aan Feyenoord City, staan alleen al 22.000 woningen gepland. Dit gaat vooral ten koste van sportvelden, volkstuinen en bedrijventerreinen.



### Petitie tegen de sloop van volkstuinen in Delfshaven

di 5 ian 2021, 13:08





Rotterdam - Tuinders van volkstuinvereniging St het gemeentebestuur om een groot deel van het tuinenterrein zou moeten worden opgeofferd om petitie gestart om sloop te voorkomen.

### Dat wordt nu de truc in Rotterdam: bouwen zonder dat het ten koste gaat van de fijne stekkies in de stad

COMMENTAAR Het is dringen om ruimte in Rotterdam, waardoor Steeds Hooger moet vrezen voor z'n voortbestaan. Het verhaal van de voetbalclub is een voorbode van wat de stad te wachten staat.

### Vraag naar volkstuin explodeert sinds coronacrisis: 'Overschie klinkt ineens als Zuid-Frankriik'

Er is in heel Rotterdam vrijwel geen volkstuin meer te krijgen. Sinds het uitbreken van de coronacrisis is de vraag naar zo'n stukje groen in de stad geëxplodeerd. Bij veel verenigingen kom je zelfs niet eens meer op de wachtlijst: "Neem geen contact met ons op, dit heeft geen zin."

Volkstuinders protesteren tegen afpakken van hun 'park', maar ook voetbal en stadscamping zitten klem

### VOLKSTUINTJES MOETEN WIJKEN VOOR WIJKEN

BNR Webredactie / zaterdag 3 augustus 2019, 10:00 Update: zaterdag 3 augustus 2019, 12:58

De populaire volkstuintjes dreigen te verdwijnen door nieuwbouwplannen van diverse gemeenten. In Rotterdam moeten de komende decennia zo'n tienduizend woningen worden gebouwd. Veertien volkstuinen zitten hierdoor in de gevarenzone. Ook in gemeenten als Den Haag, Leiden en Purmerend zijn of waren er plannen voor nieuwbouw op de plek van volkstuinen, zegt de Landelijke Organisatie voor Samen Tuinieren.

### Territories in-between

This relatively new term is used as an umbrella term to describe areas which are somewhere in between the urban and rural. Therefore, their functioning and spatial patterns show similarities with the urban environment as well with the rural environment. Key characteristics of TiB are: the presence of infrastructures, strong function mix and the intermingling of built and unbuilt spaces. Figure 4 shows the large amount of surface area that can be characterised by these features (Wandl, 2020). Regardless of the great abundance of the TiB and the need for integrated design approaches, most spatial planning documents and urban design proposals continue to focus on the dichotomy between urban and rural. This discrepancy became even more apparent in PBL recent publication: Grote Opgaven In Beperkte Ruimte (PBL, 2021). In which they also emphasize the need for more spatial integration between economy, society and nature in order to cope with modern day's great societal and environmental challenges (PBL,2021). Nevertheless, they




Figure 4: TiB in South-Holland From: Territories -in- between: A cross case comparison of Disperesed Urban Development in Europe (p. 307) by A. Wandl (2020)

fail to consider the importance of in-between territories for sustainable and integrated spatial development. As a result of this neglect of the TiB in spatial planning documents their potential for sustainable development remains underestimated. This is unfortunate, because the TiB seem to exhibit a great potential for providing ecosystem services. This especially concerns the abundance of underused open spaces in the TiB (Wandl, Rooi) & Rocco, 2012). Examples of typical open spaces in the TiB are shown in the pictures on the right side of this page (figure 5). Consequently, the densification and redevelopment process in these territories provides a window of opportunity for the investigation on how to develop these territories in a systemic way that integrates the social and ecological values that these territories exhibit. The main ecological value that is considered in this project is biodiversity and the main social value that is considered is sense of place. These concepts, their relevance for TiB and their interrelations are explained in the following paragraphs.









Figure 5: Images of typical open spaces in the TiB in Rotterdam. Photo's where taken in the vicinity of N471 and Rotterdam The Hague airport. Made by author

### Biodiversity under pressure

Biodiversity is a comprehensive term from biology that mainly talks about diversity and richness of genes, species and ecosystems living environment. The concept within a certain area (Compendium van de Leefomgeving, 2017). It has been proven that urban landscapes offer a great potential for biodiversity. Especially in on the other hand subjective comparison to mono-functional experiences such as memories, agricultural landscapes. Urban emotion, history and culture. brownfields. infrastructure buffer zones and other informal urban landscapes can be of great potential for biodiversity usually described as placeless. (Rupprecht, Byrne, Garden & Hero, 2015) In short, typical landscapes that make up the TiB attention for the design and (Wandlet al. 2014). The importance of biodiversity for human wellbeing and liveability has been widely stressed and has gained increased attention past decades (Haines-Young & Potschin, 2010; Haq, 2011). Particularly for the integration of ecological values city of Rotterdam, biodiversity and improvement of the natural environment has been a major topic as the city's ranking on ecological capital is the lowest out of all municipalities in the Netherlands (Zoeteman et al. important notion to consider 2016).

It is argued that the potential of TiB for the provisioning of ecosystem services is still underestimated and not yet used to its full potential (Wandl et al. 2014). Moreover, the the provisioning of cultural urban densification of the open ecosystem-services and the spaces in the TiB increases the pressure on biodiversity and the provisioning of ecosystemservices in these areas, which Minin, 2016). includes the provisioning of essential cultural ecosystem services such as sense of place. More information on the relationship between territories inbetween and ecosystem services can be found in the theory paper in the appendix (V).

### Lack of sense of place

Sense of place is a complex concept that describes the attachment of people to their is rooted in both objective effects such as landscape design, form and sensory perceptions (smell, sound, climate etc.) and (Bush et al, 2020; Masterson et al, 2017; Shamai, 1991) Places that lack a sense of place are Because of the spatial and social fragmentation and limited planning of territories in-between they often lack the presence of significant landscape features which strengthen the sense of place (Wandl, 2020). Figure 6 describes the prevalent lack of (biodiversity) and social values (sense of place) in TiB.

Improving sense of place is crucial as it can improve community cohesion and stewardship to a place. As a result, it can be an when engaging people with sustainability issues. Moreover, ecological design interventions are essential for the strengthening of sense of place through sustainment of liveability in these territories (Masterson et al. 2017: Haussman, Slotow, Burns &

### 1.2 PROBLEM STATEMENT

Bringing together the issues that have been discussed in the previous paragraphs results in the following problem statement:

The neglect of **Rotterdam's Territories In-Between** in spatial planning and decision making results in **limited ecological quality** and **lack of sense of place** in these territories.

The ongoing densification process in the TiB further increases the **pressure on urban green spaces** and requires urban designers to think of **new integral design strategies** to ensure the **liveability** of both human and non-human species in the TiB.




Figure 6: Conceptual diagram of problem statement, showing lack of integration of biodiversity and sense of place in the TiB. Made by author.

## 1.3 RESEARCH QUESTIONS AND AIMS

### MAIN RESEARCH QUESTION:

HOW CAN A NATURE BASED PLANNING AND DESIGN APPROACH
STRENGTHEN BIODIVERSITY AND SENSE OF PLACE
IN ROTTERDAM'S TERRITORIES IN-BETWEEN?

Strategy
Aim
Context

### RESEARCH ORIENTED SUB-QUESTIONS

- 1. How are Rotterdam's TiB addressed in local and regional spatial planning processes?
- 2. What are the **spatial characteristics** of Rotterdam's TiB?
- 3. What are the **ecological opportunities and challenges** of Rotterdam's TiB?
- 4. What are the challenges and opportunities with respect to sense of place of Rotterdam's TiB?

### **DESIGN ORIENTED SUB-QUESTIONS**

- 5. What kind of **ecological design interventions** can strengthen sense of place in Rotterdam's TiB?
- 6. What kind of **spatial planning strategy** can ensure biodiversity and the provisioning of ecosystem services in the TiB at local and regional scale?
- 7. How can ecological design interventions that strengthen biodiversity and sense of place in the TiB be spatially **integrated in a design transformation** for a particular case in Rotterdam.

### **PROJECT AIMS**

- 1. Explore how ecological design interventions can contribute to a sense of place in Rotterdam's TiB.
- 2. Advise local and regional authorities on how to plan and redevelop TiB from an ecological and social perspective.
- 3. Propose an integral and interscalar spatial planning and design strategy for biodiversity and sense of place in Rotterdam's TiB.




Figure 7: Conceptual diagram of project aim. Showing integration of biodiversity and sense of place in the TiB. Made by author.



## 2. METHODOLOGY

The aim of this chapter is to give an understanding of the general approach of this project and provide an overview of the applied research and design methods.

### 2.1 CONCEPTUAL FRAMEWORK


conceptual addresses between the problem field, a nature-based placemaking the design approach and the approach to integrate the needs proposed strategy and the project of both the human as well as the

The context of the project are process. The reasoning behind the territories in-between (shown this approach is that synergies in the grey box) (figure 8). Within between people and nature can be this context two problem domains established in the TiB. This design have been identified, the natural approach will be embedded in system and the human system. the design framework that will The problem of lack of ecological be the final product of this thesis quality in the TiB is derived from project. The project aims that are the natural system and the lack achieved through the design of of sense of place in the TiB is this framework are biodiversity derived from the domain of the and sense of place. Resulting in human system. In the boxes the improved liveability for human an

the relationship depicted. The project proposes natural environment in the design

framework different subjects of analysis are non-human species within the context of Rotterdam's TiB.

Figure 8: Conceptual framework of thesis project. Made by author.



### 2.2 RESEARCH METHODS

The following sections will elaborate on the specific research methods that are applied in order to answer the sub-research auestions.

It will discuss how each of the methods is used and what kind of outputs they will produce.

### 1. LITERATURE REVIEW

### Primary literature

The primary literature review will cover the domains of landscape ecology, biodiversity, bodies of literature will give a comprehensive understanding of the theories and the relationships between them.

### Secondary literature

The review of secondary literature will include public governmental documents, such as spatial strategies and visions which TiB. This will give insight in the way the TiB are considered in spatial planning and policy-making. Some of the findings will only be reported in the theory paper (appendix V).

### 2. SPATIAL ANALYSIS

The spatial analysis will be applied at 2 different scales.

First at the regional scale of the city of Rotterdam and secondly and sense of place theory and at the district scale. The spatial placemaking. Combining these analysis at district scale will be applied through a selection of three case study locations within the region of Rotterdam.

### Regional spatial analysis

The aim of the regional analysis is to understand where the TiB manifest themselves at the regional level. To understand how to map the TiB, where they which may or may not include the are located and how they are integrated in their surroundings with respect to the urban and rural environment.

### Tools:

- 1. GIS data
- 2. Spatial visions and strategies from municipality and other sources.
- 3. Historical maps
- 4. Google earth imagery

### Comparative case site analysis at district scale

After the regional analysis three sites for spatial analysis at district scale are selected for a comparative study. The aim of this comparative study is to get an understanding of the socialecological characteristics of the TiB at a more local level, which cannot be addressed at the regional scale. These are the ecosystem analysis and cognitive analysis, discussed in the following paragraphs. Therefore, the case study analysis is not a research method in itself, but a way of approaching the

### 3. ECOSYSTEM **ANALYSIS**

spatial analysis. By comparing the The ecosystem analysis is conducted at all three case sites. The aim of the ecosystem analysis is to gain insight in the ecological characteristics of the TiB and identify opportunities for improvement which can be translated into a regional strategy to strengthen biodiversity in the TiB. Two methods will be used to conduct the ecosystem analysis:

### 1. GIS data analysis

Analysis of ecological data such as habitats, species distribution and ecological corridors. Used explains how these three sites are to create an understanding of the landscape ecological mosaic (patches and corridors). Waarneming.nl is used to The locations that will be used gather more site specific data on local species distribution and abundance. This helps to understand what kind of specific species are currently encountered in the case locations.

### 2. Photography study

for ecosystem analysis at local scale, this will be fieldwork. This study will help verify the findings In order to understand how from the GIS data analysis. Unfortunately it is winter and the ecological quality and species diversity might not be very visible.

### 3. Google earth imagery

Google earth imagery will be used to support the GIS data where it Rotterdam, the Dune landscape might be lacking or verification is needed. It is also used for reference study and as design inspiration. The outcomes of the ecosystem analysis will inform the To make sure the case locations design proposal at a regional and intermediate scale, in terms of ecological networks and in terms

### 4. COGNITIVE ANALYSIS

The aim of the cognitive analysis is to analyse the spatial characteristics of the TiB from a cognitive and subjective point of view. Which can give additional insights in the perceived spatial quality of the TiB.

### 1. Site visit and Cognitive mapping

Creating mental map based on site visit and understanding the sense of the place from the perspective of the urban designer. The Lynch method is used as a tool to map and sketch significant spatial features that help us to make sense of the place (Lynch, 1960). This method investigates the relationship between physical form and sense of place.

### 2. Site visit and street interviews

In order to create a more complete understanding of the experienced sense of place by other visitors and users of the area some people will be asked about their perception of the area and their reasons of being there. This will be investigated through an unstructured and informal conversation.


### **5. STAKEHOLDER ANALYSIS**

positioning of the TiB in the environment, land ownership and users of the spaces are often not the topics of ecology and sense as clear as they seem. The aim of the stakeholder analysis is to get an understanding of the different parties that need to be involved in the design process, especially at local scale. An onion diagram is and empirical knowledge. used to investigate stakeholders role in the placemaking process. The closer the stakeholder is to the centre the greater its design context of the TiB, refine involvement and influence in the design creation and execution (Czischke, 2018).

### 6. RESEARCH BY DESIGN

Considering the ambiguous Research by design will be the process through which all theoretical and empirical data on of place that has been gathered so far will be translated into an integral spatial vision and design proposal. Therefore, it is a creative process informed by theoretical Moreover, design will also be used as a tool to test theoretical insights, evaluate them in a the them to the particular context and enrich the knowledge base on nature based design for the TiB.

Figure 9: Conceptual time planning of thesis project. Made by author.



21

### Site selection

selected.

for the case studies are selected based upon 3 conditions:

different findings from the analysis

of the three locations it is expected

that some generalisations on

the social-ecological challenges

and potentials of the TiB can be

made, specifically for the case

of Rotterdam. These findings will

later be translated into a regional

planning strategy and design

principles for the TiB. Thereafter,

a critical case will be selected to

be developed in further detail and

showcase the implementation of

these design principles at local

level. The following paragraph

### 1. Representative urban

fabric, to make sure the area is exemplary for TiB and results are transferable.

## 2. Distinctive landscape

different landscape characteristics can influence the ecological system and the feeling of sense of place each case study is located in a distinctive landscape typology. Which are: the landscapes of the old sea clay polders in the south of at Hoek van Holland and the peat landscape in the east.

### 3. High level of urgency

have a certain need to strengthen the urban ecological structure and sense of place. For instance of species selection. because there is nearby urban redevelopment.

## 2.3 SUMMERY OF METHODS AND OUTCOMES

### **MAIN RQ**

How can a nature based planning and design approach strengthen biodiversity and sense of place in Rotterdam's territories in-between?

### **DESIGN OUTCOMES**

- 1. Regional vision and planning strategy.
- 2. Meso scale transferable design principles for TiB
- 3. Integrated spatial design proposal for one of the cases.

### **SUB RQ**

## 1. What are the spatial characteristics of Rotterdam's TiB?

- 2. How are Rotterdam's TiB addressed in local and regional spatial planning processes?
- 3. What are the ecological opportunities and challenges of Rotterdam's TiB?
- 4. What are the challenges and opportunities with respect to sense of place in Rotterdam's TiB?
- 5. What kind of ecological design interventions can strengthen sense of place in Rotterdam's TiB?

### **METHODS**

## **Spatial analysis** at regional and district scale through GIS mapping.

### Primary and Secondary literature review

## Ecosystem analysis through GIS mapping, analysis of google earth imagery and photography study on site.

**Cognitive analysis** through a site visit and cognitive mapping approach inspired by Lynch mapping method.

### Primary literature review

## 6. What kind of spatial planning strategy can ensure biodiversity and the provisioning of ecosystem services in the TiB at local and regional scale?

# 7. How can ecological design interventions that strengthen the biodiversity and sense of place in the TiB be spatially integrated in a design transformation for a particular case in Rotterdam.

### Research by Design

at strategic and regional level.

Research by Design
At district level, on site.

Inventory of open spaces (patches and corridors) in the three case study locations which are of potential for ecological improvement.

Map of locations of TiB in the region of Rotterdam and

identification of their common spatial characteristics

that distinct them from urban and rural environments.

General understanding of considertation of TiB in

spatial planning documents particular in the region of

**OUTCOMES** 

Rotterdam.

General understanding of sense of place perception in the TiB with the respect to the relationship between physical form, function and perception of the place.

Inventory of ecological design principles and interventions that can strengthen the sense of place.

Spatial vision and planning strategy for Rotterdam's TiR

Proposal for integrated spatial design transformation of particular case that enhances biodiversity and strengthens the sense of place in the TiB.

22



# 3. THEORETICAL FRAMEWORK

The aim of this chapter is to provide background information on the key theories and concepts that have been of inspiration and support for the vision and design strategy.

## 3.1 OVERVIEW OF KEY CONCEPTS AND **THEORIES**

### **TERRITORIES IN-BETWEEN**

This section briefly discusses the key theory domains that support this thesis project.

figure 10. Placing these concepts and theories in the context of the TiB defines the scope of this thesis project. Section 3.2 and 3.3 provide in depth explanation on landscape ecology and sense and the integration of TiB in of place theory, the relationship between them and their specific importance for the project.

This concept describes the context of the design assignment of the thesis project. Therefore it The primary research domains and discusses the specific challenges their interrelationship is shown in and potentials of these landscapes from the perspective of sense of

place and ecology theories. The theory paper elaborates on the definition of Territories inbetween and related concepts Dutch spatial planning tradition (Appendix V). This helps answering sub -research questions 1 and 2.



The research domain of ecology is very broad and encompasses many other related concepts and theories. This thesis project aims to improve biodiversity in the context of the TiB through the implementation of ecological design interventions. In landscape ecology the spatial configuration of the landscape and its resulting flows and process are the main focus of attention. (Forman, 1995) Ecosystem services (ESS) is one of the concepts that describes this interaction from the perspective of services provided by the natural environment (Carpenter et al, 2009). Sense of place is one of these services that people can enjoy from natural environments.

## SENSE OF PLACE

Sense of place is a complex concept that describes the perception and attachment of people to their living environment. In this thesis project sense of place is considered as a quality of the physical environment that can be strengthened by ecological design interventions through the provisioning of ecosystem services.

The notion of sense of place, its different dimensions and its relationship to nature based design will be further elaborated (Wyckoff, 2014). Furthermore, on the next page.



Placemaking is a design approach that aims at improving the spatial quality of spaces by means of engaging with the local community and using their placebased knowledge as fundamental input for the design (PPS, 2013). The idea behind this is that the local community knows what is best for the space. The overall aim of placemaking is to transform spaces into places. Placemaking is considered as an approach to strengthen sense of place involving local community in the design process benefits stewardship over the place (Ellery & Ellery, 2019).

The specific design approach of the thesis project is described as nature-based placemaking. The theory paper further elaborates on the potential and implications of such an approach for spatial planning and design practice with respect to the TiB. Naturebased placemaking is described as a design approach that aims to transform spaces into places by integrating not only the needs of the local community in the design process, but also the needs of local nature and looks at nature as a primary tool for placemaking Further explanation in theory paper. (Appendix V).

Figure 11: Abstract theory paper

### RECONSIDERING THE TERRITORIES IN-BETWEEN

Understanding how an integrated placemaking approach can strengthen the ecological quality and sense of place of the territories in-between.

### **Abstract**

Territories in-between (TiB) have gained increased attention the past decades. These territories are identified as territories somewhere in-between the urban and rural. Because of their unique spatial characteristics, they tend to be of great potential for the provisioning of ecosystem services. However, neglect of attention given to the TiB in spatial planning and decision-making does not only limit the ecological quality of these landscapes, but also causes these territories to be identified as placeless. Findings conclude that the open spaces of the TiB offer a window of opportunity for the improvement of spatial quality in the TiB from both a social and ecological perspective. Green space interventions for the open spaces of the TiB can improve the ecological quality and strengthen the sense of place through the provisioning of ecosystem services. In order to achieve this, a naturebased placemaking approach for the open spaces of the TiB is proposed to integrate not only the needs of local residents and stakeholders in the design process, but also the needs of the natural environment.

**Key words:** Territories In-Between, Ecosystem-Services, Sense of place, Ecological design, Placemaking, The Netherlands




Figure 10: Theoretical framework of thesis project. Made by author.

## 3.2 LANDSCAPE ECOLOGY THEORY

### PATCH-CORRIDOR MATRIX MODEL EXPLAINED

Forman's patch-corridor matrix model is a fundamental research and design model used in the field of landscape ecology (Forman, 1995). The model describes the arrangement of different spatial landscape elements that together make up the greater landscape structure, the landscape mosaic. According to Forman, the landscape mosaic is composed of three universal type of elements; patches, corridors and the matrix (figure 12).

The patch corridor matrix model can be applied in both very anthropogenic or natural environments and also at different scales. This makes the model a very effective research and design tool for spatial planners and designers. Moreover, the model provides a way to compare very dissimilar looking landscapes on a landscape structural level (Forman, 1995).

### **Patches**

Patches are individual, non-linear, landscape surface areas that have a different appearance from their surroundings. The patch itself is homogeneous in terms of structure and composition. Examples are: open field in a forest, or a park in the city. In order to recognize a patch the researcher should first define the scale at which the landscape is analysed.

Figure 12: Conceptual representation of patch-corridor-matrix model.. Adapted from: Forman (1995)

### Corridors

Corridors are linear landscape elements which connect patches. Examples are: river corridors or roadside vegetation.

### Matrix

The matrix is the predominant type of land uses surrounding patches and corridors. Examples are: urban landscapes and agricultural or natural landscapes.

## Designing edges and boundaries


The design of patch edges and boundaries deserves specific attention because their characteristics are of great influence to species migration and human - nature interaction. This change of behaviour near habitat edges is described edge effect (Forman, 1995).

The edge is described as the outer portion of a patch where the

environment differs significantly from the interior of the patch.


"As human development continues its expansion into natural environments, the edges will increasingly form the critical point of interaction between human-made and natural habitats." - Richard T.T. Forman, 1995

Landscape architects and urban designers can re-shape patch boundaries to achieve ecological objectives. The followina principles that will be discussed illustrate how the design of patch edges and boundaries can influence ecological functioning of the landscape (figure 13). It can be concluded that: Urban-rural boundaries which have a high structural diversity, are irregularly shaped and provide a smooth gradient between urban and rural are essential for species richness, movement and interaction.




### 1. Edge structural diversity

Vegetative edges with high structural diversity are richer in edge animal species. This concept is later described as landscape heterogeneity.



### 2. Edge abruptness

Less edge abruptness tends to favour moment across an edge.



## **4. Interaction with surroundings**The more convoluted the shape of a

The more convoluted the shape of a patch the more interaction there is between patch and surrounding matrix.

3. Straight and curvilinear boundaries

A curvilinear boundary tends to have more

movement across it and provides greater

habitat diversity which increases species

richness.





Figure 13: Conceptual representation of design principles for patch edges and boundaries. Adapted from: Dramsta, Olsen & Forman (1996)



<u>28</u>

## 3.3 SENSE OF PLACE

### **LANDSCAPE HETEROGENEITY**

The ensemble of multiple patches corridors and the matrix in the landscape is called the landscape mosaic. On a macro level, this mosaic of patches can be described by its degree of heterogeneity. The greater the diversity of patches and the greater the spatial mix of them within a specific area, the greater the landscape heterogeneity Landscape heterogeneity is a fundamental aspect of landscape ecology that aims to relate spatial patterns to processes (Fahrig, Baudry, Brotons, Burel, Crist, Fuller, & Martin, 2011).

Landscape heterogeneity is driven by two aspects: on the one hand the diversity of habitat types (compositional heterogeneity) and on the other hand the size, number and spatial arrangement of these habitats (configurational

heterogeneity) (figure Theoretically speaking, increased compositional heterogeneity leads to more biodiversity as a result of greater habitat diversity within the territory, but also creates added value as a result of the combination of resources provided within a specific territory. A greater diversity of land cover types provide complementary resources, such as food, places of refuge and nesting places for different times in an organisms life cycle. Additionally, greater configurational heterogeneity can also increase biodiversity as a result of increased connectivity and interspecies interaction (Fahring et al. 2011). relationship between landscape heterogeneity and biodiversity is depicted in figure 15.

Even though, landscape heterogeneity studies have mainly focused on natural, seminatural and rural landscapes the assumption in this thesis project is made that landscape heterogeneity principles can also beapplied on more anthropogenic and semi-urban landscapes creating similar results. Moreover, it is assumed that increased landscape heterogeneity does not only increase biodiversity, but also social diversity (the diversity of humans).

Conceptual represenation of landscape heterogeneity patterns. Adapted from: Fahring et al. (2011) figure 3 pag. 104.




Figure 15: Relationship between landscape heterogeneity and biodiversity. Numbers corresponding with figure 14. Adapted from: Fahring et al. (2011) figure 4 pag. 105.

### THE RELATIONSHIP **BETWEEN SENSE OF** PLACE AND NATURE

Sense of place can be described as the relationship between people, their imagination and the physical environment. The concept is rooted in both objective influences of the environment such as landscape design form and sensory perceptions (smell, sound, climate etc.) and on the other hand subjective experiences such as memories, emotion and culture. Therefore. sense of place is a complex concept about the emotional attachment of people to their living environment as a result of their interaction with the landscape (Bush et al, 2020; Shamai, 1991). Facilitating humannature interaction is therefore essential for sense of place (figure 16). In urban environments sense of place can be described by the qualities that contribute to the distinctiveness and uniqueness of the place. Consequently, place. According to Canter a and the cognitive. (Ghani et al.

elements which are: form, by cultural values and personal function and meaning (Canter, 1977; as cited in Ghani, Rahman, Nayan & Bahaluddin, 2018). These urban designers as landscape elements also describe the type of relationships between humans and the environment, respectively. behavioural cognitive, different emotional. These dimensions of sense of place are Understanding people's sense shown in figure 17. The cognitive of place gives urban designers dimension describes the way in which people perceive elements different user groups. of the physical landscape and use it to navigate through space. The behavioural dimension talks about the functional relationship and activities that people enjoy in the place. (Hashemnezhad, Heidari & Mohammad Hoseini, 2013). It is argued that good physical form and good function lead to good emotional response (meaning) which results in enhanced sense of place. The emotional dimension is therefore a result of the other transforming the space into a two dimensions, the behavioural place is created by three main 2018) However, it is also formed

FORM

COGNITIVE DIMENSION

experiences.

This is crucial to understand for perception can differ among users of the spaces, therefore sense of place is very person dependent (Hashemnezhad. Mohammad Hoseini, insight in the needs and wishes of

By incorporating these meanings into the design for example trough a participatory design process the urban designer can create a design that fits people's sense of place and positively contributes to people's meanings of the place, which can in turn enhance stewardship.



Figure 16: Kids interacting with the natural environment.. retrieved from: findasenseofplace.com

Figure 17: Diagram of different components of a place and corresponding relational dimensions between people and places. Adapted from: Hashemnezhad, Heidari & Mohammad Hoseini, 2013, p. 6

MEANING EMOTIONAL DIMENSION

**SENSE OF** 

FUNCTION

BEHAVIOURAL DIMENSION




# 4. SPATIAL ANALYSIS

This chapter discusses the spatial characteristics of the landscape of the region of Rotterdam. It will elaborate on the ecological and cognitive characteristics of the in-between territories at both

## **4.1 THE LANDSCAPE**

typologies in order to construct and ecological potential. a resilient ecosystem and design with respect to "sense of place". The key landscape typologies that surround the urbanised region of Rotterdam are the peat landscape in the east of the city (bright green),

The landscape that surrounds the the large industrial reclaimed sea city of Rotterdam can be classified clay polders (droogmakerijen) into several landscape typologies. in the north of the city, the Dune Doing so gives an understanding landscape at the coast at Hoek of the ecological characteristics van Holland and the old sea clay i.e. soil composition and species polders of the river delta in the distribution that can be expected south (figure 18). The landscape in different part of the region. It unit map provides a guide for the is important to understand what selection of case study locations landscape structures and species that differ from each other in are typical for a certain landscape terms of landscape morphology



## Legend Water New Dunes Old Dunes Peat landscape Droogmakerijen Sea clay polders Outer dike area

### **ICON SPECIES IN THE** LANDSCAPE OF SOUTH **HOLLAND**

This page shows 4 landscape types in the region of Rotterdam that have been identified and linked to specific icon species of the province of South-Holland. species resemble These specific landscape qualities and ecosystems. They are therefore an indicator of the landscape

quality (van den Boogaard, Verbeek, Buizer, 2019). This page only shows a selection of icons species (figure 19).

> Figure 19: Landscapes and (some) corresponding iconspecies, made by author. Image sources in bibliography.













Microtus oeconomus







River and delta landscape



Bumblebee Bombus veteranus




Bombus pratorum

Purple Heron Ardea purpurea



Black Tern Chlidonias niger



Peat meadow landscape



Wall Brown Lasiommata megera




Perdix perdix



Song Thrush Turdus philomelos



Natterjack toad Epidalea calamita



Coastal landscape




Grayling
Hipparchia semele



Lacerta agilis

Figure 20: Proposed selection of habitats and iconspecies of the TIB.

Sources that have been used to come to selection:
zoogdierverengiging.nl
waarneming.nl
vogelbescherming.nl
Bureau Spoorbouwmeester (2012)
Dehavenloods.nl
Natuurpunt.be
Image sources in bibliography.



### HABITATS AND SPECIES OF THE TERRITORY IN-BETWEEN

Figure 20 shows a selection of species and their habitats which are typical for the TiB. The TiB provides a habitat for general as well as endangered species. Species which are more often associated with urban landscapes, but also species which are more associated with the rural landscape. Therefore, the TiB provides unique habitats that are different from merely urban and rural landscapes. Unique interactions between species takes place that is not seen in urban or rural landscapes.. Therefore, we should make space for the TiB

### **MAPPING THE TERRITORIES IN-BETWEEN**

The aim of the regional spatial analysis is to get an understanding of the widespread spatial distribution of the TiB across protection by environmental house areas in the west which are the landscape of Rotterdam at a protection policies (figure 24). The clearly identified in both maps. The task of mapping these landscapes gives insight in the spatial classification method to map the urban and rural. The province of South Holland was used as a case study to test and develop map in figure 26 with Wandl's this mapping method. The map of South-Holland it can be resulting maps clearly show the widespread distribution of the TiB in the province of South-Holland and emphasises the network like structure of the TiB and the underlying connectivity of places with different functions (figure 21) (Wandl, 2020). Wandl's mapping method seems to be of specific interest at the regional scale. However, because this thesis project aims to investigate the TiB also at a district and local level it will useful to get a more qualitative understanding of the spatial characteristics of the TiB in different places, i.e what makes one TiB different from the other? In order to do so I propose an alternative mapping method that aims to create more qualitative and understanding of the TiB. By overlapping different typical characteristics of the TiBit is argued that certain place posses a higher degree of in-betweenness than others and are of greater interest to be elaborated in this thesis project. A shadow map is created based upon four typical features of the TiB which are: 1. Major road and rail infrastructure corridors (figure

22); 2. Transition zone between show overlap with the TiB as they urban settlements and rural land have been mapped by Wandl. (figure 23); 3. Degree of landscape For example the port and green regional scale. Furthermore, the more environmental protection maps both have different purpose policies the less likely the and intention and are therefore landscape will developed as TiB; complementary to each other. and functional characteristics 4. Functional uses, either industrial, which typify the TiB. Wandl has commercial or recreational (figure yet developed new territorial 25). These functions are often prone to transformation. Housing TiB and distinct them from the areas, nature and agriculture are excluded.

> When comparing the shadow seen that the dark brown areas

> > 40

Figure 21: Map of TiB in South-Holland From: Territories -in- between: A cross case comparison of Disperesed Urban Development in Europe (p. 307) by A.




Figure 22: Infrastructure network including national roads, provincial roads and train railways. Made by author. with use of GIS data.




Figure 23: Map showing transition zone between the built and unbuilt evironment. Made by author, with use of GIS data.





Figure 24: Degree of protection by environmental policies. Including Natura 2000, Stiltegebieden, Natuur Netwerk Nederland, areas with landscape archeological value (aardkundige waardevol). With use of GIS data.



Protected

Not Protected

Figure 25: Functional landscapes: industrial, commercial or recreational (nature and agricultural areas excluded) Made by author, with use of GIS land use dataset.




Figure 26:
Shadow map of TiB with circles showing the great abundence and diversity of TiB in the region of Rotterdam. Important landscapes that belong to the TiB in Rotterdam are the harbor area (1), the green house areas (2), the university campus sites (3), the airport (5) the area around the highway ring road (4, 8,9,10) and some mixed use recreational landscapes at the edges of the city with sportfields and allotment gardens (4, 6, 9)

source: Google Earth imagery.

Degree to which locations contain features of TiB. Low High Administrative boundary of municipality of Rotterdam. 6 10 Water 43 42



### **REGIONAL GREEN STRUCTURE**

As has yet been stated the TiB becomes clear that indeed quite often posses a great amount of open spaces that can be of great that are mapped are part of the ecological potential (theory paper, TiB. However, it also seems that appendix V). Therefore, it is useful a significant amount of areas that to look at environmental planning belong to the TiB have not been documents and gain insight on included in the map, such as: how the TiB are considered in green house areas, commercial these documents. Figure 27 districts and the harbour area shows the ecological structure which are an essential part of of the region of Rotterdam. The the TiB in Rotterdam. Therefore, map shows both the urban green these territories can be of structure of the city of Rotterdam, specific attention for ecological as it has been mapped by the improvement, especially as they municipality, as well as the national are often located at the edges ecological structure (NNN). When of the city and can provide an comparing this map to the shadow ecological link between the local map of the TiB from figure 26 it and national green structures. In

some of the urban green spaces

order to get better insight in the true green structure of the region of Rotterdam that transcends municipal boundaries, GIS data has been used to map the (true) spatial green structure of the region. This map is shown in figure 28. This map also distincts recreational green structures from leftover green spaces and agricultural green spaces. This map will be used as a base for the regional design proposal.

Figure 27: Ecological structure map region of Rotterdam. Information on green structure adapted from Natuurkaart Rotterdam from: https:// rotterdam.maps.arcgis.com/home/ webmap



Figure 28: True Ecological structure map region of Rotterdam. Made by author with use of GIS data.



### LANDSCAPE HETEROGENEITY STUDY

In order to explore how landscape heterogeneity manifests itself in the TiB a simple spatial analysis of google earth imagery has been conducted (figure 29). This page shows the 4 types of landscape mosaics that can be found in the TiB of Rotterdam, ranging from homogeneous to very heterogeneous. The main conclusion that is derived from this analysis is that even though the TiB are generally considered to be mixed-use their landscape pattern at local scale is not necesserely heterogeneous in composition and/or configuration. Moreover, it can be concluded that there is a great diversity of landscape patterns within the TiB. All shown locations can be considered as territory in-between.

From a social and ecological perspective type 4 (right bottom of the page) is most favourable because of its great diversity of habitat types and high spatial complexity and strong sense of human scale.

Figure 29: Spatial analysis of landscape heterogeinity in the TiB with use of google earth imagery and conceptual diagrams adapted from: Fahring et al. (2011)



### UNFAVORABLE

Area with lack of compositional and configurational heterogeinity.



Businesspark Rotterdam-Albrandswaards



Rotterdam-Albrandswaard Abel Tasmanstraat,



Tweede Maasvlakte, Industrial development site



Maasvlakteweg, industrial development



### MORE FAVORABLE


Area with compositional heterogeneity, but with lack of configurational heterogeinity.



Schiedam mix-use cluster of recreational facilities



Schiedam
Sporfields along Olympiaweg.



Hoek van Holland clustering of industrial and agricultural land uses.

46



Hoek van Holland Kulkweg



### MORE FAVORABLE

Area with high degree of configurational heterogeinity, but with a lack of compositonal heterogeinity.



Kruiningergors, Westvoorne Holiday park



Kruiningergors, Westvoorne Zeehoeveweg



Broekpolder, Vlaardingen Recreational area



Broekpolderpad, Vlaardingen Recreational area



### MOST FAVORABLE

Area with high degree of configurational heterogeinity, and high degree of compositonal heterogeinity.



Stadsdeelpark, Capelle a/d IJssel mixed-use area



Bermweg, Capelle a/d IJssel mixed-use area



Zuidelijk Randpark, Rotterdam mixed-use area



Charloisse Lagedijk, Rotterdam mixed-use area



## **4.2 CASE SITE ANALYSIS**

### Selection of case study locations

Based on the three criteria that have been set for the case site selection and the results of the regional analysis the following three locations for local site (shown in figure 30):

- 1. Hoek van Holland De Haak 2. Nieuwekerk a/d IJssel Parkzoom
- 3. Ridderkerk Cornelisland

All the three locations possess the typical spatial and functional characteristics of the TiB and are therefore exemplary. Furthermore, they are all located in a different landscape typology and all three of them possess a certain degree of urgency because they are somehow subject of a proposed redevelopment project. Each case location is 2 km by 2 km. This the TiB in Rotterdam at local level. size was determined, because it

is just big enough to include most of the spatial features of the TiB in one frame, while still being able to visit most of the site by foot and comprehend the area as a whole within a reasonable time. For most cases defining clear cut analysis have been selected spatial boundaries of the TiB is not possible therefore the 2 by 2 km frame is a strategically placed cut out of the landscape.

> For each location the ecological structure will be mapped and analysed and a cogntive map will be created to understand the cognitive and perceptual qualities of the area.

> Finally, the chapter will be concluded with a short comparison of the three areas. The findings from this chapter help refine and understand the spatial problems and potentials of

Figure 30: Case site locations. Made by





The location of Hoek van Holland - De haak is located at the most western part of the municipality of Rotterdam and is situated in a landscape that contains spatial features that are typical for the dune landscape as well as the sea clay polder landscape. It is located about 0.5 to 2m above NAP which is significantly higher compared to the rest of Rotterdam.

Figure 32: Location of case study area (google earth). Made by author.



Figure 31 Aeral image of selected case location Hoek van Holland - De Haak .Source: Google Earth (2020)








Figure 34:
Photo on site showing a grass
monoculture lawn functioning as
recreational site. As a result of the very
limited species diversity the place does
not contribute much to biodiversity.



Figure 35:
Photo showing planted road corridor
on the site location. The roadsides
are planted with multiple layers of
vegetation, ground vegetation, shrubs
and trees. Moreover, the species seem to
be native to the dune area. This diversity
of species planted along the roadside
makes it a valuable ecological corridor
for wildlife.



Figure 36:
The photo on the right shows one of the drainage canals in the area that have been constructed with a hard straight edge. This artificially constructed edge limits the potential of the edge for ecological habitats.



Figure 37:
Photo showing roadside planting along
the water sewage facility. Compared
to figure 35 this corridor contains less
species diversity and adds less to
biodiversity.



The matrix of the landscape of this territory in-between is mostly defined by large scale green house developments, commercial (storage) facilities and large scale agriculture (figure 33). These land uses fragment the landscape at a large scale and have a very large grain size which makes the landscape very inaccessible for people and wildlife (more photos of the location can be found in appendix IV) As a result of this, the landscape seems to function as a kind of barrier between the urban and rural landscape. Nevertheless, there are several linear structures which can potentially function as important ecological corridors such as the dike connecting the park in the north west of the area and the park in the east of the site. Moreover, small drainage ways in between the green houses provide small ecological connections within the matrix of green houses. Furthermore, the area is characterised by an abundance of roadside vegetation that is native to the area (figure 35). The large front yards of the green house owners together form an ecological corridor in-between the matrix of green houses. Additionally, the small pastures and recreational spaces in the south west of the site can be an important habitat for species as it connect multiple aquatic and terrestrial corridors on the site.



Figure 38:
Photo showing rubber granules spread
out around the artifical sports field.
The rubber granules seem to spread
up till 20 meters around the area of the
sports field. This is harmful for wildlife,
especially because the drainage canal is
located just next to the field.

<u>53</u>


### **COGNITIVE ANALYSIS**

The sense of place experience of this territory was analysed through walk and car ride in surroundings and navigate myself through the area. I used my perceptions and experiences of this field visit to create a cognitive Lynch mapping method (lynch, 1960). The result of this cognitive mapping approach is shown in

figure 39. The map portrays the difficulties of the area with respect to its physical form and sense of the area through which I tried place. Key difficulties of this area to consciously interpreted the are the poor walkability by foot. At many places I had to walk at the side of the road or on the bike track. Furthermore, the high dike in the south of the area acts map of the area, for this I used the as a visual barrier and blocks the view to the river. As a result one does not perceive the river as an element of this landscape.

### Legend







\_\_\_\_ characterless path



,,,,,,,, physical barrier

..... unclear boundary





Figure 40: Photo showing the border between the

sports fields and the parking lot at the edge of town. This border is somewhat messy and poorly maintained.



Figure 41:

This photo shows the recreational area at the edge of the town. The place is very open. lacks character and looks underused. More layerd vegetation would perhaps be benificial to provide more sense of enclosure and character.



Figure 42:

The photo on the right shows the backside of one of the green houses along a road and is perceived as a physical barrier in the landscape. More could be done to improve the spatial distinctiveness of the space between the road and the green houses to improve landscape legibility and identity.

Furthermore, the backside of the greenhouses next to the streets are sometimes giving a feeling of enclosure and blocking the view to the surrounding landscape and act as a barrier. The monotonous and repetitive lay out of the green houses limits the legibility of the landscape. Orienting yourself inbetween these green houses can be hard (figure 32). Finally the sports fields and playgrounds at the edge of the residential neighbourhoods in the west seem neglected and underused (figure 40 and 41). The paths (figure 44) and sports field are poorly maintained and are somewhat unpleasant to be. Across the street I met a man picking trash. He was the owner of the gas station nearby and explained to me that he is all the time busy with cleaning up the spaces around his gas station. This man was clearly annoyed by the lack of responsibility people take for their environment in this place.



Figure 43:

This photo was shown in one of the commercial sites with warehouses and parking lots. Because of the large grain size, limited permeability, lack of green and absence of sidewalks it is a very unfriendly place for pedestrians.



Figure 44:

Photo showing poorly maintained path at recreational site. The cracks in the path and the somewhat overgrown shrubs with thorns are unpleasend and create a sense of unsafety.

"It is always one big mess over here, everyone throws their garbage out of the window and I have to clean up behind them" - owner of nearby gas station (10 dec 2020)





Compared to the case site at Hoek van Holland this area is located in the peat landscape and is under current redevelopment of housing expansion projects. The open landscape in the middle is enclosed by three municipalities, Rotterdam (North), Capelle aan den IJssel (West) and Zuidplas (East). Compared to the previous site the area seems to have a high recreational value to nearby residents while it is still also in use for small scale industrial activities and highly fragmented by the highway in the north, railway in the middle and provincial road in the south.

Figure 45: Case location (google earth). Made by author.












Figure 48: Brownfield at industrial complex. Area in process of redevelopment. The hard quay has the potential to be removed in order to improve ecological gradient.



Figure 49: Small animal farm below high voltage power lines.



Figure 50: The extensively used agricultural patches provide a habitat for birds.



Figure 51: A linear waterway parallel to the high voltage powerlines provides an important aquatic corridor between the north and south of the area.



The semi-open landscape of this territory separates the three urban districts of Capelle a/d Ussel and Nieuwekerk a/d IJssel and Rotterdam Alexander. Therefore, this territory functions as a border landscape that defines the physical and cognitive boundaries of the surrounding urban areas. The area is mainly characterised by it's mix of small scale industrial and agricultural activities with a strong recreational use of the landscape for residents of surrounding urban districts. The area seems to be in the process of urban redevelopment. The abundance of vacant lots, extensively used agricultural patches and presence of small recreational areas such as parks, graveyards and sports fields makes this area very divers in terms of ecological habitats (figure 47). Furthermore, the railway track, high voltage power line structure, road infrastructure and drainage ways create multiple east-west and north-south connections that connect the urban biotopes of the three districts with the ecological patches of this territory inbetween. At an even larger scale it seems that this area can function as an ecological corridor between the Zevenhuizerplas in the north and the Hollandse IJssel in the south. The A20 highway seems to be the main barrier.



Figure 52: The elevated railroad provides an ecological corridor through which species can migrate between the east and west of the area.

<u>59</u>

### Legend

lack of differentiation

characterless/underused area

broken path/ missing

\* × × ∤ isolated area

\_\_ characterless path

• • enclosed path

,,,,,, physical barrier

.,.... unclear boundary

₩₩ hidden waterfront

### **COGNITIVE ANALYSIS**






Figure 54: A dog and loose chickens on the driveway of a private property. This is a typical view in the area where there is a great abundance of large properties with domestic/hobby animals. Made by author



Figure 55: A dilapilated greenhouse, plants and vegetation seem to take over. The site is most likely being redeveloped. Made by author.



Figure 56: A dilapilated house to be demolished. Made by author.



Figure 57: View from edge of Capelle a/d IJssel. The green house blocks the view to the new built residential neighborhood of Nieuwekerk. Made by author.

As said in the previous section this territory in-between provides an important cognitive distinction between Rotterdam, Capelle a/d IJssel and Nieuwekerk a/d IJssel. The abundance of open spaces in the landscape is a determining factor defining this boundary. Nevertheless, the boundary between these three urban districts is not everywhere as clear as it could be, especially in the north of the area the appearance of the landscape seems chaotic and undefined at first sight. The industrial activities such as recycling companies, car dealers and green houses along the Hoofdweg block the view to the open landscape and blur the boundary between the two urban districts of Nieuwekerk and Rotterdam. However, according to some residents, the industrial land uses and the dilapidated state of some buildings is part of the identity of this landscape (figure 55 and 56). Another resident points out that she really enjoys the hobby animals in front of people's houses, such as loose chickens, goats and horses (figure 54). I visited this area during lunchtime and I was surprised by the great amount of people walking here. It seems that the somewhat chaotic appearance of this landscapes as a result of the great mix of land uses benefits the spatial complexity and human scale of the area which makes it more pleasant to recreate.



Figure 58: A wall is placed at the edge of Capelle a/d IJssel, most likely functioning as a sound barrier. However, it also blocks the view to the surrounding open landscape, which limits the sense of place. Made by author.

<u>60</u>



This location is located in the south of Rotterdam and is under rapid transformation. The area is located in the landscape of the old sea clay polders which are the result of a century long process of river flooding and land reclamation. The irregular shapes of the old dikes and old housing settlements along these dikes are still visible in the landscape. However, the rapid and large scale commercial development in this area is at odds with the historical and small scale and refined character of this historical polder landscape.

Figure 59: Case location. Made by author.



Figure 60: Aeral picture showing case site area. Source: Google Earth, 2020.








Figure 62: View from old dike to railway line with in-between an agricultural field and a high voltage power line. By author.



Figure 63: Roadside vegetation. A typical monoculture of species, with limited ecological value. By author.



Figure 64: Small brownfield at industrial area. Higher ecologial value compared to figure 66. However, its purpose is unclear. The area is polluted as a result of the lack of maintenance and stewardship of the place. By author.



Figure 65: Small informal used park below powerlines. By author.



Figure 66: Anonymous green space along infrastructural corridor of the highway A15. The lack of species diversity limits the ecological value of this place, but also limits the cognitive experience of the landscape. By author.

### **ECOLOGICAL ANALYSIS**

This landscape is signified by large scale infrastructures and logistic and commercial facilities. As a result of this the landscape is highly fragmented le (figure 61). At local scale there is a lack of fine grained ecological corridors, because of the large monofunctional building structures. The large scale infrastructures such as the railway and highway do not only fragment the landscape, but they also provide new ecological connections parallel to the infrastructure. However, the roadside vegetation is still very generic and does not add much to the ecological diversity of the area (figure 66). Moreover, the vacant lots and undeveloped sites provide a habitat for pioneer species that is unique to the urban environment where most of its green spaces are so well maintained that there is no room for pioneer species to thrive. Therefore, these vacant lots are of high ecological value.

### Legend

lack of differentiation

characterless/underused area

 $x \times x$  isolated area

\_\_\_\_ characterless path

enclosed path

...\_ broken path/ missing

physical barrier unclear boundary

ਮੁਾਮੂ hidden waterfront



Figure 67: Cognitive map of case area. Mapping approach inspired by Kevin Lynch's Image of the City (1966). Made by author.



66



Figure 68: View on an old farm house on the left and a new built industrial flower market. It illustrates the scale conflict between the new and old buildings and landscape structures.



Figure 69: The vacant lot seems to be used as a dumpsite as well as a result of lack of stewardship over the place. Pollution further increases this problem.



Figure 70: The small scale and well maintained character of this old dike structure is in sharp contrast with the highway and commercial district by which it is surrounded.



Figure 71: View of commercial district. This picture clearly illustrates the lack of spatial differentiation in a commercial district as a result of the large size of the warehouses. This results in poor walkability and navigation of the area.

Due to the extreme spatial fragmentation of this area it can be divided into several cognitive units which are separated by these infrastructure barriers (figure 67). As a result of this the landscape is not perceived as one unit, but more like a set of islands which are visually and physically enclosed by roads, railways and large logistic facilities. Furthermore, the logistic facilities are mostly fenced and inaccessible, there are no footpaths and in combination with their large plot sizes it makes the logistic cluster feel like an enclosed entity. Furthermore, the large scale of the new built facilities conflicts with the existing old landscape and building structures. These old structures which evoke a sense of place seem to disappear within these loud and bold structures (fig 68). This co-existence of space and place is shown in figure 72. In figure 67 it can also be seen how the old dike structures (broken paths) are fragmented by new large scale infrastructures.

Additionally, the lack of activity and accessibility for the public makes the place feel anonymous and placeless. As a result of this there is a lack of stewardship over the place which results in littering and pollution of the open spaces which is further aggravates the cognitive experience of this territory.




Figure 72: Sketch of co-existence of space and place within one view at Rijkstraatweg near Zwet. Made by author.

<u>67</u>

## 4.3 COMPARISON AND CONCLUSIONS OF LOCATION ANALYSIS

### LANDSCAPE ELEMENTS OF THE TERRITORIES IN-BETWEEN

Classified according to Patch-Corrridor-Matrix Model

### Comparison of locations

From the analysis it can be concluded that the three locations all posses different spatial characteristics. Nevertheless there seem to some reoccurring spatial problems in these landscapes. Such as poor walkability, large grain size, poor legibility and lack of human scale, especially at locations 1 and 3. Location 3 seems to be most challenging in terms of spatial quality. The overwhelming size of commercial and logistic land uses makes the area extremely unpleasant to walk. The first location is more intermediate and has some potential with respect to its mix of recreational and industrial land uses, however the clustered spatial arrangement and lack of spatial differentiation between the greenhouses is problematic. The second location at Nieuwekerk a/d IJssel seems to be of significant greater spatial quality compared to the other two. The area has a greater social and ecological quality as a result of high spatial heterogeneity. Therefore, it can be concluded that higher degrees of spatial heterogeneity generally benefit both the cognitive as well as the ecological quality of the area.

## Landscape elements of TiB

Figure 73 gives an overview of different landscape elements that are typical to the TiB. They are classified according to Forman's patch-corridor-matrix model in order to gain a systemic understanding of the open spaces of the TiB and their positioning as part of the landscape ecological structure, in terms of patches and corridors. This toolbox has been developed as a visual legend for the spatial analysis of the ecological mosaic of each of the case areas, each element represents one feature of the legend. The ecological quality of these spatial elements can vary a lot. Therefore, this overview is not an assessment of ecological quality of the landscape, but merely an understanding of the components that make up the mosaic of the TiB. The toolbox can be used by designers to think about the improvement of these land uses individually or/and improve the spatial arrangement between them in the landscape. This overview of patches and corridors is not finished, it can be further extended by other researchers in the future.

68





# 5.DESIGN PRINCIPLES

This chapter introduces cognitive and ecological design principles which are derived from theory and supported by findings from the spatial analysis. They are general design principles, but address a specific issues that has appeared to be of specific interest for the TiB. Thereafter, these principles are combined with some spatial components (patches and corridors) of the TiB that have been discussed in the previous chapter and are developed into nature-based placemaking elements. These elements will later be applied in the local design proposal.

# **5.1 COGNITIVE DESIGN PRINCIPLES**



The aim of the cognitive principles is to improve the sense of place in the TiB by improving the cognitive experience for local visitors and residents. These principles have been based on urban design qualities related to walkability because walking is often seen as a predicate to sense of place (Lo, 2009).



# 1. Legibility and imageability

Improving legibility of an area makes it more easy to navigate ourselves through the space. Legibility is improved by a good pedestrian network in combination with physical elements that serve transform anonymous spaces into as a point of reference and are distinctive from their surroundings, such as landmarks, therefore between people and the natural legibility talks about the physical form of a space. (Erwing, Handy, Brownson, Clemente et al., 2006) place (Masterson, 2017). The As a result, the area becomes territory in-between finds itself in a more distinctive from its greater unique position in-between man surroundings which improves and nature. The positioning of the legibility and imageability at regional scale. Imageability is the one experience the relaxing, quality of a place to be distinctive, liberating and recovering qualities recognizable and memorable.

This is especially important in sense of social security and the TiB because at local scale safety which is absent in merely there seems to be a clustering rural environments. Therefore, of monofunctional land-uses urban design in the TiB should which have poor legibility. On focus on enhancing this humanthe other hand there is often a nature interaction by providing disconnect between landscape activities and program that make geomorphology and land use which limits landscape imageability at larger scale.



# 2. Activity and interaction

In order to enhance people's sense of place we should not only seek to improve physical form, but also the function of the place. Program should be provided to places of meaning. As has been discussed in chapter 3 interaction environment is crucially important to enhance peoples sense of TiB at the edge of the city makes of nature while also feeling a people interact with the natural environment, such as sport and play facilities, but also educational program and spaces to socialize. Doing so makes the TiB much more of a destination for people rather than a pass-through area and enhances people's stewardship over these spaces.



# 3. Accessibility and transparency

limited accessibility of the TiB by foot. Transparency talks about landscape and make sense of the place (Erwing, Handy, Brownson, greenhouses and warehouses obstacles that limit readability and crucial asset to activate program, the area. Therefore, it is not only and design for human scale. about providing program, but also making that program accessible for a divers group of residents and visitors.



# 4. Complexity and human scale

Another issue that came up Complexity refers to the visual from the spatial analysis was the richness of a place. High visual complexity is created by a great number and diversity of physical the degree to which people landscape elements and activities can perceive what lies beyond at different scales. Places which certain physical elements such are visually complex are often as streets, buildings and walls. considered to also have good The large grain size in the TiB human scale and as a result are generally limits the transparency pleasant to walk because they and accessibility of the area which correspond to the speed at which limits people's ability to read the humans move through space. Spaces designed at human scale and with high degree of complexity Clemente et al., 2006). Large are often more comfortable to stay and walk around. (Erwing, are an example of large grain Handy, Brownson, Clemente et al. , 2006). The diversity of landscape accessibility of the landscape. elements provides different Moreover, improving accessibility shelter opportunities for different and transparency is important weather conditions. As a result to activate the TiB and improve we tend to feel more comfortable liveliness and interaction within and safe in landscapes that are the landscape. Therefore, it is a designed at human scale and with high degree of complexity. as discussed in the previous Some of the monofunctional, section. Typical land uses such as large scale land use clusters in sport fields and allotment gardens the TiB significantly lack human are often surrounded by fences scale and spatial complexity. In and unaccessible to the public order to make people feel more (non-members) and therefore comfortable in the TiB we should limit the overall accessibility of improve landscape complexity

\_73 72

# **5.2 ECOLOGICAL DESIGN PRINCIPLES**

The aim of the three principles is to enhance biodiversity and overall ecological resilience of the TiB. These principles apply at both local and regional scales.



## 1. Connectivity

Ecological corridors can enhance connectivity between habitats and facilitate movement of particular species across the landscape mosaic which enhances overall ecosystem resilience (Forman, 1995). The abundance of infrastructures in the TiB significantly fragment ecological patches. Designing ecological corridors is therefore a crucial design task in the TiB.



#### 2. Local Nature

Design habitat conditions that fit the landscape geomorphological context and support resources for local species. This supports overall ecosystem resilience. Allowing natural dynamics, disturbance and succession to take place can reduce maintenance and enhance biodiversity. Doing nothing is often the best way to allow native plant species to pioneer and succeed, this is process is called re-wilding. Open spaces in the TiB could be potential spaces for local species to thrive and support the local ecosystem.



# 3. Habitat diversity (heterogeneity)

Creating a diversity of habitat types (habitat heterogeneity) and enhancing habitat complexity contributes to species richness (Pierre & Kovalenko, 2014). Plenty of open spaces in the TiB have a great potential to improve structural habitat complexity of the landscape. Additionally, the clustering of certain land-uses limits habitat diversity and species richness in the TiB at a larger scale. Providing a differentiation in abiotic conditions creates a diversity of habitat types. For example providing not only onground habitats, but also nesting facilities at greater altitudes with different abiotic conditions.

# THE RELATIONSHIP BETWEEN ECOLOGICAL AND COGNTIVE DESIGN PRINCIPLES

The cognitive and ecological design principles that have just been discussed complement and support each other. For example, areas with strong ecological connectivity can also be expected to have higher degrees of accessibility. Furthermore, strengthening native vegetation patterns that reflect geomorphological conditions will likely enhance legibility of the landscape. Also, increased habitat diversity will likely benefit spatial complexity of the landscape. It. can be concluded that landscape ecological design principles are mutualistic with cognitive design principles and should therefore be considered in relationship with one another.



Figure 74: ecological fragmentation by infrastructure. Made by author.



Figure 75: Natural succession of pioneering species at vacant plot. Made by author.



Figure 76: Area with very low structural diversity and complexity. Made by author.

<u>74</u>

# **5.3 NATURE BASED PLACEMAKING ELEMENTS FOR TIB**

The pictures on the page on the as a tool for improvement of the nature-based the spatial quality of the TiB with of place at very local level. relatively simple and short term The placemaking elements are about nature-inclusive design site.

right (figure 77) are proposed cognitive experience of the space. placemaking Moreover, these interventions aim interventions that aim to improve to enhance biodiversity and sense

interventions. They are organised generic and provide inspiration according to three placemaking for local governments, project categories, namely comfort & developers and land owners on image, linkage & access and how to improve spatial quality uses & activities (PPS, 2013). Each in the TiB. It addresses spatial of these spatial interventions elements which are often propose an ecological as well neglected in urban design but as a cognitive improvement of are very prevalent in the TiB, space, which corresponds with such as large warehouse boxes, the targeted design principles large parking lots, green houses discussed in the previous and industrial sites. Chapter 7 section. Therefore, these design illustrates how these placemaking interventions illustrate how we elements can be integrated into can think in an integrated way a design proposal for a particular

## **COMFORT & IMAGE**

# **USES & ACTIVITIES**

# **ACCESS & LINKAGES**



**1.** Nesting facilities on tall infrastructures



1. (temporal) recreational use of brownfields and development sites




Informal (semi-public) acessible corridors inbetween private lands.

Paths and green corridors

in-between open spaces

between green houses.





2. Green walls on warehouses and industrial facilities





Local consumers and recycling point at allotment gardens.

Accesible rooftop parks

logistic buildings.

on large commerical and
















private property.




Vegetated property borders.



Re-wilding of open spaces in-between infrastructural facilities



(temporal) public greening of grey leftover spaces and parking lots.



Planinting on bund walls, dikes, sound barriers etc.

Figure 77: Overview of nature based placemaking elements for the TiB. Made by author.

76 \_77



# 6.REGIONAL VISION AND STRATEGY

This chapter discusses the spatial vision and strategy that is proposed with respect to Rotterdam's TiB. This vision is a synthesis of the findings from the literature review and the spatial analysis.

# **6.1 CONCEPT AND VISION**

The regional vsion is the result of a creative design process with support of the findings from the spatial analysis and literature review. Based on this creative process the decision has been made to aim the design on the TiB that find themselves at the edge of the urban structure of Rotterdam in-between (geographically urban and rural), because of their specific potential for ecological social development. Therefore. monofunctional territories such as the harbour ara and the greenhouse in Westland are excluded from the design proposal. The main (theoretical) concept that has been of

# **ROTTERDAM'S RECOVERING MEMBRANE:**

The TiB that surround the urban structure of the city of Rotterdam will be an accessible and heterogeneous landscape with high quality green spaces that provide unique social and ecological needs for people and wildlife from both in and outside the city and facilitates interaction between people and nature. Thus, functioning as a kind of membrane (place of interaction and exchange) around the city.

This membrane around the city will not merely be an area to pass through, but a landscape to experience as a unique type of landscape in which people can actively participate and interact with the environment and build lasting memories. Hence, enhancing people's sense of place and stewardship over the landscape.

inspiration for the vision for the contrast edges, but we should membrane are Richard Forman's aim at creating low contrast theories on designing edges edges that maximize cross border and boundaries (see chapter 3) movement and interaction. Thus, in order to enhance movement maximizing the area of interaction and interaction between different between urban and rural (figure living environments. From these 79). This is a spatial quality that is theories the idea has been developed that the TiB that with high degree of heterogeneity. surround the urban structure of Rotterdam should be considered elaborate on the spatial strategy a transition zone between two of this vision. biotopes that should therefore also be recognized and designed as such. Just like we consider patch edges and edge effects at micro level, we can also consider this at macro level. In order to do so, we should not design high

already inherent to some of the TiB The following pages will further





Figure 79: Conceptual illustration of the functioning of the TiB as a membrane; an exchange and interaction area for human and nonhuman species between the urban and rural biotope.

Figure 78: Conceptual represenation of movement of people and animals in the TiB



# **6.2 THE MEMBRANE STRUCTURE**

In order to realise the vision and create a landscape that functions like a membrane four spatial strategies have been developed. These strategies are applied at regional scale of Rotterdam and developed into a comprehensive regional vision.




Figure 80: Conceptual represenation of movement of wildlife along and across the membrane.

# The enclosed membrane

The first step towards the vision is to create an enclosed ring around the urban structure. Just as we consider a membrane in micro biology, this membrane should also be an enclosed structure that surrounds all edges of the urban landscape.

From ecology theory we understand that transitional borders generally increase species movement and interaction along **and** across the edge (figure 80) (Forman, 1995). Therefore, it is especially important that the membrane is designed as a continuous landscape

around the urban edges. The membrane structure integrates existing recreational land uses and open green spaces as they have been mapped in figure 28, chapter 4. The membrane should be approached as a regional ring park that is of very high structural diversity, through providing a great mix of dispersed extensive land uses. Therefore, this landscape becomes even more in-between than it might already be. The spatial structure that is proposed in figure 81 is only a sensible recommendation based on existing landscape

features and primarily functions as an inspiration to planners and urban designers. The structure is debatable and can be altered based on particular interests of local municipalities. The spatial form of the membrane allows people and species in the urban biotope to access the membrane within a reasonable distance from their homes.




Figure 82: Conceptual represenation of connection of green patches within the membrane.



Figure 81: Map of proposed membrane structure for the region of Rotterdam.

Made by author.

# Ecological connectivity

In order to facilitate exchange between species from inside and outside the urban landscape the membrane should establish and enhance ecological connections between the urban and rural landscape. Currently, the existing landscape within the membrane is characterised by a great amount of infrastructural barriers that must be overcome in order to stimulate species movement and interaction between the urban and rural landscape. The design and planting structure of these corridors should match with the greater landscape typology that it is connected to. However existing infrastructure corridors also have the potential to function as ecological highways, connecting the inside of the city to the rural landscape. This can be highways, waterways and railways. These main corridors are illustrated in figure 81. The red dots indicate spatial barriers in longitudinal direction of the membrane. Ecological infrastructure is needed to overcome these barriers.

Figure 83: Map of infrastructural corridors that can provide important ecological connections from the city towards the rural landscape. While at the same time also obstructing the spatial continuity of the membrane. The square is the zoom in location of figure 85 and 86. Made by author.




Figure 84: Sketch of ecological corridor through the membrane connecting inner city green spaces with nature reserves outside the city. Made by author.









Figure 86: Representation of highway corridor that interconnects the membrane in longitundinal direction. However, also creating a barrier in other direction. With use of Google Earth imagery.





# Human-nature interaction

In order to activate the membrane and enhance interaction between people from inside and outside the city and enhance their interaction with wildlife we should not only construct ecological corridors, but also enhance and establish social corridors. These social corridors should particularly facilitate active transportation modes, because we have learned that this is most important for the improvement of peoples place experience.

As a result of the great amount of large infrastructures and abundance of large scale developments that spatially segregate the landscape the aim of the social corridors should be to provide a fine grain network of bike and footpaths and create a strong interconnected recreational structure at the edges of the urban landscape by also providing additional outdoor recreational program such as sport fields, playgrounds, camp sites.

The map of figure 87 shows the existing network of bike routes within the membrane that should be upgraded. It also indicates some proposed new bike connections in places where there seem to be missing links. Furthermore, it indicates locations for potential new recreational program. This could be program that is currently under pressure of densification and is in need of reallocation in the membrane.

Figure 87: Map of important recreational routes based on hoofdfietsnetwerk Zuid Holland and recreational program in the membrane. Made by author.





Figure 88: conceptual representation of social corridors and fine grain social network that shoul be developed in the membrane. Made by author.

# Legend

$\bigcirc$	Gardening and outdoor education			
0	Park and nature reserve			
$\bigcirc$	Outdoor sport and play			
0	Other recretional (graveyard, zoo, cam			
000	Relative size of program (estimated amount of visitors)			
	Not publicly accessible			
The state of the s	Public and free accessible			
	Proposed location for additional recreational program			
	Existing recreational route in membrane.			
	Proposed link in recreational network. Exiting path not part of recreational routing.			
$\longleftrightarrow$	Important cycling connection between city and countryside, surpassing			



# Re-distribution of land uses

In order to create a balanced and recognizable landscape with high spatial quality in every location there is a need to redistribute existing monofunctional land use clusters.

Firstly, in order to enhance the compositional heterogeinity of the membrane there should be a great mix of land uses present at both local and regional scale. Secondly, in order to enhance the configurational heterogeneity there should be a great pattern complexity of the different land uses at local and regional scale. The map on the right, figure 89, shows what areas are currently homogeneous and in need of spatial re-distribution. The map also indicates potential flows of pressured land uses within the urban territory that can be relocated to the membrane.




Figure 90: Conceptual sketch of land use re-distribution in the membrane. Made by author.

# Legend



Recreational cluster



Logistic/industrial cluster



Agricultural cluster



Zone for improvement of compositional heterogeneneity (Ehanced mix of land



Zone for improvement of configurational heterogeneity at local scale (enhanced spatial complexity of land use pattern).



Proposed accomodation of new extensive housing developments from nearby urbar



Proposed re-allocation of some clustered (recreational, industrial or commercial) landuses within the membrane



Figure 89: Map of proposed zones for improvement of spatial heterogeneity.

# **INTERSCALAR HETEROGENEITY**

Landscape heterogeneity is a concept that can be considered at different spatial dimensions, at macro (regional), meso (district) and micro level (plot). Therefore, the vision that is proposed for the membrane landscape discusses and integrates these three spatial dimensions. The landscape can be considered to be a membrane when it contains high degrees of spatial heterogeneity at all scales. Over time, change in landscape heterogeneity can be measured at each spatial level, by measuring the diversity of landscape elements and spatial distribution at different scales (figure 91).

Figure 91: Representation of spatial heterogeneity and homogeneity at different scales. Made by author.

#### **MACRO**

This scale describes degree of spatial heterogeneity at landscape regional level. The greater the amount of different district types in the landscape the greater the spatial heterogeneity at macro scale.

### **MESO**

This scale describes the degree of spatial heterogeneity at district level. The greater the diversity of different land uses the greater the spatial heterogeneity at meso scale.

#### **MICRO**

This scale describes the degree of spatial heterogeneity at the level of a single plot. The greater the amount of different land cover types, built, unbuilt, grass, trees etc. the greater the spatial heterogeneity at micro scale.

Each scale requires different data gathering methods. In practice, it is possible that the landscape only shows heterogeneity at micro scale, but not at macro scale and vica versa, however the objective for the membrane landscape is to show high degrees of spatial heterogeneity through all scales. As can be seen in figure 91, the membrane landscape already consists of high degrees of spatial heterogeneity at macro level, it planning and design approach includes many different districts, at district level. The pictures such as recreational, commercial and agricultural sites. However, the spatial analysis concluded that at

Spatial Homogeneity

Regional

landscape

meso scale heterogeneity seems to be lacking in many places in the TiB. Therefore, the design task with respect to spatial heterogeneity in the TiB will focus on design for heterogeneity at meso and micro scale. The placemaking principles that have been discussed in chapter 5 generally strengthen heterogeneity at plot level whereas chapter 7 will discuss more about the heterogeneous on the right page show some examples of homogeneity and heterogeneity at different scales.

Spatial Heterogeneity



Objective

High heterogeneity



Homogeneity at landscape level.

Picture: Flevopolder (google earth)

Homogeneity at district level. Picture: Business area Rotterdam North-West



Homogeneity at plot level. Picture: Distribution warehouse (source: th.optimal.co.th/copy-of-our-facilities)

Figure 92: Pictures showing appearance homogeneity and heterogeneity at different scales.



Heterogeneity at landscape level. Picture: Urban fringe of Rotterdam North (google earth)



Heterogeneity at district level. Picture: Rotterdam Zuidelijk Randpark (google earth)



Picture: Nike warehouse, Belgium (retrieved from: www.



(google earth)


90

Low heterogeneity

Plot

# **6.3 GOVERNANCE STRUCTURE**

Figure 93: Map of municipalities that are involved in the spatial development and management process of the membrane. Made by author.




## Municipalities involved

The membrane structure finds itself at the edges of the main urban structure that includes not only the city of Rotterdam, but also Schiedam, Vlaardingen, Maassluis, Capelle a/d IJssel and Krimpen a/d IJssel. Consequently, the membrane landscape should be governed and managed at regional scale. In order to manage the spatial quality of the landscape of the membrane and achieve the vision, municipalities in which the membrane is located or which are directly connected to the membrane should cooperate and manage the spatial development in the membrane together (figure 93). These municipalities are brought together in the Membrane

Management Group (MMG) together with urban ecologists and a representative from one of each recreation boards (figure 95). At local level municipalities will be responsible for the spatial development of the membrane within their territory. They bring together civic and private parties. Ecologists need to be involved early in the design process so that the ecological quality of the landscape can be addressed early in the design process and form ecological preconditions for project developers. Existing institutions and partnerships for spatial development at subregional level do not sufficiently address the issue of spatial quality (appendix I). They seem primarily interested in economic

development. Therefore there is an urgency for a distinct governance body that is primarily focused on improving spatial quality at sub-regional level within the territories in-between at this scale.



# National and provincial government

Enabeling through policy making

advise

**Recreation Boards** 

Advise on recreational interests and recreational

management of the

Consultative

membrane.

#### Regional development

## MEMBRANE MANAGEMENT GROUP

Board of representatives 1 from each municipality



## Management role

advise

**Ecologists** 

Advise on interest of flora

space management of the

and fauna and green

Consultative

membrane.

- 1. Plans and manages strategic regional spatial developments in the membrane.
- 2. Ensures spatial consistency between projects and monitors regional progress.
- 3. Facilitates cooperation and communication between municipalities .
- 4. Facilitates cooperation and communication between municipalities and experts.
- 5. Communicates with municipalities on specific strategic goals and tasks at local scale.

# $\downarrow$

# Local development

Ecologists and field experts

Municipality

Housing corporations

Project developers

Land owners

Executive role

- 1. Identify and engage local stakeholders
- 2. Evaluate the area and identify issues and opportunities for social-ecological improvement with local stakeholders.

93

- 3. Develop a place-based short and long term vision for the area
- 4. Evaluate and communicate progress to MMG

Figure 94: Representation of scale level of the membrane Made by author.. Figure 95: Proposed governance structure for the membrane. Made by author

Feedback

<u>92</u>

# **6.4 TIMELINE**

# DEVELOPMENT PROCESS

In order to achieve the regional vision the strategy has to be translated into local spatial interventions. These local interventions can then generate impact at regional scale. Therefore, the regional vision cannot be achieved at once, but is the result of many local spatial interventions and developments in the membrane. These projects are managed by local municipalities. This different spatial interventions can be subdivided into 3 stages of development, with each of them addressing a specific problem and targeting a specific goal from vision. Figure 96 describes the type of spatial interventions, its approximate time span, spatial scale and goal of each of the project stages. After finishing stage 3 the site is evaluated by the Membrane Management Group. It is assessed whether all the objectives have been achieved and from then on the main task is to preserve the spatial quality that has been established. Therefore the project is essential never finished. Next chapter will give an example of what this spatial transformation process can look like for a particular case in the membrane.




Figure 96: Conceptual timeline of projects.

<u>94</u>



# 7. DESIGN INTERVENTION

This chapter will illustrate how the vision can spatially manifest itself at local scale in one of the case sites. The area of Hoek van Holland has been chosen because of its high degree of in-betweenness and because of its high potential to be improved from both a social and ecological perspective.

# 7.1 CONTEXT OF THE LOCATION

First some relevant background information will be discussed to get a better understanding of the historical development of the area which can also be of inspiration for the design.

# History and Geomorphological conditions

The location of Hoek van Holland-De haak is located in an area that has been under great influence of both maritime geomorphological the area. The agricultural fields are located on the clay soils and the sandy ridges.

# and fluvial processes. These process are still apparent in the soil composition of the area, which consists of a combination of sandy dune soils (orange) and river clay soils (light green), as can be seen in figure 100. This mix of dune and clay is also visible in the today's landscape topography of forested areas are located on the

## Recent developments

The development of the area for agricultural and industrial purposes started at the end of the 19th century. Starting with mostly crop cultivation when later in the 1980's commercial and logistic facilities settled. Recently, the greenhouse horticulture is in increasing conflict with the need for housing development in the area. In 2011 the municipality of Rotterdam developed a long term vision for the area in which they proposed to remove a significant amount of the greenhouses and existing recreational activities to make place for housing development (Gebiedsvisie Hoek van Holland 2011-2020). This area is illustrated in figure 98. It is clear




Figure 97: Areal photo of case location. Source: Google earth.

that the municipality does not aim to mix land uses.

The next pages will discuss the design proposal for the area through the discussion of 3 development stages.



Figure 98: Spatial vision map Hoek van Holland, 2030. The yellow areas are identified as potential future housing development areas. Retrieved from: Gebiedsvisie Hoek van Holland 2011-2020.




Figure 99: Historical map Hoek van Holland Source: Topotijdreis.nl





Figure 100: Soil map Hoek van Holland Source: Soil Map of the Netherlands Zuid-Holland and Utrecht by Stichting Bodemkartering. Retrieved from: WUR digital library.

# **7.2 STAGE 1 NATURE-BASED PLACEMAKING**



The first stage of development aims to improve the spatial quality of the existing landscape structure from a social and ecological perspective within a relative short period of time (<10 years). This stage will be initiated by the local municipality, in this case Rotterdam. The municipality will engage local stakeholders in a co-creation process. The

of stakeholders in the area.

inspired by: Czischke, 2018

Made by author. Image



Farmers business association: LTO Residents association "Ortelius" **Public** Civic Volunteer organisation: Residents "Vrienden van Staelduinsebos" Municipality of Management Westland foundation: "Loswal Municipality of de Bonnen" Rotterdam Nature conservati- Petting Hoogheemraadschap NATURE BASED Midden-Delfland **PLACEMAKING** on organisation: Zoo "Het Zuid Hollands Landschap Local Residents Garden association Local Flora and Fauna\* "De Noort Bonnen" H.B.C Doelgericht Local farmers\* Local Companies and business\* **IJsclub** \*Flora and fauna: interests will be represented by ecologists from the beginning of the process. WVH Housing association \*Local companies and businesses of specific importance: 1. Stena Line **Private** 2. Slib en Grondbank Waterweg - Dura Vermeer Figure 101: Onion diagram 3. Camping Antoniushoeve

municipality will share the vision process when their specific and ambitions for the area with engagement is required because local stakeholders and ask them of certain resources they provide. to think about their role and The wider environment needs to interest in the project. Under be informed about the progress guidance of the municipality the local community will be The next pages explore the kind encouraged to propose nature- of nature-based placemaking based placemaking interventions interventions that can be applied for the area. Figure 101 and 102 in this area. The next pages also show the stakeholders in the area show some eye level impressions and their role and importance in of the spatial improvements. the co-creation process. Primary stakeholders need to be engaged in the plan creation process from the beginning on. Secondary stakeholders need to be informed and engaged in the plan making

from time to time.

Figure 102: Stakeholders in the project area on the map. Made by author.



101 100

4. Synres B.V. Chemical Production Company

5. Water treatment company RWZI Nieuwe

Waterweg

Figure 104 shows the project area a crucial aspect in the realisation a social perspective. As discussed of new green space elements. engagement of stakeholders is

and a selection of possible nature- and management of these of based placemaking elements interventions. Co-creation with that can be implemented within stakeholders will strengthen the the existing spatial structure of sense of place experience among the area. These interventions will the local community and enhance improve the quality of the area stewardship over the area, which from both an ecological as well as is essential for the management

Figure 104: Placement of interventions in the area. The circles and numbers indicate what kind of intervention is proposed at the specific spot. The circles with an extra outline are developed into an eye level impression on the next pages. The map has been rotated 90° clockwise.





Figure 103: selection of nature based placemaking interventions that can be applied on the site.







Space Improvements




+ Activity and interaction




+ Habitat diversity

Figure 107: Impression of proposed placemaking intervention.

The drawing above (figure 105) illustrates how the quality of the spaces in this specific area can be improved through the creation of a green wall against the warehouse building. Within the planting nesting facilities for bads and birds can be situated. This spatial interventions will improve sense of place by strengthening spatial complexity and legibility of the landscape. Through this intervention the surrounding area becomes is more pleasant to be and becomes more memorable to the user. The reference pictures of the species give some sense of what kind of new or extra species might be expected after the intervention.



106: Reference images. Various openweb sources: references found in bibliography. The drawing above (figure 107) shows how the anonymous open space can be improved by the construction of a nature-inclusive playground. This playground is constructed of natural materials such as logs, natural ponds, insect hotel and a shell path. Consequently, the area challenges the user to interact with the natural environment and strengthen the users sense of place.



108: Reference images. Various openweb sources: references found in bibliography.




Figure 109: Impression of proposed placemaking intervention.

The drawing above illustrates how an existing road in between two green houses can be transformed in an ecological corridor. In order to achieve this the road needs to be closed of for motorized traffic, and existing asphalt should be removed. From there on small bushes can be planted and a path can be created. The transformation adds significant value to the legibility, accessibility and spatial complexity of the area.




Various openweb sources: references found in

bibliography.

106

# **7.3 STAGE 2 SOCIAL-ECOLOGICAL CORRIDORS**



The primary aim of this stage of the spatial transformation of the area is to enhance the ecological connectivity and social accessibility within the area and to its wider surroundings.

This stage is developed in coherence with the placemaking initiatives from the previous stage. This spatial framework will be developed by the local municipality in collaboration with neighbouring municipalities to which the proposed corridors should be connected. Figure 112 shows a proposed socialecological framework for the particular case at Hoek van Holland. At local level there is a need for improved active transportation. The icons indicate the kind of active transportation is stimulated by means of spatial interventions. At larger scale

there is a need to strengthen the spatial quality and connectivity of recreational (bike) routes. From an ecological perspective there is specific need to connect the green structure all the way to the dune landscape. This allows terrestrial species to migrate to the area all the way from the dune landscape. These larger scale connections can be seen in figure 111. Strengthening of the ecological connectivity at local and regional scale increases the likelihood of more specialised species (or icon species) to migrate and settle in this part of the membrane landscape.





Naturel vegetated waterway banks with reed collar.

Unpaved walking trails through the fields.



New cycling routes on old dike structure.

Figure 111: Connecting green corridors at regional scale. Made by author.



Figure 112: Social-ecological network map. Made by author.



Informal hiking trail





Continuous roadside planting

with thorn hedges marking

public-private border.





Figure 115:
Proposed improvement
of corridor at eye level at
kulkweg.
Made by author.

Figure 115 shows how the roadside and waterway can be transformed in a way that it creates an ecological corridor. Moreover, the drawing illustrates how the placemaking intervention can be connected and integrated within the ecological network.



116: Reference images. Various openweb sources: references found in bibliography.

110



Figure 118:
Proposed improvement
of corridor at eye level at
Bonnenweg.
Made by author.

Figure 118 shows how the current street and waterway can be transformed into an ecological corridor that is of greater ecological and recreational value, Broadening the waterway and creating a more gentle slope alllows wetland and aquatic vegetation to develop and provide valuable habitats for birds and fish species.

# Construction Vegetation



119: Reference images. Various openweb sources: references found in bibliography.

111

Improvements

Space



+ Spatial complexity



+ Legibility



+ Accessibility



+ Ecological connnectivity



+ Local nature

Birds of prey such as litlle

owl.

Species

Fish eating birds and waterfowls Fish such as the Rudd

(sponteneous

growth)

Waterfowls

Various insects


such as goat

such as

Mallard

Bads

# **7.4 STAGE 3 LAND-USE RE-DESTRIBUTION**




As has been concluded yet from the spatial analysis of this area (see chapter 4). The location can be characterised by its predominance of commercial, agricultural and industrial land configuration of the land-uses in the area. Consequently, the location can be typified as a type of TiB with significant compositional heterogeneity, but lack of configurational heterogeneity. The spatial problems that come with this are shown in figure 120. The clustering of these land uses creates a large grain size and limits the accessibility of the area (1). Furthermore, the large plot sizes


and clustering of land uses covers underlying landscape patterns and limit the overall legibility of the landscape (2). Additionally, many plots are turned inward and face the public street with the backside use clusters. Figure 121 indicates of the building (3). This causes for the current composition and streets which lack public life and

> In order to overcome these spatial problems the third stage of the area transformation should aim at increasing the configurational heterogeneity of the landscape. This is further explained on the next pages.

1. Large grain size due to clustering of land uses.



2. Invisble landscape patterns



3. "Dead streets" enclosed by blind walls and backsides.

Figure 120: Key spatial challenges as a result of spatial configuration of the land uses in current situation.

# Land cover composition



Figure 121: Current spatial composition and configuration of land uses in the area.


# Land cover configuration




In order to improve the compositional heterogeneity of the area it is proposed to add residential activities and reduce the amount of logistic and agricultural land cover by this type of land uses. The proposed land cover composition is illustrated in figure 123. New housing development in the area can function as a driver of the spatial re-configuration of the landscape. In order to achieve greater configurational heterogeneity in this area the mean patch size of each type of land use should be significantly reduced (Fahring, 2011). Patch size is considered to be the spatial dimension of one single land cover type, such as green houses. Additionally, there are three guidelines shown in figure 122 that provide some additionally guidance for the placement of

new land uses.


First, reducing grain size and improve accessibility by taking out some clustered land uses with large plot sizes and replacing them for small scale developments, which allows for the creation of a more informal infrastructure network. Secondly, strengthening underlying landscape patterns by placing new land uses and buildings in relationship with underlying patterns and the social-ecological corridors that have been defined in section 7.3 This strengthens the legibility of the landscape. The third guideline is to activate streets by placing front sides and entrances to all of the streets.



1. Reducing grain size by replacing clustered land uses for other fine grained developments, such as housing.



2. Strengthen underlaying landscape patterns by building placement and orientation.



3. Activating streets by changing front side orientation of new land uses.

# Proposed land cover composition



Proposed land cover configuration

Figure 123:

Proposed change of land

use composition inthe

area. Made by author.





115

Figure 122: Design guigelines for heterogeneity. made by author.

# Heterogeneous landcape

Figure 124 shows a potential outcome of the heterogeneous planning approach to the transformation of the landscape. The proposed landscape is significantly more spatially heterogeneous in terms of its diversity of land uses and the mixed spatial arrangement of them within the landscape. Figure 125 shows some references of potential new program in the area. Recreational land uses that are currently under pressure in the urban territory will find a place in this landscape. Space is created for extra allotment gardens, an extra sports field, a mountain bike trail and camp site and many other pressured land-uses.

Legend

Horse riding school

Natural burial

Fishing spot

Festival site

Recreational buildings

Logistic/industrial buildings

Forest

Residential buildings

Nature inclusive agriculture

Herbaceous grassland management type A

Herbaceous grassland management type B

Rewilding area

Private vard

Logistic/industrial area

Day care farm

A Camp site

4

Now, after the three stages of spatial development have been implemented the area can be considered to be a membrane landscape. In other words, the territory has now achieved the three main objectives of the vision.

- 1. Strong engagement and interaction of people and the natural environment through nature-based placemaking activities and added recreational program.
- **2.** Strong social-ecological connectivity and integration of the area with both is regional as well as its local context.
- **3.** High degrees of spatial heterogeneity at both plot/building level as well as district level.

The next pages shows a section of the area (figure 126) before and after the spatial interventions and the resulting habitats and species.

# Allotment gardens Natural playground Dog train and play area Sport field Mountainbike trail


Figure 124: Spatial design proposal for improvement of spatial heterogeneity of the landscape. Made by author.


Informal path (unpayed)


Formal path (paved)



Figure 126: The section illustrates the overall increase of habitat types and biodiversity as a result of the spatial reconfiguration of land uses. The species shown in the "current" situation have been selected based on observations reported at waarneming.nl sources of images in bibliography.










Figure 128 shows an impression animals can play a very important of what the spatial transformation role in strengthening people's for the third stage can look like at sense of place because passers-

eye level perspective. This is the by are able to interact with them same location as was shown in to a greater or lesser extent. figure 110, but then in a later stage of the area transformation. In this stage one of the green houses has been removed and made space for new extensive housing developments. The extensive nature of these developments allows for other informal routes and activities to emerge. There can be space for small scale hobby farming in-between the new housing developments. Making space for this is important as it adds significant value from a recreational and ecological perspective. The attract insects and therefore might attract other birds. Moreover, hobby farming



129: Reference images. Various openweb sources: references found in bibliography.

## **Species**



Birds, such as house martin and barn swallow

diversity

small mammels such as moles and mice.

Insects such as flies, bees and others.



Figure 130: Existing situation Kulkweg, right side of the street.



Figure 131: Proposed situation Kulkweg.

Space **Improvements** 





+ Habitat

Figure 131 shows the potential eye level design outcome along the Kulkweg when another green house and distribution warehouse makes space for a daycare farm, housing development and a sportsfield. The new land uses significantly reduce the grain size of the area and also activate the street by the placement of new entrances and program along the

street.

### Construction



day care farm and local food selling point

eco friendly housing



# **Species**



small mammels such as hedgehogs larger

birds, such as

little owl

mammels such as foxes and martens

132: Reference images. Various openweb sources: references found in bibliography.



# 8. CONCLUSIONS

This chapter will answer the research questions, reflect on the limitations of the project and discuss the main lessons that the research puts forward.

# 8.1 CONCLUSIONS

This chapter will answer the (sub) research questions as they have been formulated in chapter 2.

The thesis project has attempted to gain understanding of the challenges and potentials of inbetween territories in the region of Rotterdam with respect to biodiversity and sense of place experience. The hypothesis that followed from the literature review was that ecological design principles can have a positive mutualist effect on biodiversity and sense of place experience in the TiB. The relationship between these theories and its applicability in the TiB was explored through a research by design process at both regional and local scale for the region of Rotterdam. The main research question that was answered through this research is:

# How can a nature based planning and design approach strengthen biodiversity and sense of place in Rotterdam's TiB?

The main research question is twofold. Firstly, the research seeks to explore what a nature-based planning and design approach can look like. Secondly, it aims to investigate how such an approach can strengthen biodiversity and sense of place specificly in first aspect the research sought to understand the links between landscape ecology theory and at the edge of the city that is urban design practice.

The research has put forward design approach that applies and integrates landscape ecological



Figure 133: Impression of possible transformation of area at Nieuwekerk a/d IJssel, same location as cover image. Made by author.

design principles (such as connectivity and heterogeneity) within the (semi) urban context with the aim to improve the ecological quality of the landscape at both local and regional scales.

Regarding the second aspect of the research question the research has showed that the TiB which find themselves literally in-between the urban and rural landscape, at the edge of the urban structure, have a unique potential to bridge the urban-rural divide and strengthen interspecies interaction for both human and non-human species. This type of landscape is described as Rotterdam's TiB. Regarding the the recovering membrane. This membrane is acknowledged as a unique type of landscape recognizable, experiencable and memorable to people and a nature-based planning and therefore enhances people's sense of place. Moreover, it will likely also benefit the region's

sense of identity and branding. In order to successfully achieve the regional vision for the membrane an interscalar design approach is proposed that is driven by bottom up initiatives and local interventions that eventually progress towards regional objectives and vision for the membrane landscape.

Next paragraphs provide more elaborate insight in the research findings by answering of the subresearch questions.

## SRQ1:

What are the spatial characteristics of Rotterdam's TiB?

From the literature review on the work of Alex Wandl it was learned that TiB in general, can be typified by three spatial characteristics.

1. The abundance of infrastructures 2. Intermingling of built and unbuilt spaces

3. Mix of land uses.

Based on the spatial analysis at regional and local level several additions and nuances can be made to the spatial characteristics of TiB in the region of Rotterdam specifically. The main findings are listed below.

First of all it was discovered that there is a great difference in spatial quality between TiB. Based on the spatial analysis the TiB in Rotterdam can be roughly divided into 4 types.

- · 1. TiB with an emphasis or industrial activities such as green houses and harbor activities. This is especially prominent in the region of Rotterdam.
- 2. TiB with an emphasis on recreational activities such as sport complexes, allotment gardens, grave yards and holiday parks. Often located at the urban edge of the city.
- 3. TiB which are mostly defined by commercial activities such as runshopping centres and large warehouses and logistic facilities (location 3). Often located directly next to large infrastructure corridors.
- 4. Finally, there are in-between territories that seem to be a strong mix of the previous mentioned typologies. These landscapes are often located more closely to the urban tissue and are of greater socialecololgical potential because of their high degree of spatial heterogeneity. These type of in-between territories have been the main inspiration for the design proposal

Because of the great differences in spatial quality between the different type of TiB in Rotterdam

that have just been discussed it is hard to come to generalised conclusions. Nevertheless. there are a few common spatial problems in the TiB of Rotterdam that seem to require special attention in the design process. These issues are discussed at the answering of sub research questions 3 and 4t.

## **SRQ 2**:

How are Rotterdam's TiB addressed in local and regional spatial planning processes?

This research question is

answered through a review of

primary and secondary literature. Some of these findings are part of the theory paper (appendix V). Dutch planning process at both national and local scales are primerily focused on the distinction between the urban and rural and especially the preservation of this distinction. The TiB is not vet considered as a distinct typology. As a result of the neglect of the TiB in spatial planning the spatial qualities and potentials of the TiB for social and ecological development are generally underestimated. In spatial planning documents the landscape of the TiB usually gets a negative connotation which makes them prone to spatial redevelopment, especially for urban densification. However, it is expected that densification of the TiB will likely only shift the "undersired" land uses of the TiB towards other places outside further outside the city. Therefore, TiB are ever existing and dynamic part of the landscape. Additionally, the strong emphasis of the national government on

economic and infrastructural development in combination with globalization processes the TiB will likely only become a more fundamental part of the Dutch landscape. Hence, sustaining the spatial quality within the TiB is an issue of conflict between regional and local planning processes. An inter scalar and cooperative design approach is therefore needed to improve the spatial quality of the TiB. Furthermore, existing (social and ecological) qualities and potentials of these type of landscapes should be valued accordingly by engaging the local community and local nature in the redevelopment process.

# **SRQ 3:**

What are the ecological opportunities and challenges of Rotterdam's TiB?

This research question was answered through a spatial analysis of the landscape structure of the TiB for three case locations. This was investigated by the identification of ecological patches and corridors in the landscape. A site visit to each of the locations provided additional information on the quality of the green spaces in terms of species richness and maintenance. Several conclusions can be deduced from this analysis.

- · Firstly, the unbuilt spaces of the TiB form an essential part of the local and regional green structure and should therefore be valued accordingly. Especially when urban densification is proposed.
- At regional scale there is an opportunity to strengthen the ecological green structure of the TiB, and establish a

regional connection between the urban green network and the provincial and national protected nature areas.

- As a result of significant fragmentation by large infrastructures and large grain size in the TiB specific attention should be given to the connectivity of green spaces within the TiB at local scale.
- The green structure in the TiB is unique because of its composition of wild, semiwild and cultivated species as a result of the great diversity of land uses and management regimes. This high degree of structural diversity makes the TiB a place of high ecological potential Consequently, the landscape can provide a great diversity of complementary resources that support both generic "urban" species as well as more specialised species that are generally found outside the urban environment. In other words, the TiB has the potential to be a territory of high biodiversity that facilitates interspecies interactions.
- In order to utilize this potential more attention should be drawn to the improvement of semi open spaces in the TiB at local level. Spaces such as, parking lots, recreational sites and infrastructure borders are often planted with little species diversity and add little ecological value to the local ecosystem. Hence, there is a significant opportunity to improve the habitat diversity and ecological quality of these open spaces in the TiB with small scale and low cost interventions.

## **SRQ 4**:

What are the opportunities and challenges with respect to sense of place experience in the TiB.

With respect to the cognitive experience of these landscapes several common problems are identified.

- Firstly, the TiB are often not a true destination, but merely a pass trough area for people as a result of the lack of public program. This lack of interaction with the space limits people's place experience in the TiB.
- Secondly, there is a lack of imageability in the TiB, especially at monofunctinional commercial and industrial sites it is hard to identify what makes the area unique or site specific.
- The grain size of the TiB is generally much higher compared to urban residential structures. As a result of this walkability and accessibility of the TiB from local neighbouring areas is often poor.
- Furthermore, most TiB
  have poor legibility of the
  landscape as a result of lack
  of routing and navigation for
  active transportation modes.
  This is especially problematic
  at industrial and logistic sites
  where there is a lack of spatial
  differentiation and complexity
  at human scale.
- At most locations there seems to be a scale conflict between old landscape structures such as creeks, old dikes and old settlements with new large scale developments such as large road infrastructures and industrial activities, which are poorly integrated in the landscape, this also limits

landscape legibility.

- There is a need to improve safety and comfort for people in the TiB. The lack of footpaths, public furniture and vegetation cover in many TiB make it generally unpleasant to walk and recreate in these landscapes.
- The location of the TiB in-between urban and rural landscapes makes it especially promising for recreational activities. The semi open landscape creates a balance between social control and sense of freedom. Design for the TiB should therefore aim at strengthening the cognitive experience and recreational value of these landscapes.

# SRQ 5:

What kind of ecological design interventions can strengthen sense of place in Rotterdam's TiB?

From the research it was concluded that relatively small scale spatial interventions can have a mutual positive effect on both ecological performance as well as sense of place experience. In the thesis project these type of interventions are identified as nature-based placemaking interventions.

In order to strengthen sense of place experience in the TiB the green space interventions should aim at strengthening the following 4 key aspects of the landscape.

- 1. Legibility and imageability
- 2. Acitivity and interaction
- 3. Transparency and accessibility4. Complexity and human scale

The interventions can be implemented at different scales. For example a green wall on a

warehouse strengthens spatial complexity and human scale at short term at very local level, whereas a structural change of the land uses in the area will eventually have a much greater effect on the landscape complexity. Therefore, interventions and objectives should be placed within a spatial and temporal context.

## SRQ 6:

What kind of spatial planning strategy ensures biodiversity and the provisioning of ecosystem services in the TiB at local and regional scale?

This question was answered through a research by design process. The strategy (described as "the recovering membrane) that is proposed is developed at both regional as well as local scale. This strategy proposes a regional vision for the TiB, surrounding the city of Rotterdam, that will be achieved through a process of local spatial transformations. This inter scalar approach aims to achieve coherence and identity at regional scale between the TiB while also considering local conditions and stakeholders. The coherence between the regional and local scale is maintained through the establishment of a distinctive management group for the membrane landscape that will facilitate communication and feedback between the scales and ensure progress towards vision achievement. This kind of strategy will increase attention that is given to the spatial quality in these landscapes that are currently often underestimated and poorly integrated in their surroundings.

## **SRQ 7**:

How can ecological design interventions that strengthen biodiversity and sense of place in the TiB be spatially integrated in a design transformation for a particular case in Rotterdam?

This question was answered through the design exploration of one of the case site at Hoek van Holland.

The proposed spatial interventions were organized into three development phases.

These phases of development correspond with either short term, mid term and long term development of the area. the first phase aims at enhancing the social and ecological quality of the area through small scale. low cost and short term interventions. The second phase aims to strengthen the social and ecological integration and connectivity of the area with its surroundings. The third phase aims at re-structuring the landscape in order to strengthen the structural heterogeneity of the landscape. This is the longest and most complex phase of development.

This kind of phased approach is needed because of the great objectives of the regional vision that require great investment of local communities and governments that cannot be achieved at once. It also gives the opportunity for local governments to engage with local stakeholders and increase public support of the project slowly over time. Moreover, to have time to connect the project to existing development plans, for example housing development projects.

<u>127</u>

# 8.2 REFLECTIONS

# RELATIONSHIP **BETWEEN GRADUATION** TOPIC, MASTER TRACK AND GRADUATION LAB

The master track of Urbanism aims to create social, economic and environmentally resilient living environments for people and wildlife. Especially, the past decade the importance of wildlife for our health and well-being has gained increasing attention. The new urban ecology graduation lab is primarily focussed on ecosystem resilience within urbanised areas. The studio considers humans as an integrated part of this (urban) ecosystem. In this graduation project I also aimed to bridge the gap between landscape ecology research and anthropogenic environments and cultural processes. I believe urban designers and landscape architects have the urgent task to bring together the fields of ecology and social development through an integrated design process. In my opinion this will make our cities more inclusive to both people and wildlife.

# RELATIONSHIP **BETWEEN RESEARCH** AND DESIGN

This thesis project has aimed to combine the research domains of landscape ecology and sense of place. The first 5 sub-questions of the project are research oriented and establish a link between the theory domains and the spatial context of the territories inbetween (TiB). The other 2 subquestions are design oriented and

have translated the findings from the research-oriented questions into an integrated design proposal. In other words, the design aspect of the project is used as tool to explore the links and synergies between landscape ecology within the faculty of architecture and sense of place within the spatial context of the TiB. Overall, I conclude that the proposed vision and strategy for Rotterdam's territories-in-between is mostly research driven. However, the proposed spatial interventions at local scale are to a greater degree the result of a creative design process. This creative design process did not follow sequentially after the research, but more or less ran in parallel to it. Consequently, the research and design aspect of the thesis project have been interacting and supporting to one another.

### RELEVANCE

The past decade the discourse of urban ecology has gained increased attention. Especially from the point of view of human well-being and liveability in urban environments. As a result of the growing number of people living in cities and the ongoing urbanisation, ecology cannot merely be seen as something that is excluded from the urban environment. On the contrary, urban environments can be seen as entire ecosystems (Forman, 2014). As a result of the increased attention given to ecology in cities local governments are improving the green quality in their cities not only for liveability reasons, but also for economic benefits (Hag, 2011). So far, it seems that most attention for improvement

of spatial quality through green space interventions is drawn to city centres and tourist hotspots, mostly excluding the TiB. Even though, these landscapes can provide a crucial ecological connection between the urban and rural environments (Wandl, 2014). Furthermore, spatial quality in these landscapes has proven to be an issue of concern in the territories in-between, which can also be improved by green space interventions. Consequently, the scientific relevance of this thesis project lies in the link that is established between landscape ecology and sense of place theory and the attention that is given to landscapes in-between the urban and rural which are often not at the centre of attention in urban design practice and pose unique challenges and opportunities. Moreover, bridging landscape ecological design principles with the placemaking and urban planning gives new insights on synergies that can emerge as a result of the integration between the professions of ecologists and urban planners and designers.

#### Social

As a result of the limited attention given to the spatial quality of the TiB people living and working in these landscapes are disadvantaged. Moreover, the need for improvement of spatial quality of the TiB from an ecological perspective is not only relevant for the people living and working in these territories, but also for residents of the entire city region. The need for high quality (public) green spaces in the vicinity of our living environment has proven to be of special importance during the covid-19

crisis. Furthermore, strengthening the sense of place through spatial design interventions benefits the sense of community and ownership over the place, especially when stakeholders' interests are taken into account in the design process. In turn this will contribute to the sustainability of the local community and will provide local stewardship over the spatial interventions which is also of economic interest for local governments (Masterson et al. 2017). The thesis project addresses multiple sustainable development goals of the united nations (SDG, 2015):

Goal 3: Good health and well-

This project aims to improve (mental and physical) health and well-being by means of improvement of the physical living environment of people.

Goal 11: Sustainable cities and communities.

In the project this goal is addressed from the perspective of improving social resilience and inclusivity through a collaborative planning and design approach that engages local stakeholders. Goal 15: Life on land

This sustainability goal is about restoring and protecting terrestrial ecosystems (SDG, 2015). In the project this goal is addressed through the ecological design approach for the TiB which aims to improve biodiversity and ecosystem resilience through green space interventions.

# **METHODOLOGY AND** DATA COLLECTION

The applied approach and methodology to the research has shown several advantages and limitations to the project. As a result of limited previous research on territories in-between identifying and delineating the problem field was difficult in the beginning. However, the explorative nature of the research and design process provided insights that enriched the understanding of the problem field throughout the research process. For example, the field research (site visit and small talk with people), the desk research on news articles and spatial planning vision and a spatial analysis of three case locations through the use of patch corridor matrix theory helped grasping the scope and complexity of the problem field. Nevertheless, these research methods also have some limitations. In order to get a better understanding of the spatial qualities and spatial problems of the TiB I decided to visit three case locations, areas that could be identified as inbetween. These locations do not fully represent the great diversity of TiB in the region of Rotterdam. Therefore, the conclusions that have been derived from the spatial analysis and fieldwork on these locations is not inclusive and transferable to all types of TiB in the region of Rotterdam. Additionally, the research by design process was focused around TiB with an already existing potential for mix-use and recreational value as a result of a close geographic location near the urban fringe of Rotterdam. This also excluded large (more) monofunctional TiB such as the harbour district, green house areas and some large agricultural

landscapes. Further research on

the potential of these territories for

biodiversity and sense of place is recommended.

One of the methods that was initially planned but not executed was in-depth interviewing of some users of the case areas. At first this data collection method was proposed to get an in-depth understanding of the experienced sense of place in the TiB. Initially it was assumed it was best to use targeted questions in order to measure sense of place in the location. However, when first visiting one of the areas I noticed it was not easy getting in contact with people on the street in these locations. First of all because there where not many people residing in public space or on the street. Secondly, because of the large size of the area and limited accessibility on foot. Eventually, I decided that it would be too time consuming, while at that moment I already retrieved some valuable qualitative information on people's perception of these places by some of the informal talks with people that I encountered during my first visits. When re-visiting one of the areas during nice weather I also learnt that the covid situation was for several people the main reason they were outside in these territories, whereas they would normally be at work or at the gym. This indicates that some of these areas might be used differently in the situation before the coronavirus. Therefore, this informal method gave some room to new insights that might otherwise be missed. This exemplifies the explorative approach of the research

Additionally, some difficulties where also experienced in the process of gathering data for the spatial analysis. It seemed that

some environmental data on landscape and species especially, was restricted to the municipal border of Rotterdam. For example, the map of Potential ecological connections (based on GIS data) from the document Natuurkaart Rotterdam does not transcend municipal boundaries. In order to overcome this provincial data and national data was used to re-create similar information sources for regional spatial analysis. However, this was not always available, therefore some assumptions had to be made based on general knowledge, experience or on other spatial information sources such as google earth.

# **TRANSFERABILITY**

The research and design of this thesis project has exclusively been focused on the urbanised region of Rotterdam. However, it is expected that the proposed vision and strategy can be applied to other cities in the Netherlands. especially because they are affected by similar spatial planning processes and because the vision relies on combination of general theories. Therefore, the regional strategy can be applied to other cities in the Netherlands. However, at local level the design will likely differentiate very much based on different environmental and social conditions. Transferability of the strategy outside the Netherlands is also possible, but more uncertain. because of different planning approaches in these countries, In appendix II. a transferability study was conducted.

# ETHICAL REFLECTION **AND FUTURE** RESEARCH

The first ethical consideration

that is apparent in this project

is the consideration of different perspectives by which the research and design can be perceived. In this project the aim has been to look at TiB from both a social (human) and non-human perspective and combine these in a shared vision and strategy. This has been done by combining theories on sense of place and landscape ecology. However, within these theories different perceptions and nuances are present. Sense of place is a very complex concept shaped by personal experiences and cultural values. Eventhough, some generalisations can be made the local design proposal should be placed in a cultural context and is perceived differently by different users of the space. This part of the research and design is also significantly shaped by my personal perception and experience of the landscape. A similar effect accounts for the ecological component of the design strategy. The theory on landscape heterogeneity that is used as a design inspiration in order to enhance biodiversity at regional scale should be nuanced. Such a strategy prioritizes certain species above others. In the design proposal more general wide-ranging species are likely to benefit most from the design approach, whereas some narrow ranging species might even be disadvantaged. Therefore, the design is never all inclusive and

the designer should ask oneself the question what species (including humans) do I design for and what species may I harm? This question is especially relevant for the TiB because existing landscape ecological studies and ecological management plans, such as the classification of icon species in South-Holland still focus exclusively on urban and rural biotopes. The TiB is not yet acknowledged as a unique biotope with unique species that specifically thrive in these types of landscapes. Consequently, this might result in an overall neglect of landscape ecological management and underused potential in these territories. Preferably, this kind of follow up research should be done in close collaboration with a team of ecologists.

Furthermore, specific attention should concern the applicability of landscape ecology theories in urban design and planning practice. The majority of landscape ecological research and theories (still) focus on rural and natural landscapes. However, the design ideas and strategy that is proposed in this thesis project transfers and applies these principles onto very anthropogenic and semi-urban landscapes. Moreover, it relates concepts like monoculture and biodiversity to terms that apply on the cultural system such as mix-use and social diversity. The question can be raised whether this creative interpretation and conceptualisation of theory is justifiable. Further research on the transferability of these theories between disciplines is therefore also recommended.

# **EVALUATION OF DESIGN PROPOSAL** IN RELATIONSHIP TO CURRENT DUTCH PLANNING PRACTICE.

The vision for the recovering membrane is unconventional and in several ways conflicting with current planning practices.

Firstly, the spatial membrane structure that is proposed in this thesis project is not bounded by administrative municipal boundaries, but is based upon actual urban boundaries that includes several more municipalities besides the city of Rotterdam. This approach is more reasonable from a system thinking perspective that this thesis puts forward. Social and ecological flows are shaped by actual spatial characteristics and not by administrative borders. Therefore, implementation of the vision for the recovering membrane requires intense collaboration among these neighbouring municipalities and shared vision forming. Urban and economic developments at the urban fringes of these municipalities need to be addressed at sub-regional level otherwise we are unable to achieve spatial coherence within the membrane and we lose the greater overall social and ecological benefit that the membrane has to offer at larger scale. Secondly, there seems to be a general underestimation of ecological and social value of in-between territories in spatial planning practice at both local and regional scales. At national and provincial level there is plenty of attention for the protection of

natural (rural) landscapes, such as (bestemmingsplannen) Natura 2000 and Natuur Netwerk environmental protection zones (milieuzones) however restricting the degree to which true function mix and spatial heterogeneity can develop. Zoning based on intensity of use (for example the importance of in-between low density housing and low intensity industry/agriculture) instead of functional zoning might perspective. This is unfortunate therefore be more suitable for the

Nederland. The protection of these areas is stressed from an ecological as well as a cultural perspective. Nevertheless there remains little attention for territories from ecological (biodiversity) and cultural because in-between territories membrane. can add significant social and ecological value that has the right to be protected. Therefore, there is not only a present dichotomy between urban and rural in spatial planning, but also between natural and anthropogenic (man-made). In order to achieve the vision for the membrane a more nuanced understanding of human-nature system and its crucial territories of interactions within the context of spatial planning is required. This way of thinking can provide a new perspective towards existing urbanisation challenges within protected rural landscapes that becomes more apparent as a result of decentralisation measures. Thirdly, the notion of heterogeneity that is proposed as an inspiration and guideline for land use planning and zoning in the TiB is not easily implemented within the existing planning system. Over the past centuries many in-between territories with high degrees of spatial heterogeneity have emerged as a result of limited to no top down planning and were the result of sponteneous growth. With existing planning regulations this is not anymore the case and active planning for heterogeneity is most likely the only way to achieve this heterogeneous landscape typology. Existing zoning plans

## PERSONAL REFLECTION

Overall, this thesis project was like a journey to me with quite some obstacles and difficulties on the way. Never before in my life I have been so dedicated to one single project for so long. Already from the beginning of my studies I know I enjoy working in teams mostly. Therefore, I knew this thesis project would be (mentally) challenging to me from the beginning. The covid-19 situation made the whole process even more lonesome and challenging. At times I felt like quitting the thesis. Therefore, I am very grateful for the support and faith of my mentors, parents and friends during these difficult times. Even though the process has been challenging sometimes, the thesis topic itself was of great interest to me up until the very end. Before starting on the thesis project, I did not ever hear before about the TiB, it was a complete unknown topic to me. Dr. Marcin Dabrowski introduced me to it when I told him my fascination for urban edges, landscape ecological gradients and human-wildlife interactions. I would like to thank him for this valuable recommendation that eventually ended up to be the focus of my thesis project. Throughout the thesis project my understanding and conceptualization of the TiB has significantly changed. At the beginning project I was mainly concerned with the spatial problems in the TiB. This was a preconception. However, halfway the project my perspective changed. I learned that the spatial quality of the TiB can vary a lot and is the result of small spatial nuances and differences in spatial complexity and configuration. Therefore, I certainly believe that more conscious design of in-between territories with greater attention to human scale, multi functionality and ecological quality can significantly improve the spatial quality and social-ecological performance of the territories inbetween. This is something that I would very much like to take along in my future career.

<u>132</u>

# **BIBLIOGRAPHY**

Bush, J., Hernandez-Santin, C., & Hes, D. (2020). *Nature in Place: Placemaking in the Biosphere.* In Placemaking Fundamentals for the Built Environment (pp. 39-61). Palgrave Macmillan, Singapore.

Cale, P. G., & Hobbs, R. J. (1994). Landscape heterogeneity indices: problems of scale and applicability, with particular reference to animal habitat description. Pacific Conservation Biology, 1(3), 183-193.

Carpenter, S. R., Mooney, H. A., Agard, J., Capistrano, D., DeFries, R. S., Díaz, S., ... & Perrings, C. (2009). Science for managing ecosystem services: Beyond the Millennium Ecosystem Assessment. Proceedings of the National Academy of Sciences, 106(5), 1305-1312.

Compendium voor de Leefomgeving (CLO). (2017, june 1). Wat is Biodiversiteit? Retreived from:

https://www.clo.nl/indicatoren/nl1083-wat-is-biodiversiteit#:~:text-Biodiversiteit%20is%20een%20veelomvattend%20begrip,de%20ecosystemen%20waartoe%20ze%20behoren.

Czischke, D. (2018). Collaborative housing and housing providers: towards an analytical framework of multi-stakeholder collaboration in housing co-production. International Journal of Housing Policy, 18(1), 55-81.

Ewing, R., Handy, S., Brownson, R. C., Clemente, O., & Winston, E. (2006). *Identifying and measuring urban design qualities related to walkability*. Journal of Physical Activity and Health, 3(s1), S223-S240.

Forman, R. T. (2014). Urban ecology: science of cities. Cambridge University Press.

Forman, R. T. (1995). Land Mosaics: The ecology of landscapes and regions. New York: Cambridge University Press

Dramstad, W., Olson, J. D., & Forman, R. T. (1996). Landscape ecology principles in landscape architecture and land-use planning. Island press.

Fahrig, L., Baudry, J., Brotons, L., Burel, F. G., Crist, T. O., Fuller, R. J., ... & Martin, J. L. (2011). Functional landscape heterogeneity and animal biodiversity in agricultural landscapes. Ecology letters, 14(2), 101-112.

Frijters, E., Hamers, D., Johann, R., Kirschner, J., Lurzing, H., Nabielek, K., ... & van der Wagt, M. (2004). *Tussenland*. Rotterdam/The Hague, Netherlands: NAi Publishers/RPB (Netherlands Institute for Spatial Research).

Gebiedsstrategie Rotterdam. (2020). Totaalkaart. Retrieved from: https://www.i-maps.nl/gbs-rotterdam/index.php

Gebiedsvisie Hoek van Holland 2011-2020 (2011) Retrieved from: https://www.yumpu.com/nl/document/read/13847189/gebiedsvisie-2011-2020-hoek-van-holland-gemeente-rotterdam

Ghani, I., Rahman, N. A., Nayan, N. M., & Bahaluddin, A. (2018). Experiential Virtual Urban Environments: A Preliminary Investigation. PLANNING MALAYSIA, 16(5).

Haines-Young, R., & Potschin, M. (2010). The links between biodiversity, ecosystem services and human well-being. Ecosystem Ecology: a new synthesis. (1, 110-139.)

Hashemnezhad, H., Heidari, A. A., & Mohammad Hoseini, P. (2013). Sense of place" and "place attachment. International Journal of Architecture and Urban Development, 3(1), 5-12.

Hausmann, A., Slotow, R. O. B., Burns, J. K., & Di Minin, E. (2016). The ecosystem service of sense of place: benefits for human well-being and biodiversity conservation. Environmental conservation, 43(2), 117-127.

Haq, S. M. A. (2011). Urban green spaces and an integrative approach to sustainable environment. Journal of environmental protection, 2(05), 601.

Katayama, N., Amano, T., Naoe, S., Yamakita, T., Komatsu, I., Takagawa, S. I., ... & Miyashita, T. (2014). Landscape heterogeneity-biodiversity relationship: effect of range size. PloS one, 9(3), e93359.

Lo, R. H. (2009). Walkability: what is it?. Journal of Urbanism, 2(2), 145-166.

Lynch, K. (1960). The image of the city (Vol. 11). MIT press.

Masterson, V. A., Stedman, R. C., Enqvist, J., Tengö, M., Giusti, M., Wahl, D., & Svedin, U. (2017). The contribution of sense of place to social-ecological systems research: a review and research agenda. Ecology and Society, 22(1).

Nabielek, K., Kronberger-Nabielek, P., & Hamers, D. (2014). The rural-urban fringe in the Netherlands: recent developments and future challenges. Spool, (1, 101-120).

Nielsen-Pincus, M., Hall, T., Force, J. E., & Wulfhorst, J. D. (2010). Sociodemographic effects on place bonding. Journal of Environmental Psychology, 30(4), 443-454.

.Planbureau voor de Leefomgeving (PBL) (2021), *Grote opgaven in een beperkte ruimte. Ruimtelijke keuzes voor een toekomstbestendige leefomgeving.* Den Haag: Planbureau voor de Leefomgeving.

Planbureau voor de Leefomgeving (PBL). (2011). Nederland in 2040 een land van regios, ruimtelijke verkenning 2011. PBL.

PPS. (2013). What is placemaking? Retrieved 20 november 2020 from website: https://www.pps.org/article/what-is-placemaking.

Shamai, S. (1991). Sense of place: An empirical measurement. Geoforum, 22(3), 347-358.

St. Pierre, J. I., & Kovalenko, K. E. (2014). Effect of habitat complexity attributes on species richness. Ecosphere, 5(2), 1-10.

Strategische Verkenning Verstedelijking, Gemeente Rotterdam. (2019, june) retreived from: https://rotterdam.raadsinformatie.nl/document/7827160/1/s1gbb017999\_3\_50801\_tds

Rupprecht, C. D., Byrne, J. A., Garden, J. G., & Hero, J. M. (2015). Informal urban green space: A trilingual systematic review of its role for biodiversity and trends in the literature. Urban Forestry & Urban Greening, 14(4), 883-908.

United Nations (2015) The 17 Goals. Retrieved from: https://sdgs.un.org/goals

Van den Boogaard, B., R.G. Verbeek & J.D. Buizer. 2019. Icoonsoorten Zuid-Holland. *Projecten en maatregelen voor icoonsoorten in de Provincie Zuid-Holland*. Rapportnr. 19-015. Bureau Waardenburg, Culemborg

Verdaas, C. (2017). De Nationale Omgevingsvisie (NOVI), een selectieve, cyclische en doelgerichte dialoog. Beuningen, Co Verdaas.

Wandl, D. A., Nadin, V., Zonneveld, W., & Rooij, R. (2014). Beyond urban-rural classifications: Characterising and mapping territories-in-between across Europe. Landscape and Urban Planning, 130, 50-63.

Wandl, A. (2020). *Territories-in-between: A Cross-Case Comparison of Dispersed Urban Development in Europe.* A+ BE| Architecture and the Built Environment, (02), 1-392.

Wandl, A., Rooij, R. M., & Rocco, R. C. (2012). *Understanding the planning of open-spaces in territories-in-between: Dupuy's network urbanism approach applied to areas in-between urban and rural.* In RSA European Conference: 'Networked regions and cities in times of fragmentation: Developing smart, sustainable and inclusive places', Delft, The Netherlands, 13-16 May, 2012. Regional Studies Association.

Wyckoff, M. A. (2014). Definition of placemaking: four different types. Planning & Zoning News, 32(3), 1.

Zoeteman, B., Tordoir, P., Mulder, R., Smeets, R., Wentink, C., & Dagevos, J. (2016). *Nationale monitor duurzame gemeenten 2016: een stap vooruit!*. Tilburg: Telos.

## **FIGURES**

## reference images

#### Fig. 19

Blackbird from: www.geloofstoerusting.nl

Early Bumblebee from: www.natuur-dichtbij.nl

Hedgehog from: www.peakpx.com/430306/brown-hedgehog

Common swift from: www.blijevogelswesterpark.nl

Purple Heron from: www.huisjedekikker.nl

Black Tern from: www.welkevogelisdit.nl

Wall brown from: www.wikiwand.com

Grey Partridge from: www.waarneming.nl

Tundra Vole by: Kammen, van, M. (2019) Op muizenjacht rond de Snitser Mar, maar waar is de noordse woelmuis?

www.lc.nl/friesland/Op-muizenjacht-rond-de-Snitser-Mar-maar-waar-is-de-noordse-woelmuis

Bluetrhoat from: https://www.british-birdsongs.uk/bluethroat/

Bernacle goose from: wikipedia

Bubmblebee: Kerckhoven, J. (2011) from: https://waarneming.nl/species/24362/

Song thrush from: https://www.natuurpunt.be/pagina/nachtegaal

Natterjack toad from: https://www.hbvl.be/cnt/dmf20150421\_01640478

Grayling from: https://www.nathalienatuurfotografie.com/dagvlinders.html

Sand lizard by: Herder, J. (date unkown) from: https://www.verspreidingsatlas.nl/R411

#### -ig. 20

 ${\it Grove snail from: www.ltwikipedia.org/wiki/Cepaea\_nemorali}$ 

Hedgehog from: https://www.mijntuin.org/articles/egel

Gatekeeper by: Plu, D from: www.natuurpunt.be/pagina/oranje-zandoogje

Common buzzard: Moorlag, H. from: www.ivn.nl/afdeling/hoogeveen/nieuws/natuur-op-zaterdag

Eurasion Oystercatcher: Vries, de, G. from: www.rootsmagazine.nl/vogels/zie-je-een-scholekster-op-het-dak-laat-het-weten/

Barn swallow from: www.blijevogelswesterpark.nl/tsa-maart-2019/boerenzwaluw/

 $Grasshopper\ by: ANP,\ Dijl,\ van,\ M.\ from:\ https://www.trouw.nl/nieuws/vreemde-kiezelsprinkhaan-duikt-op-in-rotterdam-line op-in-rotterdam-line op-in-$ 

Stone Marten by: Harskamp, van, H from: http://www.henkvanharskamp.nl/index.php/nggallery/page/5?page\_id-455

Bad from: Pinterest.com, original source unknown.

Green woodpecker from: https://waarnemingkaart.nl/kaart/?group-vogels&family-spechten&species-groene-specht

Common toad by: Dijksterhuis, K from: www.trouw.nl/nieuws/waarom-we-padden-alleen-in-het-voorjaar-helpen-met-oversteken-bc0c1e7a/

135

Mole from: https://beestjeskwijt.be/blog/wat-te-doen-tegen-mollen

Rabbit from:www.shutterstock.com

Long eared owl by: Verlinde, R. from:: www.natuurpunt.be/pagina/ransuil

Common Starling from: https://www.shutterstock.com

Common Linnet from: www.birdphoto.nl/vogels/Kneu

<u>134</u>

## Fig. 106

#### construction:

Bird boxes. Retrieved from: https://www.irishtimes.com/life-and-style/homes-and-property/gardens/who-s-nesting-in-your-bird-box-13832792 Steel frame: Retrieved from: Pinterest.com. original source unknown.

Climbing plant along frame. Retrieved from: Pinterest.com original source unknown.

#### vegetation:

Hedera Helix: Retrieved from: gardens4you.eu

Clematis Vitalba: Image retrieved from: Wikipedia.

Hummulus Lupulus retrieved from: https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/humulus\_lupulus

#### Species:

Bad, retrieved from: Pinterest.com, original source unknown.

Bee: Retrieved from: https://rotterdamsestadsbijen.wordpress.com/

Eurasion wren: https://www.vogelbescherming.nl/ontdek-vogels/kennis-over-vogels/vogelgids/vogel/winterkoning

#### Fig. 108

#### construction:

Insect Hotel, retrieved from: Pinterest,com, origninal soucre unknown.

Parcours: https://www.25gradennoord.nl

Logs, retrieved from: Pinterest.com, original source unknown

#### vegetation:

Salix Alba. retrieved from: www.destralendezon.nl

Rubus, retrieved from: www.appeltern.nl

Rosa canina, retrieved from: www.appeltern.nl

#### species:

Toad retrieved from: www.ecopedia.be

Butterfly retrieved from: www.wikipedia.nl

Bird. https://www.rootsmagazine.nl/podcast/notenkrakers-koperwiek

#### Fig. 110

#### Construction

Mixed hedge, retrieved from: www.brabantslandchap.nl

shell path retrieved from: https://zoom.nl/foto/932446/schelpenpad

trail: retrieved from: www.wandelknooppunten.be

#### vegetation:

Acer campestre, retrieved from: www.gardens4u.eu

Viburnum, retrieved from: kruidenkast.com

Fagus sylvatica, retrieved from: www.natuurmonumentenshop.nl

#### species:

Blackbird, retrieved from: www.geloofstoerusting.nl

bee retrieved from: www.arcgis.com/apps/MapJournal/index.html?appid-7fae896330654190bec6e55c8e4gbe52

Hedgehog,retrieved from: https://www.mijntuin.org/articles/egel

Herbaceaus dike vegetation from: www.w aternatuurlijk.nl

Willow trees from: www.route4you.com

Roadsie planting: pinterest. org. original source unknown.

Natural waterway from; www.multifunctionelelandbouw.net

Walking trail from: www.wandelnetwerknoordholland.nl

Mountainbiktrail from: www.ridersguide.nl

Cyclist from: www.reisblogger.nl

# Fig. 116

### construction:

Vegetation:

river bank, retrieved from:www.multituin.nl/natuurvriendelijke-oevers-in-landgoed-ockenburgh/

platform, retrieved from:www.buitenschrijnwerk.eu/houten-steiger

path: source unknown

#### Common Reed, retrieved from: https://www.np-lauwersmeer.nl/waarom-waterriet/

Yellow water lily retrieved from: www.ecopedia.be

White willow retrieved from: Groenelong.weblog.nl

#### Species:

Duck retrieved from: www.animalrights.nl

Goat moth, retrieved from, www.groenlijn.nl

Bad retrieved from: Pinterest.com, original source unknown.

## Fig. 119

river bank, retrieved from: www.multituin.nl/natuurvriendelijke-oevers-in-landgoed-ockenburgh/

cyclingstreet, retrieved from: www.fietsberaad.nl

boardwalk, source unknown

#### vegetation:

reed, retrieved from: www.fietswandelweb.nl

Yellow water lily retrieved from: www.ecopedia.be

White willow retrieved from: Groenelong.weblog.nl

Owl, retrieved from: www.natuurpunt.be

Grey heron: author unknown, In De Weide: informatie weidevogels retrieved from: http://www.opavontuuropameland.nl/wp-content/

uploads/2017/06/7-Weide-stap-3-informatie-weidevogels.pdf Rudd, retrieved from: www.ravon.nl

#### Fig. 125

Daycare farm from: www.flevopost.nl/artikel/1025061/dorpsboerderij-dronten-viert-feest

Allotmentgardens from: www.ijssellandschap.nl/wonen\_werken/volkstuinen/

Eco housing from: www.groenebouwmaterialen.nl/referenties/cpo-projecten-en-eco-wijken/aardehuizen-olst/

Camping from: www.familiecampings.eu/belgie/luxemburg/camping-tonny

Naural burial from: nbp-de-utrecht.nl/33-quotes/167-natuurlijk-kiezen-voor-natuur

#### Fig 126

Grey heron from: author unknown, In De Weide: informatie weidevogels retrieved from: http://www.opavontuuropameland.nl/wp-content/ uploads/2017/06/7-Weide-stap-3-informatie-weidevogels.pdf

Grove snail from: Grove snail from: www.lt.wikipedia.org/wiki/Cepaea\_nemorali

White wagthail: Pinterest.com, original source unknown

Common buzzard by: Moorlag, H. from: www.ivn.nl/afdeling/hoogeveen/nieuws/natuur-op-zaterdag

Hedgehog from: www.mijntuin.org/articles/egel

European oystercatcher from: Vries, de, G. from: www.rootsmagazine.nl/vogels/zie-je-een-scholekster-op-het-dak-laat-het-weten/

Putter by: Pauwels, L. from: www. oost-online.nl/tropisch-ogende-putter-is-doodgewone-distelvink/

Bad: Pinterest.com, original source unknown.

Barn swallow from: www.blijevogelswesterpark.nl

Common linnet: www.birdphoto.nl/vogels/Kneu

Rabbit from: www.shutterstock.com

## Fig. 129

#### construction:

Houses, retrieved from: www.stedenbouwarchitectuur.nl

Farming animals, source unknown

Trail, retrieved from: www.wandlknooppunten.be

#### species:

Barnswallow, retrieved from: www.blijevogelswesterpark.nl

Mole, retrieved from: www.beestjeskwijt.nl

Bee: www.arcgis.com/apps/MapJournal/index.html?appid-7fae896330654190bec6e55c8e49be52

#### Fig. 132

#### construction:

Daycare farm, retrieved from: www.flevopost.nl/artikel/1025061/dorpsboerderij-dronten-viert-feest

Houses, retrieved from: www.stedenbouwarchitectuur.nl

Sportfield retrieved from: www.idverde.nl

#### Species:

Owl, retrieved from: www.natuurpunt.be

Hedgehog: https://www.mijntuin.org/articles/egel Fox from: pinterest,com original source unknown.



# **APPENDIX**

# THE ROLE OF EXISTING INSTITUTIONS **AND PARTNERSHIPS**

section provides an overview of existing institutions and partnerships that concern cross-municipal cooperation and regional spatial development in the region of South-Holland that might have similiar interests to the Membrane Management Group and can be involved in the development process of the membrane in some kind of way.

MRDH and netwerk Zuidelijke Randstad do not discuss spatial quality as primary objective but put economic development first. Therefore, these parties should operate in close collaboration with the MMG in order to align their regional economic interests with the concerns for spatial quality in the membrane that are main point of attention of the MMG.

Type of institution/ Name partnership

> Independed, non-political and research association for metropolitan development.

vereniging delta metropool

Objectives and tasks

Interest to the membrane

Proposed role or contribution to development of the membrane.

Improving and strengthening the position of the Dutch Delta metropolis. primary tasks:

- 1 Initiating and coordinating research.
- 2. Advising business and authoritiets.
- 3. Facilitating **communication** and information exchange among stakeholders.

Source: Deltametropool.nl

Interest into membrane proposal from knowledge perspective. How does it relate to existing knowledge base on metropolitan design and planning?

Start up research trajectory parallel membrane to development. Monitoring of spatial developments, progress and implications with respect to spatial quality. Regular publication and communiation of findings with Membrane Management Group (MMG) and local authorities.



Economic partnerhsip between 23 municipalities in the metropolitan region. They decide on strategic economic objectives at regional scale.

- 1 Strengthening economic **position** of the region through economic investments.
- 2. Improving accessibility and infrastructural connectivity between living and working environments in the region.

Source: Mrdh.nl

Interest from economic perspective. The potential of the membrane as strategic location for high quality mixed workingliving environment. With the aim of improving the settlement climate for businesses and creating high quality living evironment for workers in the region.

Cooperate with Membrane Management group on regional economic and infrastructural investment projects from an integrated economic, social and ecological perspective. Discuss what extra spatial investments might be needed in order to ensure spatial quality in the membrane nearby these economic and infrastructural developments.



Public-Public partnership between province of South-Holland and regional and local governments.

Strengthening international

economic competiteveness of the region.

- 1. Renewing of economy 2. Creating a high quality metropolitan landscape
- 3. Promoting sustainability and external safety in the region.

Interest from perspective.


for the region, in order to attract also help kickstarting the spatial new business and workers to the transformations in the membrane. region.

economic Discuss with MMG in what way the membrane can be used The metropolitan region of as a **branding tool** to attract Rotterdam-The Hague could use new business and workers to the membrane as a branding tool the region. This branding can

# II. TRANSFERABILITY STUDY AT LARGER SCALE


# CONCEPTUAL URBAN FORM

Concentric urban region



# **EXAMPLES**


Paris, France



# MEMBRANE CHARACTERISTICS


# Single membrane

- 1.. Greater distance to membrane from urban core
- 2. Low total surface area of membrane in relation to urban area.




# PROPOSED DEVELOPMENT STRATEGY

Improve accessibility of the membrane and increase total membrane surface in relation to interior of the area (urban). By increasing curvilinearity of the urban border.



Polycentric urban region




Randstad, Netherlands



## Membrane network

- 1. Great total membrane surface area in relation to urban area.
- 2. Small distance from urban core to



Improve inter-connectivity between membranes at regional scale by creation of a macro membrane that also functions as a buffer for protection of the interior (rural) environment.



<u>143</u>

# III. DESIGN PROCESS MAP INTERCONNECTING GREEN SPACES



# IV-A. PHOTOS SITE VISIT

HOEK VAN HOLLAND-DE HAAK

































<u>146</u>

# IV-B. PHOTOS SITE VISIT

**NIEUWEKERK AAN DEN IJSSEL - PARKZOOM** 

































<u>148</u>

















<u>150</u>

# IV-C. PHOTOS SITE VISIT

RIDDERKERK - CORNELISLAND


































<u>153</u>

# V. THEORY PAPER

# Reconsidering the territories in-between

Understanding how an integrated placemaking approach can strengthen the ecological quality and sense of place of the territories in-between.

Louisa van den Brink, 4720741

Theories of Urbanism (AR3U023)

25 November 2020

#### **Abstract**

Territories in-between (TiB) have gained increased attention the past decades. These territories are identified as territories somewhere in-between the urban and rural. Because of their unique spatial characteristics, they tend to be of great potential for the provisioning of ecosystem services. However, neglect of attention given to the TiB in spatial planning and decision-making does not only limit the ecological quality of these landscapes, but also causes these territories to be identified as placeless. Findings conclude that the open spaces of the TiB offer a window of opportunity for the improvement of spatial quality in the TiB from both a social and ecological perspective. Green space interventions for the open spaces of the TiB can improve the ecological quality and strengthen the sense of place through the provisioning of ecosystem services. In order to achieve this, a nature-based placemaking approach for the open spaces of the TiB is proposed to integrate not only the needs of local residents and stakeholders in the design process, but also the needs of the natural environment.

**Key words**: Territories In-Between, Ecosystem-Services, Sense of place, Ecological design, Placemaking, The Netherlands.

## 1. Introduction

As a result of ongoing urban growth and densification in the Netherlands, pressure is mounting on urban fringes in-between cities and rural land (Nabielek, Kronberger-Nabielek & Hamers, 2014). As a result of this trend the distinction between the urban and rural landscape diffuses (Frijters et al., 2004; Zonneveld, 2007). These landscapes between the urban and rural are identified as territories in-between (Wandl et al., 2014).

In order to understand the spatial challenges of these landscapes more systematically Wandl's definition of the TiB is used as a starting point for this research paper (Wandl et al., 2014)

The concept of TiB is used as an umbrella term to describe dispersed urban settlements which cannot merely be defined as simply urban or rural.

Wandl shows that an abundance of unbuilt grey and green spaces is to be found in the territories in-between (Wandl et al., 2014). It is argued that there is a great potential for these open spaces for ecological development and the provisioning of ecosystem services.

However, as a result of the neglect of spatial planning strategies for the TiB its potential for the provisioning of ecosystem services is often not recognized (Frijters et al., 2004; Wandl et al., 2014). Moreover, the open spaces in the TiB are often identified as monofunctional underused. This reduces the ecological quality of these open spaces and negatively affects the sense of place in these territories (Wandl, Rooij, Rocco, 2012). Sense of place describes both the intrinsic character of a place as well as our perception of the place, based on personal experiences (Shamai, 1991).

The aim of this review paper is to understand the spatial planning process of

the territories in-between and explore how the ecological quality and the sense of place can be improved by means of a placemaking approach for the design and planning of those open spaces in the TiB. In order to answer this question four subquestions will be answered in this paper: 1. How are the TiB considered in the context of Dutch spatial planning? 2. What are the spatial characteristics of the open spaces in the TiB in relationship to the supply of ecosystem services? 3. What is placemaking and how can it improve the sense of place of the TiB? 4. How can ecological planning approaches be integrated in the placemaking process? A literature study is performed to gain an understanding of the TiB within the Dutch spatial planning context. Further, the paper discusses in more detail the potential of open spaces in the TiB for the provisioning of ecosystem services. Then, the design approach of placemaking is reviewed upon as a strategy to enhance sense of place in the TiB. The last chapter proposes an integrated placemaking strategy that incorporates both ecological goals and societal demands for the TiB. It also briefly discusses the role of the urban designer in

this.

<u>154</u>

# 2. Planning context of the Territories in-between

## Defining the TiB

In academic literature many other concepts have been introduced to describe dispersed urban settlements such as periurban, urban sprawl, suburban etc. However, according to Wandl (2014) these concepts do not sufficiently reflect the complexity and diversity of dispersed urbanization patterns. Moreover, he argues that TiB have a distinct character and functioning that cannot be described by a simple urban to rural gradient, based on the dichotomy of urban and rural that most of these concepts rely on. Therefore, he introduced the concept of Territory inbetween as an umbrella term to describe the significant spatial and functional characteristics of these landscapes. The TiB can be characterized by three spatial features which distinct the TiB from rural and urban areas: the intermingling of built and unbuilt spaces, the mix of functions and the significant presence of infrastructures in the landscape (Wandl et al., 2014).

# The urban – rural divide in Dutch spatial planning

In academic literature there is a general consensus that dispersed urban settlements are being neglected in spatial planning and policy making. This is even described as one of the key characteristics of the TiB (Frijters, et al., 2004). This is critical when we consider the fact that an increasing amount of the Dutch landscape cannot be described by either urban or rural (Wandl et al., 2014). Several socioeconomic trends and planning policies are fundamental in the emergence of territories in-between in the Netherlands. First, there is the renowned spatial planning tradition of the Netherlands starting from the 1960's, when the first

National Policy Document on Spatial Planning was issued (Eerste Nota Ruimtelijke Ordening) by the national government (Zonneveld, 2005). These national reports outline the spatial planning strategies that need to be implemented by provinces and local governments. The main goal of all the national spatial planning policies so far has been to control suburbanization and preserve the rural landscape (Healey, 2006; Zonneveld, 2005). This idea was explained through the use of concepts like compacte stad, gebundelde deconcentratie and stadsgewest which were used to give direction to urban growth (Frijters, et al, 2004; Zonneveld, 2005). However, in the last National Spatial Strategy it is argued that national spatial planning policies so far have failed to succeed their main goal of preserving the rural landscape (Bontje, 2003; Zonneveld, 2007). Moreover, they speak of verommeling and spatial degradation of the landscape (Van Ool, 2006, Veenklaas et al., 2006). The prevalent lack of significant landscape features, and the presence of footloose industries and businesses are reasons why many people identify these landscapes as in-authentic and placeless (Arefi, 1999; Wandl 2014). The current densification process taking place in most Dutch cities pushes large scale land uses, such as industrial facilities and sport facilities, towards the urban outskirts. These land uses are often re-located along infrastructural routes or at the urban fringe of the city. Moreover, it is expected that the strong emphasis on economic development of the national government in combination with globalization and digitalization trends will put further pressure on the urban fringe of the city (Nabielek, Kronberger-Nabielek & Hamers, 2014; Zonneveld, 2005). Consequently, the TiB will only become a more fundamental part of Dutch landscape (Van Ool, 2006).

Until 2006 when the last National Spatial Strategy (Nota Ruimte) was issued by the Ministry of Spatial Planning (MVROM) the national government took the lead in Dutch spatial planning (VROM, 2005). In 2010, however the ministry of VROM was abolished as part of decentralization liberalization measures (Balz & Zonneveld 2018). Since then, urban development and sustaining spatial quality of the Dutch landscape is no longer a primary task of the national government. The national government concentrated its attention to spatial economic and infrastructural developments (Zonneveld, 2005). Hence, sustaining the spatial quality within the TiB seems to be an issue of conflict between regional and local planning.

As a response to this spatial trend of diffusion between the urban and rural landscape, a research about these emerging in-between landscapes was initiated by the national government in 2003, named 'Tussenland' (2004). The writers of this research are less pessimistic about the emergence of the TiB and emphasize the strengths of these landscapes for sustainable urban development, such as bottom-up initiatives and mix-use developments (Frijters et al., 2004). Additionally, Wandl (2012) also stresses the potential of these territories for the supply ecosystem services as a

result of the relatively high amount of unbuilt and underused open spaces. However, because of the neglect of TiB in spatial planning and decision-making this ecological potential has not yet been used optimally (Freijters et al., 2004; Wandl, 2014).

The next paragraph will discuss the potentials of open spaces in the TiB in further detail.

## Open spaces in the TiB

One of the key characteristics of the TIB that is discussed is the significant presence of open spaces. Wandl identified eight types of typical open spaces in TiB, see figure 1. They can be either green, hybrid or grey (Wandl, Rooij, Rocco, 2012). Some of them have a clear purpose, such as leisure and sport facilities, while others do not seem to have such a clear purpose for use. An important concept used to describe these spaces which lack a clear purpose is S.L.O.A.P spaces left over after planning (Zuo, Daniel, & Soebarto, 2016; van Ool, 2006) Open spaces around, along or underneath transport infrastructures and derelict sites can be identified as such. Just like, small green patches between two sport fields or open spaces in-between industrial facilities. Therefore, the concept of leftover space should always be considered at a particular scale. Figure 2 is an example of a typical leftover spaces in the TiB. According

	Green open spaces	Hybrid open space	Grey open spaces
Predominantly related to links	Green areas being informally used as parks (1)	Areas in-between infrastructures (4)	
Predominantly related to nodes		Leisure and sports facilities (5)	Spaces around nodes of logistic facilities (7) Parking spaces (8)
Relation to nodes or links not distinguishable	Small extensively used	Derelict areas (6)	

Figure 1: Typologies of open spaces in the TiB (Wandl, Rooij & Rocco, 2012)

to Akkerman and Cornfield (2010), leftover spaces offer a great potential for small informal activities which cannot be supported by formal open spaces such as clean-cut lawns and marked out urban wilderness. "Conversely, however, [..] an embellished leftover space could be not only a welcome agent of change in a regimented urban environment, but also a small place of spiritual refuge" (Akkerman & Cornfield, 2010). As a result of the significant presence of infrastructural facilities in the TiB and the mix of land uses that characterizes the TiB, these kinds of open spaces are inherent to the spatial character and functioning of the TiB. Moreover, Wandl states that these open spaces also have great ecological potential to offer through the supply of ecosystem services (Wandl, 2014; Wandl, Rooij & Rocco, 2012). The concept of ecosystem services will be explained in the next chapter.



Figure 2: typical left over space in TiB (NRC, 2020) Retrieved from: https://www.nrc.nl

# 3. TiB from the perspective of ecosystem services

#### Ecosystem services explained

Ecosystem services are the benefits provided to humans by the natural environment. The Millenium Ecosystem Assessment report distinguished four sub categories of ecosystem services (Carpenter et al, 2009). These are supporting, provisioning, regulating and

cultural ecosystem services, see figure 3. Supporting ecosystem services are considered fundamental for the provisioning of services to the other three categories (Carpenter et al, 2009). In urban design practice most attention is given to cultural ecosystem services. This paper emphasizes both supporting ecosystem services, such as biodiversity as well as cultural ecosystem services like well-being and sense of place. The next paragraph will discuss the potential for the supply of ecosystem services in the open spaces of the TiB.




Figure 3: ecosystem services diagram (WWF Living Planet Report, 2016) retrieved from: https://www.belmire.com/post/what-are-ecosystem-

services

# The provisioning of ecosystem services in the TiB

As stated previously the grey and green open spaces in the TiB offer a grey potential for the supply of ecosystem services. However, as a result of the limited attention given to these spaces in spatial planning this potential is often underestimated (Wandl, 2014).

This is critical because the ongoing process of densification and urban growth increases the pressure on urban green

spaces, especially those which are seemingly underused. This loss of green spaces challenges the provisioning of ecosystem services. For this reason, it is increasingly important to improve the ecological quality of existing green spaces (Haaland, van den Bosch, 2015). Considering the TiB Wandl stresses in particular the segregating and unintegrated character of open spaces in the TiB which is especially problematic from both social and ecological perspective. Consequently, urban designers should aim at physically reconnecting these areas to their surroundings (Wandl, Rooij & Rocco, 2012). Transport infrastructures in particular, provide the opportunity to create ecological corridors for wildlife movement at the regional scale (Wandl, Rooij & Rocco, 2012; Forman, 2014). In order to achieve this, the ecological quality of the open spaces in the TiB needs to be improved. In literature there are many ecological design principles on how to improve green space quality (Forman, 2014). These principles depend on the kind of ecosystem services that are targeted (Elmqvist, 2015) Some key ecological design principles for creating good ecological spaces are: connecting habitat patches, to allow species movement through the urban environment. Provide multiple layers of vegetation and design for a diversity of species and plant forms (Parris, 2016 as cited in Bush, Hernandez-Santin & Hes, 2020). These kinds of design principles improve the supply of supporting ecosystem services such as biodiversity. Green spaces however, can also provide cultural ecosystem services such as the improvement of sense of place and sense of belonging that people feel to a certain place. "Sense of place emerges through our interactions with the biophysical environment" (Masterson et al, 2017). This need for improving sense of place is of

specific relevance for the TiB as it can improve the perception that people have of these spaces.

However, for the supply of cultural ecosystem services, we do not only need to understand the local identity and needs of nature, but also the identity and needs of people in the place. Therefore, an integrated design approach is required to meet the needs of nature and people simultaneously (Bush, Hernandez-Santin & Hes, 2020; Cilliers et al., 2015).

The next chapter discusses placemaking as an approach to strengthen the sense of place in the TiB and discusses how nature can be integrated in the placemaking process.

# 4. Placemaking

"Placemaking is the process by which people transform the locations they inhabit into the places where they live" (Cilliers et al. 2015) The aim of placemaking is to improve the quality of spaces by a collaborative design process. (PPS, 2013). Places that people care about and want to be in have a strong sense of place. Most people feel at home in these places. They can also be referred to as Quality Spaces. Engaging local residents and other stakeholders in the design process is an important aspect of placemaking and distinguishes it from other kind of development strategies (Wyckoff, 2014). According to Azadi, public involvement in the planning and management of green spaces results into greater sense of belonging and ownership. Moreover, people are more likely to positively contribute to the management of the place (Azadi et al., 2011; Ellery & Ellery, 2019). Therefore, collaborative placemaking provides an important tool for dealing with the placelessness and lack of identity that people experience in the territories inbetween. There are several types of place-

<u>158</u>

making: strategic, creative and tactical. Strategic placemaking is a targeted process that aims to regenerate with a specific goal, aside from improving the spatial quality. Creative placemaking aims at improving the spatial quality by spatial interventions that use art, culture and creative thinking. Finally, tactical placemaking aims at improving public spaces by creating cheap and usually small scale and quick interventions which, on the long run, can significantly improve the spatial quality. Examples of tactical placemaking are parking lot transformations, temporary gardening activities or park extensions (Wyckoff. 2014). It seems that tactical placemaking is the most promising type, since small scale and quick interventions can be easily implemented in the public environment before permanent measures are taken. This allows the stakeholders to learn and easily adapt to new insights. Considering the fact that open spaces in the TiB are often owned by private parties they are likely more willing to engage in tactical placemaking projects, since there is a smaller financial risk compared to strategic and creative placemaking approaches (Wyckoff, 2014).

Placemaking is about meeting human needs in space. Greenery for example is considered a spatial quality that is essential to placemaking (PPS, 2013; Cilliers et al., 2015). However, placemaking is primarily considered from the human perspective. Even so, nature is excluded as a participant in the placemaking process (Bush, Hernandez-Santin & Hes, 2020). Therefore, the placemaking process can be in conflict with the needs of non-human species. The next chapter will explore several strategies to integrate ecological design and planning with the process of placemaking.

# 5. Strategies for nature-based placemaking

Integrating green planning approaches and placemaking can help solve problems which are typical to the TiB. Namely, the limited ecological value and the need for improving the sense of place in these territories. As nature is a key element to our experience of sense of place it is crucial to establish the human-nature interaction in the process of placemaking (Masterson et al., 2017)

Linking green planning interventions to placemaking approaches enhances the natural and social environment. Placemaking is primarily focused on providing social functions, whereas green planning approaches are focused on providing environmental benefits. When combined these approaches provide synergies for the social and ecological performance of the place (Cilliers, 2015).

This paragraph explores what strategies can be applied in order to integrate ecological design principles with placemaking process. This integration of ecological design as a fundamental aspect of the placemaking process is described as: nature-based placemaking.

First of all, a strategy that is often used to provide design processes with ecological knowledge of the place conditions is the involvement of expert knowledge (Cilliers & Timmermans, 2014). Experts on ecology can be involved in the collaborative design process between stakeholders. Hence, ecological experts represent the interests and needs of the local ecosystem and provide input for the placemaking process from the ecological perspective. The involvement of experts though may add extra costs to the design process.

Secondly, a framework of ecological design guidelines can be introduced to the placemaking process. Such a framework can inform all people involved in the design

process with guidance on improving the ecological quality of the place. The framework for Biodiversity Sensitive Urban Design (BSUD) is an example. This framework can be applied at a wide range of urban development sites (Gerrard, 2018). The disadvantage of such a framework is the general character of it and the lack of site-specific ecological knowledge that it provides, therefore it is usually not sufficient. However, such a framework allows people with little knowledge on ecology to get an understanding of the basic principles of nature inclusive design and its processes. Therefore, it is a very transparent and inclusive approach that is easily understood and accepted by everyone involved in the placemaking process.

Thirdly, an innovative strategy has been introduced by Bush (2020). It introduces a participatory co-design process in which each member involved in the design process acts as a spokesperson for a specific element of biodiversity, such as plants, animals, insects or birds (Bush, Hernandez-Santin & Hes 2020). This way nature is included as a participant in the placemaking process. By answering questions such as: What kind of habitat do I need? what do I eat? and how do I move through space? participants are asked to think about the spatial design interventions necessary to sustain their represented biodiversity element (Bush, Hernandez-Santin & Hes, 2020). This strategy is especially interesting as it actively engages non-expert people, even children, to think about what kind of nature they like to protect and establish. Moreover, it makes people think about public spaces from a different perspective than usual.

By applying these strategies, the notion of sense of place is not only viewed from the human perspective, but also from the perspective of nature.

## The role of the urban designer

In the process of tactical placemaking for the open spaces in the TiB the main role of the urban designer is to facilitate in the design process rather than to or design. It is really important that the facilitator seeks to understand the place-based context, both from the social as the ecological perspective and understand that there is no such one-size-fits all approach. Ways in which the designer could facilitate is by visualizing ideas which are initiated by the local community and try to engage local stakeholders with the design process (Alwaer & Cooper, 2019). In nature-based placemaking approaches the facilitator should not only ensure the social inclusivity of the design, but also ensure the ecological inclusivity of the project. The nature-based placemaking strategy requires the urban designer to be creative, connect to multiple stakeholders and operate outside of the usual scope of urban planning and design. Concerning the TiB this is especially relevant because many spaces of interest for improvement of spatial quality are located on private property, such as sport clubs, industrial companies and infrastructural authorities.

Resuming it is concluded that various methods for placemaking are available to incorporate natural environment into the process of placemaking where the urban designer can fulfill a different yet useful role as facilitator. The urban designer can choose and design a nature-based placemaking approach that seems fit for the site-specific conditions.

"Bringing together the principles of ecological urban design with the process of placemaking can make nature and people flourish together." (Bush, Hernandez-Santin & Hes, 2020)

## 6. Conclusion

This paper aimed to create a comprehensive understanding of the challenges the TiB have to deal with from a social and ecological perspective. Furthermore, it explored how an integrated placemaking approach can strengthen the ecological quality as well as enhancing the sense of place in the territories in-between.

From the literature review it can be concluded that there is an urgent need for urban designers and policy makers to become aware of the spatial challenges and opportunities of the TiB (Wandl, 2014). It is indicated that the neglect of attention given to the spatial quality of the TiB might be the result of a discrepancy between national and local planning strategies. The very limited attention given to the spatial quality of the TiB negatively affects the feeling of sense of place that people experience in these landscapes (Arefi, 1999; Wandl, 2014).

Moreover, the potential of the TiB for the provisioning of ecosystem services is significantly underestimated (Wandl, 2014). This accounts for both supporting and cultural ecosystem services. The abundance of open spaces in the TiB however, provides a window of opportunity for the improvement of both social and ecological qualities (Wandl, 2012).

Particular attention is given to the relationship between the natural environment and sense of place. Quality green spaces can strengthen our sense of place through the provisioning of ecosystem services (Elmqvist et al., 2015). Furthermore, the concept of placemaking is discussed as a promising design tool to engage with the local residents and other stakeholders in the redevelopment process of these open spaces. Engaging local residents and stakeholders in the design

process can effectively strengthen the sense of place among members of the local community. A tactical placemaking approach is identified as most promising, since it enables short term, small scale and low expected risk of these spatial interventions (Wyckoff, 2014).

Nature is explored as a mode of placemaking to improve the spatial quality and integrate the open spaces of the TiB both in its social and ecological context. The improvement of the natural environment therein, is explored as a means to also improve the sense of place. Finally, a nature-based placemaking approach for the TiB is proposed to deal with the typical problems of sense of place and ecological quality in an integrated way. In the process of nature-based placemaking the urban designer becomes aware of both the ecological and social needs of the place and operates as a facilitator rather than a designer.

#### Discussion

The paper discussed the spatial characteristics of the TiB from both social as well as ecological perspectives. This broad approach created an integrated understanding of the problems and potentials that are characteristic for the TiB. This broad approach however, also limited the extend and depth to which the different components were discussed.

The limited amount of literature available on the concept of TiB significantly challenges the validity of the outcomes of the paper. Further research on the spatial characteristics of the TiB is therefore recommended, especially with respect to people's perception of these territories.

This paper primarily focused on the socialecological potentials of open spaces in the TiB at the local scale. Further research can be done on how the proposed local ecological design interventions can be integrated with the regional ecological structure. This can be especially interesting from a planning perspective in order to understand how the local, regional and perhaps national government should be included in the planning process of the TiB. Additional research can be done to investigate what actors could be interested in nature-based placemaking design approach for the TiB. Further research is also needed to understand what the specific challenges of placemaking in the TiB are in contrast to more traditional design approaches. Especially, considering

the engagement of local residents and stakeholders in the process of design.

Considering the following thesis project, it can be particularly interesting to investigate if there are any existing nature-based placemaking projects that can be of inspiration. Finally, further research is necessary to investigate at what locations

based placemaking projects that can be of inspiration. Finally, further research is necessary to investigate at what locations the proposed nature-based placemaking approach can be further explored and how it can be integrated with a regional design proposal for the redevelopment of the TiB.

162 <u>163</u>

## References

Alwaer, H., & Cooper, I. (2019). A Review of the Role of Facilitators in Community-Based, Design-Led Planning and Placemaking Events. *Built Environment*, 45(2), 190-211.

Akkerman, A., & Cornfeld, A. F. (2010). Greening as an urban design metaphor: looking for the city's soul in leftover spaces. *The Structurist*, 49(50), 30-35.

Arefi, M. (1999). Non-place and placelessness as narratives of loss: Rethinking the notion of place. *Journal of urban design*, *4*(2), 179-193.

Azadi, H., Ho, P., Hafni, E., Zarafshani, K., & Witlox, F. (2011). Multi-stakeholder involvement and urban green space performance. *Journal of Environmental Planning and Management*, *54*(6), 785-811.

Balz, V., & Zonneveld, W. (2018). Transformations of planning rationales: Changing spaces for governance in recent Dutch national planning. *Planning Theory & Practice*, 19(3), 363-384.

Bush, J., Hernandez-Santin, C., & Hes, D. (2020). Nature in Place: Placemaking in the Biosphere. In *Placemaking Fundamentals for the Built Environment* (pp. 39-61). Palgrave Macmillan, Singapore.

Bontje, M. (2003). APlanner's Paradise'Lost? Past, Present and Future of Dutch National Urbanization Policy. *European urban and regional studies*, 10(2), 135-151.

Carpenter, S. R., Mooney, H. A., Agard, J., Capistrano, D., DeFries, R. S., Díaz, S., ... & Perrings, C. (2009). Science for managing ecosystem services: Beyond the Millennium Ecosystem Assessment. *Proceedings of the National Academy of Sciences*, 106(5), 1305-1312.

Cilliers, E. J., & Timmermans, W. (2014). The importance of creative participatory planning in the public place-making process. *Environment and Planning B: Planning and Design*, 41(3), 413-429.

Cilliers, E. J., Timmermans, W., Van den Goorbergh, F., & Slijkhuis, J. (2015). Green place-making in practice: From temporary spaces to permanent places. *Journal of Urban Design*, *20*(3), 349-366.

Cilliers, E. J., Timmermans, W., Van den Goorbergh, F., & Slijkhuis, J. S. A. (2015). The story behind the place: Creating urban spaces that enhance quality of life. *Applied research in Quality of Life*, 10(4), 589-598.

Elmqvist, T., Setälä, H., Handel, S. N., Van Der Ploeg, S., Aronson, J., Blignaut, J. N., ... & De Groot, R. (2015). Benefits of restoring ecosystem services in urban areas. *Current opinion in environmental sustainability*, 14, 101-108.

Ellery, P. J., & Ellery, J. (2019). Strengthening community sense of place through placemaking. *Urban Planning*, *4*(2), 238-248.

Forman, R. T. (2014). Land Mosaics: The ecology of landscapes and regions (1995). *The Ecological Design and Planning Reader. IslandPress, Washington, DC*, 217-234.

Frijters, E., Hamers, D., Johann, R., Kürschner, J., Lörzing, H., Nabielek, K., ... & van der Wagt, M. (2004). Tussenland. *Rotterdam/The Hague, Netherlands: NAi Publishers/RPB (Netherlands Institute for Spatial Research)*.

Garrard, G. E., Williams, N. S., Mata, L., Thomas, J., & Bekessy, S. A. (2018). Biodiversity sensitive urban design. *Conservation Letters*, *11*(2), e12411.

Haaland, C., & van Den Bosch, C. K. (2015). Challenges and strategies for urban green-space planning in cities undergoing densification: A review. *Urban forestry & urban greening*, 14(4), 760-771.

Healey, P. (2006). *Urban complexity and spatial strategies: Towards a relational planning for our times*. Routledge.

Masterson, V. A., Stedman, R. C., Enqvist, J., Tengö, M., Giusti, M., Wahl, D., & Svedin, U. (2017). The contribution of sense of place to social-ecological systems research: a review and research agenda. *Ecology and Society*, 22(1).

Nabielek, K., Kronberger-Nabielek, P., & Hamers, D. (2014). The rural-urban fringe in the Netherlands: recent developments and future challenges. *Spool*, 1(1), 101-120.

Rebele, F. (1994). Urban ecology and special features of urban ecosystems. *Global ecology and biogeography letters*, 173-187.

Van Ool, M. (Ed.). (2006). Stad noch land: de ruimtelijke ontordening van Nederland. NAi Uitgevers.

Shamai, S. (1991). Sense of place: An empirical measurement. Geoforum, 22(3), 347-358.

Shi, J. (2016). Study of the leftover space in the city based on reutilization: take the space under elevated road in Shanghai as an example (Master's thesis, Universitat Politècnica de Catalunya).

PPS. (2013). What is placemaking? Retrieved 20 november 2020 from website: https://www.pps.org/article/what-is-placemaking

Veeneklaas, F. R., Donders, J. L. M., & Salverda, I. E. (2006). *Verrommeling in Nederland* (No. 6). WOT Natuur & Milieu

VROM, Ministry for Housing, Spatial Planning and the Environment (Netherlands) (2005) Nota Ruimte (National Spatial Strategy) VROM, Den Haag

Wandl, A., Rooij, R. M., & Rocco, R. C. (2012). Understanding the planning of open-spaces in territories-in-between: Dupuy's network urbanism approach applied to areas in-between urban and rural. In RSA European Conference: "Networked regions and cities in times of fragmentation: Developing smart, sustainable and inclusive places", Delft, The Netherlands, 13-16 May, 2012. Regional Studies Association.

Wandl, D. A., Nadin, V., Zonneveld, W., & Rooij, R. (2014). Beyond urban–rural classifications: Characterising and mapping territories-in-between across Europe. *Landscape and Urban Planning*, 130, 50-63.

Wyckoff, M. A. (2014). Definition of placemaking: four different types. Planning & Zoning News, 32(3), 1.

Zuo, J., Daniel, L., & Soebarto, V. (2016) Re-Thinking the role of Urban In-Between Spaces.

Zonneveld, W. (2005). In search of conceptual modernization: The new Dutch 'national spatial strategy'. *Journal of Housing and the Built Environment*, 20(4), 425-443.

Zonneveld, W. (2007). A sea of houses: preserving open space in an urbanised country. *Journal of Environmental Planning and Management*, *50*(5), 657-675.