

Show us the data

global COVID-19 wastewater monitoring efforts, equity, and gaps

Naughton, Colleen C.; Roman, Fernando A.; Alvarado, Ana Grace F.; Tariqi, Arianna Q.; Deeming, Matthew A.; Kadonsky, Krystin F.; Bibby, Kyle; Bivins, Aaron; Medema, Gertjan; More Authors

DOI

[10.1093/femsmc/xtad003](https://doi.org/10.1093/femsmc/xtad003)

Publication date

2023

Document Version

Final published version

Published in

FEMS Microbes

Citation (APA)

Naughton, C. C., Roman, F. A., Alvarado, A. G. F., Tariqi, A. Q., Deeming, M. A., Kadonsky, K. F., Bibby, K., Bivins, A., Medema, G., & More Authors (2023). Show us the data: global COVID-19 wastewater monitoring efforts, equity, and gaps. *FEMS Microbes*, 4, 1-8. Article xtad003. <https://doi.org/10.1093/femsmc/xtad003>

Important note

To cite this publication, please use the final published version (if applicable). Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.

Show us the data: global COVID-19 wastewater monitoring efforts, equity, and gaps

Colleen C. Naughton¹, Fernando A. Roman, Jr¹, Ana Grace F. Alvarado¹, Arianna Q. Tariqi¹, Matthew A. Deeming¹, Krystin F. Kadonsky¹, Kyle Bibby², Aaron Bivins², Gertjan Medema^{3,4,5}, Warish Ahmed⁶, Panagis Katsivelis⁷, Vajra Allan⁸, Ryan Sinclair⁹, Joan B. Rose¹⁰

¹Department of Civil and Environmental Engineering, University of California, Merced, Merced, CA 95343, United States

²Department of Civil and Environmental Engineering and Earth Science, University of Notre Dame, 156 Fitzpatrick Hall, Notre Dame, IN 46556, United States

³KWR Water Research Institute, Groningenhaven 7, 3433 PE Nieuwegein, The Netherlands

⁴Civil Engineering and Geosciences, Delft University of Technology, Stevinweg 1, 2628 CN Delft, The Netherlands

⁵Michigan State University, 1405 S Harrison Rd, East-Lansing, MI 48823, United States

⁶CSIRO Land and Water, Ecosciences Precinct, 41 Boggo Road, QLD 4102, Australia

⁷Venthic Technologies, Kipoupoleos 129, Peristeri, Athens 12137, Greece

⁸PATH 2201 Westlake Avenue, Suite 200, Seattle, WA 98121, United States

⁹Schools of Public Health and Earth and Biological Sciences, Loma Linda University, Loma Linda, CA 92350, United States

¹⁰Department of Fisheries and Wildlife, Michigan State University, East Lansing, MI 48824, United States

*Corresponding author. 5200 N. Lake Rd. Merced, CA 95343, United States; E-mail: cnaughton2@ucmerced.edu

Editor: Jana Jass

Abstract

A year since the declaration of the global coronavirus disease 2019 (COVID-19) pandemic, there were over 110 million cases and 2.5 million deaths. Learning from methods to track community spread of other viruses such as poliovirus, environmental virologists and those in the wastewater-based epidemiology (WBE) field quickly adapted their existing methods to detect SARS-CoV-2 RNA in wastewater. Unlike COVID-19 case and mortality data, there was not a global dashboard to track wastewater monitoring of SARS-CoV-2 RNA worldwide. This study provides a 1-year review of the “COVIDPoops19” global dashboard of universities, sites, and countries monitoring SARS-CoV-2 RNA in wastewater. Methods to assemble the dashboard combined standard literature review, Google Form submissions, and daily, social media keyword searches. Over 200 universities, 1400 sites, and 55 countries with 59 dashboards monitored wastewater for SARS-CoV-2 RNA. However, monitoring was primarily in high-income countries (65%) with less access to this valuable tool in low- and middle-income countries (35%). Data were not widely shared publicly or accessible to researchers to further inform public health actions, perform meta-analysis, better coordinate, and determine equitable distribution of monitoring sites. For WBE to be used to its full potential during COVID-19 and beyond, show us the data.

Keywords: Geographic Information Systems (GIS), wastewater-based epidemiology, SARS-CoV-2, open data, public health, COVID-Poops19 dashboard

Introduction

In 1 year, the coronavirus disease 2019 (COVID-19) pandemic has resulted in 110 million cases and 2.5 million deaths worldwide (Dong et al. 2020). When the novel coronavirus strain (SARS-CoV-2) that causes COVID-19 emerged in late 2019, environmental virologists began rapidly adapting their methods from those supporting surveys of other pathogens within wastewater (GWPP 2021), including the use of public health elements to address concerns associated with monitoring SARS-CoV-2 RNA in wastewater. Some of the first major monitoring efforts for SARS-CoV-2 in wastewater were in the Netherlands (Medema et al. 2020a, Lodder and de Roda Husman 2020), Australia (Ahmed et al. 2020), Italy (La Rosa et al. 2020), and the USA (Sherchan et al. 2020). A global coordination effort was proposed to share and standardize sampling strategies, virus recovery methodologies, and data for wastewater-based epidemiology (WBE) for SARS-CoV-2 (Bivins et al. 2020). COVID-19 WBE and environmental/wastewater surveillance or monitoring are being used to describe this effort, which

has grown from just a few countries in March 2020 to at least 55 countries and over 200 universities a year later (Naughton et al. 2021).

Both the growth and recognition of WBE for SARS-CoV-2 monitoring has been rapid and widespread. Wastewater monitoring to address epidemiological questions has been used historically at mostly smaller scale settings to track enteric viruses and other pathogens (GWPP 2021), including the poliovirus vaccine and wildtype strains (Hovi et al. 2011), norovirus, adenovirus, and other pathogens (Ali et al. 2021), as well as antimicrobial resistance (Hendriksen et al. 2019), and drugs such as opioids (Burgard et al. 2014, Li et al. 2019, Schmidt 2020). Because of the COVID-19 pandemic, a year later, at least seven countries, Finland (THL 2021), France (Obépine 2021), Hungary (NNK 2021), Luxembourg (LIST 2021), Netherlands (Rijksoverheid 2021), Spain (VATar 2021), and Turkey (Kocamemi et al. 2020), had nationalized wastewater monitoring for SARS-CoV-2. The USA (CDC 2021) and Canada (CWN 2021) established national coordination networks/systems.

Received: June 30, 2022. Revised: December 16, 2022. Accepted: January 11, 2023

© The Author(s) 2023. Published by Oxford University Press on behalf of FEMS. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted reuse, distribution, and reproduction in any medium, provided the original work is properly cited

At least four countries have regional level monitoring: Australia (Queensland 2021, Victoria 2021), Brazil (ANA 2021), South Africa (SAMRC 2021), Switzerland (EAWAG 2021a, EAWAG 2021b), and the UK (SEPA 2021). Throughout these countries and globally, newspaper, online, and television outlets have extensively covered SARS-CoV-2 wastewater monitoring with local to national level politicians calling for widespread application of wastewater testing. Whereas COVID-19 case and death data have been widely available globally, such as through the Johns Hopkins University dashboard (Dong et al. 2020), even the locations of COVID-19 wastewater testing are less available and difficult to track.

Though challenges exist to standardize wastewater testing methods and data normalization (Medema et al. 2020b), public health departments (CWN 2020), utilities, scientists, and engineers have an ethical obligation, especially during a pandemic, to provide this information to the public who is being monitored. The goal of this study is to provide a global dashboard and a 1-year analysis of SARS-CoV-2 wastewater testing to inform the public (general population, public health departments, municipalities, and researchers) where this type of testing is taking place and to provide links to available data for decision making and better coordination. Our hypothesis was that much of the wastewater SARS-CoV-2 data will not be publicly available and low- and middle-income countries would have less access to wastewater monitoring. This study uses the “COVIDPoops19” dashboard to identify gaps in wastewater monitoring to make recommendations for science communication of wastewater data, and as a call to action for more forthcoming and transparent open data sharing.

Materials and methods

Data sources

To create a global dashboard of reported wastewater monitoring efforts, six different data sources were used: (1) the COVID-19 WBE website (COVID-19 WBE Collaborative 2021), (2) webinars, (3) Google Form submissions, (4) literature searches, (5) Twitter keyword searches, and (6) Google keyword searches. ArcGIS Online Dashboards was chosen as the host platform (ESRI 2020). First, points were added from the COVID-19 WBE collaborative publication map as country points (COVID-19 WBE Collaborative 2021). A link to a Google Form was made available at the bottom of the COVIDPoops19 dashboard for users to submit public data points. A Twitter account (@COVIDPoops19) was created for the dashboard and the UC Merced co-authors performed key word searches daily for six combinations of “wastewater” or “sewage” and “COVID19” or “COVID-19” or “SARS-CoV-2.”

From advertisements on Twitter and the US National Science Foundation (NSF) COVID-19 WBE Research Coordination Network (RCN) (Wastewater Surveillance RCN 2021), the co-authors regularly attended webinars to learn about different monitoring efforts. Only publicly reported locations and data from websites and news articles were added to the dashboard. Google was used to check for missing US states and territories. For example, a combination of “Puerto Rico” and “wastewater,” “sewage,” “monitoring” and “COVID-19” and “SARS-CoV-2” keywords were used to see whether there were missing articles that were not found by the daily keyword searches on Twitter.

Although keyword and literature searches were predominantly in English, the dashboard team included English, French, and Spanish speakers, and the dashboard had a broad submission from international stakeholders via the Google form as well as

engagement during international webinars. Many researchers in other countries also publish and post in English. Through the co-authors’ involvement in the W-SPHERE (Wastewater SARS Public Health Environmental REsponse) global data center (W-SPHERE 2021), working group, and Technical Advisory Committee; we were also able to directly engage with those monitoring in low- and middle-income countries.

Dashboard curation

Wastewater monitoring locations for SARS-CoV-2, news articles, publications, Google Form submissions, dashboard/data, and other web links were collected and sorted into the following four categories: (1) dashboard/data, (2) university, (3) country, and (4) sites (see Fig. 1). GPS coordinates in WGS 84 coordinate system for the dashboard were either directly extracted when provided or approximated from the location mentioned in the source. If a city, county, or country was found testing their wastewater for SARS-CoV-2 without specific sampling sites mentioned, then a point was placed near the centroid of the mentioned area tested to associate the testing site with a location. When other public dashboards for wastewater testing efforts provided coordinates for their sampled sites, those were downloaded and utilized as site points on the COVIDPoops19 dashboard. The COVIDPoops19 dashboard was usually updated weekly depending on the number of points gathered and submitted.

Data analysis

After the collection of sites, universities, and countries, the spatial distribution of wastewater monitoring was analyzed. Countries were sorted based on the World Bank income classifications (high-income countries (HICs), upper middle-income countries, lower middle-income countries (LMIC), and low-income countries) (World Bank 2021). ArcGIS Pro 2.6.1 was used to map the number of sites and universities monitoring wastewater for SARS-CoV-2 globally. With a large number of sites and universities monitoring SARS-CoV-2 in wastewater, the USA was chosen to further classify based on the 50 states and 5 inhabited territories.

Dashboards were categorized based on their presentation, communication style, and data availability. Results of SARS-CoV-2 testing in wastewater were presented as maps, graphs, a small written description, or solely by color (demonstrating an increase or decrease in trend). Dashboard communication style categories were video, FAQ page, a short written format (less than three paragraphs), longer descriptions (three or more paragraphs), and no form of written communication. The simplicity of the communication was also determined by whether the description given was: (1) technical, more specifics on the science behind SARS-CoV-2 wastewater testing (included information on lab processes), or (2) a simpler form of communication that would be understandable to the general public (used general vocabulary to inform as to why wastewater is being employed to test for SARS-CoV-2). Dashboards were checked for whether they provided downloadable data, the file type, and the variables available. Data on population monitored, flow rate, gene targets, methods, study duration, sampling frequency, and other variables are not available for many dashboards and sites and this information could not be included in our analysis.

Results and discussion

As of 11th March 2021, a year after declaration of the COVID-19 pandemic (Cucinotta and Vanelli 2020), the COVIDPoops19 global




Figure 1. COVIDPops19 dashboard data workflow.

dashboard for wastewater monitoring of SARS-CoV-2 included 235 universities, 59 dashboards, and 1488 sites in 55 countries. Between September 2020 and 11th March 2021, there were 60 submissions on the Google Form linked to the COVIDPops19 dashboard. Since the dashboard was published publicly in September 2021, there have been 25 679 visits. The COVIDPops19 twitter account has acquired over 2000 followers between May 2020 and March 2021.

Wastewater monitoring equity analysis

Of the 195 countries in the world (US DOS 2021), 55 contain wastewater monitoring. Of these 55, 36 (65%) are in HICs, 11 (20%) are upper middle-income countries, 8 (15%) are LMICs, and 0% are low-income countries (Fig. 2). Similar to COVID-19 individual testing and Personal Protective Equipment (PPE; Kavanagh et al. 2020, McMahon et al. 2020) and vaccination efforts (Lancet Commission 2021), access to wastewater testing is also more widely available in HICs.

The USA had the highest number of universities and sites (962) monitoring for SARS-CoV-2 globally. Of the 50 states and 5 inhabited territories of the USA and the District of Columbia, there was no record of wastewater testing for SARS-CoV-2 RNA in any of the inhabited territories within the USA. The five inhabited territories were: (1) American Samoa, (2) Guam, (3) Puerto Rico, (4) US Virgin Islands, and (5) Northern Mariana Islands (see Fig. 3). Iowa had no publicly disclosed wastewater testing until the University of Iowa added testing in February 2021 (University of Iowa 2021). South Dakota had only one location monitoring for SARS-CoV-2 RNA since July 2020. Greater distribution of wastewater monitoring for

SARS-CoV-2 would be beneficial in the USA and US-inhabited territories since WBE has potential as an early warning system and to identify hotspots to better target public health measures to prevent further COVID-19 cases (Ahmed et al. 2021).

Show us the data

The COVIDPops19 dashboard is the most extensive compilation of global wastewater monitoring for SARS-CoV-2. The dashboard is likely an underestimate of the locations testing wastewater for SARS-CoV-2 RNA, because it is limited to publicly available data. Many private companies who are monitoring wastewater for SARS-CoV-2 are limited by what their client(s) (e.g. public health department, municipality, etc.) allow to be shared. For example, Biobot Analytics is a private company that conducts WBE (Biobot Analytics 2021a). Biobot has processed wastewater from at least 300 sites in 42 states in the USA (Wiggins 2020). Some Biobot sites were found and posted from news articles and publicly available dashboards, e.g. Eastern Massachusetts (Biobot Analytics 2021b), Chattanooga (Biobot Analytics 2021c), Nantucket (Town and Country of Nantucket 2021), Delaware (Biobot Analytics 2021d), etc., but the COVIDPops19 dashboard was missing other sites. In May 2021, Biobot did release aggregate data (Biobot Analytics 2021e), over a year into monitoring. Similarly, universities do not publicly report all the sites they are sampling from.

Despite over 200 universities, 1400 sites, and 55 countries with reported wastewater surveillance for SARS-CoV-2, there are a limited number of entities that make their data openly accessible with only 59 publicly available dashboards. Of these 59 dashboards, only 18 had downloadable data for further analysis (see




Figure 2. World map with countries using wastewater monitoring of SARS-CoV-2.




Figure 3. Map of the USA and US-inhabited territories testing wastewater for SARS-CoV-2 RNA.

Supplementary Information Table S1). Data are downloadable as .csv, .xlsx, .rda, .pdf, or .pitemx files depending on the dashboard. Typical data include flow rates, collection dates, coordinates, days since sampled, sample types, gene copy information, and if the virus was observed in the sample. Data available and units vary for each dashboard, as there is no common data standard followed among the different endeavors.

It is essential to ensure appropriate public health surveillance systems and open data access in pandemic response. The Canadian Water Network states, “During a public health emergency, it is imperative that all parties involved in surveillance share data in a timely fashion.” (CWN 2020). Providing open access to data collected from testing wastewater for SARS-CoV-2 RNA, along with effective communication and properly handling sensitive information, can better inform the public, which will allow for a collective fight against the COVID-19 pandemic.

Increased access to wastewater testing data could provide other researchers, such as data scientists, the opportunity to further develop algorithms, compare between sites, and better analyze the data to make it more useful to inform public health decisions instead of keeping it internal. Individuals may use wastewater data in their personal risk decisions if they see an increase in concentrations in the wastewater in their area or where they may travel. We have seen the general public regularly using and tweeting about the wastewater data on Twitter and from news media reports. However, an ongoing challenge of WBE is the lack of normalization across datasets. This is a nascent research space with high variability in methods used to collect, process, and analyze samples.

Increased data sharing may allow for analysis across collection sites and identifying which methods work best in HIC and LMIC settings (Pandey et al. 2021). Wastewater testing could be a useful and cost effective option in low-resource settings with limited clinical testing (Hart and Halden 2020, Usman et al. 2020). Greater open data would also facilitate better collaboration, coordination, and equity analysis. Most testing is concentrated in HICs. However, even within HICs, there may be inequity in distribution to high-income and urban areas with less diversity similar to disparities in individual testing (Hopper et al. 2020) and vaccination (Ndugga et al. 2021) in the USA.

The US National Wastewater Surveillance System (NWSS) currently only allows access to the wastewater concentration data on their internal dashboard to public health departments (CDC 2021). Nearly 2 years into the pandemic, the US CDC released a dashboard of their wastewater SARS-CoV-2 data on their COVID Data Tracker (CDC 2022). The wastewater data on CDC’s COVID Data Tracker show the 15-day percent change or 15-day detection proportion. Wastewater concentration data must be requested through the CDC. Not all wastewater monitoring in the USA is reported to CDC. Previously, the US Health and Human Services (HHS) aimed to test 30% of the US population through wastewater (Genomeweb 2020). HHS has yet to publicly release the locations where wastewater sampling occurred. Without knowing all the locations, researchers, the media, and the general public have no way to determine whether wastewater testing is equitably distributed among the 50 states, territories, and low-income, minority, and rural communities.

The USA has an OPEN (Open, Public, Electronic, and Necessary) Government Data Act that mandates federal agencies to make their data open (Data.gov 2021). A total of 53 other countries that also have open data websites and policies are listed on Data.gov. The European Council prioritized the adoption of Open Science and reusability of research data, promoting FAIR (Findable, Ac-

cessible, Interoperable, and Reusable) data principles (Mons et al. 2017). COVID-19 case and death data have been invaluable during the pandemic to inform the public and policies. Wastewater data can be aggregated and de-identified similar to case, hospitalization, and death data to protect private health information.

Dashboard communication styles

A total of 59 dashboards were categorized on how their results were primarily presented. A total of 28 (47%) presented their dashboards in the form of a map, 28 (47%) used graphs, 2 (3%) solely gave a written description of the results (Erie County 2021, Lewis and Clark County 2021), and 1 (2%) presented an image with a color to demonstrate the trend (Indiana Borough 2021). A total of 14 (24%) dashboards used both a graph and a map, and 18 dashboards (30%) used colors to visually present results.

Of the 59 dashboards, 14 (34%) had no description of the data provided. Of the 45 dashboards that had some form of description, 25 (56%) dashboards used a short written format, 13 (29%) included more than three written paragraphs, 9 (20%) included a Frequently Asked Questions (FAQ) page, and 3 (7%) had videos. Five dashboards (13%) used a combination of communication styles. Valencia, Spain had a video and included multiple paragraphs (GoAigua 2020). New Haven, Connecticut, and Bozeman, Montana, both had a video and a short written format to describe SARS-CoV-2 testing in wastewater (Yale University 2020, Healthy Gallatin 2021), and the Luxembourg and Missouri dashboards have a short written format and a section with FAQ (LIST 2021, Missouri Department of Health and Senior Services 2021). Lastly, of the dashboards that presented some form of communication, 34 (76%) were written in language that could be understood by the general public, whereas 11 (24%) had very specific and detailed scientific information. For example, the dashboard used for Valencia, Spain had a simple communication style for a general audience to understand how wastewater can be used as a tool to better understand COVID-19 trends in their area (GoAigua 2020). In contrast, the dashboard used for Minas Gerais, Brazil, went more in-depth with the scientific specifics of the lab results and was categorized as more technical (ANA 2021).

While offering detailed and technical information about the wastewater testing process/protocol is ideal, it is also important to communicate the benefits of wastewater testing for the general public. For this reason, successful communication styles should include more understandable vocabulary (e.g. less scientific jargon) with links to WBE case studies, while offering links to more detailed information for more technical audiences (e.g. researchers, public health departments, and municipalities). Additionally, providing a video explanation can help more visual learners.

Dashboard recommendations

Table 1 includes a list of recommendations for and benefits of public sharing of wastewater monitoring data based on our experience through the COVIDPoops19 dashboard, W-SPHERE global data center (W-SPHERE 2021), and participation in the National Science Foundation Funded COVID-19 Wastewater Based Epidemiology Collaborative (COVID-19 WBE Collaborative 2021) and Research Coordination Network (Wastewater Surveillance RCN 2021).

For WBE to be used to its full potential as a public health tool during and after the COVID-19 pandemic, data must be more openly shared with the public and among researchers. Wastewater monitoring and support for dashboard development must also

Table 1. Recommendations for publicly sharing COVID-19 wastewater monitoring data.

Considerations	Recommendations	Benefits
Data accessibility	Report data collected in a highly accessible manner that is open to the public. Follow the FAIR (Findable, Accessible, Interoperable, and Reusable) principles (Mons et al. 2017)	Provides effective communication between public health officials and citizens, helping inform decision making
Methodology	Explain methods of sampling processes and lab analysis	Allows for easy interpretation of the data considering the sampling process and extraction methodology varies between laboratories
Results	Detail how to interpret results and their significance	Enables the viewer to make informed decisions while understanding the limitations of wastewater monitoring
Downloadable data	Provide viewers with easily downloadable data and distinguishable units on a project website and/or open data repository or center (e.g. GitHub, NORMAN Score Database (Norman Score Database, 2021), Canadian Open Data Model (PHES-ODM, 2021), and/or W-SPHERE)	Allows for public sharing and open access to data for innovation in research to identify trends across the community and to prepare for future outbreaks. Open data repositories and centers often have unique identifiers to cite the data in further publications
Communications	Define goal and scope of the project tailored for a wide audience. Include short videos for more visual learners and avoid scientific jargon	Educates the public through transparency and open communication
Surveillance level and location	Present some degree of spatial coverage affected by the conducted wastewater testing	Distinguishes hierarchy of community-level surveillance and methodology required to analyze samples
Parameters	Report all parameters within the sampling location that may impact results: time, targeted genes, flow, dates (sampling and processing), population served, etc. (McClary-Gutierrez et al. 2021)	Identifies parameters within the sampling location for most accurate data interpretation

be expanded to lower-income countries and areas. Wastewater monitoring will remain important throughout vaccination efforts to monitor for outbreaks (Smith et al. 2020) and can be used to track the spread of variants at larger scales (Martin et al. 2021), only if they show us the data.

Supplementary information

Table of wastewater dashboards for COVID-19 and whether they included downloadable data.

Funding

This work was supported by the Center for Information Technology Research in the Interest of Society (CITRIS) COVID-19 emergency seed grant, PATH, and National Science Foundation (NSF) grant numbers #2037834, #2027752, and #2038087.

Author contributions

Colleen C. Naughton (Conceptualization, Methodology, Writing—original draft, Review & Editing, Supervision, Project Administration), Fernando A. Roman (Data Curation, Writing—original draft, Review & Editing, Visualization), Arianna Q. Tariqi (Data Curation, Writing—original draft, Review & Editing, Visualization), Matthew Deeming (Data Curation, Writing—review & editing), Krystin F. Kadonsky (Data Curation, Writing—review & editing, Visualization), Kyle Bibby (Writing—review & editing), Aaron Bivins (Writing—review & editing), Gertjan Medema (Writing—review & editing), Warish Ahmed (Writing—review & editing), Panagis Katsivelis (Writing—review & editing), Vajra Allan (Writing—review & editing), Ryan Sinclair (Writing—review & editing), and Joan B. Rose (Writing—review & editing, Project Administration)

Acknowledgments

We would like to thank all those contributing to the global effort to monitor SARS-CoV-2 RNA in wastewater that made the COVID-Poops19 dashboard and this publication possible. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the National Science Foundation or other funding agencies. The funding sources or sponsors had no role in study design or the collection, analysis, and interpretation of data or in the writing of the report or the decision to submit this article for publication.

Conflict of interest. The authors declare no competing financial interest.

References

- Agência Nacional de Águas (ANA). *Monitoramento Covid Esgotos*. Secretaria de Estado de Saúde de Minas Gerais, 2021. <https://coronavirus.saude.mg.gov.br/transparencia/monitoramento-covid-esgotos>. [Last accessed June 30, 2022].
- Ahmed W, Angel N, Edson J et al. First confirmed detection of SARS-CoV-2 in untreated wastewater in Australia: a proof of concept for the wastewater surveillance of COVID-19 in the community. *Sci Total Environ* 2020;**728**:138764.
- Ahmed W, Tschärke B, Bertsch PM et al. SARS-CoV-2 RNA monitoring in wastewater as a potential early warning system for COVID-19 transmission in the community: a temporal case study. *Sci Total Environ* 2021;**761**:144216.
- Ali W, Zhang H, Wang Z et al. Occurrence of various viruses and recent evidence of SARS-CoV-2 in wastewater systems. *J Hazard Mater* 2021;**414**:125439. DOI: 10.1016/j.jhazmat.2021.125439

- Biobot Analytics. *Biobot Analytics report*. The Hamilton County Health Department, 2021c. <https://connect.chattanooga.gov/covid-biobot-analysis-reports/>
- Biobot Analytics. *Nationwide wastewater monitoring network*. 2021e. <https://biobot.io/data/>
- Biobot Analytics. *New Castle County confirmed COVID-19 cases (rolling 7-day average)*. 2021d. https://compassred.shinyapps.io/ncco_was_tewater/
- Biobot Analytics. *Population health analytics powered by sewage* 2021a. <https://biobot.io/about/>. [Last Accessed: February 6th, 2023].
- Biobot Analytics. *Wastewater COVID-19 tracking*. Massachusetts Water Resources Authority, 2021b. <https://www.mwra.com/biobot/biobotdata.htm>. [Last accessed June 30, 2022].
- Bivins A, North D, Ahmad A et al. Wastewater-based epidemiology: global collaborative to maximize contributions in the fight against COVID-19. *Environ Sci Technol* 2020. DOI: 10.1021/acs.est.0c02388.
- Burgard DA, Banta-Green C, Field JA. Working upstream: How far can you go with sewage-based drug epidemiology? *Environ Sci Technol* 2014;**48**:1362–8.
- Canadian Water Network (CWN). *COVID-19 Wastewater Coalition*. 2021. <https://cwn-rce.ca/covid-19-wastewater-coalition/>. [Last accessed June 30, 2022].
- Canadian Water Network (CWN). *Ethics and communications guidance for wastewater surveillance to inform public health decision-making about COVID-19*. 2020. <https://cwn-rce.ca/wp-content/uploads/COVID19-Wastewater-Coalition-Ethics-and-Communications-Guidance-v4-Sept-2020.pdf>. [Last accessed June 30, 2022].
- Centers for Disease Control and Prevention (CDC). *National Wastewater Surveillance System (NWSS)*. Centers for Disease Control and Prevention, 2021. <https://www.cdc.gov/coronavirus/2019-ncov/cases-updates/wastewater-surveillance.html>. [Last accessed June 30, 2022].
- Centers for Disease Control and Prevention (CDC). *SARS-CoV-2 RNA levels in wastewater in the United States*. Centers for Disease Control and Prevention COVID Data Tracker, 2022. <https://covid.cdc.gov/covid-data-tracker/#wastewater-surveillance>. [Last accessed June 30, 2022].
- COVID-19 WBE Collaborative. *COVID-19 WBE Collaborative*. 2021. www.COVID19wbec.org. [Last accessed June 30, 2022].
- Cucinotta D, Vanelli M. WHO declares COVID-19 a pandemic. *Acta Biomed* 2020;**91**:157–60.
- Data.gov. *Open Government*. 2021. <https://www.data.gov/open-gov/>. [Last accessed June 30, 2022].
- Dong E, Duh H, Gardner L. An interactive web-based dashboard to track COVID-19 in real time. *Lancet Inf Dis* 2020;**20**:533–4.
- Erie County. *Tag: Biobot*. Erie County Pennsylvania. 2021. <https://erieco.ontypa.gov/tag/biobot/>. [Last accessed June 30, 2022].
- ESRI Inc. *ArcGIS Online* (Version 2.6). Esri Inc., 2020. www.esri.com/en-us/arcgis/products/arcgis-online/overview. [Last accessed March 14, 2021].
- Gallatin City-County Health Department (Healthy Gallatin). *Wastewater testing and COVID-19*. Healthy Gallatin, 2021. <https://www.healthygallatin.org/coronavirus-covid-19/wastewater-data/>. [Last accessed March 14, 2021].
- Genomeweb. *AquaVitas Partners with HHS, CDC on Wastewater Coronavirus Study*. Genomeweb, 2020. <https://www.genomeweb.com/infectious-disease/aquavitas-partners-hhs-cdc-wastewater-coronavirus-study#YD4ElpNKibis>. [Last accessed March 14, 2021].
- Global Water Pathogens Project (GWPP). *Global Water Pathogens Project* 2021. <https://www.waterpathogens.org/>. [Last accessed June 30, 2022].
- GoAigua. *Valencia anticipates coronavirus outbreaks thanks to GoAigua SARS Analytics*. Idrica, Valencia, Spain 2020. <https://www.idrica.com/blog/valencia-anticipates-coronavirus-outbreaks-thanks-to-goaigna-sars-analytics/>. [Last accessed March 14, 2021].
- Hart OE, Halden RU. Computational analysis of SARS-CoV-2/COVID-19 surveillance by wastewater-based epidemiology locally and globally: feasibility, economy, opportunities and challenges. *Sci Total Environ* 2020;**730**:138875. DOI: 10.1016/j.scitotenv.2020.138875.
- Hendriksen RS, Munk P, Njage P et al. Global monitoring of antimicrobial resistance based on metagenomics analyses of urban sewage. *Nat Commun* 2019;**10**:1124. DOI: 10.1038/s41467-019-08853-3.
- Hopper MW, Napoles AM, Perz-Stable EJ. COVID-19 and racial/ethnic disparities. *JAMA* 2020;**323**:2466–7.
- Hovi T, Shulman LM, Van der Avoort H et al. Role of environmental poliovirus surveillance in polio eradication and beyond. *Epidemiol Infect* 2011;**140**:1–13.
- Indiana Borough. *Weekly Trend Report Wastewater Surveillance*. Indiana County, PA. 2021. <https://www.indianaboro.com/news/categories/wastewater-surveillance>. [Last accessed March 14, 2021].
- Kavanagh M, Erondu NA, Tomori O et al. Access to life-saving medical resources for african countries: COVID-19 testing and response, ethics, and politics. *Lancet North Am Ed* 2020;**395**:1735–8.
- Kocamemi BA, Kurt H, Sait A et al. Nationwide SARS-CoV-2 surveillance study for sewage and sludges of wastewater treatment plants in Turkey. *medRxiv* 2020. DOI: 10.1101/2020.11.29.20240549.
- La Rosa G, Iaconelli M, Mancini P et al. First detection of SARS-CoV-2 in untreated wastewaters in Italy. *Sci Total Environ* 2020;**736**:39652.
- Lancet Commission on COVID-19 Vaccines and Therapeutics Task Force Members (Lancet Commission). *Urgent needs of low-income and middle-income countries for COVID-19 vaccines and therapeutics*. *Lancet North Am Ed* 2021;**397**:562–4.
- Lewis and Clark County . *Local COVID-19 Decision-Making Dashboard Lewis and Clark County Montana*. [February 6th, 2023]. <https://www.lccountymt.gov/health/covid-19/decision-making-dashboard.html>.
- Lewis and Clark County . *Local COVID-19 Decision-Making Dashboard, Lewis and Clark County Montana*. 2021. <https://www.lccountyymt.gov/health/covid-19/decision-making-dashboard.html>. [Last accessed on February 6th, 2023].
- Li X, Du P, Zhang W et al. Wastewater: a new resource for the war against illicit drugs. *Curr Opin Environ Sci Health* 2019;**9**:73–76.
- Lodder W, de Roda Husman AM. SARS-CoV-2 in wastewater: potential health risk, but also data source. *Lancet Gastroenterol Hepatol* 2020;**5**:533–4.
- Luxembourg Institute of Science and Technology (LIST). *Monitoring the evolution of covid-19 in wastewater*. Luxembourg Institute of Science and Technology, 2021. <https://www.list.lu/en/covid-19/coronastep/>. [Last accessed March 14, 2021].
- Martin J, Klapsa D, Wilton T et al. Tracking SARS-CoV-2 in sewage: evidence of changes in virus variant predominance during COVID-19 pandemic. *Viruses* 2021;**12**:1144.
- McClary-Gutierrez JS, Aanderud ZT, Al-faliti M et al. Standardizing data reporting in the research community to enhance the utility

- of open data for SARS-CoV-2 wastewater surveillance. *Environ Sci Water Res Technol* 2021;**7**:1545–51.
- McMahon DE, Peters GA, Ivers LC et al. Global resource shortages during COVID-19: bad news for low-income countries. *PLoS Negl Trop Dis* 2020;**14**:e0008412. DOI:10.1371/journal.pntd.0008412
- Medema G, Been F, Heijnen L et al. Implementation of environmental surveillance for SARS-CoV-2 virus to support public health decisions: opportunities and challenges. *Curr Opin Environ Sci Health* 2020a;**17**:49–71.
- Medema G, Heijnen L, Elsinga G et al. Presence of SARS-Coronavirus-2 RNA in sewage and correlation with reported COVID-19 prevalence in the early stage of the epidemic in the Netherlands. *Environ Sci Technol Lett* 2020b;**7**:511–6.
- Missouri Department of Health and Senior Services. *The Sewershed Surveillance Project*. Missouri Department of Health and Senior Services, 2021. <https://storymaps.arcgis.com/stories/f7f5492486114da6b5d6fdc07f81aacf>. [Last accessed March 14, 2021].
- Mons B, Cameron N, Velterrop J et al. Cloudy, increasingly FAIR: revisiting the FAIR Data guiding principles for the European Open Science Cloud. *Inf Serv Use* 2017;**37**:49–56.
- Naughton CC, Roman FAR, Tariqi AQ et al. COVIDPoops19 summary of global SARS-CoV-2 wastewater monitoring efforts by UC Merced researchers. ArcGIS Online Dashboard, Merced, CA 2021. <https://arcgis/1aummw>. [Last accessed: March 14, 2021].
- Ndugga N, Pham O, Hill L et al. Early state vaccination data raise warning flags for racial equity. KFF Coronavirus (COVID-19) Policy Watch, Oakland, CA 2021. <https://www.kff.org/policy-watch/early-state-vaccination-data-raise-warning-flags-racial-equity/>. [Last accessed March 14, 2021].
- Nemzeti Népegészségügyi Központ (NNK). COVID-19 Tájékoztató Oldal. 2021. <https://www.nnk.gov.hu/index.php/koronavirus/szenyvizvizsgalatok>. [Last accessed March 14, 2021].
- Norman Score Database. *Norman Score Database- SARS-CoV-2 in Sewage (SC2S)*. 2021. https://www.norman-network.com/nds/sars_cov_2/. [Last accessed March 14, 2021].
- Observatoire Épidémiologique dans les Eaux usées (Obépine). *Rapport d'analyses: présentation des résultats*. 2021. <https://www.reseau-obe-pine.fr/donnees-ouvertes/>. [Last accessed March 14, 2021].
- Pandey D, Verma S, Verma P et al. SARS-CoV-2 in wastewater: challenges for developing countries. *Int J Hyg Environ Health* 2021;**231**:113634. DOI: 10.1016/j.ijheh.2020.113634.
- Public Health Environmental Surveillance Open Data Model (PHES-ODM, or ODM). GitHub. 2021. <https://github.com/Big-Life-Lab/PHES-ODM>. 10.17605/OSF.IO/49Z2B. [Last accessed March 14, 2021].
- Queensland Government. Wastewater surveillance program results. 2021. <https://www.qld.gov.au/health/conditions/health-alerts/coronavirus-covid-19/current-status/wastewater>. [Last accessed March 14, 2021].
- Rijksoverheid. Virusdeeltjes in rioolwater. 2021. <https://coronadashboard.rijksoverheid.nl/landelijk/rioolwater>. [Last accessed March 14, 2021].
- SAMRC. SAMRC SARS-CoV-2 wastewater surveillance dashboard: an early warning system for COVID-19 infections. 2021. <https://www.samrc.ac.za/wbe/>. [Last accessed March 14, 2021].
- Schmidt C. Watcher in the wastewater. *Nat Biotechnol* 2020;**38**:917–20.
- Scottish Environment Protection Agency (SEPA). *Current national overview*. 2021. <https://informatics.sepa.org.uk/RNAmonitoring/>. [Last accessed March 14, 2021].
- Sherchan SP, Shahin S, Ward LM et al. First detection of SARS-CoV-2 RNA in wastewater in North America: a Study in Louisiana, USA. *Sci Total Environ* 2020;**743**:140621. DOI: 10.1016/j.scitotenv.2020.140621.
- Smith T, Cassell G, Bhatnagar A. Wastewater surveillance can have a second act in COVID-19 vaccine distribution. *JAMA Health Forum* 2020. DOI: 10.1001/jamahealthforum.2020.1616.
- Swiss Federal Institute of Aquatic Science and Technology (EAWAG). WWTP Lausanne-Vidy—raw influent. 2021b. https://sensors-eawag.ch/sarscov2/STEP_Vidy_ddPCR.html
- Swiss Federal Institute of Aquatic Science and Technology (EAWAG). WWTP Zürich Werdhölzli—raw influent. 2021a. http://parsivel-eawag.ch/sarscov2/ARA_Werdhoelzli_ddPCR.html. [Last accessed March 14, 2021].
- Terveyden ja hyvinvoinnin laitos (THL). Koronaviruksen jätevesiseurannan viikkoraportti. 2021. https://www.thl.fi/episeuranta/jatevesi/jatevesiseuranta_viikkoraportti.html. [Last accessed March 14, 2021].
- Town and Country of Nantucket. *Surfside wastewater treatment facility Covid-19 results*. 2021. <https://nantucket-ma.gov/1864/Surfside-Wastewater-Treatment-Facility-C>. [Last accessed March 14, 2021].
- University of Iowa. Campus update: vaccine update; virtual spring commencement; wastewater testing pilot; variant confirmed in Johnson County; campus operations; self-reported testing data. 2021. <https://coronavirus.uiowa.edu/news/2021/02/campus-update-vaccine-update-virtual-spring-commencement-wastewater-testing-pilot>. [Last accessed March 14, 2021].
- US Department of State (DOS)/Bureau of Intelligence and Research. *Independent states in the world*. US Department of State, 2021. <https://www.state.gov/independent-states-in-the-world/>. [Last accessed March 14, 2021].
- Usman M, Farooq M, Hanna K. Existence of SARS-CoV-2 in wastewater: implications for its environmental transmission in developing countries. *Environ Sci Technol* 2020;**54**:7758–9.
- VATar COVID-19. *Cuadro de mando de evolucion de EDAR*. Ministerio para la Transición Ecológica y el Reto Demográfico, 2021. <https://miteco.maps.arcgis.com/apps/opsdashboard/index.html#/aab0e0653d694289b310f6485f9f2226>. [Last accessed March 14, 2021].
- Victoria State Government. Wastewater testing. 2021. <https://www.dhhs.vic.gov.au/wastewater-testing-covid-19>. [Last accessed March 14, 2021].
- Wastewater SARS Public Health Environmental REsponse (W-SPHERE). A global data center by the Global Water Pathogens Project 2021. <https://sphere.waterpathogens.org/>. [Last accessed June 30, 2022].
- Wastewater Surveillance for SARS-CoV-2 NSF Research Coordination Network (RCN). COVID-19 WBE Collaborative 2021. <https://sites.nd.edu/rcn-wastewater-sarscov2/>. [Last accessed June 30, 2022].
- Wiggins O. Flushing out the coronavirus: universities, cities and states are testing wastewater for the virus. *The Washington Post*. 25 December 2020. https://www.washingtonpost.com/local/mid-politics/wastewater-coronavirus-testing-/2020/12/25/f83330ce-4011-11eb-8db8-395dedaaa036_story.html. [Last accessed March 14, 2021].
- World Bank. *World bank country and lending groups*. The World Bank Data, 2021. <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519-world-bank-country-and-lending-groups>. [Last accessed March 14, 2021].
- Yale University. *Yale covid-19 wastewater tracker*. 2020. <https://yaleocwidwastewater.com/>. [Last accessed March 14, 2021].