

Gamification in eHealth for Chronic Disease Self-Management in Youth A Systematic Review

Stutvoet, Maartje D.; Levelt, Lisa; Hrehovcsik, Micah M.; van't Veer, Job; Visch, Valentijn T.; Bramer, Wichor M.; Hillegers, Manon H.J.; Veltkamp, Remco C.; Nijhof, Sanne L.; Estévez-López, Fernando

DOI

[10.1089/g4h.2023.0111](https://doi.org/10.1089/g4h.2023.0111)

Publication date

2024

Document Version

Final published version

Published in

Games for Health Journal

Citation (APA)

Stutvoet, M. D., Levelt, L., Hrehovcsik, M. M., van't Veer, J., Visch, V. T., Bramer, W. M., Hillegers, M. H. J., Veltkamp, R. C., Nijhof, S. L., & Estévez-López, F. (in press). Gamification in eHealth for Chronic Disease Self-Management in Youth: A Systematic Review. *Games for Health Journal*, 13(5), 314-331. <https://doi.org/10.1089/g4h.2023.0111>

Important note

To cite this publication, please use the final published version (if applicable). Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.

Green Open Access added to TU Delft Institutional Repository

'You share, we take care!' - Taverne project

<https://www.openaccess.nl/en/you-share-we-take-care>

Otherwise as indicated in the copyright section: the publisher is the copyright holder of this work and the author uses the Dutch legislation to make this work public.

Open camera or QR reader and
scan code to access this article
and other resources online.



Gamification in eHealth for Chronic Disease Self-Management in Youth: A Systematic Review

Maartje D. Stutvoet, MD, MSc,^{1,*} Lisa Levelt, MSc,^{2,*} Micah M. Hrehovcsik, PhD,³ Job van't Veer, PhD,⁴ Valentijn T. Visch, PhD,⁵ Wichor M. Bramer, PhD,⁶ Manon H. J. Hillegers, MD, PhD,⁷ Remco C. Veltkamp, PhD,⁸ Sanne L. Nijhof, MD, PhD,¹ and Fernando Estévez-López, PhD^{9,10}

Abstract

This systematic review primarily aims to provide a summary of the game mechanics implemented in eHealth tools supporting young people's self-management of their chronic diseases. This review secondarily investigates the rationale for implementing game mechanics and the effects of these tools. A systematic search was conducted in Embase, Medline, PsycINFO, and Web of Science, from inception until August 30, 2022. Studies were eligible if focus was on the utilization of gamification in eHealth self-management interventions for young people (age = 10–25 years) with chronic diseases. Primary quantitative, qualitative, and mixed-method studies written in English were included. We identified 34 eHealth tools, of which 20 (59%) were gamified tools and 14 (41%) were serious games. We found that 55 unique game mechanics were implemented. The most commonly used were *rewards* (50%), *score* (44%), *creative control* (41%), and *social interaction* (32%). In comparison with gamified tools, the number and diversity of game mechanics applied were higher in serious games. For most tools (85%), a general rationale was provided for utilizing gamification, which often was to promote engaging experiences. A rationale for using specific game mechanics was less commonly provided (only for 45% of the game mechanics). The limited availability of experimental research precludes to test the effectiveness of using gamification in eHealth to support self-management in young people with chronic diseases. In this study, we highlight the importance of reporting the rationale for utilizing specific game mechanics in eHealth tools to ensure a proper alignment with evidence-based practice and the need of conducting experimental research. PROSPERO: CRD42021293037.

Keywords: chronic illness, gamification, mental health, physical health, psychosomatic medicine, telemedicine

Introduction

Chronic diseases are health conditions that last for longer than 3 months (e.g., cancer, chronic fatigue, and

depression).¹ Currently, 15%–25% of the young people (defined as 10–25 years old^{2–4}) from developed countries have chronic diseases.^{5,6} In adolescence and young adulthood, growing up with chronic diseases impacts all developmental

¹Department of Paediatrics, Wilhelmina Children's Hospital, University Medical Center Utrecht, Utrecht University, Utrecht, The Netherlands.

²Department of Experimental Psychology, Utrecht University, Utrecht, The Netherlands.

³HKU University of the Arts Utrecht, Utrecht, The Netherlands.

⁴Department of Healthcare, NHL Stenden University of Applied Sciences, Leeuwarden, The Netherlands.

⁵Department of Human Centered Design, Faculty of Industrial Design Engineering, Delft University of Technology, Delft, The Netherlands.

⁶Medical Library, Erasmus MC, University Medical Center, Rotterdam, The Netherlands.

⁷Department of Child and Adolescent Psychiatry/Psychology, Erasmus MC Sophia Children's Hospital, Rotterdam, The Netherlands.

⁸Department of Information and Computing Sciences, Utrecht University, Utrecht, The Netherlands.

⁹Department of Education, Faculty of Education Sciences; SPORT Research Group (CTS-1024); and CIBIS (Centro de Investigación para el Bienestar y la Inclusión Social) Research Center, University of Almería, Almería, Spain.

¹⁰Biomedical Research Unit, Torrecárdenas University Hospital, Almería, Spain.

*Maartje Stutvoet and Lisa Levelt contributed equally as first authors.

domains. Self-management, the process allowing young people to maintain satisfactory daily functioning despite their chronic diseases,⁷ is essential for alleviating the burden of these conditions, enhancing quality of life, and reducing health care utilization.⁷⁻⁹ These behaviors are used to manage several aspects of chronic diseases (e.g., symptoms, treatments, and lifestyle changes).¹⁰ Examples of self-management are decision-making, taking action, and using resources, in order to take an active role in medical management, adoption of new behaviors, and coping emotionally.¹¹ Currently, there is a need for novel interventions in self-management that align with the interests of young people who grow up in a digital world.¹²⁻¹⁴

For supporting chronic disease self-management needs in young people, eHealth interventions, which utilize the internet and related technologies, are promising. eHealth interventions have demonstrated efficacy in enhancing self-management.¹⁵ Particularly, these interventions have the potential to overcome barriers to care such as anonymity and accessibility, which may reduce stigma commonly experienced by the young people, as well as reduce treatment burden in terms of time and costs.¹⁶ Gamification is the utilization of game mechanics (e.g., badges, unlocking milestones, and narrative).¹⁷ In this context, there are two main possibilities. First, incorporating gamification into nongame contexts in eHealth interventions, that is, gamified eHealth tools, hereinafter referred to as gamified tools. Second, designing games for a primary purpose other than pure entertainment in eHealth tools, that is, serious games for eHealth, hereinafter referred to as serious games.¹⁸ Game mechanics align with young people's natural interest in play, which is important for their healthy development.¹⁹ Although incorporating game mechanics into eHealth self-management interventions for young people with chronic diseases may be a particularly promising approach, previous systematic reviews focused on adults,^{18,20-24} and thus, a summary of the prior available evidence in youth^{18,20-24} is needed. Thus, it is important to provide an overview on game mechanics used in eHealth tools for youth and the reasons to use them, which will inform the development of new eHealth tools by the eHealth Junior Consortium (see, <http://ehealthjunior.nl/>). This consortium develops, evaluates, and implements eHealth tools for the well-being of young people with chronic diseases.

Objectives

Therefore, the primary aim of this systematic review is to provide an overview of gamified eHealth interventions supporting young people's self-management of chronic diseases, with an emphasis on summarizing the game mechanics implemented in the interventions. The secondary aims are (1) to identify the developer's rationale for implementing such game mechanics and (2) to investigate the effects of these interventions. To provide a comprehensive overview of the current state of the art, we included studies conducted in young people affected with a variety of chronic diseases (e.g., somatic and psychiatric) using gamified tools or serious games.

Research questions

The primary research question is as follows: Which game mechanics have been implemented in eHealth interventions

aimed to support young people in their chronic diseases self-management? In addition, the secondary research questions are as follows: (1) What was the rationale behind the implementation of each game mechanic? and, if possible, (2) What were the effects of gamified eHealth interventions on self-management and health-related outcomes?

Materials and Methods

The protocol of this systematic review was approved by the steering committee of the eHealth Junior Consortium, preregistered (PROSPERO: CRD42021293037), and published.²⁵ Importantly, two independent reviewers, a medical doctor (M.D.S.) and a psychologist (L.L.), were trained to participate in the key processes of the present systematic review by the guarantor of the review (F.E.L.). One of the reviewers (L.L.) was involved in the conceptualization, methodology, and development of the protocol of the review. Both independent reviewers (M.D.S. and L.L.) received explanations on the aim of systematic review, the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines, protocol development, search strategy creation, screening, data extraction, quality assessment, synthesis, and reporting. They were provided with practice, feedback, and ongoing support by a highly multidisciplinary team including experts in systematic reviews, pediatrics, psychology, and psychiatry and game experts/designers. This support was particularly intense at the beginning of the training, including pilot testing and detailed consensus meetings to address discrepancies. Consensus meetings to address discrepancies were regularly arranged throughout the review process.

Inclusion criteria

Participants: Adolescents or young adults (between ages 10 and 25 years) with a chronic disease.

Interventions: Gamified eHealth tools or serious games for eHealth tools aiding self-management in young people with a chronic disease. Self-management behaviors are aimed at managing the disease and its effects (e.g., symptoms, treatment, physical and psychosocial consequences, and lifestyle adjustments).¹⁰ An intervention was considered intended for self-management if it addresses at least one of the following behaviors: problem solving, decision making, using resources, forming a relationship with a provider, or taking action,^{26,27} performed in the domains of medical management, adopting new behaviors or roles, or psychosocial coping.²⁷

Comparator: For studies that included a comparison arm, we compared gamified interventions or serious games versus (1) usual care (comparator) or (2) nongamified (comparator) versions of eHealth interventions.

Outcome measures: To assess the effects of the interventions, we focused on three categories of outcomes: (1) self-management behaviors including problem solving, decision making, using resources, and forming a relationship with a provider and taking action²⁶; (2) effects of self-management on outcomes^{27,28}; and (3) antecedents of self-management such as adherence to the eHealth tool, acceptability, and user's experience.^{27,28}

Studies: We included peer-reviewed articles and conference proceedings reporting primary data.

Search strategy

On August 30, 2022, we conducted an electronic search in Embase, Medline, PsycINFO Ovid, and Web of Science Core Collection. We used these databases because the topic of our review is at the intersection of biomedicine and psychology fields. Supplementary File S1 shows the search strategy. In brief, an experienced information specialist (W.M.B.) designed a search consisting of terms (both controlled thesaurus terms and terms in title or abstract) for chronic diseases such as asthma or diabetes, combined with gamification, eHealth or mobile phone applications, and self-care or coping behavior and limited to youth or adolescents. The search results were limited to articles in the English language only. To identify gray literature, the eHealth Junior Consortium members were emailed for unpublished eligible studies. To gain deeper insights in the tools identified from the included studies, we conducted a snowballing technique (using references and cites of the included studies) and a Google search (e.g., trailers and intervention websites).

Selection of studies

Metadata were imported into Mendeley Desktop, and duplicates were automatically deleted. Two researchers (M.D.S. and L.L.) independently screened records by title and abstract and then by full text for inclusion. Disagreements were resolved through discussion with a third researcher (F.E.L.).

Data extraction

The information to describe each of the eligible studies was extracted (1) by two researchers independently when presented in the main text (M.D.S. and L.L., or M.D.S. and M.M.H.; disagreements were resolved through discussion with a third researcher [F.E.L.]) or (2) by one researcher only when presented in supplementary files (M.D.S., who consulted with other researchers when needed). To guide the extraction of the game mechanics implemented in each eligible study, we used the framework of game design patterns by Björk and Holopainen²⁹ because it offers a comprehensive overview and description of game mechanics, including detailed definitions and examples. Thus, this framework was instrumental in guiding data extraction for the present review. Brief definitions of each game mechanic are provided in Supplementary File S2; for further details, readers are directed to the original source.²⁹ We carefully considered other frameworks, but we found that they were not adequate for this review because they focus on nonserious games,³⁰ the educational domain specifically³¹ or broad groups of game elements,³² or general drivers for engagement.³³ The rationale was extracted literally from the included study (see Supplementary File S3).

Risk of bias (quality) assessment

The Mixed-Methods Appraisal Tool³⁴ was used to assess the risk of bias of each eligible study (M.D.S. or L.L., who consulted with other researchers when needed).

Funding information

In line with the PRISMA statement, which advocates for transparent reporting and comprehensive documentation of

the review process, we extracted the funding information from the included studies (M.D.S. or L.L., who consulted with other researchers when needed). This addition ensures transparency regarding potential additional sources of bias or conflict of interest in the included studies.

Data synthesis

A narrative (descriptive) synthesis was provided for the primary and secondary review questions. Gephi Graph Visualization and Manipulation software version 0.10 was used to create a network of game mechanics.

Results

Selection process

From 2357 records identified in the primary search, we included 34 studies.^{35–64,72–76} Using a snowballing technique, we included seven additional studies^{65–71} (Fig. 1 for flow-chart). From the 41 studies included in this review, 34 unique eHealth tools with gamification were identified. The main characteristics of these tools are summarized in Table 1. Of the 41 studies, 24 focused on developing tools or investigating their usability/feasibility^{36,39,41–47,49,51,53,58–62,64–67,69,72,73}, 15 on testing the effects of the interventions (eight were randomized controlled trials [RCTs]^{37,40,48,50,54,56,70,71}, two were protocols for RCTs^{57,74}, four had a pre-post design^{38,52,55,75} and one had a single case experimental design [SCED⁶³] and two were descriptives^{35,68}). The quality assessment revealed that the different components within the mixed-method studies did not meet the quality criteria for each respective method, and none of the quantitative nonrandomized controlled trials adequately addressed confounders in design and analysis (see Supplementary File S4). A summary of the funding information from the included studies is presented in Supplementary File S5. When needed, a complementary Google search (e.g., trailers and intervention websites) was conducted to obtain additional information (see Supplementary File S6).

Characteristics of eHealth tools

Regarding the type of gamification, 20 tools were gamified^{36,37,39,41,44–47,50,53–56,58,59,61,62,64–67,69,72–75} and 14 tools were serious games.^{35,38,40,42,43,48,49,51,52,57,60,63,68,70,71} Tools were developed for a broad range of chronic diseases, including somatic,^{35,36,38,39,41,43–46,49–58,60–62,65,67,69,72–75} psychiatric,^{40,42,47,48,63,64,66,68,70,71} and those at the intersection of both (i.e., chronic pain).^{37,59}

Most tools ($n = 26$) aimed at multiple self-management domains and behaviors.^{36–42,44–51,53–56,58,59,61–73} Twenty-nine tools supported *taking action*,^{36–47,49–51,53–56,58–64,66,67,69,71–74} such as taking medication^{44,49,60,73} or increasing physical activity.^{36,48,50} *Using resources* was targeted in 27 tools,^{36–39,41–55,59,61,63,64,66,68–75} for example, through monitoring disease activity or self-management behaviors.^{37,44–46,56,59,61,62,65,72,73} Ten tools supported *forming a relationship with a provider*^{39,45,46,50,51,54,55,59,64–66,69,72,74} and *decision making*, respectively.^{36,39,42,46,51,53,56,58,59,62,65,67,73} Only the anorexia nervosa companion-ship app targeted *problem solving* directly, with a module on how to manage emotional dysregulation.⁴⁷




FIG. 1. Flowchart of the selection process.

Implemented game mechanics (primary research question)

We identified 55 distinct game mechanics; Figure 2 presents an overview. The most commonly used were *rewards* ($n = 17$ [50%]), *score* ($n = 15$ [44%]), *creative control* ($n = 14$ [41%]), and *social interaction* ($n = 11$ [32%]). In comparison with gamified tools, the number and diversity of game mechanics applied were higher in serious games (Fig. 3). A small group of game mechanics was combined in several tools; for example, 11 tools combined *rewards* and *score* (Fig. 4, see Supplementary File S7 for the more detailed figure^{41,43–46,51,53,55,56,60–62,69}). Of the 55 distinct game mechanics, 51 were used in serious games compared with 27 in gamified tools, of which 23 were found in both.

Rationale for gamification (secondary research question)

A rationale for implementing gamification in general was provided for 29 eHealth tools (85%, Table 2 depicts an overview, whereas Supplementary File S3 contains detailed information). The most common rationale for gamification was *promoting engagement*,^{37,38,40,41,44,45,47,49,55,57,59,62–64,67,68,72,75} *behavioral change*,^{43,46,47,60,64,68,75} and *effectiveness*.^{40,43,55,60,68,71} For serious games in specific, authors saw games as an effective tool to learn,^{35,38,42,48,60,68,70,71,76} specifying special needs of children with specific psychiatric diseases^{42,63} and explaining the preference for *game-based learning* by the *young age* of the users.³⁸ Moreover, in rationales within serious games, the young age

was brought into connection with their *interest in games*⁶³ and *technology*⁶⁰ in general.³⁸ Games are tailored to the special needs of children with diseases^{42,63} and intellectual and social maturation levels.³⁸ A rationale to use a specific game mechanic was provided for 97 instances (45%, Table 3). Most of these rationales were directly related to increasing *engagement* with the *tool* or the *targeted self-management behavior*. Although for more than half of the tools, the design of the self-management intervention was based on a behavioral change,^{36,39,44,46,50,51,54,58,60,61,65,67} learning theory,^{40,52,63} or a psychological therapy,^{40,42,47,48,68,70,71} only seven tools^{36,40,46,48,50,51,58,67,68,70} directly linked the implementation of specific game mechanics to this theoretical basis. For instance, ATOMIC,³⁶ COOL Passport,⁵⁰ and Reactivate⁴⁶ were based on the social cognitive theory.⁷⁷ Consequently, they used game mechanics that were largely similar. However, how the mechanics were linked to theory constructs differed; for example, *social interaction* was used in all three tools but for different reasons: for *self-efficacy* and *outcome expectations*,³⁶ *social support*,^{36,46} or *self-judgment*.⁵⁰

Importantly, involving patients in codesign processes yielded rationales for implementing certain game mechanics, as these were most appealing to the target population.^{41,50,59,61,65} In serious games, a broad range of game mechanics facilitated the practice of self-management skills. For this rationale, FUN QUEST, among others, included *characters*, *avatars*, *roleplaying*, and *narrative structures*.³⁸

TABLE 1. OVERVIEW OF THE EHEALTH TOOLS IDENTIFIED FROM THE INCLUDED STUDIES

	N gamified tools*	N serious game tools*
Total	20 ^{36,37,39,41,44-47,50,53-56,58,59,61,62,64-67,69,72-75}	14 ^{35,38,40,42,43,48,49,51,52,57,60,63,68,70,71}
Type of disease targeted		
Somatic	16 ^{36,39,41,44-46,50,53-56,58,61,62,65,67,69,72-75}	10 ^{35,38,43,49,51,52,57,60}
Psychiatric	2 ^{47,64,66}	4 ^{40,42,48,63,68,70,71}
Intersection of somatic and psychiatric	2 ^{37,59}	—
Study design		
Usability/feasibility	16 ^{36,39,41,44-47,53,55,58,59,61,62,64-67,69,72,73}	7 ^{42,43,49,51,60}
Randomized controlled trial	4 ^{37,50,54,56}	3 ^{40,48,70,71}
Pre-post design	2 ^{55,75}	2 ^{38,52}
Protocols for Randomized controlled trial	1 ⁷⁴	1 ⁵⁷
Descriptive	—	2 ^{35,68}
Single-case experimental	—	1 ⁶³
Type of tool and platform**		
Smartphone (and tablet) application	16 ^{36,37,39,41,44-47,50,53,55,56,58,61,62,65,67,69,73-75}	3 ^{43,49,57}
Website	2 ^{54,64,66}	1 ⁵²
Combination of smartphone application and website	1 ⁵⁹	2 ^{48,68,70}
Videogame on gaming device (Wii/Xbox/Nintendo/computer)	1 ⁷²	4 ^{38,60}
Videogame on computer or laptop with biofeedback	—	2 ^{40,42,71}
Virtual reality with biofeedback	—	1 ⁶³
Self-management domain targeted		
Medical management	16 ^{36,37,41,44-47,50,53,55,56,58,61,62,67,69,72-75}	11 ^{35,38,42,43,48,49,51,52,60,68,70,71}
Adopting new behaviors/roles	11 ^{36,37,39,41,46,50,53,58,59,61,64-67}	7 ^{38,40,42,48,51,57,63,68,70,71}
Psychosocial coping	13 ^{36,39,41,45-47,50,53-55,59,61,64-66,69,74}	4 ^{40,42,51,63,71}
Self-management behavior targeted		
Taking action	19 ^{6,37,39,41,44-47,50,53-56,58,59,61,62,64-66,67,69,72-74}	10 ^{38,40,42,43,49,51,60,63,71}
Using resources	18 ^{6,37,39,41,44-47,50,53-55,59,61,64-66,69,72-75}	9 ^{35,38,42,43,48,49,51,52,63,68,70,71}
Forming relationship with provider	9 ^{39,45,46,50,54,55,59,64-66,69,72,74}	1 ⁵¹
Decision-making	8 ^{36,39,46,53,56,58,59,62,65,67,73}	2 ^{42,51,71}
Problem solving	1 ⁴⁷	—

Note. *As some tools were described and evaluated in multiple studies (with different designs) and some studies described multiple tools, the number of supporting references does not always match the frequency of tools with specific characteristics.
 **The type and platform of one tool were unclear.³⁵

Efficacy of gamification and serious games (secondary research question)

We did not perform meta-analyses because only eight RCTs were included and primary outcomes and control conditions were diverse (Supplementary File S8). There was no effect observed in six (75%) RCTs^{37,50,54,56,70,71} and positive effects in two RCTs, both testing a serious game.^{40,48} A consistent finding across studies with and without control groups was that higher engagement was associated with larger effect sizes.^{37,39,55,56,64} Studies gave little insight on mediators for engagement. The effect of gamification in general could only be deduced from the study on TEENCOPE, which was compared with a nongamified eHealth intervention and did not perform better in engaging.⁵⁴ The effect of specific game mechanics on engagement or other outcomes was not assessed in any of the included studies.

Discussion

In this systematic review, we observed that 55 distinct game mechanics were implemented in 34 eHealth tools. The most

used were *rewards*, *score*, *creative control*, and *social interaction*. We also showed that the most common rationale for gamifying eHealth tools was to provide young people with an engaging experience. Experimental research is scarce, precluding to quantify the effects of gamified eHealth interventions in improving young people’s self-management of chronic diseases.

Implemented game mechanics (primary research question)

A total of 55 distinct game mechanics were implemented in the included studies, 216 times in total altogether. *Rewards*, *score*, and *social interaction* were frequently used. A previous review also identified these game mechanics as common in eHealth tools for medical education.²⁴ The common use of the same game mechanics in diverse populations, with different characteristics and needs, may raise concerns,⁷⁸ particularly in relation to effectiveness and integration.^{79,80} Tailoring the game mechanics in eHealth tools to support self-management, considering the age and specific needs associated with a particular chronic disease, may be important for optimal outcomes.⁷⁹⁻⁸¹ However, the present




FIG. 2. Number of tools using specific game mechanics. The total number of tools and distinct game mechanics is included between brackets.

review does not allow us to determine which specific combination of game mechanics may best suit a particular disease, as the studies included involved a wide range of diseases.

From the 34 eHealth tools included in this review, 20 (59%) were gamified and 14 (41%) were serious games. Of the 55 game mechanics implemented, 4 were unique in gamified tools, 28 in serious games, and 23 were utilized in both types of tools. In general, the level of gamification (i.e., the number and diversity of implemented game mechanics) was higher in serious games in comparison with gamified tools. In line with prior literature,²⁴ the use of gamification for self-management purposes may have been insufficient in certain gamified eHealth tools, as it was solely based on *point or reward systems*.^{37,61} However, other gamified eHealth tools integrated *point or reward systems* with additional mechanics such as *creative control*^{36,39,44,47,55,59,65,69} or *social interaction*.^{36,39,45,46,50,55,56,59,62,65,69} While these types of gamified tools may be more effective, the current state of the art does not provide firm conclusions. The lack of concrete insights might be explained by the paucity of efficacy studies. In addition, RCTs have been suggested to be unappropriated to assess complex interventions like

mHealth.⁸² For gaining insight into the working mechanism of game mechanics, more adaptive study designs might be a solution. Examples are a SCED⁸³ ($n = 1$, 1 study found in this review⁶³) and a multiphase optimization strategy trial, which allows for testing individual intervention components and their combinations.⁸⁴ Even with these adaptive designs, it needs to be considered that a game mechanic is not a sole entity and depends on its integration in the tool and combination with other mechanics.

Rationale for gamification (secondary research question)

One of the secondary aims of this review was to identify the rationale for gamification in self-management facilitated by eHealth. This aim was conducted at two levels: the general rationale for using gamification in eHealth tools and the rationale for implementing a specific game mechanic. We found that providing a general rationale for using gamification or serious games was more common than for a specific game mechanic; 85% of the tools versus 45% of the times. The rationale most frequently given for both implementing game mechanics in general and for the choice of specific




FIG. 3. Number of game mechanics implemented per tool. The total number of tools per category is included between brackets. The median number (range) of game mechanics implemented per tool for gamified tools was 5 (1–10) and for serious games was 8 (4–20).

game mechanics was to provide young people with an engaging experience,^{37,38,40,41,44,45,47,49,55,57,59,62–64,67,68,75} which was robustly observed from previous reviews without age restrictions on eHealth interventions for mental health and well-being¹⁸ and chronic disease management and healthy lifestyle.²³ Collectively, for young people, incorporating game mechanics into eHealth self-management interventions seems appropriate because of their natural interest in play, which was reflected by the rationales for serious games.¹⁹

In some studies included in the present review, it was highlighted that involving young people with chronic diseases in codesign when gamifying eHealth tools for self-management may help to identify which game mechanics are the most appealing to the target population.^{41,50,59,61,65} However, this speculation remains to be corroborated in experimental research.⁸⁵ Indeed, a previous review concluded that gamification in mental health apps lacked a clear rationale.²² We additionally showed that the link between specific game mechanics and self-management theory was not explicitly stated for most of the tools included in the present review. Thus, on behalf of the eHealth Junior Consortium, we recommend that future research reports the rationale for utilizing specific game mechanics in eHealth tools to ensure a proper alignment with evidence-based practice, which is highly valued in healthcare.⁸⁰

Efficacy of gamification and serious games (secondary research question)

In this study, we found that experimental designs (i.e., RCT and SCED) were scarce and heterogeneous. This limitation does not seem to be specific to research on eHealth or young people, as it has also been observed in other reviews that do not focus on eHealth and do not have age restrictions.^{86–89} In general, the limited experimental evidence makes it difficult to quantify the effects of gamification in the self-management of chronic diseases in young people. Only two (25%) of the eight RCTs included in this review showed that eHealth interventions utilizing gamification may improve self-management of

chronic diseases. Consistent with previous reviews,^{86,89,90} the studies that we included had small sample sizes and may have been underpowered. Consequently, it is challenging to draw quantitative conclusions from our review. Thus, future studies should be well-powered. In our risk of bias (quality) assessment, we also identified that future nonexperimental research should adequately control for confounders as is a common limitation in the available literature.

Limitations and strengths

This review has some limitations. First, the small number of RCTs included in this review precluded to conduct meta-analysis to quantify the effects of eHealth interventions using gamification. At least, we provided a qualitative synthesis, which was not conducted by previous reviews on different populations.²⁴ Second, the inclusion of studies published in English only may limit the generalizability of our results. Third, the rapidly evolving nature of eHealth terminology may have resulted in failing to identify relevant studies despite our carefully designed search term combinations. Fourth, common limitations in the field, such as incomplete descriptions of eHealth tools, may have negatively impacted our findings. Fifth, a deeper level of understanding on how specific game mechanics were used to engage users may be of interest,⁹¹ which would require to conduct qualitative studies in the targeted population. Sixth, we paid scarce attention to how well several game mechanics were integrated in each of the tools and if they aligned with the therapeutic goal(s) of the tools, which might impact the efficacy of game mechanics.^{80,92}

This review also has several strengths. First, the inclusion of heterogeneous samples and interventions, such as somatic and psychiatric diseases, as well as gamified tools and serious games, helped us to provide a comprehensive overview of the current state of the art. Our comprehensive overview may serve as a valuable resource for game developers, health professionals, and researchers offering starting points for further development and evaluation of gamified eHealth interventions. A priority of the eHealth Junior Consortium for further research is to identify both universal/transdiagnostic and individual/personal mechanisms promoting self-management acknowledging the importance of both types of mechanisms. Second, we carefully designed our search strategy, inclusion/exclusion criteria, and time span coverage, searching in four major databases (Embase, Medline, PsycINFO, and Web of Science). In addition, two independent researchers were involved in all the information provided in the main text of this review (e.g., electronic search, selection of studies, and extraction of information for main tables and figures). Third, this work is embedded within the eHealth Junior Consortium, providing a highly multidisciplinary vision from diverse fields including pediatrics, psychiatry, psychology, game design, and eHealth, among others.

Conclusions

This review provides an overview of the use of game mechanics in eHealth tools focusing on improving self-management of chronic diseases in youth. We identified 34 eHealth tools utilizing 55 distinct game mechanics; the most common were *rewards*, *score*, *creative control*, and *social*




FIG. 4. Combinations of game mechanics. All nodes represent a game mechanic (see label). Links between nodes represent common use in a tool. The thickness of the links represents the frequency of co-occurrence (the thicker the link, the more often the connected game mechanics are used in the same tool). For readability, we chose to filter out links with a weight of only 1 (see Supplementary File S7 for the unfiltered network). The color of the node reflects betweenness centrality (the frequency of the node being on the shortest path between other nodes; the darker the node, the larger the dependency of other nodes). The high betweenness centrality of some game mechanics (e.g., *Games within Games*, *Puzzle Solving*, and *Characters*) reflects their frequent use in serious games, causing co-occurrence in tools with a large variety of other rare game mechanics (e.g., *Lives*, *Evade*, and *Units*). This is contrasted by the relatively low betweenness centrality of the common game mechanics *Rewards* and *Social Interaction*, illustrating their main occurrence in gamified tools.

interaction. For most of the tools (85%), a general rationale for utilizing gamification was provided, which often was to facilitate engaging experiences. A rationale for using specific game mechanics was less commonly provided (only for 45% of the game mechanics). Thus, future

research should report the rationale for utilizing specific game mechanics in eHealth tools. The scarce experimental research available precludes testing the effectiveness of using gamification in the eHealth tools identified in the present review. The general rationale for gamifying and

TABLE 2. eHEALTH TOOLS WITH GAMIFICATION FOR CHRONIC DISEASE SELF-MANAGEMENT IN YOUTH AND THEIR RATIONALE

<i>Tool, chronic condition, country, year</i>	<i>System, aim, and description</i>	<i>Rationale for gamification</i>
L'Affaire Birman, DM1, France, 2016 ⁵²	Web-based serious game to educate on flexible insulin therapy. The player manages the DM1 of character "Alex" during a playful investigation.	None given
Anorexia nervosa companionship app, anorexia nervosa, France, 2021 ⁴⁷	App, to evaluate and manage negative emotions and behaviors focused on weight loss, an unguided self-help program. Based on cognitive behavioral therapy it has the following modules: psychoeducation, symptoms management, and emotional evaluation.	Engagement for participation and behavioral change
Asthma self-management app, asthma, United States, 2017 ⁴⁴	App, wireframes, to increase asthma self-management by providing information, logging medications, symptoms, and triggers, and sending notifications and alerts.	Engagement
ASTHMAXcel Adventures, Asthma, United States, 2020 ⁷⁵	App, for smartphones and tablets on iOS and Android platform, to improve asthma control. It consists of short educational videos followed by games in which knowledge is tested.	<ul style="list-style-type: none"> • Engagement to retain users • User-friendly • Behavior change
ATOMIC, multiple sclerosis, Canada, 2022 ³⁶	App, to promote physical activity in order to lower disease activity, perceived barriers, depression, and fatigue, as well as heighten self-efficacy and goal setting. Part of an intervention program. The app contains goal setting and facilitates social support through leader and discussion board, educational modules, and personalized feedback and coaching.	Reward, incentive
AYA STEPS, survivors of childhood cancer, United States, 2019 ⁴¹	App (Adolescent and Young Adult Self-management via Texting, Education, and Plans for Survivorship), to enhance health and well-being. It combines: <ul style="list-style-type: none"> • Delivery and storage of tailored text messages to support adjustment and health after treatment; • Digital survivorship care plans; • Applets for facilitating survivorship self-management. 	Engagement
Bant, DM1, Canada, 2012, 2017 ⁵⁶	App, iPhone-based, connected to glucometer, aims to improve health outcomes by increasing self-care behavior and treatment adherence. It prompts participants to improve blood glucose trends by warning if trends are out of range, providing trending screens and decision support.	Engagement ⁶²
Bim, chronic kidney disease, Brazil, 2020 ⁴³	App, for phones and tablets on Android platform, to improve adherence to medical nutritional instructions by encouraging users to take care of a character "Bim" with daily self-management (e.g., food and water intake, hygiene, use of medication, dialysis at home and hospital) to be used during hemodialysis.	[about games] <ul style="list-style-type: none"> • Effective for behavioral change; • Increase access to information on the disease
DEEP, attention deficit hyperactivity disorder and/or autism spectrum disorder, Netherlands, 2020 ⁶³	Video reality biofeedback game, to cope with anxiety and as a result diminish disruptive classroom behavior (anxiety) by exploring an underwater fantasy world using the participant's own breathing (measured with a waist belt) to control their movement.	[about videogames] <ul style="list-style-type: none"> • Teach new strategies by their immersive emotional experience • Suitable for population with special needs • Motivate and engage children • Practice skills • Low cost

(continued)

TABLE 2. (CONTINUED)

<i>Tool, chronic condition, country, year</i>	<i>System, aim, and description</i>	<i>Rationale for gamification</i>
Diabetes self-management platform, DM1, United States, 2013 ⁴⁵	app, on Android platform, to increase diabetic self-management by recording key metrics per day. Social media component by 'friending' other users to track health progress of friend, comment on key metrics.	Engagement
Digital games (Adherence Warrior, Berry Match Game, Cat O'Polt), HIV, United States, 2018 ⁶⁰	Videogames, to be played on videogame device, connected to medication dispenser aimed at improving adherence to medication and teaching players about the effect of HIV by getting rewarded in the game when opening the pillbox on time.	<ul style="list-style-type: none"> • Adherence • Interest of youth in electronics. • Effective for behavior change by making learning entertaining and by changing attitudes
Dojo, externalizing problems or anxiety, Netherlands, 2015 ⁴² ; 2016 ⁷¹	Videogame, helps youths to recognize and control their physiological and emotional arousal. It incorporates relaxation tutorials and the teaching of emotion regulation techniques. Players are provided with real-time biofeedback (heart rate), reinforcing the relaxation abilities and helping them to master the techniques. Controlling physiological reactions facilitates success in the game, which encourages the player to learn to recognize the association between emotional arousal and physical reactivity and to regulate physiological arousal more effectively as the game progresses.	<ul style="list-style-type: none"> • Learning by doing, suited for youth with intellectual disabilities⁴² • Practice⁴² • Engaging⁴² • Training opportunity for emotions, electing behaviors⁴² • Effectiveness⁷¹
FUN QUEST, childhood cancer survivors, Japan, 2022 ³⁸	Game-based learning program on computer, to improve adherence to survivorship care. Role-playing game in which the main character is requested to answer health-related questions after which he/she receives advice from other characters.	[about games] <ul style="list-style-type: none"> • Accepted by youth • Simulation • Preference of learning of youth • Learning on own initiative • Engagement • Tailored to social and intellectual maturation • Pleasure • Incentive
Care & Organize Our Lifestyle (COOL) passport, congenital heart disease, 2021 ⁵⁰	App, self-regulation-based mHealth program that provides information on health management and policies coupled with gameplay. It is combined with the Health Promotion cloud, a Web-based interactive platform that facilitates communication between users, shows health promotion messages. The overall goal of the interventions is increasing disease knowledge and physical activity.	
Home Telecare for monitoring CF, Australia, 2005 ⁷²	Computer-based measurement module/spirometer/measurement device connected to a computer, to monitor lung function of patients with cystic fibrosis from home. It guides patients through conducting the measurements and gives instant feedback (represented by a boat race). Includes symptom diary.	Incentive
iManage, sickle cell disease, Canada, 2017 ⁶⁵ ; United States, 2021 ³⁹	App, accessible through smartphone and tablet, adjunct to a group intervention to increase self-management and self-efficacy. Functionalities: <ul style="list-style-type: none"> • Track daily pain and mood • Create, monitor, and complete self-management goals • See progress of others 	None given

(continued)

TABLE 2. (CONTINUED)

<i>Tool, chronic condition, country, year</i>	<i>System, aim, and description</i>	<i>Rationale for gamification</i>
JlApp, juvenile idiopathic arthritis, United Kingdom, 2017 ⁶¹	App, on smartphone, to monitor disease activity and side effects and support self-management (treatment adherence and engagement in health promoting behaviors). Functionalities: <ul style="list-style-type: none"> • Provide general information • Monitor symptoms, thoughts, and feelings • Diary section for questions to ask in consultation • Remind for treatment adherence 	Reward
Kiss MyAsthma, asthma, Australia, 2018 ⁶⁷ ; 2021 ⁵⁸	A goal-setting app, on smartphone (cross-platform), to improve asthma self-management. Eight sections, including asthma history, goals, inspirations, reminder, and information.	Engagement ⁶⁷
Mobile Asthma Action Plan (AAP), asthma, United States, 2015 ⁷³	App, for smartphone on iOS or Android platform, to support asthma control by daily prompts to symptoms or peak flow measurements and reminders for taking medication. Feedback consists of positive messaging or follow-up actions.	None given
MOST+, Mental health condition, Australia, 2017 ⁶⁶ ; 2020 ⁶⁴	Enhanced Moderated Online Social Therapy, Web-based, aims to increase mental health. It is a merge of interactive web therapy, peer-to-peer Web-based social networking, peer and clinical moderation, and on demand web chat with registered clinicians.	<ul style="list-style-type: none"> • Engagement⁶⁶ • Behavioral change⁶⁶
MyPainPal, chronic pain, Australia, 2021 ⁵⁹	App, cloud-based (cross-platform Web- and mobile-based), to support chronic pain self-management. Functionalities: <ul style="list-style-type: none"> • Self-monitoring diary and calendar • Goal setting • Tips and strategies • Social 	Engagement
MyREADY Transition BBD, brain-based disabilities, Canada, 2021 ⁵⁷	App, to educate and empower for transition from pediatric to adult care. Journey in the city with a virtual coach that helps to navigate through buildings and introduces educational sections.	Engagement
MyT1DHero, DM1, United States, 2017 ⁶⁹ , 2021 ⁵⁵	App, to facilitate diabetes-specific positive parent-adolescent communication and improve diabetes-related outcomes. It links an adolescent and their parent through 2 separate app interfaces and prompts adolescents to test blood glucose. Informs on how to address out-of-range blood glucose values.	<ul style="list-style-type: none"> • Engagement⁵⁵ • Effectiveness⁵⁵
Pain Squad+, Cancer, Canada, 2017 ⁵³	App, Web-based smartphone application, to give real-time pain support by giving self-management advice based on reported pain. Users play the role of law-enforcement officers investigating pain cases.	None given
PERGAMON, DM1, Netherlands, 2018 ⁵¹	Educational gaming and coaching platform that consists of a website, mobile app, and sensor device. It combines games with a virtual coach to enhance self-management. It consists of the main adventure and puzzle game “Mystery of TikoTako” and seven mini-games. Users complete in-game and real-world goals related to monitoring blood glucose levels, acquiring skills and knowledge, and social activities.	<ul style="list-style-type: none"> • Adherence • Reward

(continued)

TABLE 2. (CONTINUED)

<i>Tool, chronic condition, country, year</i>	<i>System, aim, and description</i>	<i>Rationale for gamification</i>
Power Defense, DM1, Canada, 2011 ³⁵	Videogame, to improve diabetes numeracy skills by controlling a power base station, symbolic for someone with DM1, training skills mainly implicitly. The player has to balance the amount of energy under challenging circumstances.	Interactivity of learning environment
Reactivate, obesity, Ireland, 2014 ⁴⁶	App, on android smartphone, as a remote treatment aid, consisting of self-monitoring, goal setting, rewards system, and peer support. It has tips for weight management (text, video, image) and encourages to engage in daily goal setting and goal review.	Behavioral change
RAGE-Control, anger dyscontrol, Germany, 2021 ⁴⁰	Videogame, coupled to a heart rate monitor, to train emotional regulation by practicing modulation of physiological arousal during a challenging task. In the game players maneuver a spaceship and fire at enemy spaceships. Firing is disabled when heart rate increases above a threshold.	<ul style="list-style-type: none"> • Engagement, motivation, challenge • Train emotional regulation skills • Efficacy
SPARX, mild to moderate depression, New Zealand, 2012 ⁴⁸ ; The Netherlands, 2016 ⁷⁰ ; New Zealand, 2021 ⁶⁸	Interactive fantasy game on CD-ROM for the treatment of depression by delivering cognitive behavioral therapy in seven modules. A self-chosen avatar undertakes challenges to restore the balance in a fantasy world. A computerized guide opens and ends every module to put game into real-life perspective and give homework challenges.	<ul style="list-style-type: none"> • Adherence⁴⁸ • Learning⁶⁸ • Behavioral change⁶⁸ • Engagement⁶⁸ • Effective⁶⁸
T1D, DM1, United Kingdom, 2017 ⁴⁹	App, on iOS platform, to increase disease knowledge and medication adherence. It has links to relevant websites, an educational game situated in the pancreas, and an avatar.	Engagement
TEENCOPE, DM1, United States, 2014 ⁵⁴	Web-based psychoeducational intervention, to train coping skills. Interactive lessons, tailored computer-generated feedback based upon user responses, video animations, and the ability for users to interact with each other using a discussion board and profile viewing.	None given
WebMAP Mobile, chronic pain, United States, 2020 ³⁷	App, on Android and iOS platform, to learn pain self-management skills, combined with parent program through website. Interactive, self-guided app with four components: <ul style="list-style-type: none"> • Treatment modules • Skills library (audio clips, videos of peers, infographics) • Daily check-in (record and track pain, sleep, activity, mood) • Skills tracker (record and track skills practice) 	<ul style="list-style-type: none"> • Engagement • Encourage skills practice

Additional information on implemented game mechanics was found with Google search for the following tools: L'Affaire Birman, MyREADY Transition BBD, and Pain Squat+ (S6). CF, cystic fibrosis; DM1, diabetes mellitus type 1.

the rationale for using specific game mechanics identified in this review may inform priorities for testing their effectiveness in future experimental research.

Acknowledgments

The protocol of the present systematic review was agreed in an online meeting of the eHealth Junior Consortium on 9/11/2021. Discussions about the findings were carried out in online meetings on 14/07/2022 and 19/01/2023. The authors thank all the participants for their active participation and valuable suggestions.

Authors' Contributions

M.D.S.: search, study selection, data extraction, writing, visualization, and project administration. L.L.: conceptualization, methodology, search, study selection, data extraction, and writing. M.M.H.: conceptualization, data extraction, and review. J.v't.V.: conceptualization and review. V.T.V.: conceptualization and review. W.M.B.: conceptualization, methodology, and review. M.H.J.H.: conceptualization, review, and project administration. R.C.V.: conceptualization and review. S.L.N.: conceptualization, review, and project administration. F.E.-L.: conceptualization, methodology, writing,

TABLE 3. RATIONALE FOR THE USE OF SPECIFIC GAME MECHANICS

<i>Game mechanic</i>	<i>Reported rationale for use</i>	<i>Tool</i>
Rewards	Engagement	Asthma self-management app, ⁴⁴ JIApp, ⁶¹ WebMAP Mobile ³⁷
	Incentive	Asthma self-management app, ⁴⁴ AYA STEPS ⁴¹
	Incentive to increase medication adherence	Cat O'Polit ⁶⁰
	Pleasure as incentive to exercise more frequently	COOL Passport ⁵⁰
	Encourage self-management behavior	Bant ^{56,62}
	Encourage skills practice	WebMAP Mobile ³⁷
	Rewards system as behavioral change tool	Reactivate ⁴⁶
Score	Enjoyment	JiApp ⁶¹
	Engagement, incentive	AYA STEPS ⁴¹
	Encourage self-management behavior	Bant ^{56,62}
Creative control	Learn to understand health needs	Bim ⁴³
	Appealing to younger users	JiApp ⁶¹
	Incentive, reward	ATOMIC ³⁶
Social interaction	Empowerment	PERGAMON ⁵¹
	Create personal connection	TID ⁴⁹
	Wish of respondents to personalize	AYA STEPS ⁴¹
	Social support	ATOMIC, ³⁶ MOST+, ⁶⁴ MyPainPal ⁵⁹
	Peer support as behavioral change tool	Reactivate ⁴⁶
	Encourage self-disclosure	MyTIDHero ⁶⁹
	Learn from each other	TEENCOPE ⁵⁴
Games within games	Facilitate peer comparison in the self-judgment dimension	COOL Passport ⁵⁰
	Motivate other user for self-management	Diabetes self-management platform ⁴⁵
	Outcome Expectations, self-efficacy	ATOMIC ³⁶
	Empowerment	PERGAMON ⁵¹
	Engagement	MyPainPal ⁵⁹
	Adherence, elicit positive health behavior	Bant ⁶²
	Enhance learning	ASTHMAXcel Adventures, ⁷⁵ Power Defense ³⁵
Levels	Trigger emotion to provide the opportunity to practice acquired techniques	Dojo ⁴²
	Teach and test knowledge needed for disease self-management	PERGAMON ⁵¹
	Stimulate motor coordination and memory	Bim ⁴³
	Engagement, incentive	Asthma self-management app ⁴⁴
	Interest participants	COOL Passport ⁵⁰
	Encourage exploration of the app	MyREADY Transition BBD
	Frequent rewards	Bant ⁶²
Resources	Pleasure as incentive to exercise more frequently	COOL Passport ⁵⁰
	Incentive	ATOMIC ³⁶
	Incentive to increase medication adherence	Berry Match ⁶⁰
Characters	Pleasure as incentive to exercise more frequently	COOL Passport ⁵⁰
	Enjoyment	JiApp ⁶¹
	Reward	ATOMIC ³⁶
Avatars	Making therapeutic concepts more accessible, engaging, and compelling	MOST+ ⁶⁴
	Learn through virtual experiences	FUN QUEST ³⁸
	Incentive	Asthma self-management app, ⁴⁴ ATOMIC ³⁶
Dedicated game facilitators	Engagement	Asthma self-management app ⁴⁴
	Reward	ATOMIC ³⁶
	Learn through virtual experiences	FUN QUEST ³⁸
High score lists	Personal and interactive experience	TID ³⁸
	Engagement, novelty	Kiss MyAsthma ⁶⁷
High score lists	Game into context, provide education	SPARX ⁴⁸
	Encourage behavior change	ASTHMAXcel Adventures, ⁷⁵ COOL Passport ⁵⁰
	Paradigm to emulate, promote peer interaction	COOL Passport ⁵⁰
High score lists	Social support, vicarious learning	ATOMIC ³⁶
	Social comparison	Reactivate ⁴⁶

(continued)

TABLE 3. (CONTINUED)

<i>Game mechanic</i>	<i>Reported rationale for use</i>	<i>Tool</i>
Player-defined goals	Address motivation and confidence to change behavior, effectiveness, relevance	Kiss MyAsthma ⁶⁷
	Goal setting as behavioral change tool, to stimulate practice and action planning, to act on antecedents	Reactivate ⁴⁶
	Self-efficacy	ATOMIC ³⁶
Progress indicators	Need of young people	MyPainPal
	Self-monitoring as behavioral change tool, feedback on progress	Reactivate
Puzzle solving	Discover and use CBT knowledge	SPARX ⁶⁸
	Teach and test knowledge needed for disease self-management, repetition of playing the game to make best-practice behavior one's own	PERGAMON ⁵¹
	Evoke emotions to use newly acquired emotion regulation strategies	Dojo ⁷¹
Cognitive immersion Maneuvering	Encourage memory	Bim ⁴³
	Stimulate motor coordination	Bim ⁴³
	Reinforce the practical use of the relaxation techniques	Dojo ⁴²
Narrative structures	Creating physiological arousal	RAGE-Control ⁴⁰
	Nonthreatening, easy to understand, making therapeutic concepts more accessible, engaging, and compelling	MOST+ ⁶⁴
Collecting Combat	Learn through virtual experiences	FUN QUEST ³⁸
	Metaphor for collecting positive thoughts	SPARX ⁶⁸
Enemies	Creating physiological arousal	RAGE-Control ⁴⁰
	Analog to real-life DM1 management	Power Defense ³⁵
Overcome	Creating physiological arousal	RAGE-Control ⁴⁰
	Reinforce the practical use of the relaxation techniques	Dojo ⁴²
Power-ups Team play	Incentive to increase medication adherence	Berry Match ⁶⁰
	Desire for social interaction	iManage ⁶⁵
Tools Ability losses	Peer support as behavioral change tool	Reactivate ⁴⁶
	Incentive, reward	ATOMIC ³⁶
Movement limitations	Analog to real-life DM2 management	Power Defense ³⁵
	Penalty for not downregulating physiological arousal	RAGE-Control ⁴⁰
	Effective for regulating anxiety	DEEP ⁶³
Outcome indicators	Reinforce the practical use of the relaxation techniques	Dojo ⁴²
	Incentive	Home Telecare for monitoring CF ⁷²
Penalties	Instruction	Mobile Asthma Action Plan (AAP) ⁷³
	Reinforce the practical use of the relaxation techniques	Dojo ⁴²
Renewable resources Resource management	Incentive to increase medication adherence	Adherence Warrior, ⁶⁰ Cat O'Pol't ⁶⁰
	Representation to implicitly train numeracy skills, analog to real-life DM2 management	Power Defense ³⁵
	Teach and test knowledge needed for disease self-management	PERGAMON ⁵¹
Cards	Exercise (personal strengths to increase psychological well-being)	MOST+ ⁶⁴
	Increase motivation for self-management tasks	iManage ⁶⁵
Competition Contest	Reinforce the practical use of the relaxation techniques	Dojo ⁴²
	Reinforce the practical use of the relaxation techniques	Dojo ⁴²
Evade	Reinforce the practical use of the relaxation techniques	Dojo ⁴²
	Support learning process of young people, time to engage in practice activities	MyREADY Transition BBD ⁵⁷
Game pauses	Novelty	COOL Passport ⁵⁰
	Feedback on breathing	DEEP ⁶³
Goal indicators Role-playing	Learn through virtual experiences	FUN QUEST ³⁸

(continued)

TABLE 3. (CONTINUED)

<i>Game mechanic</i>	<i>Reported rationale for use</i>	<i>Tool</i>
Time limits	Teach and test knowledge needed for disease self-management	PERGAMON ⁵¹
Traverse	Reinforce the practical use of the relaxation techniques	Dojo ⁴²

Rationales are summarised. For detailed rationales extracted directly from the included studies, see Supplementary File S3.

supervision, and project administration. F.E.-L. is the guarantor of the review.

Author Disclosure Statement

No competing financial interests exist.

Funding Information

This publication is part of the “Feeling good, despite illness; Accessible eHealth supporting the well-being of chronically ill children.” The eHealth Junior Consortium project (with project number NWA.1292.19.226) of the NWA research program “Research on Routes by Consortia (ORC),” which is funded by the Netherlands Organization for Scientific Research (NWO) to M.H.J.H. F.E.-L. was supported by the Ramón y Cajal 2021 Excellence Research Grant action from the Spanish Ministry of Science and Innovation (FSE/AGENCIA ESTATAL DE INVESTIGACIÓN, RYC2021-034311-I to FE-L) and Alicia Koplowitz Foundation (grant number: N/A to FE-L).

Supplementary Material

Supplementary File S1
 Supplementary File S2
 Supplementary File S3
 Supplementary File S4
 Supplementary File S5
 Supplementary File S6
 Supplementary File S7
 Supplementary File S8

References

- Hal LV, Tierolf B, Rooijen MV, et al. Een actueel perspectief op kinderen en jongeren met een chronische aandoening in Nederland. Omvang, samenstelling en participatie. Verwey-Jonker Instituut: Utrecht; 2019.
- Society for Adolescent Health and Medicine. Young adult health and well-being: A position statement of the Society for Adolescent Health and Medicine. *J Adolesc Health* 2017;60(6):758–759; doi: 10.1016/j.jadohealth.2017.03.021
- World Health Organization. Adolescence: A period needing special attention. Health for the World’s Adolescents report. 2014. Available from: <http://apps.who.int/adolescent/second-decade/section2/page1/recognizing-adolescence.html>
- United Nations. Global Issues: Youth. n.d. Available from: <https://www.un.org/en/global-issues/youth>
- Van Der Lee JH, Mokkink LB, Grootenhuys MA, et al. Definitions and measurement of chronic health conditions in childhood: A systematic review. *JAMA* 2007;297(24):2741–2751.
- Cleave JV, Gortmaker SL, Perrin JM. Dynamics of obesity and chronic health conditions among children and youth. *Jama* 2010;303(7):623–630.
- Gauci J, Bloomfield J, Lawn S, et al. Effectiveness of self-management programmes for adolescents with a chronic illness: A systematic review. *J Adv Nurs* 2021;77(9):3585–3599; doi: 10.1111/jan.14801
- Lozano P, Houtrow A. Supporting self-management in children and adolescents with complex chronic conditions. *Pediatrics* 2018;141(Suppl 3):S233–S241; doi: 10.1542/peds.2017-1284H
- Allegrante JP, Wells MT, Peterson JC. The annual review of public health is online at. *Annu Rev Public Health* 2019; 40:127–146; doi: 10.1146/annurev-publhealth
- Lorig K. Self-management education: More than a nice extra. *Med Care* 2003;41(6):699–701; doi: 10.1097/01.MLR.0000072811.54551.38
- Corbin J, Strauss A. *Unending Work and Care: Managing Chronic Illness at Home*. Jossey-Bass; 1988.
- Camp-Spivey LJ, Logan A, Nichols M. Theoretical and contextual considerations for self-management strategies of children and adolescents with chronic diseases: An integrative review. *J Child Health Care* 2022;26(2):242–261; doi: 10.1177/13674935211013697
- Catarino M, Charepe Z, Festas C. Promotion of self-management of chronic disease in children and teenagers: Scoping review. *Healthcare (Basel)* 2021;9(12); doi: 10.3390/healthcare9121642
- Coe E, Doy A, Enomoto K, et al. *Gen Z Mental Health: The Impact of Tech and Social Media*. McKinsey Health Institute; 2023.
- Arsad FS, Syed Soffian SS, Nadira Megat Kamaruddin PS, et al. The impact of eHealth applications in healthcare intervention: A systematic review. *J Health Res* 2022;37(3): 178–189; doi: 10.56808/2586-940X.1020
- Thabrew H, Stasiak K, Kumar H, et al. A cognitive behavioral therapy-, biofeedback-, and game-based eHealth intervention to treat anxiety in children and young people with long-term physical conditions (starship rescue): Co-design and open trial. *JMIR Serious Games* 2021;9(3):e26084; doi: 10.2196/26084
- Deterding S, Dixon D, Khaled R, et al. From game design elements to gamefulness: Defining “Gamification”. In *Proceedings of the 15th international academic MindTrek conference: Envisioning future media environments*, MindTrek 2011; Association for Computing Machinery: New York, NY; 2011; pp 9–15; doi: 10.1145/2181037.2181040
- Cheng VWS, Davenport T, Johnson D, et al. Gamification in apps and technologies for improving mental health and well-being: Systematic review. *JMIR Ment Health* 2019; 6(6):e13717; doi: 10.2196/13717
- Nijhof SL, Vinkers CH, van Geelen SM, et al. Healthy play, better coping: The importance of play for the development

- of children in health and disease. *Neurosci Biobehav Rev* 2018;95:421–429; doi: 10.1016/j.neubiorev.2018.09.024
20. Muangsrinoon S, Boonbrahm P. Game elements from literature review of gamification in healthcare context. *J Technol Sci Educ* 2019;9(1):20–31; doi: 10.3926/jotse.556
 21. Pereira P, Duarte E, Rebelo F, et al. LNCS 8518—A review of Gamification for health-related contexts. Springer; 2014.
 22. Auf H, Dagman J, Renström S, et al. Gamification and nudging techniques for improving user engagement in mental health and well-being apps. In: *Proceedings of the Design Society Cambridge University Press*; 2021; pp. 1647–1656; doi: 10.1017/pds.2021.426
 23. Sardi L, Idri A, Fernández-Alemán JL. A systematic review of gamification in e-Health. *J Biomed Inform* 2017;71: 31–48; doi: 10.1016/J.JBI.2017.05.011
 24. Garrett R, Young SD. Health care gamification: A study of game mechanics and elements. *Tech Know Learn* 2019; 24(3):341–353; doi: 10.1007/s10758-018-9353-4
 25. Estévez-López F, Levelt L, van 't Veer J, et al. Game mechanics in eHealth interventions promoting self-management in young people with chronic diseases: A protocol for a systematic review and meta-analyses from the eHealth Junior Consortium. *BMJ Open* 2022;12(9):e059581; doi: 10.1136/bmjopen-2021-059581
 26. Lorig KR, Ritter P, Stewart AL, et al. Chronic disease self-management program: 2-year health status and health care utilization outcomes. *Med Care* 2001;39(11):1217–1223; doi: 10.1097/00005650-200111000-00008
 27. Van De Velde D, De Zutter F, Satink T, et al. Delineating the concept of self-management in chronic conditions: A concept analysis. *BMJ Open* 2019;9(7):e027775; doi: 10.1136/bmjopen-2018-027775
 28. Gosak L, Vrbnjak D, Pajnikar M. Self-management of chronic diseases: A concept analysis. *Pielęgniarstwo XXI Wieku/Nursing in the 21st Century* 2022;21(2):115–121; doi: 10.2478/pielxxiw-2022-0006
 29. Björk S, Holopainen J. *Patterns in Game Design*. In: *Game Development Series*. Charles River Media; 2004.
 30. Hunicke R, Leblanc M, Zubek R. *MDA: A Formal Approach to Game Design and Game Research*. (AAAI workshop on Challenges in Game). AAAI Press; 2014.
 31. Toda AM, Oliveira W, Klock AC, et al. A taxonomy of game elements for gamification in educational contexts: Proposal and evaluation. *Proceedings—IEEE 19th International Conference on Advanced Learning Technologies, ICALT 2019, Maceió*; 2019; pp 84–88; doi: 10.1109/ICALT.2019.00028
 32. Tondello GF, Mora A, Nacke LE. Elements of gameful design emerging from user preferences. *CHI PLAY 2017—Proceedings of the Annual Symposium on Computer-Human Interaction in Play*; 2017;129–140; doi: 10.1145/3116595.3116627
 33. Chou Y-K. *Actionable Gamification: Beyond Points, Badges, and Leaderboards*. Createspace Independent Publishing Platform: Scotts Valley; 2015.
 34. Hong QN, Pluye P, Fàbregues S, et al. Improving the content validity of the mixed methods appraisal tool: A modified e-Delphi study. *J Clin Epidemiol* 2019;111:49–59.e1; doi: 10.1016/j.jclinepi.2019.03.008
 35. Bassilious E, DeChamplain A, McCabe I, et al. Power defense: A video game for improving diabetes numeracy. In: *2011 IEEE International Games Innovation Conference*, 2011; pp. 124–125; doi: 10.1109/IGIC.2011.6115113
 36. Stephens S, Schneiderman JE, Finlayson M, et al. Feasibility of a theory-informed mobile app for changing physical activity in youth with multiple sclerosis. *Mult Scler Relat Disord* 2022;58:103467; doi: 10.1016/j.msard.2021.103467
 37. Palermo TM, de la Vega R, Murray C, et al. A digital health psychological intervention (WebMAP Mobile) for children and adolescents with chronic pain: Results of a hybrid effectiveness-implementation stepped-wedge cluster randomized trial. *Pain* 2020;161(12):2763–2774; doi: 10.1097/j.pain.0000000000001994
 38. Masumoto D, Nakagami-Yamaguchi E, Nambu M, et al. A pilot study of game-based learning programs for childhood cancer survivors. *BMC Cancer* 2022;22(1); doi: 10.1186/s12885-022-09359-w
 39. Hood AM, Nwankwo C, Walton A, et al. Mobile health use predicts self-efficacy and self-management in adolescents with sickle cell disease. *Transl Behav Med* 2021;11(10): 1823–1831; doi: 10.1093/tbm/ibab041
 40. Ducharme P, Kahn J, Vaudreuil C, et al. A “Proof of Concept” randomized controlled trial of a video game requiring emotional regulation to augment anger control training. *Front Psychiatry* 2021;12:591906; doi: 10.3389/fpsy.2021.591906
 41. Schwartz LA, Psihogios AM, Henry-Moss D, et al. Iterative development of a tailored mHealth intervention for adolescent and young adult survivors of childhood cancer. *Clin Pract Pediatr Psychol* 2019;7(1):31–43; doi: 10.1037/cpp0000272
 42. Schuurmans AA, Nijhof KS, Vermaes IP, et al. A pilot study evaluating “Dojo,” a videogame intervention for youths with Externalizing and Anxiety Problems. *Games Health J* 2015; 4(5):401–408; doi: 10.1089/g4h.2014.0138
 43. Santana CC, de Souza Freitas ATV, Barreto GO, et al. Serious game on a smartphone for adolescents undergoing hemodialysis: Development and evaluation. *JMIR Serious Games* 2020;8(3):e17979; doi: 10.2196/17979
 44. Sage A, Roberts C, Geryk L, et al. A self-regulation theory-based asthma management mobile app for adolescents: A usability assessment. *JMIR Hum Factors* 2017;4(1):e5; doi: 10.2196/humanfactors.7133
 45. Padman R, Jaladi S, Kim S, et al. An evaluation framework and a pilot study of a mobile platform for diabetes self-management: Insights from pediatric users. *Stud Health Technol Inform* 2013;192:333–337.
 46. O'Malley G, Dowdall G, Burls A, et al. Exploring the usability of a mobile app for adolescent obesity management. *JMIR Mhealth Uhealth* 2014;2(2):e29; doi: 10.2196/mhealth.3262
 47. Naccache B, Mesquida L, Raynaud J-P, et al. Smartphone application for adolescents with anorexia nervosa: An initial acceptability and user experience evaluation. *BMC Psychiatry* 2021;21(1):467; doi: 10.1186/s12888-021-03478-7
 48. Merry SN, Stasiak K, Shepherd M, et al. The effectiveness of SPARX, a computerised self help intervention for adolescents seeking help for depression: Randomised controlled non-inferiority trial. *BMJ* 2012;344(7857):e2598; doi: 10.1136/bmj.e2598
 49. McCulloch V, Hope S, Loranger B, et al. How to effectively design and create a concept mobile application to aid in the management of type 1 diabetes in adolescents. *J Vis Commun Med* 2017;40(3):101–108; doi: 10.1080/17453054.2017.1366828
 50. Lin P-J, Fanjiang Y-Y, Wang J-K, et al. Long-term effectiveness of an mHealth-tailored physical activity intervention in youth with congenital heart disease: A randomized

- controlled trial. *J Adv Nurs* 2021;77(8):3494–3506; doi: 10.1111/jan.14924
51. Klaassen R, Bul KCM, Op den Akker R, et al. Design and evaluation of a pervasive coaching and gamification platform for young diabetes patients. *Sensors (Basel)* 2018; 18(2); doi: 10.3390/s18020402
 52. Joubert M, Armand C, Morera J, et al. Impact of a serious videogame designed for flexible insulin therapy on the knowledge and behaviors of children with type 1 diabetes: The LUDIDIAB pilot study. *Diabetes Technol Ther* 2016; 18(2):52–58; doi: 10.1089/dia.2015.0227
 53. Jibb LA, Cafazzo JA, Nathan PC, et al. Development of a mHealth real-time pain self-management app for adolescents with cancer: An iterative usability testing study. *J Pediatr Oncol Nurs* 2017;34(4):283–294; doi: 10.1177/1043454217697022
 54. Jaser SS, Whittemore R, Chao A, et al. Mediators of 12-month outcomes of two Internet interventions for youth with type 1 diabetes. *J Pediatr Psychol* 2014;39(3):306–315; doi: 10.1093/JPEPSY/JST081
 55. Holtz B, Mitchell KM, Holmstrom AJ, et al. An mHealth-based intervention for adolescents with type 1 diabetes and their parents: Pilot feasibility and efficacy single-arm study. *JMIR Mhealth Uhealth* 2021;9(9):e23916–12; doi: 10.2196/23916
 56. Goyal S, Nunn CA, Rotondi M, et al. A mobile app for the self-management of type 1 diabetes among adolescents: A randomized controlled trial. *JMIR Mhealth Uhealth* 2017; 5(6):e82; doi: 10.2196/mhealth.7336
 57. Gorter JW, Amaria K, Kovacs A, et al. CHILD-BRIGHT READYorNot Brain-Based Disabilities Trial: Protocol of a randomised controlled trial (RCT) investigating the effectiveness of a patient-facing e-health intervention designed to enhance healthcare transition readiness in youth. *BMJ Open* 2021;11(3):e048756; doi: 10.1136/bmjopen-2021-048756
 58. Davis SR, Peters D, Calvo RA, et al. A consumer designed smartphone app for young people with asthma: Pilot of engagement and acceptability. *J Asthma* 2021;58(2):253–261; doi: 10.1080/02770903.2019.1680997
 59. Cooke M, Richards J, Tjondronegoro D, et al. myPainPal: Co-creation of a mHealth app for the management of chronic pain in young people. *Inform Health Soc Care* 2021;46(3):291–305; doi: 10.1080/17538157.2021.1892697
 60. Castel AD, Qasmieh S, Greenberg D, et al. Digital gaming to improve adherence among adolescents and young adults living with HIV: Mixed-methods study to test feasibility and acceptability. *JMIR Serious Games* 2018;6(4):e10213–18; doi: 10.2196/10213
 61. Cai RA, Beste D, Chaplin H, et al. Developing and evaluating JIApp: Acceptability and usability of a smartphone app system to improve self-management in young people with juvenile idiopathic arthritis. *JMIR Mhealth Uhealth* 2017; 5(8):e121; doi: 10.2196/mhealth.7229
 62. Cafazzo JA, Casselman N, Hamming N, et al. Design of an mHealth app for the self-management of adolescent type 1 diabetes: A pilot study. *J Med Internet Res* 2012;14(3):e70; doi: 10.2196/jmir.2058
 63. Bossenbroek R, Wols A, Weerdmeester J, et al. Efficacy of a virtual reality biofeedback game (DEEP) to reduce anxiety and disruptive classroom behavior: Single-case study. *JMIR Ment Health* 2020;7(3):e16066; doi: 10.2196/16066
 64. Alvarez-Jimenez M, Rice S, D'Alfonso S, et al. A novel multi-modal digital service (moderated online social therapy+) for help-seeking young people experiencing mental ill-health: Pilot evaluation within a national youth e-mental health service. *J Med Internet Res* 2020;22(8):e17155; doi: 10.2196/17155
 65. Crosby LE, Ware RE, Goldstein A, et al. Development and evaluation of iManage: A self-management app co-designed by adolescents with sickle cell disease. *Pediatr Blood Cancer* 2017;64(1):139–145; doi: 10.1002/PBC.26177
 66. D'Alfonso S, Santesteban-Echarri O, Rice S, et al. Artificial intelligence-assisted online social therapy for youth mental health. *Front Psychol* 2017;8(JUN):796; doi: 10.3389/fpsyg.2017.00796
 67. Davis SR, Peters D, Calvo RA, et al. “Kiss myAsthma”: Using a participatory design approach to develop a self-management app with young people with asthma. *J Asthma* 2018;55(9): 1018–1027; doi: 10.1080/02770903.2017.1388391
 68. Fleming T, Lucassen M, Stasiak K, et al. Technology Matters: SPARX—computerised cognitive behavioural therapy for adolescent depression in a game format. *Child Adolesc Ment Health* 2021;26(1):92–94; doi: 10.1111/CAMH.12444
 69. Holtz BE, Murray KM, Hershey DD, et al. Developing a patient-centered mHealth app: A tool for adolescents with type 1 diabetes and their parents. *JMIR Mhealth Uhealth* 2017;5(4):e53; doi: 10.2196/MHEALTH.6654
 70. Poppelaars M, Tak YR, Lichtwarck-Aschoff A, et al. A randomized controlled trial comparing two cognitive-behavioral programs for adolescent girls with subclinical depression: A school-based program (Op Volle Kracht) and a computerized program (SPARX). *Behav Res Ther* 2016;80:33–42; doi: 10.1016/J.BRAT.2016.03.005
 71. Scholten H, Malmberg M, Lobel A, et al. A randomized controlled trial to test the effectiveness of an immersive 3D video game for anxiety prevention among adolescents. *PLoS One* 2016;11(1):e0147763; doi: 10.1371/JOURNAL.PONE.0147763
 72. Magrabi F, Lovell NH, Henry RL, et al. Designing home telecare: A case study in monitoring cystic fibrosis. *Telemed J E Health* 2005;11(6):707–719.
 73. Burbank AJ, Lewis SD, Hewes M, et al. Mobile-based asthma action plans for adolescents. *J Asthma* 2015;52(6):583–586.
 74. Holtz BE, Mitchell KM, Hershey DD, et al. Using an mHealth app to transition care of type 1 diabetes from parents to teens: Protocol for a pilot study. *JMIR Res Protoc* 2018;7(10):e10803; doi: 10.2196/10803
 75. Hsia BC, Singh AK, Njeze O, et al. Developing and evaluating ASTHMAXcel adventures: A novel gamified mobile application for pediatric patients with asthma. *Ann Allergy Asthma Immunol* 2020;125(5):581–588; doi: 10.1016/j.ana.2020.07.018
 76. Bassilious E. Numeracy in Adolescents with Type 1 Diabetes: Assessment and Gaming Intervention—A Pilot Project. University of Illinois: Chicago; 2013.
 77. Bandura A. Social cognitive theory: An agentic perspective. *Annu Rev Psychol* 2001;52:1–26.
 78. Wouters P, Van der Spek ED, Van Oostendorp H. Current practices in serious game research: A review from a learning outcomes perspective. In *Games-based learning advancements for multi-sensory human computer interfaces: techniques and effective practices*. IGI Global; 2009; pp. 232–250.
 79. Fizek S. Why fun matters: In search of emergent playful experiences. In: *Rethinking Gamification*. Meson Press: Lüneburg, Germany; 2014.

80. Siriaraya P, Visch V, Boffo M, et al. Game design in mental health care: Case study-based framework for integrating game design into therapeutic content. *JMIR Serious Games* 2021;9(4):e27953; doi: 10.2196/27953
81. DeSmet A, Van Ryckeghem D, Compennolle S, et al. A meta-analysis of serious digital games for healthy lifestyle promotion. *Prev Med* 2014;69:95–107; doi: 10.1016/j.ypmed.2014.08.026
82. Pham Q, Wiljer D, Cafazzo JA. Beyond the randomized controlled trial: A review of alternatives in mHealth clinical trial methods. *JMIR Mhealth Uhealth* 2016;4(3):e107; doi: 10.2196/mhealth.5720
83. Michie S, Yardley L, West R, et al. Developing and evaluating digital interventions to promote behavior change in health and health care: Recommendations resulting from an international workshop. *J Med Internet Res* 2017;19(6):e232; doi: 10.2196/jmir.7126
84. Baptist A, Gibson-Scipio W, Carcone AI, et al. Asthma and technology in emerging African American adults (The ATHENA Project): Protocol for a trial using the multiphase optimization strategy framework. *JMIR Res Protoc* 2022; 11(5):e37946; doi: 10.2196/37946
85. DeSmet A, Thompson D, Baranowski T, et al. Is participatory design associated with the effectiveness of serious digital games for healthy lifestyle promotion? A meta-analysis. *J Med Internet Res* 2016;18(4):e94; doi: 10.2196/jmir.4444
86. Holtz BE, Murray K, Park T. Serious games for children with chronic diseases: A systematic review. *Games Health J* 2018;7(5):291–301; doi: 10.1089/g4h.2018.0024
87. Thomas TH, Sivakumar V, Babichenko D, et al. Mapping behavioral health serious game interventions for adults with chronic illness: Scoping review. *JMIR Serious Games* 2020; 8(3):e18687; doi: 10.2196/18687
88. Drummond D, Monnier D, Tesnière A, et al. A systematic review of serious games in asthma education. *Pediatr Allergy Immunol* 2017;28(3):257–265; doi: 10.1111/pai.12690
89. Theng YL, Lee JWY, Patinadan PV, et al. The use of video-games, gamification, and virtual environments in the self-management of diabetes: A systematic review of evidence. *Games Health J* 2015;4(5):352–361; doi: 10.1089/g4h.2014.0114
90. Charlier N, Zupancic N, Fieuws S, et al. Serious games for improving knowledge and self-management in young people with chronic conditions: A systematic review and meta-analysis. *J Am Med Inform Assoc* 2016;23(1):230–239; doi: 10.1093/jamia/ocv100
91. van Dooren MMM, Visch VT, Spijkerman R. The design and application of game rewards in youth addiction care. *Information (Switzerland)* 2019;10(4):126; doi: 10.3390/info10040126
92. Veldmeijer L, Terlouw G, van 't Veer J, et al. Harnessing virtual reality simulation in training healthcare workers in handling patients with suspected COVID-19 infections: Results of training and lessons learned about design. *Design for Health* 2022;6(1):44–68; doi: 10.1080/24735132.2022.2059997
93. Van der Kooij K, Hoogendoorn E, Spijkerman R, et al. Validation of serious games. *IJSG* 2015;2(3); doi: 10.17083/ijsg.v2i3.75
94. Lansing AH, Berg CA. Topical Review: Adolescent self-regulation as a foundation for chronic illness self-management. *J Pediatr Psychol* 2014;39(10):1091–1096; doi: 10.1093/jpepsy/jsu067

Address correspondence to:
 Maartje Stutvoet, BSc, MSc, MD
 Department of Paediatrics
 Wilhelmina Children's Hospital
 University Medical Center Utrecht
 Utrecht University
 Lundlaan 6
 Utrecht 3584 EA
 The Netherlands

E-mail: M.D.Stutvoet@umcutrecht.nl

Fernando Estévez-López, BSc, MSc, PhD
 Department of Education
 Faculty of Education Sciences
 University of Almería
 Carretera de Sacramento
 s/n
 04120
 La Cañada
 Almería
 Spain

E-mail: fer@estevez-lopez.com;
 estevez@ual.es