

**25th Anniversary of STED Microscopy and the 20th Anniversary of SIM
Feature introduction**

Kner, Peter; Manley, Suliana; Shechtman, Yoav; Stallinga, Sjoerd

DOI

[10.1364/BOE.391490](https://doi.org/10.1364/BOE.391490)

Publication date

2020

Document Version

Final published version

Published in

Biomedical Optics Express

Citation (APA)

Kner, P., Manley, S., Shechtman, Y., & Stallinga, S. (2020). 25th Anniversary of STED Microscopy and the 20th Anniversary of SIM: Feature introduction. *Biomedical Optics Express*, 11(3), 1707-1711.
<https://doi.org/10.1364/BOE.391490>

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.



25th Anniversary of STED Microscopy and the 20th Anniversary of SIM: feature introduction

PETER KNER,^{1,*}  SULIANA MANLEY,² YOAV SHECHTMAN,³ AND SJOERD STALLINGA⁴

¹*School of Electrical and Computer Engineering, University of Georgia, Athens, GA 30602, USA*

²*Institute of Physics, Swiss Federal Institute of Technology Lausanne (EPFL), 1015 Lausanne, Switzerland*

³*Biomedical Engineering Department, Technion, 32000 Haifa, Israel*

⁴*Quantitative Imaging Group, Delft University of Technology, Delft, Netherlands*

*kner@uga.edu

Abstract: This feature issue commemorating 25 years of STED microscopy and 20 years of SIM is intended to highlight the incredible progress and growth in the field of superresolution microscopy since Stefan Hell and Jan Wichmann published the article *Breaking the diffraction resolution limit by stimulated emission: stimulated-emission-depletion fluorescence microscopy* in *Optics Letters* in 1994.

© 2020 Optical Society of America under the terms of the [OSA Open Access Publishing Agreement](#)

This feature issue commemorating 25 years of STED microscopy and 20 years of SIM is intended to highlight the incredible progress and growth in the field of superresolution microscopy since Stefan Hell and Jan Wichmann published the article *Breaking the diffraction resolution limit by stimulated emission: stimulated-emission-depletion fluorescence microscopy* in *Optics Letters* in 1994 [1]. Only a few years after that, Tony Wilson's group published the first paper to use structured illumination for optical sectioning [2]. And in 1998, Rainer Heintzmann and Christoph Cremer presented their idea for using laterally modulated excitation to improve resolution in fluorescence microscopy. The next year, the conference proceeding was published [3], and, the year after that Mats Gustafsson demonstrated a factor of two resolution improvement, referring to "structured illumination microscopy" (SIM) for the first time [4].

Since the first paper, STED has been improved and refined. The first STED paper has now been cited 2,849 times, and last year 314 papers were published on STED. STED microscopy has now been commercialized and is used not only for live cell superresolution imaging [5], but also for novel applications such as laser lithography [6]. Rather than use stimulated emission to turn off fluorescence, RESOLFT takes advantage of reversibly photoswitchable fluorescent proteins, extending the STED concept to lower light levels more amenable to live cell imaging [7]. STED has also been massively parallelized to make live imaging over large fields of view possible [8]. STED has been combined with adaptive optics [9,10] and light sheet imaging [11]. STED microscopy has enabled video rate imaging of the synapse [12] and live imaging in mouse brains at better than 70 nm resolution [13]. In this issue, we have an invited paper on the modelling and characterization of RESOLFT imaging and resolution [14], and Hernandez *et al.* discuss an improved approach to combining STED with light-sheet microscopy [15].

Mats Gustafsson's original SIM paper has been cited 1,541 times. Last year, 303 papers were published in OSA journals referring to structured illumination microscopy techniques. There are now several successful commercial SIM instruments. After the initial work on 2D SIM, the technique was extended to three-dimensions [16], live imaging [17–19], and even higher resolution [20,21]. Mats Gustafsson developed a multifocal widefield microscope, and this technique has been combined with SIM [22]. The Lattice Light Sheet Microscope is a highly successful combination of SIM with light sheet imaging [23]. SIM has been combined with Adaptive Optics [24–26], and SIM concepts have been applied to phase imaging and to

fluorescence imaging with speckle illumination instead of conventional structured illumination patterns [27–29]. SIM has been used to image the nuclear pore complex [30], the synaptonemal complex [31], and live cytoskeletal dynamics [19,32]. In this issue, James Manton *et al.* present a novel concept for increasing axial resolution in SIM [33].

In 2006, PALM [34], FPALM [35], and STORM [36] were introduced. These papers have now been cited collectively over 10,000 times. These techniques spawned a plethora of acronyms and are now frequently but not always collectively referred to as single molecule localization microscopy (SMLM). SMLM has been used to study the cytoskeletal structure of the axon [37], the spatial organization of chromosomes [38], the structure of bacteria [39]. SMLM techniques have become increasingly sophisticated. Multi-emitter fitting now enables faster imaging with higher labeling densities [40], and single-particle reconstruction allows the structure of molecular machinery to be determined from 1000s of SMLM images [41,42]. SMLM has been optimized and extended in a multitude of ways including extending the axial range with PSF engineering [43,44], PSF engineering for multicolor imaging [45,46], optimizing blinking rates [47], light sheet illumination to reduce background [48,49], doughnut spot based triangulation for increased precision with minimal photon flux [50], and increasing the resolution with structured illumination [51,52]. Deep learning has become an important tool in superresolution microscopy, and there are several papers on the use of deep learning in SMLM [53,54]. In an invited article in this issue, deep learning is reviewed by Möckl *et al.* [33]. Along with these new developments in superresolution microscopy have come important and necessary developments in image evaluation as well. With the rise of superresolution microscopy, it has become increasingly important to quantify the resolution of an image in an objective manner, and Fourier Ring Correlation has become the accepted standard for this [55].

In this collection there are 4 articles on SMLM. Philipp Zelger *et al.* describe a new method for axial localization [56]. Sha An *et al.* discuss a method for SMLM along axial cross-sections [57]. Arne Bechensteen *et al.* write on a new algorithm for single molecule localization [58], and Marijn Siemons *et al.* look at astigmatism based localization [59].

Other forms of superresolution microscopy have been developed as well including SOFI [60] and MUSICAL [61]. We have papers on MUSICAL by Sebastian Acuna *et al.* [62] and papers on SOFI by Benjamin Moeyaert *et al.* [63] and Xiyu Yi and Shimon Weiss [64]. A paper on resolution beyond the diffraction limit using deep learning in infrared spectroscopy by Kianoush Falahkheirkhah *et al.* [65], and on a cost-efficient laser source for superresolution microscopy by Daniel Schröder *et al.* [66] round out the collection.

Disclosures

The authors declare that there are no conflicts of interest related to this article.

References

1. S. W. Hell and J. Wichmann, "Breaking the diffraction resolution limit by stimulated emission: stimulated-emission-depletion fluorescence microscopy," *Opt. Lett.* **19**(11), 780–782 (1994).
2. M. A. A. Neil, R. Juskaitis, and T. Wilson, "Method of obtaining optical sectioning by using structured light in a conventional microscope," *Opt. Lett.* **22**(24), 1905–1907 (1997).
3. R. Heintzmann and C. G. Cremer, "Laterally modulated excitation microscopy: improvement of resolution by using a diffraction grating," *Proc. SPIE* 3568, Optical Biopsies and Microscopic Techniques III (1999), pp. 185–196.
4. M. G. Gustafsson, "Surpassing the lateral resolution limit by a factor of two using structured illumination microscopy," *J. Microsc.* **198**(2), 82–87 (2000).
5. J. Dreier, M. Castello, G. Coceano, R. Cáceres, J. Plastino, G. Vicidomini, and I. Testa, "Smart scanning for low-illumination and fast RESOLFT nanoscopy in vivo," *Nat. Commun.* **10**(1), 556 (2019).
6. J. Fischer and M. Wegener, "Three-dimensional optical laser lithography beyond the diffraction limit," *Laser Photonics Rev.* **7**(1), 22–44 (2013).
7. M. Hofmann, C. Eggeling, S. Jakobs, and S. W. Hell, "Breaking the diffraction barrier in fluorescence microscopy at low light intensities by using reversibly photoswitchable proteins," *Proc. Natl. Acad. Sci. U. S. A.* **102**(49), 17565–17569 (2005).

8. A. Chmyrov, J. Keller, T. Grotjohann, M. Ratz, E. d'Este, S. Jakobs, C. Eggeling, and S. W. Hell, "Nanoscopy with more than 100,000 'doughnuts'," *Nat. Methods* **10**(8), 737–740 (2013).
9. T. J. Gould, D. Burke, J. Bewersdorf, and M. J. Booth, "Adaptive optics enables 3D STED microscopy in aberrating specimens," *Opt. Express* **20**(19), 20998–21009 (2012).
10. B. R. Patton, D. Burke, D. Oswald, T. J. Gould, J. Bewersdorf, and M. J. Booth, "Three-dimensional STED microscopy of aberrating tissue using dual adaptive optics," *Opt. Express* **24**(8), 8862–8876 (2016).
11. P. Hoyer, G. de Medeiros, B. Balázs, N. Norlin, C. Besir, J. Hanne, H.-G. Kräusslich, J. Engelhardt, S. J. Sahl, S. W. Hell, and L. Hufnagel, "Breaking the diffraction limit of light-sheet fluorescence microscopy by RESOLFT," *Proc. Natl. Acad. Sci. U. S. A.* **113**(13), 3442–3446 (2016).
12. K. I. Willig, S. O. Rizzoli, V. Westphal, R. Jahn, and S. W. Hell, "STED microscopy reveals that synaptotagmin remains clustered after synaptic vesicle exocytosis," *Nature* **440**(7086), 935–939 (2006).
13. S. Berning, K. I. Willig, H. Steffens, P. Dibaj, and S. W. Hell, "Nanoscopy in a Living Mouse Brain," *Science* **335**(6068), 551 (2012).
14. A. Bodén, X. Casas Moreno, B. K. Cooper, A. G. York, and I. Testa, "Predicting resolution and image quality in RESOLFT and other point scanning microscopes," *Biomed. Opt. Express* **11**, in press (2020).
15. J. M. Hernández, A. Buisson, I. Wang, and J.-C. Vial, "Improved optical slicing by stimulated emission depletion light sheet microscopy," *Biomed. Opt. Express* **11**(2), 660–671 (2020).
16. M. G. L. Gustafsson, L. Shao, P. M. Carlton, C. J. R. Wang, I. N. Golubovskaya, W. Z. Cande, D. A. Agard, and J. W. Sedat, "Three-Dimensional Resolution Doubling in Wide-Field Fluorescence Microscopy by Structured Illumination," *Biophys. J.* **94**(12), 4957–4970 (2008).
17. P. Kner, B. B. Chhun, E. R. Griffis, L. Winoto, and M. G. L. Gustafsson, "Super-resolution video microscopy of live cells by structured illumination," *Nat. Methods* **6**(5), 339–342 (2009).
18. L. Shao, P. Kner, E. H. Rego, and M. G. L. Gustafsson, "Super-resolution 3D microscopy of live whole cells using structured illumination," *Nat. Methods* **8**(12), 1044–1046 (2011).
19. R. Fiolka, L. Shao, E. H. Rego, M. W. Davidson, and M. G. L. Gustafsson, "Time-lapse two-color 3D imaging of live cells with doubled resolution using structured illumination," *Proc. Natl. Acad. Sci. U. S. A.* **109**(14), 5311–5315 (2012).
20. M. G. Gustafsson, "Nonlinear structured-illumination microscopy: wide-field fluorescence imaging with theoretically unlimited resolution," *Proc. Natl. Acad. Sci. U. S. A.* **102**(37), 13081–13086 (2005).
21. E. H. Rego, L. Shao, J. J. Macklin, L. Winoto, G. A. Johansson, N. Kamps-Hughes, M. W. Davidson, and M. G. L. Gustafsson, "Nonlinear structured-illumination microscopy with a photoswitchable protein reveals cellular structures at 50-nm resolution," *Proc. Natl. Acad. Sci. U. S. A.* **109**(3), E135–E143 (2012).
22. S. Abrahamson, H. Blom, A. Agostinho, D. C. Jans, A. Jost, M. Müller, L. Nilsson, K. Bernhem, T. J. Lambert, R. Heintzmann, and H. Brismar, "Multifocus structured illumination microscopy for fast volumetric super-resolution imaging," *Biomed. Opt. Express* **8**(9), 4135–4140 (2017).
23. B.-C. Chen, W. R. Legant, K. Wang, L. Shao, D. E. Milkie, M. W. Davidson, C. Janetopoulos, X. S. Wu, J. A. Hammer, Z. Liu, B. P. English, Y. Mimori-Kiyosue, D. P. Romero, A. T. Ritter, J. Lippincott-Schwartz, L. Fritz-Laylin, R. D. Mullins, D. M. Mitchell, J. N. Bembenek, A.-C. Reymann, R. Böhme, S. W. Grill, J. T. Wang, G. Seydoux, U. S. Tulu, D. P. Kiehart, and E. Betzig, "Lattice light-sheet microscopy: Imaging molecules to embryos at high spatiotemporal resolution," *Science* **346**(6208), 1257998 (2014).
24. B. Thomas, A. Wolstenholme, S. N. Chaudhari, E. T. Kipreos, and P. Kner, "Enhanced resolution through thick tissue with structured illumination and adaptive optics," *J. Biomed. Opt.* **20**(2), 026006 (2015).
25. R. Turcotte, Y. Liang, M. Tanimoto, Q. Zhang, Z. Li, M. Koyama, E. Betzig, and N. Ji, "Dynamic super-resolution structured illumination imaging in the living brain," *Proc. Natl. Acad. Sci. U. S. A.* **116**(19), 9586–9591 (2019).
26. M. Žurauskas, I. M. Dobbie, R. M. Parton, M. A. Phillips, A. Göhler, I. Davis, and M. J. Booth, "IsoSense: frequency enhanced sensorless adaptive optics through structured illumination," *Optica* **6**(3), 370–379 (2019).
27. S. Chowdhury and J. Izatt, "Structured illumination quantitative phase microscopy for enhanced resolution amplitude and phase imaging," *Biomed. Opt. Express* **4**(10), 1795–1805 (2013).
28. L.-H. Yeh, L. Tian, and L. Waller, "Structured illumination microscopy with unknown patterns and a statistical prior," *Biomed. Opt. Express* **8**(2), 695–711 (2017).
29. L.-H. Yeh, S. Chowdhury, N. A. Repina, and L. Waller, "Speckle-structured illumination for 3D phase and fluorescence computational microscopy," *Biomed. Opt. Express* **10**(7), 3635–3653 (2019).
30. L. Schermelleh, P. M. Carlton, S. Haase, L. Shao, L. Winoto, P. Kner, B. Burke, M. C. Cardoso, D. A. Agard, M. G. L. Gustafsson, H. Leonhardt, and J. W. Sedat, "Subdiffraction Multicolor Imaging of the Nuclear Periphery with 3D Structured Illumination Microscopy," *Science* **320**(5881), 1332–1336 (2008).
31. C.-J. R. Wang, P. M. Carlton, I. N. Golubovskaya, and W. Z. Cande, "Interlock Formation and Coiling of Meiotic Chromosome Axes During Synapsis," *Genetics* **183**(3), 905–915 (2009).
32. D. Li, L. Shao, B.-C. Chen, X. Zhang, M. Zhang, B. Moses, D. E. Milkie, J. R. Beach, J. A. Hammer, M. Pasham, T. Kirchhausen, M. A. Baird, M. W. Davidson, P. Xu, and E. Betzig, "Extended-resolution structured illumination imaging of endocytic and cytoskeletal dynamics," *Science* **349**(6251), aab3500 (2015).
33. L. Möckl, A. R. Roy, and W. E. Moerner, "Deep learning in single-molecule microscopy: fundamentals, caveats, and recent developments [Invited]," *Biomed. Opt. Express* **11**(3), 1633–1661 (2020).

34. E. Betzig, G. H. Patterson, R. Sougrat, O. W. Lindwasser, S. Olenych, J. S. Bonifacino, M. W. Davidson, J. Lippincott-Schwartz, and H. F. Hess, "Imaging intracellular fluorescent proteins at nanometer resolution," *Science* **313**(5793), 1642–1645 (2006).
35. S. T. Hess, T. P. K. Girirajan, and M. D. Mason, "Ultra-High Resolution Imaging by Fluorescence Photoactivation Localization Microscopy," *Biophys. J.* **91**(11), 4258–4272 (2006).
36. M. J. Rust, M. Bates, and X. Zhuang, "Sub-diffraction-limit imaging by stochastic optical reconstruction microscopy (STORM)," *Nat. Methods* **3**(10), 793–796 (2006).
37. K. Xu, G. Zhong, and X. Zhuang, "Actin, Spectrin, and Associated Proteins Form a Periodic Cytoskeletal Structure in Axons," *Science* **339**(6118), 452–456 (2013).
38. A. N. Boettiger, B. Bintu, J. R. Moffitt, S. Wang, B. J. Beliveau, G. Fudenberg, M. Imakaev, L. A. Mirny, C.-T. Wu, and X. Zhuang, "Super-resolution imaging reveals distinct chromatin folding for different epigenetic states," *Nature* **529**(7586), 418–422 (2016).
39. H. H. Tuson and J. S. Biteen, "Unveiling the Inner Workings of Live Bacteria Using Super-Resolution Microscopy," *Anal. Chem.* **87**(1), 42–63 (2015).
40. M. Fazel, M. J. Wester, H. Mazloom-Farsibaf, M. B. M. Meddens, A. S. Eklund, T. Schlichthaerle, F. Schueder, R. Jungmann, and K. A. Lidke, "Bayesian Multiple Emitter Fitting using Reversible Jump Markov Chain Monte Carlo," *Sci. Rep.* **9**(1), 13791 (2019).
41. C. Sieben, N. Banterle, K. M. Douglass, P. Gönczy, and S. Manley, "Multicolor single-particle reconstruction of protein complexes," *Nat. Methods* **15**(10), 777–780 (2018).
42. H. Heydarian, F. Schueder, M. T. Strauss, B. van Werkhoven, M. Fazel, K. A. Lidke, R. Jungmann, S. Stallinga, and B. Rieger, "Template-free 2D particle fusion in localization microscopy," *Nat. Methods* **15**(10), 781–784 (2018).
43. S. R. P. Pavani, M. A. Thompson, J. S. Biteen, S. J. Lord, N. Liu, R. J. Twieg, R. Piestun, and W. E. Moerner, "Three-dimensional, single-molecule fluorescence imaging beyond the diffraction limit by using a double-helix point spread function," *Proc. Natl. Acad. Sci.* **106**(9), 2995–2999 (2009).
44. Y. Shechtman, L. E. Weiss, A. S. Backer, S. J. Sahl, and W. E. Moerner, "Precise Three-Dimensional Scan-Free Multiple-Particle Tracking over Large Axial Ranges with Tetrapod Point Spread Functions," *Nano Lett.* **15**(6), 4194–4199 (2015).
45. Y. Shechtman, L. E. Weiss, A. S. Backer, M. Y. Lee, and W. E. Moerner, "Multicolour localization microscopy by point-spread-function engineering," *Nat. Photonics* **10**(9), 590–594 (2016).
46. C. Smith, M. Huisman, M. Siemons, D. Grünwald, and S. Stallinga, "Simultaneous measurement of emission color and 3D position of single molecules," *Opt. Express* **24**(5), 4996–5013 (2016).
47. N. Olivier, D. Keller, V. S. Rajan, P. Gönczy, and S. Manley, "Simple buffers for 3D STORM microscopy," *Biomed. Opt. Express* **4**(6), 885–899 (2013).
48. M. B. M. Meddens, S. Liu, P. S. Finnegan, T. L. Edwards, C. D. James, and K. A. Lidke, "Single objective light-sheet microscopy for high-speed whole-cell 3D super-resolution," *Biomed. Opt. Express* **7**(6), 2219–2236 (2016).
49. A.-K. Gustavsson, P. N. Petrov, M. Y. Lee, Y. Shechtman, and W. E. Moerner, "3D single-molecule super-resolution microscopy with a tilted light sheet," *Nat. Commun.* **9**(1), 123 (2018).
50. F. Balzarotti, Y. Eilers, K. C. Gwosch, A. H. Gynnå, V. Westphal, F. D. Stefani, J. Elf, and S. W. Hell, "Nanometer resolution imaging and tracking of fluorescent molecules with minimal photon fluxes," *Science* **355**(6325), 606–612 (2017).
51. J. Cnossen, T. Hinsdale, R. Thorsen, M. Siemons, F. Schueder, R. Jungmann, C. S. Smith, B. Rieger, and S. Stallinga, "Localization microscopy at doubled precision with patterned illumination," *Nat. Methods* **17**(1), 59–63 (2020).
52. L. Reymond, J. Ziegler, C. Knapp, F.-C. Wang, T. Huser, V. Ruprecht, and S. Wieser, "SIMPLE: Structured illumination based point localization estimator with enhanced precision," *Opt. Express* **27**(17), 24578–24590 (2019).
53. E. Nehme, L. E. Weiss, T. Michaeli, and Y. Shechtman, "Deep-STORM: super-resolution single-molecule microscopy by deep learning," *Optica* **5**(4), 458–464 (2018).
54. P. Zhang, S. Liu, A. Chaurasia, D. Ma, M. J. Mlodzianoski, E. Culurciello, and F. Huang, "Analyzing complex single-molecule emission patterns with deep learning," *Nat. Methods* **15**(11), 913–916 (2018).
55. R. P. J. Nieuwenhuizen, K. A. Lidke, M. Bates, D. L. Puig, D. Grünwald, S. Stallinga, and B. Rieger, "Measuring image resolution in optical nanoscopy," *Nat. Methods* **10**(6), 557–562 (2013).
56. P. Zelger, L. Bodner, L. Velas, G. J. Schütz, and A. Jesacher, "Defocused imaging exploits supercritical-angle fluorescence emission for precise axial single molecule localization microscopy," *Biomed. Opt. Express* **11**(2), 775–790 (2020).
57. S. An, K. F. Ziegler, P. Zhang, Y. Wang, T. Kwok, F. Xu, C. Bi, S. Matosevic, P. Yin, T. Li, and F. Huang, "Axial plane single-molecule super-resolution microscopy of whole cells," *Biomed. Opt. Express* **11**(1), 461–479 (2020).
58. A. Bechenstein, L. Blanc-Féraud, and G. Aubert, "New l2-l0 algorithm for single-molecule localization microscopy," *Biomed. Opt. Express* **11**(2), 1153–1174 (2020).
59. M. Siemons, B. M. C. Cloin, D. M. Salas, W. Nijenhuis, E. A. Katrukha, and L. C. Kapitein, "Comparing strategies for deep astigmatism-based single-molecule localization microscopy," *Biomed. Opt. Express* **11**(2), 735–751 (2020).
60. T. Dertinger, R. Colyer, G. Iyer, S. Weiss, and J. Enderlein, "Fast, background-free, 3D super-resolution optical fluctuation imaging (SOFI)," *Proc. Natl. Acad. Sci. U. S. A.* **106**(52), 22287–22292 (2009).
61. K. Agarwal and R. Machán, "Multiple signal classification algorithm for super-resolution fluorescence microscopy," *Nat. Commun.* **7**(1), 13752 (2016).

62. S. Acuña, F. Strohl, I. S. Opstad, B. Ahluwalia, and K. Agarwal, "MusiJ: an ImageJ plugin for video nanoscopy," *Biomed. Opt. Express* **11**, in press (2020).
63. B. Moeyaert, W. Vandenberg, and P. Dedecker, "SOFIevaluator: a strategy for the quantitative quality assessment of SOFI data," *Biomed. Opt. Express* **11**(2), 636–648 (2020).
64. X. Yi and S. Weiss, "Cusp-artifacts in high order superresolution optical fluctuation imaging," *Biomed. Opt. Express* **11**(2), 554–570 (2020).
65. K. Falahkheirkhah, K. Yeh, S. Mittal, L. Pfister, and R. Bhargava, "Deep learning framework for morphologic detail beyond the diffraction limit in infrared spectroscopic imaging," *Biomed. Opt. Express* **11**, in press (2020).
66. D. Schröder, J. Deschamps, A. Dasgupta, U. Matti, and J. Ries, "Cost-efficient open source laser engine for microscopy," *Biomed. Opt. Express* **11**(2), 609–623 (2020).