


GISt activiteiten voor het GeoValley project

Projectnummer: GBP / Geo Valley 21F.005

Theo Tijssen & Wilko Quak

GISt Report No. 63



GISSt activiteiten voor het GeoValley¹ project

Projectnummer: GBP / Geo Valley 21F.005

Theo Tijssen & Wilko Quak

GISSt Report No. 63

¹ Dit project is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie.

Samenvatting

Dit rapport bevat een beknopt verslag van in activiteiten van Theo Tijssen en Wilko Quak in het kader van het GeoValley project. Het rapport bevat een flink aantal bijlagen waarin de geproduceerde resultaten integraal zijn opgenomen (presentaties, artikelen, analyses, etc.)

ISBN: 978-90-77029-37-4
ISSN: 1569-0245
© 2013 Section GIS technology
OTB Research Institute for the Built Environment
TU Delft
Jaffalaan 9, 2628 BX Delft, the Netherlands
Tel.: +31 (0)15 278 4548; Fax +31 (0)15-278 2745
Websites: <http://www.otb.tudelft.nl>
<http://www.gdmc.nl>

E-mail: c.w.quak@tudelft.nl; t.p.m.tijssen@tudelft.nl

All rights reserved. No part of this publication may be reproduced or incorporated into any information retrieval system without written permission from the publisher.

The Section GIS technology accepts no liability for possible damage resulting from the findings of this research or the implementation of recommendations.

Inhoud

1	Achtergrond.....	1
2	Overzicht bijlagen	3

1 Achtergrond

In de jaren 2009-2011 heeft de sectie GIST van het OTB geparticipeerd in het door de EU mede gefinancierde project Geo Valley. Geo Valley is een investeringsplan opgesteld door de Stichting Geomatics Business Park, in samenwerking met organisaties afkomstig uit alle provincies van Landsdeel West. De activiteiten van de sectie vonden plaats binnen de onderzoek- en ontwikkelingsactiviteit (O&O) ‘Geomatica Technologie en Infrastructuur’ binnen deelproject I (O&O). Binnen het thema “Geomatica Technologie en Infrastructuur (T&I)” wordt nieuwe kennis ontwikkeld over een (e-) netwerk infrastructuur dat de bedrijven in het Geomatics Business Park ondersteunt in het verkrijgen, gebruiken, verwerken en verspreiden van geo-informatie. De verwachting is dat dit onderzoek bestaande diensten aanmerkelijk kan verbeteren en efficiënter maken. Daarbij zal een aanpak worden gekozen die optimaal aansluit bij de nationale en internationale ontwikkelingen op het gebied van geo-informatie voorzieningen in combinatie met netwerktechnologie.

Met name Theo Tijssen en Wilko Quak zijn bij de uitvoering van die project betrokken geweest vanuit de sectie GIST. In de bijlages van dit document geven wij een overzicht van de bijdrages van de sectie GIST aan dit project.

2 Overzicht bijlagen

- A. Wilko Quak. Presentatie op intern overleg: 'Running services on top of a DBMS' (2009-12-14)
- B. Wilko Quak, Theo Tijssen. Lunch presentatie op OTB-TU Delft. (2010-02-04)
- C. Wilko Quak. Geo Valley Update event op het Geonatics Business Park (2010-03-18)
- D. Wilko Quak. Proposed structure for embedding 3D-Coverages in INSPIRE UML Diagrams (2011-07-15)
- E. Wilko Quak. Unfinished Paper: Toward integrated support for coverages in INSPIRE (2012-03-22)

Bijlage A

Wilko Quak. Presentatie op intern overleg: 'Running services on top of a DBMS'
(2009-12-14)

Running Services on top of a DBMS

Wilko Quak, GIS Technologie, OTB
25-10-2012

Overview

- DBMS
- Services
- How to merge them
- Do we go parallel?



DBMS


- Can manage lots of data data
- Has a bunch of pre-defined operations on the data
- Can do user authentication


Spatial DBMS operations

ST_Area	ST_Buffer	ST_OrderingEquals
ST_Azimuth	ST_BuildArea	ST_Overlaps
ST_Centroid	ST_Collect	ST_Perimeter
ST_Contains	ST_ConvexHull	ST_Perimeter2D
ST_ContainsProperly	ST_CurveToLine	ST_Perimeter3D
ST_Covers	ST_Difference	ST_PointOnSurface
ST_CoveredBy	ST_Dump	ST_Relate
ST_Crosses	ST_DumpRings	ST_Touches
ST_LineCrossingDirection	ST_Intersection	ST_Within
ST_Disjoint	ST_LineToCurve	
ST_Distance	ST_MemJoin	

Services

- Map Services
 - WMS for raster data
 - WFS for vector data
 - WCS for coverage data
- Web Processing Services is more soa oriented
 - *GetCapabilities* returns service-level [metadata](#)
 - *DescribeProcess* returns a description of a process including its inputs and outputs
 - *Execute* returns the output(s) of a process






DBMS and SOA

- Functionality on DBMS and WPS are standardized on a different level:
 - DBMS defines exact semantics of operations
 - WPS defines how to get the names and parameters of operations.

We need to solve this mismatch.




Linking services and databases

- Provide all DBMS operations as WPS services.
- Build a working system


Research Question: How to integrated DBSM and Services

Open Question: Do we need parallelism

DBMS integrations



Parallelism (Grid computing)



Bijlage B


Wilko Quak, Theo Tijssen. Lunch presentatie op OTB-TU Delft. (2010-02-04)



GeoValley

Project, status, planning


Wilko Quak, Theo Tijssen -- OTB
25-10-2012



Overview

- Project Overview
 - Geovalley
 - Activity overview
 - Our Activity: Geomatics Technology & Infrastructure
- What has been done
- What will we do?

GeoValley – Project Overview



GeoValley – Activity overview

- 1.1 Eco-engineering in water-management of marine and estuary systems
- 1.2 Air Quality and Traffic
- 1.3 Monitoring spatial quality in rural- and urban area management
- 2 Geomatica technology en infrastructure
- 3 Knowledge Transfer

Application Oriented Activities

Activiteit titel: Eco-engineering in waterbeheer van mariene en estuariene systemen **Act. Nr:** 1.1




Act. verantwoordelijke : Alkyon (Belinda Kater)
Totale investeringen : € 1.550.000,= (ex. BTW)

Start Act. : 1 september 2008
Eind Act. : 1 juni 2012
Partners : Alkyon, IMARES, SOVON, UvA, NLR, Argoss, Infram

Activiteit titel: Luchtkwaliteit & Verkeer

Act. nummer: 1.2



Act. verantwoordelijke : ARGOSS (Hein Zelle)
Totale investeringen : € 875.000,= (ex. BTW)

Start Act. : 1 sept. 2008
Eind Act. : 1 sept. 2011
Partners : ARGOSS, TNO B&O (KNMI), NLR

Activiteit Titel: Monitoring ruimtelijke kwaliteit in natuur- en stedelijk gebiedsbeheer

Act. 1.3



Act. verantwoordelijke : Infram (Franklin Thijs)
Totale investeringen : € 900.000,= (ex. BTW)

Start : 01-01-2009
Einde : 31-01-2011
Partners : Infram, Argeops, VB Ecoflight, NLR, TU-Twente/ITC

Knowledge Transfer

Activiteit titel: KennisTransfer

Act. Nummer: 31



Act. verantwoordelijke : Stichting Geomatics Business Park
Totale investeringen : € 1.701.800,= (incl. BTW)
Start Act. : 1 juli 2007
Eind Act. : 1 september 2012

Our contribution


Activiteit titel: Geomatica technologie en infrastructuur

Act. Nummer: 2



Act. verantwoordelijke: NLR (Rob van Swol)

Totale investeringen



Start

: 01-01-2009

Einde

: 31-01-2011

Partners

: NLR, TU Delft (Onderzoeksinstituut OTB),
TNO (Bouw en Ondergrond)

2009: 82 days

2010: 78 days

2011: 52 days

Work Packages:

2.1 : Geo-service infrastructuur

2.1.1: Inventarisatie: web- en GIS technologie (TU Delft)

2.1.2: Inventarisatie: gebruikaspecten (NLR)

2.1.3: Validatie – Gap Analysis (TU Delft)

2.1.4: Validatie - testbed (TU Delft)

2.1.5: Architectuurontwerp (TU Delft)

2.1.6: Implementatie en testen (NLR)

Here we are
responsible



GeoValley: Activity 2

Geomatics Technology & Infrastructure

GBP Network & Lunch Meeting September 4th 2009

*Rob van Swol
National Aerospace Laboratory NLR*




Geo Valley is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie



What do we have?


- Many2many connections
- Multi (different) login procedures
- Problems in finding resources
- Variety of (obscure) data formats
- Different access methods
- ...



Geo Valley is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie

What do we want?

- Federated environment
- One login
- One catalogue; easy to find resources
- Well described data formats
- Transparent access
- Harmonized data access
- ...



The diagram illustrates a federated environment with a central hub and multiple nodes. Each node represents a different data source or user, connected to the central hub. The nodes include icons for a person at a computer, a server rack, and a database cylinder, indicating a distributed system where data is stored in different locations but accessed through a single point.

GeoValley

NLR

Geo Valley is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie

What do we need?

- Technology standards
 - Network (SOAP), ...
- Data access standards
 - OGC: WFS, WMS, WCS, CSW..
- Metadata standards
 - ISO 19115/19139, ...
- Technology developments
 - BPEL services flow, ...
- Regulations
 - INSPIRE



The diagram shows the OGC logo (Open GIS Consortium, Inc.) and a book cover titled 'The New Language of Business SOA & Web 2.0'. Below the book cover is a diagram of a service flow, likely representing BPEL (Business Process Execution Language). The diagram shows a sequence of steps and interactions between different components, illustrating the complexity of service-oriented architectures.

GeoValley

NLR

Geo Valley is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie

What do we get?



Geo-information applications build on:

- sustainable distributed network platform
- providing access to
 - expert knowledge
 - tools
 - geospatial data
 - Earth observation data
- seamless interface to European SDI, National SDI






Geo Valley is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie

Who are we?




- National Aerospace Laboratory, NLR
- TNO (Built Environment and Geosciences)
- Delft University of Technology
- Steering Group
 - Alkyon
 - BMT ARGOS
 - Infram







Geo Valley is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie



What did we do / are we doing....

- Write overview of GI standards for Earth Observation (Wilko)
- Research storage of raster data in RDBMS (Theo)



What are we going to do...

- Integrate raster & vector in DBMS and Services
- Efficient service chaining using DBMS

DBMS and SOA

- Functionality of DBMS and WPS are standardized on a different level:
 - DBMS defines exact semantics of operations
 - WPS defines how to get the names and parameters of operations

We need to solve this mismatch.


DBMS and service chaining

- Provide all DBMS operations as WPS services.
- Build a working system

Research Question: How to integrate DBSM and Services?

Open Question: Do we need parallelism?

DBMS service chaining



Raster data support in RDBMS

Many initiatives for storing raster data in DBMS, e.g.:

- PostgreSQL/PostGIS
 - PgRaster (proposal)
 - PostGIS WKT Raster (partial Beta 0)
- Oracle
 - GeoImage (initial implementation)
 - GeoRaster (current production version)

PgRaster will be a PostGIS implementation of GeoRaster, PostGIS WKT Raster uses a different approach.

Testing raster data support


- Functionality
 - Data type(s)
 - Geo-referencing
 - Multi-resolution / level of detail (pyramids)
 - Input / output formats
 - Available operations
 - APIs
 - Client tools
- Performance
 - Physical storage options, blocking (tiles), compression, interleaving
 - Data loading
 - Indexing
 - Data retrieval, queries (rectangles, polygons)

GeoRaster datatypes: sdo_georaster (metadata) and sdo_raster (cell values)


```
CREATE TYPE sdo_georaster AS OBJECT (  
  rasterType          NUMBER,  
  spatialExtent       SDO_GEOMETRY,  
  rasterDataTable     VARCHAR2(32),  
  rasterID            NUMBER,  
  metadata             XMLType);
```

```
CREATE TYPE sdo_raster AS OBJECT (  
  rasterID            NUMBER,  
  pyramidLevel        NUMBER,  
  bandBlockNumber     NUMBER,  
  rowBlockNumber      NUMBER,  
  columnBlockNumber  NUMBER,  
  blockMER            SDO_GEOMETRY,  
  rasterBlock         BLOB);
```



GeoRaster coordinate spaces



GeoRaster physical storage



Raster data in an Oracle database



PostGIS WKT Raster approach

- Similar to PostGIS vector geometry
 - 1 table = 1 raster coverage (possibly non-rectangular)
 - 1 row = 1 tile or raster object
- Only 1 new datatype: RASTER
 - is self-contained (includes metadata and data)
- High level of vector – raster integration
 - many spatial operations can be applied to vector and raster
 - lossless vector – raster conversion
- In-DB and Out-DB storage

Bijlage C

Wilko Quak. Geo Valley Update event op het Geonatics Business Parkt (2010-03-18)



Geomatics
BusinessPark

Geo Valley: Activiteit 2

Geomatica Technologie & Infrastructuur





Geo Valley is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie



Introductie

“GDSC in de Wolken”
Remco Dost (NLR)

“De DBMS als basis van een service architectuur”
Wilko Quak (TU Delft)



Geo Valley is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie





DBMS

- Hoe ziet het dagelijks leven van een Geo-Database Management Systeem (DBMS) gebruiker eruit...
- Voorbeeld verplaatsingsgedrag:
 - In een onderzoek naar verplaatsingsgedrag van mensen keken we naar het gebruik van PIN automaten.
 - Hoe heb ik dat met een DBMS opgelost...



Geo Valley is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie





DBMS case: verplaatsingsgedrag


- Kan ik achterhalen wanneer ik pin?
- Antwoord GeoDBMS gebruiker in SQL:

```
select sum(endtime-starttime),atm.id,tp.filename
from trackpoints tp,osm_node_amenities atm
  where ST_Dwithin(tp.location,atm.geometry,0.0005)
  and atm.amenitytype = 'atm'
group by atm.id,tp.filename
having sum(endtime-starttime) > '00:02:00'
```

- Resultaat: ...




Geo Valley is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie




DBMS Case: verplaatsingsgedrag

- Resultaat:**

tijdtip	bank	banknr
2010-03-03 09:09:37	ABN AMRO	n.366934868
2010-03-03 09:09:37		n.366934856
2009-10-02 09:27:21		n.340509665
2009-06-21 10:33:05	ABN AMRO	n.366934868
2009-06-21 10:33:05		n.366934856
2009-02-28 12:00:19	ING	n.582267742
2008-11-21 08:31:26	ING	n.311066580

- Validatie:**


-200,00 EUR

22-06-2009 GEA NR: S1W12 21.06.09/12:34
MEKELWEG 3 DELFT RASOFS

ABN-AMRO

Geo Valley is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie



Nu in Aardobservatie...

- Kan ik achterhalen hoeveel zuren ik heb gehad?




Dat lukte niet in
een halfuurtje

Bijleg van de Europese Commissie



DBMS case: lessen

- Wanneer gegevens in dezelfde DBMS zitten is koppelen erg makkelijk (half uur werk)
- Vector gegevens (=GIS) veel makkelijker dan raster (=Aardobservatie)
- Data naar DBMS halen was veel werk (liever laat ik die bij de bron).



Geo Valley is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie



Wat kan ik bijdragen aan GeoValley?


- Database functionaliteit aanbieden als service.
- Aardobservatie functionaliteit toevoegen aan DBMS.



Geo Valley is medegefinancierd met steun van het Europees Fonds voor Regionale Ontwikkeling van de Europese Commissie

Bijlage D

Wilko Quak. Proposed structure for embedding 3D-Coverages in INSPIRE UML Diagrams (2011-07-15)



Bijlage E

Wilko Quak. Unfinished Paper: Toward integrated support for coverages in INSPIRE (2012-03-22)

This paper is unfinished because the paper comments on a draft version of a standard in the INSPIRE project that has been withdrawn, possibly because of the findings done in this paper that were communicated with the INSPIRE developers before the paper was finished.

Toward integrated support for coverages in INSPIRE

Wilko Quak

Delft University of Technology (c.w.quak@tudelft.nl)

Abstract

In the INSPIRE project the modelling of coverages has been a debated issue. Initially support for coverages in the Generic Conceptual Model was minimal, because the first themes did not need support for coverages. Only during the development of the Annex II and III specifications support for coverages was gradually included. During the Cross Thematic Working Group meeting in Somma Lombardo (May 2011) it was decided that whenever the data of a theme has the characteristics of a coverage it should be modelled as a coverage. This decision came together with a change proposal for the Generic Conceptual Model that was published simultaneously. During the public consultation of the INSPIRE annex II and III draft specifications a consultation for the proposal for the Generic Conceptual Model was also included. Based on the results of this consultation it was concluded that the use of coverages in INSPIRE modelling should be minimized and only coverages of very specific types should be used. In this paper we describe the process of the coverage development and discuss what steps need to be taken for a broader support for coverages in INSPIRE.

Keywords: coverages, generic conceptual model, data specification


1 CONCEPTS OF COVERAGES

Conceptually coverages in ISO are defined in ISO 19123 (2005) as:

feature that acts as a function to return values from its range for any direct position within its spatial, temporal or spatiotemporal domain

Dependent on whether the function that defines the coverage is continuous or not, the coverage can be classified as a continuous or discrete coverage. An example of a discrete coverage is given in Figure 1 (left) where the mapping function maps from direction positions to a member state of the EU. In Figure 1 (right) a continuous coverage is depicted where a rain map is shown.

Figure 1: Discrete (left) and Continuous coverage (right)



Although conceptually these two data sets can both be modelled as coverages, implementation is often different. The map of the member states is usually implemented as a collection of (mutually exclusive and collectively exhaustive) polygons whereas the rain-map could be either represented as a raster data set or as a collection of point observations from which a specific value for each position within the coverage can be calculated via interpolation. When users interact with a coverage dataset

This diversity of implementations for one generic concept is one of the issues that needs to be resolved in INSPIRE.

2 COVERAGES IN THE INSPIRE GENERIC CONCEPTUAL MODEL

For each theme in INSPIRE a data product specification is made that describes the relevant classes their attributes relationships etc. These specifications will be modelled based on the Generic Conceptual Model (D2.5). [todo: In this paper we use a first draft of Version 3.4].

In the GCM there are two ways of representing of topologies.

It should be noted that although the topology representations are described in the Generic Conceptual Model the representations are closer to an implementation model because they describe how the

3 ISSUES WITH COVERAGES

In this section I try to trace back the things that went wrong in the in the modelling of the INSPIRE themes using coverages to the concept of coverage as described in ISO 19123. This leads to two conceptual issues that need to be resolved. First: can a coverage behave as a feature collection and second: a better distinction between the concept of coverage and its implementation is needed. These two issues will be elaborated in section 3.1 and 3.2, also a way towards a solution is provided.

3.1 Feature attribute value vs the feature itself

A coverage defines a mapping from a direct position to a collection of feature attribute values. However the distinction between a feature attribute value and the feature itself is not completely clear. However from the ISO19123 it appears that the intension is that a coverage is not a Feature Collection but a collection of values and on a value no operations with side effects are possible. This means queries can be done, but the original objects can never be edited.

As a consequence modelling a Feature Collection where the features are mutually exclusive and collectively exhaustive (as the collection of the member states of Europe) as coverage will not work because the resulting structure will not behave as a Feature Collection anymore. This property of a coverage stems from the fact that coverages are often implemented and grid cells lack identity.

Conceptually it is possible to model a coverage so that it behaves as a Feature Collection (already now it is stated in ISO 19123 that a collection of feature can be derived from a coverage), however how this will impact on the services that provide coverages needs further research. Eventually it would mean integration of a Web Feature Server and Web Coverage Server but whether this is desirable from an implementation point of view is debatable.

3.2 Concept or Implementation

ISO 19123 defines the concept of coverage and at the same time it describe how a coverage may be implemented. This mixture of concept and implementation leads to questions that need to be answered. For example in clause 5.1.4 of the specification it is described that a discrete coverage could be used to implement an associated continuous coverage. In INSPIRE there is a separation between the conceptual model and the implementation model; usually the models are the same but it is possible to specify an implementation model that is different from the conceptual model. In this way a coverage that is conceptually continuous can be implemented as a discrete multipoint coverage. When a continuous coverage is implemented as a discrete coverage there is no place to store the attributes for the originating continuous coverage (such as interpolationType) therefore the resulting implementation is incomplete. The most straightforward way of solving this issue is extending the discrete coverage model with optional attributes that implement the originating continuous coverage.

4 CONCLUSIONS AND THE WAY FORWARD

The path that INSPIRE has taken for the use of coverages in the data (i.e. only use them when their use widely accepted in the specific theme) is sensible as current support for generic coverage in the specification and implementation part has shown to be too immature. By moving forward with coverages in INSPIRE in themes that already work with coverage outside INSPIRE is a good way of building experience with coverages in the inspire context.

Harmonization between the INSPIRE themes for coverages is still needed. Since the adaptations for the Generic Conceptual Model were written in parallel with the data specifications the text in the Generic Conceptual Model could not be used as a harmonizing guideline.

Themes that currently do not use coverage types but where their data effectively behaves like a coverage might want to migrate in the future to a specification where coverages is used. Before this a happens the standardization of coverages needs to be taken a step further. The main issues that need to be resolved are:

- All levels of the standards (from abstract specification, to implementation in a server need to be harmonized.
- Many of the issues in the current standard stem from the unclear distinction between the implementation of coverages and the abstract concept of coverages. Only by fully separating concept (a function that returns a value) from implementation (as raster or as collection of polygons) an interoperable standard can be achieved.
- [TODO] State that coverage as feature collection is a good idea conceptually.

References

Benediktsson J. A. and I. Kanellopoulos (1999). Classification of Multisource and Hyperspectral Data Based on Decision Fusion, *IEEE Transactions on Geoscience and Remote Sensing*, 37(3): 1367-1377.

Reports published before in this series

1. GISSt Report No. 1, Oosterom, P.J. van, Research issues in integrated querying of geometric and thematic cadastral information (1), Delft University of Technology, Rapport aan Concernstaf Kadaster, Delft 2000, 29 p.p.
2. GISSt Report No. 2, Stoter, J.E., Considerations for a 3D Cadastre, Delft University of Technology, Rapport aan Concernstaf Kadaster, Delft 2000, 30.p.
3. GISSt Report No. 3, Fendel, E.M. en A.B. Smits (eds.), Java GIS Seminar, Opening GDMC, Delft 15 November 2000, Delft University of Technology, GISSt. No. 3, 25 p.p.
4. GISSt Report No. 4, Oosterom, P.J.M. van, Research issues in integrated querying of geometric and thematic cadastral information (2), Delft University of Technology, Rapport aan Concernstaf Kadaster, Delft 2000, 29 p.p.
5. GISSt Report No. 5, Oosterom, P.J.M. van, C.W. Quak, J.E. Stoter, T.P.M. Tijssen en M.E. de Vries, Objectgerichtheid TOP10vector: Achtergrond en commentaar op de gebruikersspecificaties en het conceptuele gegevensmodel, Rapport aan Topografische Dienst Nederland, E.M. Fendel (eds.), Delft University of Technology, Delft 2000, 18 p.p.
6. GISSt Report No. 6, Quak, C.W., An implementation of a classification algorithm for houses, Rapport aan Concernstaf Kadaster, Delft 2001, 13.p.
7. GISSt Report No. 7, Tijssen, T.P.M., C.W. Quak and P.J.M. van Oosterom, Spatial DBMS testing with data from the Cadastre and TNO NITG, Delft 2001, 119 p.
8. GISSt Report No. 8, Vries, M.E. de en E. Verbree, Internet GIS met ArcIMS, Delft 2001, 38 p.
9. GISSt Report No. 9, Vries, M.E. de, T.P.M. Tijssen, J.E. Stoter, C.W. Quak and P.J.M. van Oosterom, The GML prototype of the new TOP10vector object model, Report for the Topographic Service, Delft 2001, 132 p.
10. GISSt Report No. 10, Stoter, J.E., Nauwkeurig bepalen van grondverzet op basis van CAD ontgravingsprofielen en GIS, een haalbaarheidsstudie, Rapport aan de Bouwdienst van Rijkswaterstaat, Delft 2001, 23 p.
11. GISSt Report No. 11, Geo DBMS, De basis van GIS-toepassingen, KvAG/AGGN Themamiddag, 14 november 2001, J. Flim (eds.), Delft 2001, 37 p.
12. GISSt Report No. 12, Vries, M.E. de, T.P.M. Tijssen, J.E. Stoter, C.W. Quak and P.J.M. van Oosterom, The second GML prototype of the new TOP10vector object model, Report for the Topographic Service, Delft 2002, Part 1, Main text, 63 p. and Part 2, Appendices B and C, 85 p.
13. GISSt Report No. 13, Vries, M.E. de, T.P.M. Tijssen en P.J.M. van Oosterom, Comparing the storage of Shell data in Oracle spatial and in Oracle/ArcSDE compressed binary format, Delft 2002, .72 p. (Confidential)
14. GISSt Report No. 14, Stoter, J.E., 3D Cadastre, Progress Report, Report to Concernstaf Kadaster, Delft 2002, 16 p.
15. GISSt Report No. 15, Zlatanova, S., Research Project on the Usability of Oracle Spatial within the RWS Organisation, Detailed Project Plan (MD-NR. 3215), Report to Meetkundige Dienst – Rijkswaterstaat, Delft 2002, 13 p.
16. GISSt Report No. 16, Verbree, E., Driedimensionale Topografische Terreinmodellering op basis van Tetraëder Netwerken: Top10-3D, Report aan Topografische Dienst Nederland, Delft 2002, 15 p.
17. GISSt Report No. 17, Zlatanova, S. Augmented Reality Technology, Report to SURFnet bv, Delft 2002, 72 p.

18. GISSt Report No. 18, Vries, M.E. de, Ontsluiting van Geo-informatie via netwerken, Plan van aanpak, Delft 2002, 17p.
19. GISSt Report No. 19, Tijssen, T.P.M., Testing Informix DBMS with spatial data from the cadastre, Delft 2002, 62 p.
20. GISSt Report No. 20, Oosterom, P.J.M. van, Vision for the next decade of GIS technology, A research agenda for the TU Delft the Netherlands, Delft 2003, 55 p.
21. GISSt Report No. 21, Zlatanova, S., T.P.M. Tijssen, P.J.M. van Oosterom and C.W. Quak, Research on usability of Oracle Spatial within the RWS organisation, (AGI-GAG-2003-21), Report to Meetkundige Dienst – Rijkswaterstaat, Delft 2003, 74 p.
22. GISSt Report No. 22, Verbree, E., Kartografische hoogtevoorstelling TOP10vector, Report aan Topografische Dienst Nederland, Delft 2003, 28 p.
23. GISSt Report No. 23, Tijssen, T.P.M., M.E. de Vries and P.J.M. van Oosterom, Comparing the storage of Shell data in Oracle SDO_Geometry version 9i and version 10g Beta 2 (in the context of ArcGIS 8.3), Delft 2003, 20 p. (Confidential)
24. GISSt Report No. 24, Stoter, J.E., 3D aspects of property transactions: Comparison of registration of 3D properties in the Netherlands and Denmark, Report on the short-term scientific mission in the CIST – G9 framework at the Department of Development and Planning, Center of 3D geo-information, Aalborg, Denmark, Delft 2003, 22 p.
25. GISSt Report No. 25, Verbree, E., Comparison Gridding with ArcGIS 8.2 versus CPS/3, Report to Shell International Exploration and Production B.V., Delft 2004, 14 p. (confidential).
26. GISSt Report No. 26, Penninga, F., Oracle 10g Topology, Testing Oracle 10g Topology with cadastral data, Delft 2004, 48 p.
27. GISSt Report No. 27, Penninga, F., 3D Topography, Realization of a three dimensional topographic terrain representation in a feature-based integrated TIN/TEN model, Delft 2004, 27 p.
28. GISSt Report No. 28, Penninga, F., Kartografische hoogtevoorstelling binnen TOP10NL, Inventarisatie mogelijkheden op basis van TOP10NL uitgebreid met een Digitaal Hoogtemodel, Delft 2004, 29 p.
29. GISSt Report No. 29, Verbree, E. en S.Zlatanova, 3D-Modeling with respect to boundary representations within geo-DBMS, Delft 2004, 30 p.
30. GISSt Report No. 30, Penninga, F., Introductie van de 3e dimensie in de TOP10NL; Voorstel voor een onderzoekstraject naar het stapsgewijs introduceren van 3D data in de TOP10NL, Delft 2005, 25 p.
31. GISSt Report No. 31, P. van Asperen, M. Grothe, S. Zlatanova, M. de Vries, T. Tijssen, P. van Oosterom and A. Kabamba, Specificatie datamodel Beheerkaart Nat, RWS-AGI report/GIST Report, Delft, 2005, 130 p.
32. GISSt Report No. 32, E.M. Fendel, Looking back at Gi4DM, Delft 2005, 22 p.
33. GISSt Report No. 33, P. van Oosterom, T. Tijssen and F. Penninga, Topology Storage and the Use in the context of consistent data management, Delft 2005, 35 p.
34. GISSt Report No. 34, E. Verbree en F. Penninga, RGI 3D Topo - DP 1-1, Inventarisatie huidige toegankelijkheid, gebruik en mogelijke toepassingen 3D topografische informatie en systemen, 3D Topo Report No. RGI-011-01/GIST Report No. 34, Delft 2005, 29 p.
35. GISSt Report No. 35, E. Verbree, F. Penninga en S. Zlatanova, Datamodellering en datastructurering voor 3D topografie, 3D Topo Report No. RGI-011-02/GIST Report No. 35, Delft 2005, 44 p.

36. GISSt Report No. 36, W. Looijen, M. Uitentuis en P. Bange, RGI-026: LBS-24-7, Tussenrapportage DP-1: Gebruikerswensen LBS onder redactie van E. Verbree en E. Fendel, RGI LBS-026-01/GISSt Rapport No. 36, Delft 2005, 21 p.
37. GISSt Report No. 37, C. van Strien, W. Looijen, P. Bange, A. Wilcsinszky, J. Steenbruggen en E. Verbree, RGI-026: LBS-24-7, Tussenrapportage DP-2: Inventarisatie geo-informatie en -services onder redactie van E. Verbree en E. Fendel, RGI LBS-026-02/GISSt Rapport No. 37, Delft 2005, 21 p.
38. GISSt Report No. 38, E. Verbree, S. Zlatanova en E. Wisse, RGI-026: LBS-24-7, Tussenrapportage DP-3: Specifieke wensen en eisen op het gebied van plaatsbepaling, privacy en beeldvorming, onder redactie van E. Verbree en E. Fendel, RGI LBS-026-03/GISSt Rapport No. 38, Delft 2005, 15 p.
39. GISSt Report No. 39, E. Verbree, E. Fendel, M. Uitentuis, P. Bange, W. Looijen, C. van Strien, E. Wisse en A. Wilcsinszky en E. Verbree, RGI-026: LBS-24-7, Eindrapportage DP-4: Workshop 28-07-2005 Geo-informatie voor politie, brandweer en hulpverlening ter plaatse, RGI LBS-026-04/GISSt Rapport No. 39, Delft 2005, 18 p.
40. GISSt Report No. 40, P.J.M. van Oosterom, F. Penninga and M.E. de Vries, Trendrapport GIS, GISSt Report No. 40 / RWS Report AGI-2005-GAB-01, Delft, 2005, 48 p.
41. GISSt Report No. 41, R. Thompson, Proof of Assertions in the Investigation of the Regular Polytope, GISSt Report No. 41 / NRM-ISS090, Delft, 2005, 44 p.
42. GISSt Report No. 42, F. Penninga and P. van Oosterom, Kabel- en leidingnetwerken in de kadastrale registratie (in Dutch) GISSt Report No. 42, Delft, 2006, 38 p.
43. GISSt Report No. 43, F. Penninga and P.J.M. van Oosterom, Editing Features in a TEN-based DBMS approach for 3D Topographic Data Modelling, Technical Report, Delft, 2006, 21 p.
44. GISSt Report No. 44, M.E. de Vries, Open source clients voor UMN MapServer: PHP/Mapscript, JavaScript, Flash of Google (in Dutch), Delft, 2007, 13 p.
45. GISSt Report No. 45, W. Tegtmeier, Harmonization of geo-information related to the lifecycle of civil engineering objects – with focus on uncertainty and quality of surveyed data and derived real world representations, Delft, 2007, 40 p.
46. GISSt Report No. 46, W. Xu, Geo-information and formal semantics for disaster management, Delft, 2007, 31 p.
47. GISSt Report No. 47, E. Verbree and E.M. Fendel, GIS technology – Trend Report, Delft, 2007, 30 p.
48. GISSt Report No. 48, B.M. Meijers, Variable-Scale Geo-Information, Delft, 2008, 30 p.
49. GISSt Report No. 48, Maja Bitenc, Kajsa Dahlberg, Fatih Doner, Bas van Goort, Kai Lin, Yi Yin, Xiaoyu Yuan and Sisi Zlatanova, Utility Registration, Delft, 2008, 35 p.
50. GISSt Report No 50, T.P.M. Tijssen en S. Zlatanova, Oracle Spatial 11g en ArcGIS 9.2 voor het beheer van puntenwolken (Confidential), Delft, 2008, 16 p.
51. GISSt Report No. 51, S. Zlatanova, Geo-information for Crisis Management, Delft, 2008, 24 p.
52. GISSt Report No. 52, P.J.M. van Oosterom, INSPIRE activiteiten in het jaar 2008 (partly in Dutch), Delft, 2009, 142 p.

53. GIST Report No. 53, P.J.M. van Oosterom with input of and feedback by Rod Thompson and Steve Huch (Department of Environment and Resource Management, Queensland Government), Delft, 2010, 60 p.
54. GIST Report No. 54, A. Dilo and S. Zlatanova, Data modeling for emergency response, Delft, 2010, 74 p.
55. GIST Report No. 55, Liu Liu, 3D indoor “ door-to-door” navigation approach to support first responders in emergency response – PhD Research Proposal, Delft, 2011, 47 p.
56. GIST Report No. 56, Md. Nazmul Alam, Shadow effect on 3D City Modelling for Photovoltaic Cells – PhD Proposal, Delft, 2011, 39 p.
57. GIST Report No. 57, G.A.K. Arroyo Ogori, Realising the Foundations of a Higher Dimensional GIS: A Study of Higher Dimensional Data Models, Data Structures and Operations – PhD Research Proposal, Delft, 2011, 68 p.
58. GIST Report No. 58, Zhiyong Wang, Integrating Spatio-Temporal Data into Agent-Based Simulation for Emergency Navigation Support – PhD Research Proposal, Delft, 2012, 49 p.
59. GIST Report No. 59, Theo Tijssen, Wilko Quak en Peter van Oosterom, Geo-DBMS als standaard bouwsteen voor Rijkswaterstaat, Delft 2012, 160 p.
60. GIST Report No. 60, Amin Mobasher, Designing formal semantics of geo-information for disaster response – PhD Research Proposal, Delft, 2012, 61 p.
61. GIST Report No. 61, Simeon Nedkov, Crowdsourced WebGIS for routing applications in disaster management situations, Delft, 2012, 31 p.
62. GIST Report No. 62, Filip Biljecki, The concept of level of detail in 3D city models – PhD Research Proposal, Delft, 2013, 58 p.

