

Indoor Positioning and Fall Detection System Without Wearables

Subtitle Redacted

Group D

Indoor Positioning and Fall Detection System Without Wearables

Subtitle Redacted

by

Group D

to obtain the degree of Bachelor of Science
at the Delft University of Technology,
to be defended on Tuesday June 27.

Student numbers:

Kim Hernandez Salvador 4995228

Gerben Mulder 4793927

Mounzir Baroud 4791592

Project duration: April 24, 2023 – June 30, 2023

Thesis committee:

prof.dr. P.J. French (Project Supervisor)

ir. K. Rassels (Technical Supervisor)

dr. T. Costa (Board member)

dr. İ Ercan (Chair)

An electronic version of this thesis is available at <http://repository.tudelft.nl/>.

Abstract

This thesis report, one of a set of two reports, describes a novel way to detect incidents that could occur in the daily life of the elderly. Unlike most systems already implemented in this field, this system does not use any wearable (positioning) sensors and works off an Single Board Computer (SBC). Independent of both of these systems is a system for reassurance to alleviate distress.

Acknowledgements

This thesis is written for the Electrical Engineering Bachelor Graduation Project. The goal of the project was to detect incidents in elderly homes.

We would like to thank our supervisor, Prof. Dr. Paddy French, for his involvement in this project. We would also like to express our gratitude to the proposer, Ir. Kianoush Rassels, for his advice and feedback during the project, and Jason Xie, who is interning for Ir. Rassels, for his support of the existing system and discussion on integration. The past weeks have been a big learning process for all of us.

Additionally, we would like to thank Mr H. van der Winden for allocating time to be able to have an interview with us. His enthusiasm was greatly appreciated and his remarks had great insights into the problem.

To accomplish our goals, we would like to thank Daniel Ruge, Tolga Kopar and Mischa Rozema, for their humour and eye for detail.

Finally, we would also like to thank our family and friends for their emotional, financial, and sometimes technical, support during this project and the course of the bachelor's degree in general.

Group D
Delft, July 5, 2023

Contents

- 1 Introduction** **1**
- 1.1 Falls with Delayed Assistance 2
- 1.2 The Distinction Between Alerts and Alarms 2
- 2 Project Requirements** **3**
- 2.1 Existing System. 3
- 2.2 Scope 3
- A Technical Requirements** **4**

Abbreviations and Acronyms

Notation	Description	Page List
SBC	Single Board Computer	I
TBI	Traumatic Brain Injury	2

Introduction

As people age, their bodies undergo a range of changes that increase the likelihood of health and safety incidents. For example, a loss of muscle mass and brittle bones can make falls more dangerous, while decreased reaction time can make it harder to avoid falls altogether. Older adults are also at greater risk for heart attacks and epilepsy, which can have serious consequences even when there is no fall involved. In addition to these immediate threats, there are also more gradual risks to consider. For example, Alzheimer's patients may forget to use the toilet or shower, or may even neglect to eat or drink. Mental health conditions such as depression and anxiety are also common among older adults, who may be dealing with social isolation, grief, and other challenges [1].

Due to the rapidly ageing population, the need for medical staff keeps increasing. Unfortunately, there is a shortage of medical staff. Therefore, there are situations where there is no timely assistance for the elderly who have fallen or injured themselves. This may cause heavier injuries or even death. Additionally, the shortage of medical staff increases the workload on the current nurses. To alleviate the high workload, a smart system to detect falls and other anomalies is developed. The use of this system in care facilities or hospitals will decrease the workload on the medical staff. The nurses will be notified when an incident happened to an elderly. Hence, the nurses do not have to check up on the elderly every now and then. This will leave more time for other tasks. The incident detection systems are not only useful in nursing homes or hospitals but also for the elderly living alone. When an elderly living alone falls or injures themselves, they might not have the ability to call for help. With an autonomous incident detection system, the system will call help for them.

According to the United Nations Development Programme [2], the number of elderly people (people aged 65 or older) in the world was 702.9 million and is projected to reach 1548.9 million by 2050. This 120% projected increase in population will lead to increased medical costs for elderly treatment. Looking at the numbers, it is obvious that in order to be better prepared for the future some measures have to be taken. One measure that will be focused on in this project is fall detection, with the idea that quick response to falls will eliminate complications due to 'long lie' falls, reducing medical costs, reducing the workload on medical staff and increasing the quality of life of the elderly. However, one thing to note is that unlike most work done in this field [3]–[5], this project will focus on incident detection without wearable sensors.

The proposed problem has an emphasis on non-wearables because of several reasons [6]: The elderly might forget to put them on or break them. Wearables need to be charged, which is a nuisance and can be forgotten. The aesthetics of these devices are often disliked because it looks like medical device which reminds them of their mortality. It should not draw attention to the user or single them out as a patient. Wearing them could be uncomfortable, especially during the night while sleeping. Maintaining wireless connections can be confusing and annoying. When the connection is lost, it needs to be re-calibrated. Let us get into more detail about what kinds of incidents can be observed and detected.

1.1. Falls with Delayed Assistance

Falls are very common among elderly people. According to multiple sources [7]–[9], 30-40% of people aged 65 and older are estimated to experience a fall at least once a year. These falls can have major implications both for the health of the elderly and for the medical costs. In the United States, the total direct medical costs for fall-related injuries among older adults in 2008 were US\$23.3 billion, and the fall-related costs were reported to be US\$1.6 billion in the United Kingdom[8].

Falls also have a much higher risk of causing serious injury for the elderly compared to younger people. Approximately 1 in 10 elderly falls result in a serious injury, such as a hip fracture, other fracture, subdural hematoma, other serious soft-tissue injuries, or head injury [9]. Other sources also state that 5-10% of elder falls lead to serious injuries like fractures [10] or Traumatic Brain Injury (TBI) [11]. It is also worth mentioning elder falls account for approximately 10-15% of visits to the emergency department [8], [9].

Due to the severity of most fall-related injuries and the recovery speed of elderly people, hospital stays end up being quite long. Not only are the recovery times long, but most patients also require physiotherapy which further increases the treatment costs. What makes the situation even worse is that approximately half of the elderly people are not able to get up on their own after a fall [12]. These 'long lies' can lead to complications such as dehydration, rhabdomyolysis, pressure sores/pressure ulcers and pneumonia [12]. These complications not only reduce the quality of life of the elderly, but they also require more treatment in the hospital.

Falls can happen in different formats, some of which can be hard to detect. When somebody falls, they try to stop this from happening; they might try to grab objects around them to stabilize or lean against a wall. There are also cases which look like a fall but actually are regular behaviours that are to be expected. The elderly might be doing yoga or physiotherapy exercises which require one to lie on the floor. This means that all fall and non-falls are going to have different positions, speeds and accelerations, thus traditional thresholding will not suffice. The success of the system hinges on its capability to change dynamically, it needs to have the ability to adapt to every scenario and situation. This is where machine learning comes into play. Smart use of this rapidly expanding field can enable the system to detect falls.

1.2. The Distinction Between Alerts and Alarms

Different incidents require different approaches to handle them. For example, a patient not eating for a day requires less attention than a patient undergoing cardiac arrest. Although both are important, there should exist a distinction in severity. This is the reason why the system processes incidents as either an alert or as an alarm. The difference between an alert and an alarm can metaphorically be described as the difference between sending an e-mail or calling by phone: an email can be responded to after a few hours or even a day, while a phone call is required if an immediate response is needed.

- An alert is a relatively unsubstantial incident. It is important to let the caretaker know that these incidents have occurred, but the time to reach the caretaker is less important. The caretaker can decide whether or not an intervention is necessary.
- An alarm is a drastic incident. It is of the utmost importance for an alarm to reach a caretaker as soon as possible. In the medical field, every second counts; it could be the difference between life and death. It is required that a notification is sent out towards the caretaker when an alarm is set off.

An overview of the incidents that can happen and the selection that could be handled with the priority level is provided in Appendix ???. The system can later be expanded to detect more incidents.

2

Project Requirements

2.1. Existing System

The existing system already runs various other processes in the background, which means that any functionality added by this project needs to be carefully balanced with the other processes to ensure everything can run concurrently without delays. Thus, the primary objective of the project is to develop a robust and efficient system that can detect incidents, such as falls, unusual behaviours or other critical situations that commonly occur among the elderly population, without impacting the performance of the existing infrastructure and processes. The system must be designed to quickly identify these incidents and relay the information to caretakers. This enables them to respond swiftly and potentially save lives.


2.2. Scope

The requirements of the added functionality designed for this project are described in this section. To note, mandatory requirements are strictly required, while trade-off requirements are of lower priority, but would improve the system. Additionally, the requirements are categorized into functional and non-functional requirements. Non-functional requirements specify the constraints of the system, while functional requirements specify the attributes the system must have. The requirements are explained in more detail in Appendix A.

Mandatory Requirements

- Non-Functional Requirements:
- Functional Requirements:

Trade-Off Requirements



Technical Requirements

As mentioned before, the system should be able to detect incidents and determine the location of the incident. In order to achieve this goal, a couple of requirements must be met. These requirements are split into different parts. There are project requirements, incident detection requirements and requirements specific to the sensor.