







Hybrid Morphologies:
An Interdisciplinary Model for Waterfront
Architecture - The Case of Zwijndrecht

Hybrid Morphologies: An Interdisciplinary Model for Waterfront Architecture - The Case of Zwijndrecht

1to20 Section



1 to 5 Roof Skylight and edge detail




1 to 5 Foundation Detail
The two structures coming together

+17950
+17600


+13350
+13000

+8650
+8300




1. Fire safety sprinkler system
2. Laminated Timber roof: Accoya battens 120 x 21mm (subfloor), 80mm; Fireproof waterproof membrane, 1.8mm; Thermal insulation to fall, rockwool, 150 - 100 mm; Thermal insulation, rockwool, 120 mm; Vapour barrier, bituminous membrane, 1.2mm; 7-ply CLT spruce panel, 260mm; 3 GLT beam, 150x600mm; Mineral Fiber acoustic insulation 40mm; Acoustic suspended panels
3. Solar control: textile
4. Therman glazing: 8mm toughened glass + 12.7mm cavity + laminated safety glass of 2x8mm
5. Vertical fin, cooked wood, 100x30mm
6. Mechanical ventilation duct, max 580x220mm
7. Water supply ducts 4x of O 100mm
8. Internal Laminated Timber Slab: Floor covering 20mm; Dry heating screed, concrete overlaid 75mm; Footfall sound insulation 40mm; 3 - ply CLT spruce panel, 90mm; 7-ply CLT spruce panel, 260mm; Mineral Fiber acoustic insulation 40mm; Acoustic suspended panels 35mm
9. PU covering 3 - 5 mm; Anhydrit heating screed 80 mm; Separating layer; Thermal insulation EPS 300 mm; Separating layer; Concrete 220 mm


1 to 20 Building Section




Raft Foundation + Concrete columns
- 1 Rowing Club




Ground Floor - Boat Exhibition



Glulam Columns
First Floor - Ecological Center



Inset by ODS
VSS Facade System



Facade System




Plate Wood Facade System
Second Floor - Ecological Center

DYNAMIC

MOST SUSCEPTIBLE TO ECOLOGICAL CHANGES
BETTER ADAPTING TO ATMOSPHERIC, GEOLOGICAL
AND HUMAN INFLUENCES

STATIC


LEAST SUSCEPTIBLE TO ECOLOGICAL CHANGES
RIGID FORMS AND LARGE SCALES OF INTERVENTION
WITH THE LANDSCAPE




WET

MORE AREA IS FLOODED


WF - ES - 0
land type use density
Wetland Flux - Ecological Services
organic constructed wetlands, marshes, new habitats , controlled through an operable barrier




WF - MR - 3
land type use density
Wetland Flux - Medium Residential
Medium density housing with local street upland, civic spaces for public activities along the river front.




WF - MC - 3
land type use density
Wetland Flux - Medium Commercial
Architecture on pylons as a means of flood protection




WF - HR - 5
land type use density
Wetland Flux - Hight density mixed use
High density with a commercial podium




WF - ES - 0
land type use density
Wetland Flux - Ecological Services
organic constructed wetlands, marshes, new habitats, controlled through an operable barrier




RI - ES - 0
land type use density
River Island - Ecological Services
organic constructed wetlands, marshes, new habitats




RI - R-ES - 0
land type use density
River Island - Recreational & Ecological Services
Elevated walkway that provide recreational use on the wetland




RI - LR - 1
land type use density
Wetland Flux - Low Density Residential & Recreational
Low density housing in upland areas, floodable water retention areas and wetlands connected through infrastructure




RI - MP - 2
land type use density
River Island - Medium Public building
public building connected with an elevated path




RI - HD - 5
land type use density
Wetland Flux - Hight density
High density connected through elevated paths




WT - ES - 0
land type use density
Wetland - Ecological Services
organic constructed wetlands, marshes, new habitat, retention ponds for water filtration




WT - R-ES -
land type use density
Wetland - Recreational & Ecological Services
Elevated walkway that provide recreational use on the wetland




WT - LR - 1
land type use density
Wetland - Low Density Residential & Recreational
Low density housing in upland areas, floodable water retention areas and wetlands connected through infrastructure




WT - MP - 1
land type use density
Wetland - Medium Public building
public building connected with an elevated path




WT - HD - 5
land type use density
Wetland Flux - Hight density
High density connected through elevated paths




DI- ES - 0
land type use density
Dike - Ecological Services
extension of the dike providing a new dry land to build on




DI - R-ES - 0
land type use density
Dike - Recreational & Ecological Services
Elevated walkway that provide recreational use and connection




DI- MP - 3
land type use density
Dike - Medium Public building
public building connected with an elevated path



DI- MP - 3
land type use density
Dike - Medium Public building
public building connected with an elevated path



DI - HD - 5
land type use density
Dike - Hight density
High density connected through elevated paths



DRY

LEAST AREA IS FLOODED





kitchen

meeting room

sports club

outside boat drying area

lockers


rowing machines

changing and rest zone


relaxation area


outside resting space

boat hub





ground level
Visitors Center and Restaurant







ground level
Visitors Center and Restaurant






1st level
Ecological Center for Research






0 1 5 10 20 30 50


2nd level
Ecological Center for Research







Atrium - Ecological Center



Outdoor Boat Storage



Indoor Boat Storage