


**CLIFF**  
siteplan 1:1000



TU Delft | Explore Lab 19  
MATTIA TINTORI 4298020






# CLIFF

ground floor 1:500

TU Delft | Explore Lab 19  
MATTIA TINTORI 4298020








**CLIFF**  
plan 1:200 | second floor

TU Delft | Explore Lab 19  
MATTIA TINTORI 4298020




N  
+1 FLOOR  
scale 1:500




LOW TIDE  
GROUND FLOOR  
scale 1:500


100 YRS FLOOD  
+2100 SLR  
(HIGH PROJECTION)




-1  
scale 1:500




-2  
scale 1:500








SECTION A-A | scale 1:200



SECTION B-B | scale 1:200





# CLIFF

fragment 1:50 | plan | closed rooms

TU Delft | Explore Lab 19  
MATTIA TINTORI 4298020






**CLIFF**  
fragment 1:50 | plan | open space

TU Delft | Explore Lab 19  
MATTIA TINTORI 4298020






**CLIFF**  
fragment 1:50 | plan | screens


TU Delft | Explore Lab 19  
MATTIA TINTORI 4298020






- Steel Profile
- 80mm Steel Column
- 2mm Galvanized Steel Sheet
- 40x80mm Galvanized Steel Frame
- Waterproofing Membrane
- Steel Point supports
- Sandwich Panel (2000x6000 mm):
  - 1.5mm Stainless steel sheet
  - 40mm XPS rigid foam
  - 1.5mm Stainless steel sheet


- 1000x1000 mm th.50mm Concrete Tiles
- Support
- Waterproofing Membrane
- 150mm polystyrene insulation panel
- Steel Deck
- LED lighting
- Acoustical Ceilings in Translucent Panels, Hunter Douglas Contract
- 1800x1000 mm th.60mm Hollow steel beam with internal welded plate
- HEB 1000
- Vapour Barrier



- 1200x3000 mm TAKTL Concrete tile th. 12.7mm, rough II finish
- Shock absorber panel
- 3mm Galvanized steel sheet
- 1800x1000 mm th.60mm Hollow steel beam with internal welded plate
- Waterproofing membrane
- HEB 1000
- Insulation panel th. 100mm




- 1200x3000 mm TAKTL Concrete tile th. 12.7mm, rough II finish
- 100x300 mm Steel Frame
- HEB 1000
- 1800x1000 mm th.60mm Hollow steel beam with internal welded plate
- Secondary steel frame
- Steel anchoring element
- Waterproofing membrane
- Insulation panel th. 100mm



- 600x1000 mm Ceramic Gres Tile
- Support
- Low temperature heating / cooling floor
- Acoustical Steel Deck
- Acoustical Insulation th.50mm





plan

plan

