


ANTICIPATING INFORMALITY
NEW HOUSING FOR THE URBANISING VILLAGES OF NAVI MUMBAI


BRIEF

The assignment of the studio is to explore possibilities to develop affordable and adequate housing for all in Navi Mumbai, rethinking housing as a resource for a more equitable city.


CONCEPT VS REALITY



Source: Correa, C. (2000). Housing and Urbanisation. London: Thames & Hudson.



Source: Correa, C. (2000). Housing and Urbanisation. London: Thames & Hudson.




AIROLI CHILCH VALI LITTAR SHIN NARIVALI TETAVALI GOTE JHAR GOTHIVALI BHANDARALI Ø NAGAON GHANSOU DAHISAR NIGHIJ NAVALI PA AUAVALI GAVALI MAHAPE SHUTALI BADHALI KOPAR KHAIRANE KHAIRANE BORIVALI REEK JILI PAVANE TURBHE BONSARY SANPADA SONKHART KÜKSNET SHIRAVANE SARSOLI NERUL DARAVE REFERENCES KARAVE BELAPUR N.M.M.C. BOUNDARY RAILWAYS SLUM AREA MARSHY LAND PANVEL CREEK Fig.3. Informal Settlements in Navi Mumbai


Source: Shaw, A. (1999). The planning and development of new bombay. Modern Asian Studies, 33(4), 951-988. Retrieved from: https://www.jstor.org/ stable/313106

TYPES OF INFORMAL SETTLEMENTS



URBAN VILLAGES IN NERUL NODE





Source: https://nmmc.gov. in/navimumbai/ development-plan

North Navi Mumbai Nerul node plan

- Affordable rent.
- Absorption of rural migrants.
- Proximity to work in the formal city.
- Walkability within the village/ for work = relief of pressure from public transport.
 - Strong community ties.
- Small scale sustainable industries eg. recycling, crafts, fishing.

Sources:

Burdett, R. (2018). Flexible Urbanisms. In Shaping cities in an urban age (1st ed. pp.391-403). (R. Burdett & P. Rode, Eds.). London: Phaidon Press.

Kumar, M. (2015). Erstwhile villages in urban india. Development in Practice, 25(1), 124–132. Retrieved from: https://doi.org/10.1080/09614524.2015.986066

Huang, W. (2016). Power, Rights and Emerging Forces: New Models of Urban Planning Practice in China. In Shaping cities : emerging models of planning practice. (Al-Asad, M. & Mehrotra, R.,Eds.). Berlin: Hatje Cantz Verlag GmbH.

Ivan Abreu. (2016, November 24). The Fall of a Village [Video]. Youtube. https://www.youtube.com/watch?v=HyJXVlb2F0Y

Lueder, C. (2018). Urban villages and informal settlements as protagonists of urban futures. Urban Design International, 23(1), 4–21. Retrieved from: https://doi.org/10.1057/udi.2016.12

Wang, P. W., Wang, Y., & Wu, J. (2009). Urbanization and informal development in china: urban villages in shenzhen/International Journal of Urban and Regional Research, 33(4), 957–973. Retrieved from: https://doi.org/10.1111/j.1468-2427.2009.00891.x

Skinner, C. and Watson, W. (2018). The Informal Economy in Cities of the Global South: Challenges to the planning lexicon. In Bhan, G., Srinivas, S., & Watson, V. (Eds.). The Routledge Companion to Planning in the Global South (1st ed, pp.140-152). London: Routledge. Retrieved from: https://www-taylorfrancis-com.tudelft.idm.oclc.org/books/edit/10.4324/9781317392842/routledge-companion-planning-global-south-gautam-bhan-smita-srinivas-vanessa-watson.

URBAN VILLAGES IN NERUL NODE



DARAVE VILLAGE STUDY






Source: https://landscapeiskingston. wordpress.com/2014/07/22/mappingworkshop-navi-mumbai-india/


DARAVE MAP

DARAVE VILLAGE STUDY






VILLAGE DEVELOPMENT



Darave 2003 axonometric Darave 2021 axonometric



Conceptual development

DISADVANTAGES OF URBAN VILLAGES



1. Identity loss





3. Lack of infrastructure for industries



4. Overcrowding




5. Narrow streets, incaccessibility, safety issues




6. Unwelcoming borders

MASS HOUSING SCHEMES







Source: Global Housing Graduation Studio Research (2021/2022)

DISADVANTAGES OF MASS HOUSING SCHEMES

- Peripheral locations, displacement of people, bad proximity to work.
 - Reliance on limited, burdened public transport by payment.
 - Typically no amenities provided.
 - No ground association for residents of the towers.
 - Poor quality in anything but the structure.
- No maintenace or unaffordability of maintenance lead to quick dilapitation.
 - Unaffordable appartments to buy/ rent for too many.
 - Even those who can afford resell and go back to inforal settlements eg. urban villages.

Sources:

Caldeira, T. P. (2017). Peripheral urbanization: Autoconstruction, transversal logics, and politics in cities of the global south. Environment and Planning: Society and Space, 35(1), 3–20. Retrieved from: https://doi.org/10.1177/0263775816658479

Mehrotra, R. (2021). The kinetic city & other essays. Berlin: ArchiTangle.

Shaw, A. (1999). The planning and development of new bombay. Modern Asian Studies, 33(4), 951–988. Retrieved from: https://www.jstor.org/stable/313106

MASS HOUSING IS NOT THE ONLY SOLUTION

- Affordable rent.
- Absorption of rural migrants.
- Proximity to work in the formal city.
- Walkability within the village/ for work = relief of pressure from public transport.
 - Strong community ties.
- Small scale sustainable industries eg. recycling, crafts, fishing.

WHY THE FOCUS ON URBAN VILLAGES







URBAN VILLAGES



MASS HOUSING SCHEMES
FORMAL/ STATIC

Sources:

Shenzhen & Honk Kong Bi-City Biennale of Urbanism/ Architecture

Around 40% of the 1.1 million residents of Navi Mumbai live in informal settlements because of their affordability - whether by renting or squatting. Informal dwellers consitute a large body of people that require better housing with improved living conditions. It is aspired that mass housing schemes of high-rise residential buildings can be provided for informal dwellers and solve this problem.

PROBLEM STATEMENT

Currently, informally developed villages provide a substantial amount of affordable housing for the urban poor but of a substandard quality. Meanwhile, high-rise buildings designed for mass housing schemes prove to be inadequate too for a number of reasons.

How can architecture and urban planning guide villages to plan better for their urbanisation, in anticipation of informality, and provide quality housing for all their future residents?

DESIGN HYPOTHESIS

To design an appropriate housing typology and strategy for the currently urbanising villages that can provide better quality of life for all future residents and therefore, contest the notion that the high-rise building typology and the mass housing schemes are the solution for informal dwellers.

If the design proposal is deemed promising this would signify that urbanising villages can be worthily pursued as sites of providing both afforable and adequate in terms of quality housing for the urban poor; an alternative to the aspired model of the mass housing schemes and the high-rise building typology.

Around 40% of the 1.1 million residents of Navi Mumbai live in informal settlements because of their affordability - whether by renting or squatting. Informal dwellers consitute a large body of people that require better housing with improved living conditions. It is aspired that mass housing schemes of high-rise residential buildings can be provided for informal dwellers and solve this problem.

PROBLEM STATEMENT

Currently, informally developed villages provide a substantial amount of affordable housing for the urban poor but of a substandard quality. Meanwhile, high-rise buildings designed for mass housing schemes prove to be inadequate too for a number of reasons.

How can architecture and urban planning guide villages to plan better for their urbanisation, in anticipation of informality, and provide quality housing for all their future residents?

DESIGN HYPOTHESIS

To design an appropriate housing typology and strategy for the currently urbanising villages that can provide better quality of life for all future residents and therefore, contest the notion that the high-rise building typology and the mass housing schemes are the solution for informal dwellers.

If the design proposal is deemed promising this would signify that urbanising villages can be worthily pursued as sites of providing both afforable and adequate in terms of quality housing for the urban poor; an alternative to the aspired model of the mass housing schemes and the high-rise building typology.

Around 40% of the 1.1 million residents of Navi Mumbai live in informal settlements because of their affordability - whether by renting or squatting. Informal dwellers consitute a large body of people that require better housing with improved living conditions. It is aspired that mass housing schemes of high-rise residential buildings can be provided for informal dwellers and solve this problem.

PROBLEM STATEMENT

Currently, informally developed villages provide a substantial amount of affordable housing for the urban poor but of a substandard quality. Meanwhile, high-rise buildings designed for mass housing schemes prove to be inadequate too for a number of reasons.


How can architecture and urban planning guide villages to plan better for their urbanisation, in anticipation of informality, and provide quality housing for all their future residents?

DESIGN HYPOTHESIS

To design an appropriate housing typology and strategy for the currently urbanising villages that can provide better quality of life for all future residents and therefore, contest the notion that the high-rise building typology and the mass housing schemes are the solution for informal dwellers.


If the design proposal is deemed promising this would signify that urbanising villages can be worthily pursued as sites of providing both afforable and adequate in terms of quality housing for the urban poor; an alternative to the aspired model of the mass housing schemes and the high-rise building typology.

SITE SELECTION






2003:



2021:



MOHA KOLIWADA





MOHA KOLIWADA





Shops




Street



School

MOHA KOLIWADA - FISHING & THE COAST






URBANISATION SCENARIOS

1. Existing condition

2. Urbanisation pressure




3. Informal urbanisation...

4. ...or Indicative proposed urbanisation




INDICATIVE PROPOSED PHASING














Proposed urban village development











DESIGN - BLOCK HEGHT/ DENSITY/ GROUND CONNECTION



DESIGN - CLUSTER & NEIGHBORHOOD




DESIGN - BORDERS





1. Defining the coast...



Key plan diagram

DESIGN - INFILTRATION





3. Infiltrating the village...

4. ...and preserving the historic core




Key plan diagram

PRECEDENT STUDY - SHEIKH SARAI HOUSING NEW DELHI, RAJ REWAL ARCHITECTS, 1970













PRECEDENT STUDY - SHEIKH SARAI HOUSING













UNIT & CLUSTER SCALES

















Density

- Low-rise and high-density housing similar to urban villages.

Community

- Ground association promotes community feeling, for example with the connectivity of courtyards.
- Radburn principle, designated pedestrianised and traffic zones.

Income groups

- Variation of apartments stacked allow for different sizes of apartments to be occupied by different income groups.

Environment

- Ventilation and shading within courtyards is appropriate for the humid and tropical climate of Mumbai.


SHEIKH SARRAI +

Density

- Higher density with some taller buildings appropriate for 21st century urbanisation.

Ground floor amenities

- To support the local economy and industry, basic needs of the residents.



LAYOUT USED FOR CALCULATIONS

DW/HA breakdown

30 (8%) Studios \approx 25sqm (Seasonal workers) 150 (42%) 1Bed \approx 30sqm (EWS/ Rural migrants) 180 (50%) 2Bed \approx 50-55sqm (Families)

FSI breakdown


/Residential Studios - 30x25= 750sqm (5%) 1Bed - 150x30= 4,500sqm (28%) 2Bed - 180x52.5= 9,450sqm (59%)

/Non-Residential ≈ 1,350sqm (8%)


/Total= 16,050 Therefore, 16,050/ 10,000 = 1.6

GSI: 0.32 FSI: 1.6 DW/HA: 360

DENSITY BENCHMARKS





0.32 GSI: GSI: 0.14 0.4 1.6 FSI: FSI: 1.1 2.1 **360** DW/HA: DW/HA: 410 145




POST-INDEPENDENCE VILLAGE LOW-RISE - 'HIGH-DENSITY'


CIDCO MASS HOUSING BLOCKS HIGH-RISE, HIGH-DENSITY










DESIGN FIRST FLOOR PLAN










DESIGN SECOND FLOOR PLAN










DESIGN THIRD FLOOR PLAN










DESIGN FOURTH FLOOR PLAN







Fourth Floor Plan 30sqm - 1Bed EWS/ Rural-Urban Migrants













DESIGN FIRST FLOOR PLAN










DESIGN SECOND FLOOR PLAN










DESIGN THIRD FLOOR PLAN










DESIGN FOURTH FLOOR PLAN








SUSTAINABILITY




SECTION DRAWING






SECTION DRAWING






ELEVATION DRAWING






ELEVATION DRAWING



SECTION DRAWING



VILLAGE URBANISATION GUIDELINES AIM

Density - FSI, GSI, DW/HA

Heights - Minimum, maximum

Housing Mix - Housing types & percentages


Amenities - Percentages of amenities, retail, industrial space (related to housing)

Accessibility - Vehicular, pedestrian, vertical circulation

Sustainability - Modularity, daylight, ventilation, materials, water treatment


Phasing - Construction system, priority areas, allowed demolitions

3D MODEL VISUAL















THANK YOU