

**Corrigendum to 'Operating room ventilation systems Recovery Degree, Cleanliness Recovery Rate and Air Change Effectiveness in an ultra-clean area'**

**[J Hosp Infect 122 (2022) 115-125, (S019567012100459X), (10.1016/j.jhin.2021.12.018)]**

Lans, J. L.A.; Mathijssen, N. M.C.; Bode, A.; van den Dobbelen, J. J.; van der Elst, M.; Luscuere, P. G.

**DOI**

[10.1016/j.jhin.2022.07.014](https://doi.org/10.1016/j.jhin.2022.07.014)

**Publication date**

2022

**Document Version**

Final published version

**Published in**

Journal of Hospital Infection

**Citation (APA)**

Lans, J. L. A., Mathijssen, N. M. C., Bode, A., van den Dobbelen, J. J., van der Elst, M., & Luscuere, P. G. (2022). Corrigendum to 'Operating room ventilation systems Recovery Degree, Cleanliness Recovery Rate and Air Change Effectiveness in an ultra-clean area': [J Hosp Infect 122 (2022) 115-125, (S019567012100459X), (10.1016/j.jhin.2021.12.018)]. *Journal of Hospital Infection*, 129. <https://doi.org/10.1016/j.jhin.2022.07.014>

**Important note**

To cite this publication, please use the final published version (if applicable). Please check the document version above.

**Copyright**

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

**Takedown policy**

Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.



ELSEVIER

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

Journal of Hospital Infection

journal homepage: [www.elsevier.com/locate/jhin](http://www.elsevier.com/locate/jhin)



Corrigendum

# Corrigendum to 'Operating room ventilation systems: Recovery Degree, Cleanliness Recovery Rate and Air Change Effectiveness in an ultra-clean area' [J Hosp Infect 122 (2022) 115-125]



J.L.A. Lans<sup>a,c,\*</sup>, N.M.C. Mathijssen<sup>b,c</sup>, A. Bode<sup>d</sup>, J.J. van den Dobbelsteen<sup>e</sup>, M. van der Elst<sup>e,f</sup>, P.G. Luscure<sup>a</sup>

<sup>a</sup> Faculty of Architecture and the Built Environment, Delft University of Technology, Delft, The Netherlands

<sup>b</sup> Reinier Haga Orthopaedic Centre, Zoetermeer, The Netherlands

<sup>c</sup> Reinier de Graaf Hospital, Delft, The Netherlands

<sup>d</sup> Expert/Advisor on Health Care and Construction, IJsselstein, The Netherlands

<sup>e</sup> Faculty of Mechanical, Maritime and Materials Engineering, Delft University of Technology, Delft, the Netherlands

<sup>f</sup> Department of Trauma Surgery, Reinier de Graaf Hospital, Delft, The Netherlands

The authors regret that they have missed during the review process that the legend belonging to figure 6a, 6b, 6c and 6d is not shown. It is necessary to show the legenda otherwise the readers cannot interpret the graphs. Apologies that we missed it during the review process of the article.

The legend belonging to figure 6 is:

- ◆ C1
- C2
- ▲ C3 = Cm
- ✕ C4
- ✱ C5

The authors would like to apologize for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.jhin.2021.12.018>.

\* Corresponding author. Address: Remmerden 124, 3911TZ Rhenen, The Netherlands. Tel.: +31(0)6-51533276.

E-mail address: [jos@medexs.com](mailto:jos@medexs.com) (J.L.A. Lans).

<https://doi.org/10.1016/j.jhin.2022.07.014>

0195-6701/© 2022 The Author(s). Published by Elsevier Ltd on behalf of The Healthcare Infection Society. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).