

Encoding Building Products

Creating a design workflow for a modular infill system using
Discrete Building Information Modelling and Design Grammars

Tim Schumann
Student ID: 5374456
TU Delft University

Faculty of Architecture and the Built Environment
Master of Architecture, Urbanism and Building Sciences
Track Building Technology
P5

Mentoring Team:
Dr. P. Nourian, Design Informatics
Prof. Dr.-Ing. T. Klein, Building Product Innovation
Ir. H. Hoogenboom, Design Informatics

External Advisor:
Ir. S. Azadi
Delegate of the Board of Examiners:
Dr. Ir. S. van der Spek

Background



Image 1

Background



Mass-Customization in the house building industry allows **customization** while **lowering costs**, increase **quality** and **reduce building times**

(Larsen, 2019)

Mass-Customization in Architecture




BASIS


Bouwkosten totaal € 0

Tussenwoning	0x	€ 113.700
Hoekwoning	0x	€ 131.900
Hierin zijn opgenomen:		Prijspeil 1 juli 2022
1. Woonsmaak		
✓ Basis		€ 0
2. Woningtype		
✓ 2 lagen met kap		€ 117.900
3. Plattegrond		
✓ Breedte 4800 mm - Diepte 8680 mm		€ -4.200
4. Woningopties		
5. Energieconcept		
✓ BENG, incl lucht / water WP		in basisprijs
6. Offerte		Image 3

parametric adjustments



In-house system architecture



CORNER M
w318 l318 h2400
A basic corner post for 2.4m high walls.

CORNER S
w318 l318 h2100
A short corner post for 2.1m high walls.

CORNER XL
w318 l318 h3000
A basic corner post for 3.0m high walls.

WALL G1
w318 l600 h3071
A gable end wall block that works with a 42 degree pitched roof.

WALL G2
w318 l600 h3611
A gable end wall block that works with a 42 degree pitched roof.

WALL G3
w318 l600 h4152
A gable end wall block that works with a 42 degree pitched roof.

WALL G4
w318 l600 h4692
A gable end wall block that works with a 42 degree pitched roof.

WALL M
w318 l600 h2400
A basic wall block, creating a 2.4m high space.

Image 5

open-source system architecture

Problem Statement


System Name	Parametric In-House System	Discrete In-House System	Open Source System
BIM-Compatibility			
Modification Degree	low	medium	high
Mass-Production	high	medium	low
usability for end-user	high	medium	low

The open source system allows **high participation**, but is **difficult to operate** and is **expensive** through missing link to mass production


Background Research



building information modelling




discrete architecture



open building

Research Question

- How to create a **computational design tool** that encodes **building products** into a **participatory** and **discrete** architectural workflow?



intergrate multiple components
in grid-based system



participation potential of
stakeholders

Research Objectives



workflow to develop discrete
building modules



interactive tool to create
individualized designs




application of workflow
with infill system

Literature Review



Participation Methods



Implicit Modeling

Image 6



Parametric Configuration




Part Configuration

Image 7



Procedural Generation

Image 8



Assisted Sculpting

Image 9

Rating of Participation Methods

Case Study	Implicit Modeling	Parametric Configurator	Part Configurator	Procedural Generation	Assisted Sculpting
application example	Rhino AutoCAD Sketchup	IKEA Kitchen Planner	IKEA Kitchen Planner	Townscaper Chasioti (2020)	Savov (2020) Park (2022)
experts influence on design	✓ high	≈ medium	✗ low	≈ medium	≈ medium
users influence on desing	✓ high	✗ low	✓ high	≈ medium	✓ high
difficulty of use	✗ very high	✓ low	≈ medium	✓ low	≈ medium
feedback to design decisions	✗ no	✓ yes	✓ yes	✓ yes	✓ yes
	6	7	7	8	8


Rating of Participation Methods

Case Study	Implicit Modeling	Parametric Configurator	Part Configurator	Procedural Generation	Assisted Sculpting
application example	Rhino AutoCAD Sketchup	IKEA Kitchen Planner	IKEA Kitchen Planner	Townscaper Chasioti (2020)	Savov (2020) Park (2022)
experts influence on design	✓ high	≈ medium	✗ low	≈ medium	≈ medium
users influence on desing	✓ high	✗ low	✓ high	≈ medium	✓ high
difficulty of use	✗ very high	✓ low	≈ medium	✓ low	≈ medium
feedback to design decisions	✗ no	✓ yes	✓ yes	✓ yes	✓ yes
	6	7	7	8	8


Development




Wave Function Collapse Algorithm




basic image



8 combinations




3 unique tiles



application on 8*8 matrix


Wave Function Collapse Algorithm




basic image



3 unique tiles




8 combinations



application on 8*8 matrix


Wave Function Collapse Algorithm




basic image



3 unique tiles




8 combinations




application on 8*8 matrix


Wave Function Collapse Algorithm




basic image



8 combinations




3 unique tiles




application on 8*8 matrix


Wave Function Collapse Algorithm




basic image



8 combinations




3 unique tiles




application on 8*8 matrix


Wave Function Collapse Algorithm




basic image



8 combinations




application on 8*8 matrix




3 unique tiles

Applying the WFC: 2D Tiles




Input Tiles




Output 20x20

Applying the WFC: 3D Tiles




Input Tiles



Output 20x20

Boolean Marching Cubes





Pixel

#C4C0BF

Pixel

#777372

#807C7B

#777372

#7B7776

#666261

#615D5C

#736F6E

#666261

#7B7776

#C4C0BF

#736F6E

#6B6766

#7B7776

#817D7C

#B5B1B0

#9F9B99

#7B7776

#7B7776

#666261

#666261

#7B7776

#7D7978

#817D7C

#817D7C

#777372

#807C7B

#777372

#7B7776

#666261

#615D5C

#736F6E

#666261

#7B7776

#C4C0BF

#736F6E

#6B6766

#7B7776

#817D7C

#B5B1B0

#9F9B99

#7B7776

#7B7776

#666261


#666261


#7B7776


#7D7978


#817D7C


#817D7C











































Square















Tile







































Third Dimension




Voxel



Sub-Voxel





Cube




Computational Tile


Reducing the Cubes




rotation: 0°
ID: 10001000



rotation: 90°
ID: 00100010




rotation: 180°
ID: 00010001



rotation: 270°
ID: 01000100


26 Unique Cubes

Roof Cubes




00100000 00110000 01110000 11110000 00110010 01110010 11110010 01110100 11110011 11101010 11111110

Floor Cubes




00000010 00000011 00000111 00001111 00100011 00100111 00101111 01100111 00111111 01000111 11101111

Wall Cubes



00110011 01110111 00100010

Special Cube




10010011


26 Unique Tiles

Roof Tiles													
	00100000	00110000	01110000	11110000	00110010	01110010	11110010	01110100	11110011	11101010	11111110		
Floor Tiles													
	00000010	00000011	00000111	00001111	00100011	00100111	00101111	01100111	00111111	01000111	11101111		
Wall Tiles												Special Tile	
	00110011	01110111	00100010									10010011	


Dimensioning



Basis Voxel






Voxel / Floor Relation



Voxel / Stair Relation

Developing an Infill System

System Name	Studio Bark UBuild	AUAR Home Office (ALIS Building Blocks)	Knauf W12 (wooden stud wall)
Visualization			
Prefabrication	✔ prefabricated frames	✔ complete prefabricated elements	✘ no prefabrication
Connection Type	In Element: Screws Element/ Element: Bolts and Nuts	In Element: Screws Element/ Element: Bolts and Nuts	Wood Screws
Materiality	18 mm plywood frame + cover	plywood frame, reinforcement + cover	sqared timber profiles (ca. 60x60) + gypsum cardboad cover
Discrete Elements	✔	✔	✘

Basic Module

Universal Screw Countersunk Head, 5x70

PartID: 1

Squared Timber Spruce 50x100

PartID: 4

OSB Board 15 mm, 720X1000


PartID: 3

Hexagon Nut M8 galvanized


PartID: 2

Plywood 18mm, Poplar, IF20, B/BB, lengthwise veneered


PartID: 5




Application in Context




Detailing the System




Service Integration




1 install rods on concrete plate



2 mount wall connector



3 install wall structure




4 install floor + cladding

Assembly


Design Tool




Design Tool Workflow




Topological Design




Voxels



Space Voxel




Connection Voxel




Opening Voxel

Topological Design




Voxels Room 0




00_1_Room0_Space


Voxels Room 1




01_1_Room1_Space




00_2_Room0_Connection



01_2_Room1_Connection




00_3_Room0_Opening




01_3_Room1_Opening


Design Rules



openings and connections need to be surrounded by space tiles, except to the floor




voxels can only be placed in the predefined grid




room x

in one room, only voxels related to that room can be placed




connection voxels need to be placed to adjacent connection voxels of another room



voxels need to connect at least with one face to another voxel

Codification



Vertex Codification


- 0 021
- 1 021
- 2 000
- 3 000
- 4 023
- 5 021
- 6 000
- 7 000

Combined Codification


021021000000023021000000

- 0
- 1
- 2
- 3
- 4
- 5
- 6
- 7


2 Tile Database




Unique Cubes




Families




Building Products




Parts




Components



Building Tiles










Computational Tiles



Faces

Create Unique Cubes



Unique Cubes

Unique_Cube_ID

Basic (y/n)

Identifier Rotation 0°

Identifier Rotation 90°

Identifier Rotation 180°

Identifier Rotation 270°








Identifier Rotation 0° + Mirror

Identifier Rotation 90° + Mirror

Identifier Rotation 180° + Mirror

Identifier Rotation 270° + Mirror

Create Tile Families



Tile Family
Family_ID
Description
Interior / Exterior (I /E)
Voxel Size X, Y
Voxel Size z

Import Building Products










Image 10



Image 11

Building Products

BuildingProduct_ID

Description

Dimension X (mm)

Dimension Y (mm)

Dimension Z (mm)

Weight (kg)

EAN Code

Price EAN (€)








Quantity / Package

Norms Applied

Link Supplier (url)

Building Product Geometry (path)

Create Parts



Parts

Part_ID

Description

BuildingProduct_ID

Building Product Description

Part == Building Product? (y/n)

Dimension X (mm)

Dimension Y (mm)

Dimension Z (mm)








Additional Finishing

Parts / Building Product


Additional Finishing

Part Geometry (path)


Create Components



2 Parts



11 Part Instances



1 Component

Components

Num_ID

Component_ID

Description

Part_ID

Part Description

Part Rotation




Part Position X (mm)

Part Position Y (mm)

Part Position Z (mm)








Component Geometry (path)

Create Building Tiles




Building Tiles
Num_ID
BuildingTile_ID
Family_ID
Description
Component_ID
Component Description
Component Rotation
Component Position X (mm)
Component Position Y (mm)
Component Position Z (mm)
BuildingTile Geometry (path)


Create Computational Tiles



BuildingTile_ID 2



Computational Tile ID: 23



Computational Tile ID: 24

Computational Tiles

Ctile_ID

BuildingTile_ID

Unique Cube

Type (E/I; B/A)

Ctile == Building Tile (y/n)

Face0

Face1

Face2









Face3

Face4

Face5



Ctile Geometry (path)

Create Faces




Computational Tile **23**

- Face 0 : Connection INT (Tile 24)
- Face 1 : empty
- Face 2 : Connection EXT (2 Screws)
- Face 3 : Connection EXT (2 Screws)
- Face 4 : empty
- Face 5 : Connection EXT (3 Screws)




Computational Tile **24**




- Face 0 : Connection EXT (3 Screws)
- Face 1 : empty
- Face 2 : Connection EXT (2 Screws)
- Face 3 : Connection EXT (2 Screws)
- Face 4 : empty
- Face 5 : Connection INT (Tile 23)



Calculate Tile Options







Array Room 1, 2




Array Envelope


Initialization



Tile Placement



1 Placing first valid option




2 Selection of Tile


Tile Selected	
	{0;0;0;0}
0	2004#1#1002#1003#0#0#0#0

Tile Options for this Cube	
	{0;0;0;0}
0	2004#1#1002#1003#0#0#0#0
1	2005#1#1002#1003#0#0#0#0
2	2006#1#1002#1003#0#0#0#0
3	2013#1#1006#1008#0#0#0#1006
4	2017#1#1010#0#0#0#0#0


Tile Placement



Tile Placement





2 Selection of Tile




4 End - Final Commit

Tile Selection




Postprocessing: Details




Cut Layer

Select Cutting Plane | Plane XZ ▼



Cut Layer


Select Cutting Plane | Plane XY ▼




Cut Layer

Select Cutting Plane | Plane YZ ▼


Postprocessing: Export



Postprocessing: Export



Postprocessing: Export





Toy Problem



















Context




Topological Design




Envelope Tileset




Envelope Tileset




E_B_Brick_Wall
00110011




E_B_Brick_IntRoof
01110000




E_B_Brick_ExtRoof
00010000




E_B_Main_Roof
11110000




E_B_Main_FloorRoof
11110011




E_B_Brick_Special
01110011




E_B_Brick_IntCorner
01110111




E_B_Brick_ExtCorner
00010001




E_B_Main_Floor
11110000




E_S_Window_Small




E_S_Window_Large




E_S_Door_Entrance




E_B_Main_FloorWall
00000101



E_B_Main_FloorIntCorner
00000111




E_B_Main_FloorExtCorner
00000001




E_B_Brick_WallRoof
00110000

Interior Tileset





Tile Placement - Envelope




Tile Placement - Envelope



Tile Placement - Interior



Tile Placement – Stair Integration




Evaluation




Implement Building Products

Block Frame




Implement Building Products

Enclosing Frame Steel




Implement Building Products

Enclosing Frame Wood




Complex Building Products




Building Tile **2100**


CTile 2103
UQ: 00120011




CTile 2102
UQ: 00120012




CTile 2101
UQ: 00120012




CTile 2100
UQ: 00000012




CTile 2104
UQ: 00210011




CTile 2105
UQ: 00210021




CTile 2106
UQ: 00210021




CTile 2107
UQ: 00000021




Application on Wikihouse



Voxel Set as Input




Applied Skylark 250 Blocks (unmodified)



Adjusted Skylark System

Industry Feedback



Potential for deconstruction /
disassembly



Potential for creating
material passports



Construction companies protect
their intellectual property

Design Method Comparison

System Name	Discrete BIM Design Tool	beterBASIShuis	Individualized Design by an Architect
Spatial Individualization	 individual configuration and sizing of all rooms (based on grid)	 length, with and amount of floors adjustable, room configuration fixed	 individual configuration and sizing of all rooms (based on grid)
Style / Finishing Option	 style options according to tile implementations - theoretically unlimited	 only six facade style options	 all styles / finishes possible
Industrialization Potential	 All Components can be prefabricated	 prefabrication in-house	 no industrialization potential
Workflow/ Product Monitoring	 Data control and construction management through integrated discrete BIM	 standardized construction workflow in-house	 need to create BIM model or manual monitoring


Impact on the Stakeholders

	Architect	House Owner	Engineers / Consultants	Building Product Manufacturer
Participation	<ul style="list-style-type: none"> ✓ Topological Design ✓ Tile Placement 	<ul style="list-style-type: none"> ✓ Topological Design ✓ Tile Placement 	<ul style="list-style-type: none"> ✗ only read access 	<ul style="list-style-type: none"> ✓ Building Product Design
Added Value	<ul style="list-style-type: none"> ✓ Simplified / faster Design Process ✓ BIM Monitoring 	<ul style="list-style-type: none"> ✓ Information / Influence on cost, design and performance 	<ul style="list-style-type: none"> ✓ IFC data for all Tiles + Placement 	<ul style="list-style-type: none"> ✓ Simplified product integration
Disadvantages	<ul style="list-style-type: none"> ✗ Design restrictions to building grid 		<ul style="list-style-type: none"> ✗ Individualized / continuous structures difficult to integrate 	


Conclusions




Product



any building product encodable through computational division





end-user can produce customized spatial and detail design




visualization, detail generation and export


Limitations: Structure



Limitations: Structure




tile options with structural direction




applied structure

Limitations: Bespoke Tiles





Orthogonal Walls




Inclined Wall

Industry Context


	 Self-Builder	 Development Projects	 Apartment Buildings
Initial Platform Set-Up	 Architect / Client 	 Architect / Investor 	 Architect / Investor 
Topological Design	 unrestricted 	 site-restrictions 	 only interior design 
Tileset Selection	end-user (+architect) 	end-user / investor (+architect)	investor (+architect) 

Future Developments



Automatic Tile Placement

use the WFC to add intelligence to design steps






Digital Platform

improve usability + cloud-based platform solution



Human-Computer Interaction


improve interaction through Virtual Reality



Sarah Doe

Select your task for today

1



create / modify
spatial building design



restrict tiles /
add design rules



individualize building



project data /
export

Chat icon

Kathrin Miller

Select your task for today



create / modify
spatial building design



individualize building


Chat icon

Kathrin Miller

Interior Mode: Entrance / Staircase

Save

Discard




Unique Cube
00001111



carpet blue



carpet red




Kathrin Miller

Project Miller

Total Costs:
230.000 EUR

Energie Label:
A



Select a room to modify:

Living Room

Entrance / Staircase

Bathroom 1

Bathroom 2

External Graphics

- (1) rtl nieuws. (2022) Retrieved from <https://www.rtlnieuws.nl/economie/artikel/5253847/huizenprijzen-stijging-sneller-maandlasten-300-euro-hoger>
- (2) hollandfoto (2019). Retrieved from www.hollandfoto.net/Shutterstock
- (3) TBI Woonlab (2022). Retrieved from <https://www.tbiwoonlab.nl/labels/beterbasishuis/woonplanner-beterbasishuis/#woonplanner>
- (4) The Newmakers (2022). Retrieved from <https://www.uuthuuske.nl/en/design/>
- (5) Open Systems Lab (2022). Retrieved from <https://www.wikihouse.cc/>
- (6) TBI Woonlab (2022). Retrieved from <https://www.tbiwoonlab.nl/labels/beterbasishuis/woonplanner-beterbasishuis/#woonplanner>
- (7) Ikea (2022). Retrieved from <https://kitchen.planner.ikea.com/gb/en/>
- (8) Stålberg, O. (2022). Townscaper. Retrieved from <https://oskarstalberg.com/Townscaper/>
- (9) Savov A. (2020). Encoding Architectural Designs as Iso-surface Tilesets for Participatory Sculpting of Massing Models
- (10) Gamma (2023). Retrieved from <https://www.gamma.nl/assortiment/osb3-plaat>
- (11) Spax (2023). Retrieved from <https://www.spax.com/en/products/universal/flat-countersunk-head/universal-screw-5-x-70-mm-200-pieces-full-thread-flat-countersunk-head-t-star-plus-t20-4cut-wirox-1191010500705/pid-814/>



**Interested to see how I solve
similar problems?**

visit tim-schumann.com