

New insights on the estimation of the anaerobic biodegradability of plant material Identifying valuable plants for sustainable energy production

Pabón-Pereira, Claudia P.; Hamelers, H. V.M.; Matilla, Irene; van Lier, Jules B.

DO

10.3390/pr8070806

Publication date

Document VersionFinal published version

Published in Processes

Citation (APA)

Pabón-Pereira, C. P., Hamelers, H. V. M., Matilla, I., & van Lier, J. B. (2020). New insights on the estimation of the anaerobic biodegradability of plant material: Identifying valuable plants for sustainable energy production. *Processes*, 8(7), Article 806. https://doi.org/10.3390/pr8070806

Important note

To cite this publication, please use the final published version (if applicable). Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.





Article

New Insights on the Estimation of the Anaerobic Biodegradability of Plant Material: Identifying Valuable Plants for Sustainable Energy Production

Claudia P. Pabón-Pereira 1,2,* , H. V. M. Hamelers 2,3, Irene Matilla 2 and Jules B. van Lier 2,4

- Faculty of Engineering and Sciences, Universidad Adolfo Ibañez, Diagonal Las Torres 2700, Peñalolen, C.P. 7941169 Santiago de Chile, Chile
- Sub-department of Environmental Technology, Agrotechnology & Food Sciences, Wageningen University, 6708 PB Wageningen, The Netherlands; irene.mantilla@uv.es (H.V.M.H.); bert.hamelers@wetsus.nl (I.M.); J.B.vanLier@TUDelft.nl (J.B.v.L.)
- Wetsus, European Centre of Excellence for Sustainable Water Technology, Oostergoweg 9, 8911 MA Leeuwarden, The Netherlands
- Section Sanitary Engineering, Department of Water Management, Faculty of Civil Engineering and Geosciences, Delft University of Technology, 2628 CN Delft, The Netherlands
- * Correspondence: claudia.pabon@uai.cl; Tel.: +56-9-61403135

Received: 26 May 2020; Accepted: 1 July 2020; Published: 9 July 2020



Abstract: Based on fifteen European plant species, a statistical model for the estimation of the anaerobic biodegradability of plant material was developed. We show that this new approach represents an accurate and cost-effective method to identify valuable energy plants for sustainable energy production. In particular, anaerobic biodegradability (B_0) of lignocellulosic material was empirically found to be related to the amount of cellulose plus lignin, as analytically assessed by the van Soest method, i.e., the acid detergent fiber (ADF) value. Apart from being theoretically meaningful, the ADF-based empirical model requires the least effort compared to the other four proposed conceptual models proposed, as individual fractions of cellulose, hemicellulose, and lignin do not need to be assessed, which also enhances the predictive accuracy of the model's estimation. The model's results showed great predictability power, allowing us to identify interesting crops for sustainable crop rotations. Finally, the model was used to predict B_0 of 114 European plant samples that had been previously characterized by means of the van Soest method.

Keywords: anaerobic digestion; biodegradability; lignocellulosics; fiber degradation

1. Introduction

Closing material cycles through anaerobic digestion (AD) is an interesting alternative to provide valuable use to agricultural surplus products, agricultural residues, and energy-rich agro-industrial by-products, as well as to set aside land.

The use of AD for the production of biogas from crop material and residues is a renewable and carbon-neutral technologically viable option that also allows for the recirculation of nutrients and organic matter back to land, minimizing the need for external inputs and enhancing soil fertility [1–3]. AD of crops and agro-residues provides possibilities for storage and energy use on demand, contributes to sustainable energy self-sufficiency, and brings opportunities to farmers by means of rural income diversification [3,4]. Indeed, crops and agroresidues are interesting co-digestion materials supplementing waste materials of inferior energy quality, such as animal manure, allowing us to increase the energy output per unit reactor volume [5,6]. In addition, the AD potentials from fruit

Processes 2020, 8, 806 2 of 23

and vegetable waste has also been analyzed, considering its biogas yield [7] and its use as single AD component [8].

In Europe, incentives have been given for the use of crop material as (co) substrates for anaerobic reactors, with quantified available areas being 13.2 million Ha [6,9,10]. Mainly maize, sunflower, grasses, and some cereals have been preferred as crop substrates [4,6]. Challenges are found when digesting this type of lignocellulosic biomass due to its relatively low methane yield, potential process instability due to volatile fatty acids (VFA) accumulation, and production of low value end-products. Low methane yield can be caused by the recalcitrance of lignocellulosic biomass or retarded mass transfer in solid-state digestion systems [11]. Practical challenges are also the case when digesting crops in liquid digestion systems, include the difficulties in pumping due to the fibrous and low-density quality of this type of biomass, as well as the sizing and drying, both implying higher energy inputs [12]. Given the abovementioned, exploring different types of plant biomass, aiming for those better suited to overcome these challenges, is of interest.

Apart from the technological challenges, agricultural adaptability is also required for choosing for plant species for bioenergy production. Aspects such as the adaptability to grow under specific climatic conditions or degraded soils, or their suitability to be intercropped or grown within multipurpose situations using low inputs [13] are of particular importance, considering the ongoing discussions on competitive land use for food or energy purposes and environmental impacts of intensive agricultural systems. In a sustainable agroecosystem, the needs for food, energy, and nature conservation are addressed in an integrated way, whereas diversity is the key issue for enhancement of soil fertility, minimizing external inputs [14]. The use of legumes is an example of potentially very suitable multipurpose crops that produce food, allow soil fertility build-up, and improve gas yields [15].

The more than 250 thousand higher plants species in the world and the variations imposed by genotypes, cultivation methods, plant growth stage, and plant parts contribute to the diversity of materials potentially available for anaerobic digestion [16]. Knowledge on the anaerobic biodegradability of such potential substrates is needed in order to screen for the most suitable ones to be part of sustainable agroindustrial ecosystems [17]. Anaerobic biodegradability is defined as the susceptibility of a test substance to undergo a biologically mediated degradation without an external electron acceptor [18]. The biochemical methane potential (BMP) test is used to assess the ultimate anaerobic biodegradability (B_0) from an organic substrate, under optimal laboratory conditions [19,20]. The BMP test is, however, time-consuming and yet not fully standardized [19,21], which sets limits to the possibilities for accurately screening materials and comparing results among different research works.

Studies have been performed to relate anaerobic biodegradability of lignocellulosic biomass to their physical-chemical composition. The characteristics reported to influence the degree of anaerobic degradation of lignocellulosic material include the content of lignin [22,23], hemicellulose, mannose (amongst hemicelluloses), and cellulose, as well as the cellulose crystallinity, the degree of association between lignin and carbohydrates [24], the wood-to-bark ratio [25], and the presence of toxic components [26]. Previous research has attempted to define mathematical equations for estimating anaerobic biodegradability based on lignocellulosic substrate composition. However, apart from energy crops silages [27] other substrates have been used, such as manure [28,29], wood [25,30], and solid waste material [26]; hence, differences in composition are expected, i.e., presence of toxic compounds and proportion of structural and non-structural components that could potentially influence the computed outcome. Furthermore, the different studies vary in their methods for treating the samples, assessing BMP, and characterizing plant material, which might very well explain their different outcome.

In the present study, the BMP assessment of 15 selected European plant species, showing potential as part of sustainable agroecosystems, was performed by means of an optimized anaerobic protocol previously developed by the authors [20]. Further, empirical and conceptual models for estimating the biodegradability are examined, compared with previous research, and used to predict the anaerobic biodegradability of other European plant material.

Processes 2020, 8, 806 3 of 23

2. Materials and Methods

Plant material. The selected plant species were derived from an evaluation conducted as part of the EU Cropgen project, considering their attractive agronomic features, such as low energy input and nitrogen fixation potential, as well as their availability and multipurpose use for energy, food, industrial applications, and/or soil restauration. The test substrates consisted of 6 legumes, 2 perennial herbs, 2 pseudocereals, 2 cereals, 1 vegetable, 1 grass, and 1 oil crop. Most of the crop material used for this study was grown in glasshouse, i.e., legumes and pseudocereals, whereas few others were collected from the field in the UK, i.e., triticale. Homogeneous and representative samples were taken from full plants, considering the proportion of leaves, stems, and flowers. The fresh plant samples were freeze-dried, grinded, and sieved to pass through a 0.2 mm mesh, to avoid interference of particle size in biodegradability assays, as has been previously reported [20,31]. Resulting samples were fully characterized in terms of Total Solids (TS), Volatile Solids (VS), Chemical Oxygen Demand (COD), elemental composition (CHNO), fiber analysis, and starch (see Table 1). In addition, the proportion of soluble COD (sCOD) was assessed in order to distinguish between the plant material immediately solubilized and the remaining particulate fraction. Lignocellulosic composition was assessed by using the van Soest method [32]. The method is standardized and widely used in the field of animal sciences for predicting the energy of lactation based on lignocellulosic composition. Hence, potentially, a great number of data on composition of crop/feed material could become available for the estimation of the anaerobic digestion potential. In addition, the method has been used to relate BMP to substrate composition in previous research, hence allowing for results comparison. In Figure 1, the resulting VS characterization of the samples into its fibrous and non-fibrous components is presented.




Figure 1. Volatile Solids composition of the 15 European plant samples evaluated.

Biochemical Methane Potential (BMP) test. The experimental setup for measuring the extent of degradation was an optimized Oxitop^{®®} (WTW, Giessen, Germany) protocol previously developed [20] as a modified version of the method described by Owen et al. [33]. The batch test consisted of 500 mL serum bottles (600 ± 10 mL working volume), with liquid contents occupying 150 ± 10 mL. The bottles were filled, starting with the nutrient medium solution and demineralized water, followed by the addition of the inoculum and substrate. A phosphate buffer solution was used at a 20 mM concentration. Thereafter, bottles were flushed with N_2 gas for 1 min and tightly sealed. The bottles were incubated at 35 (± 0.5) °C and continuously shaken at 120 rpm for two weeks; afterward, they were shaken three times per week, manually.

Table 1. Plant samples' characteristics.

Camara Nama	Scientific Name	Crop Type	TS (gTS g ⁻¹)	VS (%TS)	COD (gO ₂ gVS ⁻¹)	TF	L	С	Н	Starch	Protein
Common Name	Scientific Name			V3 (/013)	COD (gO ₂ g v s ⁻¹)			(g.g	VS ⁻¹)		
Yellow lupin	Lupinu luteus	Legume	0.15	91%	1.54	0.58	0.04	0.41	0.13	0.00	0.15
Vetch	Vicia sativa	Legume	0.24	93%	1.47	0.51	0.06	0.32	0.13	0.03	0.18
Carrot	Daucus carota	Vegetable	0.11	90%	1.37	0.29	0.01	0.17	0.11	0.00	0.18
Spartina	Spartina anglica	Wild grass	0.32	89%	1.42	0.77	0.05	0.26	0.46	0.00	0.12
White lupin	Lupinus albus	Legume	0.14	93%	1.46	0.65	0.03	0.32	0.30	0.01	0.21
Triticale	Triticum secale	Cereal	0.70	97%	1.43	0.47	0.04	0.22	0.21	0.32	0.08
Bracken	Pteridium aquilinum	Fern-perennial	0.16	94%	1.51	0.63	0.20	0.32	0.11	0.05	0.20
Sweet clover	Melilota officinalis	Legume	0.33	94%	1.58	0.53	0.03	0.32	0.18	0.00	0.17
Winter barley	Hordeum vulgare	Cereal	0.38	95%	1.43	0.65	0.02	0.23	0.40	0.22	0.09
Winter bean	Vicia faba	Legume	0.15	92%	1.52	0.42	0.03	0.24	0.15	0.01	0.26
Sweet pea	Pisum sativum	Legume	0.15	90%	1.53	0.29	0.02	0.20	0.07	0.11	0.24
Oilseed rape	Brassica napus	Oil crop	0.26	93%	1.62	0.54	0.05	0.33	0.15	0.02	0.13
Buckwheat	Fagopyrum esculentum	Pseudo cereal	0.17	90%	1.45	0.44	0.05	0.26	0.12	0.04	0.14
Rosebay willow	Chamaenerion angustifolium	Herb-perennial	0.38	94%	1.53	0.76	0.09	0.40	0.14	0.02	0.15
Quinoa	Chenopodium quinoa	Pseudo cereal	0.22	86%	1.35	0.27	0.01	0.13	0.23	0.19	0.13

Notes: VS, Volatile Solids; TS, Total Solids; COD, Chemical Oxygen Demand; TF, total fiber; L, lignin; C, cellulose; H, hemicellulose.

Processes 2020, 8, 806 5 of 23

The test was carried out in triplicate and was followed by means of daily sampling for liquid and gas samples, during the first two weeks, following pH, VFA, and CH₄ contents, in order to ensure no inhibitory VFA accumulation was taking place. The end of the test was assured by controlling the change in pressure in the bottles and verifying less than 1% brut gas production took place during at least 3 days [19]. All samples were analyzed in two experimental tests, using the same inoculum with a 40-day time difference. One of the plant species analyzed, quinoa, was used as control sample for the subsequent experimental test (internal standard).

Inoculums. A sludge mixture consisting of active suspended digested primary sludge and anaerobic granular sludge was added. The digested primary sludge originated from a wastewater treatment plant in the vicinity of Ede, The Netherlands (NL), working at mesophilic temperatures, having $0.023~\rm gVS~l^{-1}$ and $1.70~\rm g~COD~l^{-1}$. The granular sludge originated from a mesophilic upflow anaerobic sludge blanket (UASB) treating alcohol distillery effluents; its analyses showed $0.058~\rm gVS~l^{-1}$ and $0.82~\rm gCOD~l^{-1}$. SMA tests in acetate and glucose, were performed for both inocula; results were $0.23~\rm gVS~g~l^{-1}~d^{-1}$, $39.45~\pm~8.0~\rm mgCOD~gVS~l^{-1}~d^{-1}$ for the digested sludge, and $1.78~\rm gCOD~gVS~l^{-1}~d^{-1}$, $89.02~\pm~4.9~\rm mgCOD~gVS~l^{-1}~d^{-1}$ for the granular sludge.

Both inoculums were added, keeping a substrate-to-inoculum ratio (S/I ratio) equal to 0.5 (VS basis), in order to guarantee adequate presence of hydrolytic and methanogenic microbial populations [19,20].

Analytical methods. For the characterization of the substrates and sludges, freeze-drying was performed in liquid nitrogen, in a GRI 20-85 MP freeze drier (GRInstruments, Wijk bij Duurstede, Uthrecht, The Netherlands) equipped with two condensers. Comminution was performed in a Retsch BV grinder (Retch BV, Haan, Dusseldorf, Germany). TS, VS, and COD (macro COD) were performed according to standard methods [34]. Total COD was measured by oxidizing a sample of suspended plant material, i.e., 20 g plant per l demineralized water, using potassium dichromate under acidic conditions and AgI as catalyst. Titrimetric analysis with Mohr's salt allowed us to determine the excessive amount of dichromate added, thereby elucidating the amount of oxygen used for oxidating the organic matter in the sample. Then, sCOD was determined by means of centrifuging samples for ten minutes at 10.000 rpm in a Microlite Therme IEC Boomlab centrifuge (Thermo Fisher Scientific, Meppel, The Netherlands). The supernatant was then filtered at 0.45 mm pore size, and the obtained liquid was analyzed, using Dr. Lange kits (Hach, Dusseldorf, Germany), measured in a Dr. Lange Xion 500 model LPG-385 photospectrometer (Hach, Dusseldorf, Germany). The particulate COD (pCOD) was obtained by means of subtracting the sCOD fraction from the Total COD.

The elemental analysis (EA) of the freeze-dried grinded materials was performed in a Thermoquest EA 1110 CHNS-O (CE Instruments, Milan, Italy) equipped with a prepacked quartz reactor column. From the EA, *COD* was also calculated by applying the Buswell's formula [35]. Crude protein content was calculated by multiplying the nitrogen content assessed by elemental analysis by 6.25 [36]. As mentioned, fiber analysis was performed according to van Soest [32], using the freeze-dried grinded samples. Using the crucible system, 1 g of dried sample was analyzed, using sodium lauryl sulfate, sulfuric acid, and alfa-amylase as reagents, and the sequential system was selected to determine neutral detergent fiber (NDF), acid detergent lignin (ADL), and neutral detergent acid detergent fibers (NDADFs). All analyses were performed in triplicate or duplicate.

Gas composition was followed with a Hewlett Packard 5890A gas chromatograph; the temperatures of the oven, the injection port, and the detector temperature were 45, 110, and 99 °C, respectively. A Molesieve column of 0.53 mm \times 15 μ m was used to measure oxygen, nitrogen, and methane, and a paraplot 0.53 mm \times 20 μ m column was used to assess carbon dioxide.

Calculations. The BMP, expressed as liters of methane at standard temperature and pressure (273 $^{\circ}$ K and 10⁵ Pa) per amount of substrate Volatile Solids added (lCH₄-STP·gVS⁻¹) was calculated from the methane production of the sample bottle at the end of the test and corrected by the methane production of the blank bottle at the end of the test (Equation (1)). The moles of methane produced were calculated by applying the ideal gas equation to the total pressure increase and multiplying the

Processes 2020, 8, 806 6 of 23

biogas moles by the percentage of methane in the headspace. Average and standard deviation from the triplicates were accounted.

$$BMP = \frac{\left[\frac{(P_s + P_{atm}) \times V_s}{R \times T}\right] \times \frac{\%CH_{4s}}{100} - \left[\frac{(P_{bl} + P_{atm}) \times V_s}{R \times T}\right] \times \frac{\%CH_{4bl}}{100}}{S_o} \times 22.4 \tag{1}$$

where Ps is the final pressure in the sample bottle (atm), P_{atm} is the atmospheric pressure (atm), P_{bl} is the pressure in the blank bottle (atm), V_s is the headspace volume of the test bottle (l), V_{bl} is the headspace volume of the blank bottle (l), T is the temperature (308.16 °K), R is the universal gas constant (0.08206 l atm mol⁻¹ °K⁻¹), % CH_{4s} is the per is the percentage methane in the test bottle, % CH_{4bl} is the percentage methane in the blank bottle, 22.4 is a conversion factor (l STP mol⁻¹), and S_o is the amount of substrate added (gVS).

The anaerobic biodegradability achieved under our defined test conditions (B_0) is defined as the maximum percentage COD added converted to methane, and it is calculated as the ratio between the net accumulated methane as COD divided by the total COD amount added in the bottle [37], as shown in Equation (2).

$$B_o = \frac{CH_{4, t = max}}{S_o} \times \frac{2.86}{COD_s} \times 100$$
 (2)

where $CH_{4,t=max}$, is the net amount of methane produced at final digestion time (l), S_0 is the amount of substrate added (gVS), 2.86 corresponds to the COD equivalence of 1 L methane at standard temperature and pressure (gCOD l⁻¹), and COD_s is the COD of the sample (gCOD gVS⁻¹).

The maximum biodegradability of the particulate material B_p is calculated by using Equation (3).

$$B_p = \left(\frac{COD_{methane, t = \infty} + COD_{s, t = \infty} - COD_{s, t = 0}}{COD_{in} - COD_{s, t = 0}}\right)$$
(3)

where $COD_{methane,t=max}$ is the COD equivalent concentration of methane produced at final digestion time ($gCOD.1^{-1}$), $COD_{s,t=max}$ is the soluble COD at final digestion time ($gCOD.1^{-1}$), $COD_{s,t=0}$ is the concentration soluble COD at time t = 0 ($gCOD.1^{-1}$), and COD_{in} is the total initial COD concentration in the bottle ($gCOD.1^{-1}$).

Similarly, the maximum biodegradability of the soluble material B_s is calculated by using Equation (4).

$$B_{s} = \left(\frac{COD_{s,t} = 0 + COD_{methane,t} = max - COD_{s,t} = max}{COD_{s,t} = 0}\right)$$
(4)

Statistical analysis. Statistical data analysis was performed for validating the models, using anaerobic biodegradability, B_0 , as a dependent variable. First, a regression was used to see the significance of each explanatory variable, using the p-value of a t-statistic. Second, theoretical models were tested by using F-statistics and \mathbb{R}^2 to explore the closeness of their prediction; the Residual Sum of Squares (RSS) was used to account for the amount of variance that is not explained by a certain model.

3. Results

Anaerobic biodegradation of the assessed plant material. Biogas production of prepared samples rapidly proceeded. The maximum biogas amount was reached, in most cases, after 25 days of digestion, whereas less than 1% net gas production was produced in the last 8–10 days of the experiment (see Figure 2). Reproducibility of the test was excellent, and the average difference in biogas production amongst duplicates was 3%, fluctuating between 1% and 5%. Measured maximum net biogas production in all plant species was between 0.22 and 0.56 l gVS⁻¹, with most of the species being in the range between 0.34 and 0.44 l.gVS⁻¹.

Processes 2020, 8, 806 7 of 23




Figure 2. Net biogas accumulation during BMP assessment of fifteen plant samples, applying the optimized BMP protocol.

Biogas composition showed an average 65% of methane in the final gas, varying in the range 61–71%. The methane concentration increased in time during the first four days of the study varied between 56% and 65%, thereafter remaining stable.

Table 2 presents the BMP and B_0 assessed for the tested materials. The BMP of the 15 plant samples assessed ranged from 0.18 to 0.37, being on average 0.29 lCH₄·gVS⁻¹. Two leguminous species, sweet pea and winter bean, showed the highest BMP values, i.e., above 0.35 l CH₄·gVS⁻¹, followed by carrot and the (pseudo)cereals buckwheat and quinoa. The two samples of perennial wild species, bracken and rosebay willow, showed the lowest biodegradability, i.e., below 37%.

Biodegradability was also assessed in relation to the form of the organic material in the samples, i.e., particulate or soluble. The proportion of particulate *COD* in relation to the total *COD* was, on average, 77%, varying from 50% to 88%. The achieved average maximum degradation of particulate and soluble *COD* was 46% and 94%, respectively. Whereas anaerobic degradation of particulate *COD* showed a variation in the range of 22–62%, the soluble *COD* biodegradability varied in a narrower range (86–100%) (see Table 2).

Processes 2020, 8, 806 8 of 23

TELL 6 DEED 11: 1 11:11:	1 (1 , 1	1 (45.0	1
Table 2. BMP and biodegradabilit	as assessed from hatch	n digestion of 15 Fill	onean plant species
Tubic 2. Divii and bloacgradubilit	, as assessed from butter	i digestion of is but	opean plant species.

Specie	BMP (lCH ₄ gVS ⁻¹)	BMP (ICH ₄ gCOD ⁻¹)	<i>B_o</i> (%COD)	B _p (%pCOD)	B _s (%sCOD)
Yellow lupin	0.26 ± 0.01	0.16 ± 0.01	47%	36	92
Vetch	0.29 ± 0.02	0.20 ± 0.01	56%	43	99
Carrot	0.31 ± 0.01	0.23 ± 0.01	66%	31	100
Spartina	0.29 ± 0.01	0.21 ± 0.01	59%	52	97
White lupin	0.26 ± 0.01	0.18 ± 0.01	52%	35	100
Triticale	0.29 ± 0.00	0.20 ± 0.00	57%	52	86
Bracken	0.18 ± 0.01	0.12 ± 0.01	34%	22	92
Sweet clover	0.29 ± 0.01	0.18 ± 0.01	53%	42	88
Winter barley	0.30 ± 0.01	0.21 ± 0.01	60%	51	93
Winter bean	0.35 ± 0.02	0.23 ± 0.02	66%	55	89
Sweet pea	0.37 ± 0.03	0.24 ± 0.02	70%	61	93
Oilseed rape	0.29 ± 0.02	0.18 ± 0.01	51%	59	90
Buckwheat	0.32 ± 0.02	0.22 ± 0.01	63%	54	98
Rosebay willow	0.20 ± 0.01	0.13 ± 0.01	37%	-	-
Quinoa	0.33 ± 0.02	0.24 ± 0.01	70%	-	-

 B_0 : proportion of Total *COD* converted into methane by the end of the digestion time. B_p : proportion of the particulate *COD* that was methanized by the end of the digestion time. B_s : proportion of the soluble *COD* that was methanized by the end of the digestion time.

 B_o and plant composition. The amounts of specific structural fiber components varied between species (see Table 1 and Figure 1). Samples were mainly composed of holocellulose, i.e., cellulose and hemicellulose, in the range 0.27–0.72 g gVS⁻¹, whereas the assessed fraction of lignin was found to be much smaller, viz. in the range 0.01–0.20 g gVS⁻¹. Crude protein fractions were also found to be important, ranging between 0.08 and 0.26 g gVS⁻¹, whereas starch fractions were generally low and only important in samples of (pseudo) cereals, namely triticale, winter barley, and quinoa. The previous features in composition can be attributed to the crop selection, as most of the species studied were legumes, which are crops known to have significant portions of proteins, low starch content, and a great variety of growth forms, i.e., from small herbaceous species to large woody trees.

The individual fiber fractions, as determined by the van Soest method, and the fractions of crude protein and starch were assessed for their relation to B_0 of the tested plant samples. Single- and multiple-variable equations were obtained by means of linear regression and tested by F-statistics, using the statistical program Genstat 9th edition (Table 3). The best fit was obtained by correlating the ADF content of the plant samples with the assessed BMP value, yielding a correlation coefficient ($R^2 = 0.86$) and a high level of significance, < 0.0001. The linear model based on the individual components lignin and cellulose had a similar correlation coefficient with both cellulose and lignin, showing a good level of significance, i.e., ≤ 0.005 . The total fiber content was the poorest predictor of B_0 ($R^2 = 0.37$). Moreover, lignin content alone showed to be a poor indicator for overall maximum anaerobic biodegradation ($R^2 = 0.61$), although the statistical relations tested show better correlation when this fraction is included in the equations. The cellulose content showed to be significantly related to the sample biodegradability in most of the studied models. Increasing the number of variables involved in the model, including starch and/or crude protein content, only slightly affected the correlation coefficient, whereas the level of significance of these other predictor variables remained low.

Processes 2020, 8, 806 9 of 23

Table 3. Number of parameters (p), coefficient of determination (\mathbb{R}^2), and significance (p -values) for the
estimation of biodegradability from different plant components.

Model Variables	р	R ²							
			NDF	ADF	С	Н	L	CP	St
ADF	2	0.86	-	0.000	-	-	-	-	-
C, L	3	0.87	-	-	0.000	-	0.001	-	-
ADL = L	2	0.61	-	-	-	-	0.000	-	-
NDF	2	0.37	0.010	-	-	-	-	-	-
С	2	0.65	-	-	0.000	-	-	-	-
C,H	3	0.63	-	-	0.000	0.953	-	-	-
C,L,St	4	0.88	-	-	0.000	-	0.000	-	0.138
C,L,CP	4	0.88	-	-	0.000		0.000	0.132	-
C,H,L	4	0.87	-	-	0.000	0.385	0.001	-	-

Notes: NDF, neutral detergent fiber; ADF, acid detergent fiber; ADL, acid detergent lignin; C, cellulose; H, hemicellulose; L, lignin; CP, crude protein; St, starch.

Figure 3 presents the test for linearity between fiber components and substrate biodegradability. Although it can be observed that bracken, the sample with the highest lignin content, exerts an important leverage effect in the equation relating lignin with biodegradability, when omitting this sample, the strength of the correlation does not change ($R^2 = 0.60$).




Figure 3. Percentage maximum methanized $COD(B_0)$ in dependence of fiber components.

Our results show the suitability of most selected crop species to undergo anaerobic degradation. Furthermore, a strong correlation between fiber components and biodegradability of plant material of different origin was determined. The meaning of the developed model and of the BMP values is examined in more detail and set in a broader context.

Interactions among plant cell-wall components and B_o . Often, linear regression of single or multiple parameters is used to describe the correlation between data points, without having the direct causal relation elucidated. However, the value of a specific model has to be judged against available knowledge, which is, in our case, on the anaerobic degradation properties of lignocellulosic materials.

Plant material is composed of intra-cellular soluble material and different types of structural tissues, namely lignin, cellulose, and hemicellulose. Cell contents contained within the boundaries of the cell wall include sugars and storage or reserve carbohydrates, such as starch, fructosans, and galactans, as well as proteins (e.g., enzymes) and lipids. They vary a lot in proportion amongst

Processes 2020, 8, 806 10 of 23

different species and are highly biodegradable. Structural tissues, in turn, can make up to 90% or more of the composition of wood [30], whereas lower and more variable proportions are present in herbaceous materials. Cellulose is the main constituent of the primary, most external, cell wall of green plants, whereas variable amounts of lignin and hemicellulose, along with cellulose, are present in the secondary wall. Lignin is a complex compound non-uniform in chemical and physical composition [38]. The compound is mainly refractory under anaerobic conditions, although there is evidence that shows its (partial)degradation in anaerobic environments [39,40]. The mechanism through which lignin affects holocellulose decomposition could either be through blocking the access of microorganisms to the more degradable areas [39], or through inhibitory effects coming from lignin compounds or its hydrolysates [41–43]. A study carried out with excavated refuse samples suggests that bioavailability of degradable carbohydrates, rather than toxicity, limited methane production [44].

Lignin was proposed as the single indicator for estimating the anaerobic biodegradability of lignocellulosic material [22,45]. However, our findings point to the combination of lignin and cellulose as being the explanation, in agreement with Tong et al. [24] and Chynoweth et al. [46], reporting the poor value of lignin as a sole predictor.

Apart from its recalcitrance, the impact of lignin on anaerobic biodegradation is mainly associated with its role in lignocellulose complexes. The encrustation of cellulose by lignin within the lignocellulosic matrix has been reported to hamper the extent and rate of degradation of the more degradable holocellulose components [47,48].

Our results show that the sum lignin plus cellulose, as assessed by the van Soest method, correlates better with the anaerobic biodegradability compared to a single component correlation. Hence, these results support the argument that the lignin-cellulose matrix, and thus lignin encrustation, rather than lignin alone, determines the digestibility of lignocellulosic biomass. Similarly, the hydrolysis assessments performed point to the lignocellulosic matrix as being of relevance for the prediction of the degradation rate [49].

In the past, a link between the sum lignin and cellulose and biodegradability of organic wastes was indicated [50]; however, no statistical analysis was reported. The regression equation obtained under our reported test condition implies the relation could be described by L is Lignin (gVS g^{-1}) and C is Cellulose (gVS g^{-1}), as shown in Equation (5).

$$B_0 = 0.86 - 0.92(L + C)$$
 with $L \neq 0$ and $C \neq 0$ (5)

Equation (5) proposes a logic approach to biodegradability as follows. It establishes an absolute maximum biodegradability of 0.86, which is in close relation to the calculated conversion efficiencies reported by Reference [26] and is consistent with expected *COD* used for bacterial growth. It also proposes a decreased biodegradability in relation to the sum lignin plus cellulose. Since the ADF value is expressed in g gVS⁻¹, a conversion factor of 1.2 gCOD gVS⁻¹ corresponding to average *COD* content of lignin and cellulose [18,29,44] is implicit in the term 0.92. Hence, it is suggested that about 77%, i.e., 0.92/1.2, of the sum lignin plus cellulose is not degraded.

Statistically, such interaction between lignin and cellulose can be tested by including an extra term in the equation, accounting for the product terms of the two variables. Equation (6) shows the tested equation, which has a similar coefficient of determination ($R^2 = 0.88$) and good significance ($F_{test} < 0.001$). The interaction amongst the variables is proven by the fact that the extra parameter is different from 0 (=1.87), implying that the effect of the individual variables is dependent on the value of the other. Given that the individual significance of the extra term remains low, i.e., t = 0.137 > 0.005, Equation (5) seems to be more accurate than Equation (6).

$$B_o = 0.81 - 0.69(L+C) - 1.87(L \times C) \tag{6}$$

Estimation of B_o based on individual fiber components. Equation (5) was further compared with conceptual models where the individual fractions of plant components are given different

Processes 2020, 8, 806 11 of 23

biodegradability values, considering their properties. The equations depart from an overall equation assigning different biodegradability properties to cellulose (C_i), hemicellulose (H_i), and the cell solubles (C_i), as shown in Equation (7).

$$B_{oi} = (B_{oC} \times C_i \times C_{av}) + (B_{oH} \times H_i \times H_{av}) + (B_{oCS} \times CS_i) - X_b$$

$$(7)$$

In Equation (7), the subscript i in the equation refers to each of the plant materials tested. The method of minimization of sum of squares was used to estimate the individual biodegradability of cellulose (B_{oC}), hemicellulose (B_{oH}), and cell solubles (B_{oCS}) and to estimate the average amount of substrate converted to microbial biomass (X_b). Note that $B_{oi} + X_b$ accounts for the total degraded COD.

Different mathematical relations for the definition of the fractions of bio-available cellulose (C_{av}) and hemicellulose (H_{av}) were tested. Table 4 presents Models I, II, and IV and their statistical performance.

Table 4. Equations, number of parameters (p), coefficient of determination (\mathbb{R}^2), and significance (RSS) for the estimation of anaerobic biodegradability based on a deterministic approach.

	Model	Assumption Tested	R ²	RSS	Fpr
I	$\hat{B}_o = (0.22 \times C_i \times C_{av}) + (1.01 \times (NDS_i + H_i)) - 0.17$	$C_{av} = \frac{C-L}{C}$	86	0.006	< 0.001
II	$\hat{B}_o = (0.58 \times C_i \times C_{av}) + (0.85 \times H_i \times H_{av})(1.14 \times NDS_i) - 0.25$	$C_{av} = \frac{C-L}{C}$ $H_{av} = \frac{H-L}{H}$	81	0.016	< 0.001
III	$\hat{B}_o = (0.74 \times (C_i + H_i) \times CH_{av}) + (1.04 \times NDS_i) - 0.25$	$CH_{av} = \frac{C+H-L}{C+H}$	73	0.011	< 0.001
IV	$\hat{B}_o = (0.86 \times (C_i + H_i) \times CH_{av}) + (1.07 \times NDS_i) - 0.28$	$CH_{av} = 1 - \frac{L^{\frac{2}{3}}}{NDF^{\frac{2}{3}}}$	75	0.011	<0.001

Notes: C, cellulose; H, hemicellulose; L, lignin; av, available; NDS, neutral detergent solubles.

Models I and II are first approximations into an individual quantitative relation between the biodegradability of the fractions of cellulose and lignin, and hemicellulose and lignin, respectively. Model III is similar but considers both cellulose and hemicellulose to act as one entity. In Model IV, the relation between lignin and holocellulose availability (CH_{av}) is considered to be surface-related, as previously proposed by Conrad et al. [51], when estimating maximum rumen digestibility of animal feeds. Such surface relation considers that lignin and the rest of cell walls are located close to the surface and that the surface of any geometric object can be calculated as the square of the mean linear dimension of the two-third power of its mass (See Table 4).

The four conceptual models tested were found to be statistically sound, if judging from the R^2 and F_{test} value. In addition, all models give reasonable values of biodegradability of non-cell-wall components (B_{oCS}) and microbial biomass (X_b). B_{oCS} is in the range of 1.01–1.14, which means a 72–81% biodegradability, considering an average COD content of cell solubles of 1.3–1.5 gCOD gVS^{-1} . On the other hand, 11–19% of the added substrate is expected to end as bacterial cell yield (X_b), if assuming an average anaerobic bacterial composition of $C_5H_7O_2$ N, giving a COD content of 1.42 gCOD gVS^{-1} . With regard to the biodegradability figures estimated for cellulose and hemicellulose, Model IV is closer to the theoretically expected full anaerobic biodegradability of cellulose and hemicellulose in their pure form [30,52].

All models developed, including the empirical one (Equation (5)), were used to predict anaerobic biodegradability based on the chemical composition of the various assessed crops (Figure 4).

Processes 2020, 8, 806 12 of 23




Figure 4. BMP estimation, using different model equations. * Equations are described in Table 4.

It can be observed that the predictions of the empirical equation (Equation (5)) and Model I, relating the fraction lignin to cellulose, are in close agreement. In addition, all models would allow us to screen for suitable plant material for anaerobic digestion in a similar way as the experiment performed. However, equations, including hemicellulose, and Models II, III, and IV, particularly fail to predict B_0 of one of the samples, i.e., spartina. Spartina is the specie with the highest hemicellulose content and the only grass specie included in this study. Grasses seem to have significant amounts of acid soluble lignin, whereas the hemicellulose content in the primary cell wall is higher [53]. When looking closer into the relationship between total fiber and biodegradability (Figures 1 and 3; Tables 1 and 2), it is clear that the three data points showing the highest content of hemicellulose, i.e., spartina, white lupin, and winter barley, showed higher B_0 than other samples having similar total fiber content but higher relative cellulose content, such as bracken and rosebay willow. When the model is tested while omitting the three species showing higher hemicellulose content, its predictive value greatly increases ($R^2 = 0.90-0.94$), suggesting that this fiber component is more biodegradable than cellulose and lignin.


Our observations are in agreement with previous research in which hemicellulose was found to be more biodegradable than cellulose in experiments carried out with water hyacinth and Bermuda grass [54]. It has also been reported that hemicellulose needs to be degraded first, followed by cellulose, according to its location within the lignocellulose matrix [55]. From the abovementioned, it appears logical that an individual term for hemicellulose content is not required within a mathematical equation linking B_0 with substrate composition, whereas it is required when linking lignocellulose matrix to hydrolysis rates [49].

The use of the empirical model (Equation (5)) requires a third of the experimental effort for validation, as only the ADF fraction, representing lignin plus cellulose, needs to be assessed, thus avoiding the need to separately assess the lignin and NDF amount.

4. Discussion

Comparison with previous research. In our here-presented work, it was shown that B_0 of diverse crop species could be approximated by the use of an empirical model that considers their cellulose and lignin content. It is of interest to study if, when plotting results from previous studies, a similar correlation is found. The anaerobic biodegradability and fiber composition data from previous studies [22,24,26,28,29,50,54,56] are shown in Figure 5a. A great dispersion of data points is found, which does not allow us to establish a singular preferred correlation among the components tested and B_0 , despite an observed negative trend linking B_0 and lignocellulose content. Three reasons could

explain this. First, differences in the presence of toxic compounds and the proportion of structural and non-structural components are expected due to the variability in substrate origin and could potentially influence the experimental outcome. Second, the accuracy and reproducibility of the published BMP results need to be reconsidered, as biodegradability assays are influenced by different test conditions [19], particularly inoculum type, particle size, and buffer concentrations [20]. Third, variation is expected with regard to the chemical analysis procedures, particularly those related to the lignin assessment ones [53].






Figure 5. Cont.

Processes 2020, 8, 806 14 of 23




Figure 5. Relationship between anaerobic biodegradability (B_0) and substrate composition, using data from previous studies (from top to bottom: (**a**) data from References [22,24,26,28,29,50,54,56]; (**b**) data from three studies using van Soest method for substrate characterization [50,54,56] and this research; (**c**) data from studies using methods different from van Soest [22,24,26,28,29].

On the first issue concerning different intrinsic sample composition, indeed, previous research has dealt material with different precedence such as manure and plant material [28], woody biomass [29], newspaper [24], and solid residues [26,50], and hence, apart from the fiber composition influence, other inhibitory compounds could be the case. Especially with regard to lignin, a wider spectrum of variation in plant sample composition is found in previous research, reaching up to $0.5 \, \mathrm{g \ gVS^{-1}}$. Overall, a majority of the samples are below $0.3 \, \mathrm{g \ gVS^{-1}}$, and in our research, the plant with the highest lignin content was bracken, with $0.2 \, \mathrm{g \ gVS^{-1}}$, with the majority of our samples being below $0.09 \, \mathrm{g \ gVS^{-1}}$, which is typical for crops, as can be seen in Table A1, Appendix A.

In regard to the influence of the BMP test, indeed, our test protocol was optimized to deliver the maximum possible biodegradability results, minimizing the interference of aspects such as poor or very specific inoculum activity (i.e., by means of mixing granular and flocculent inoculum), inhibitory phosphate buffer concentrations, and sample particle size (see previous research by the author [20]. Previous research has pointed out the important interference of particle size for samples of more than 1 mm in size. Palmowski and Muller [57] found total biogas production of hay and sunflower seeds to increase up to 20% by comminution, concluding that, for substrates with a high content of fibers and a low degradability, their comminution yields to an improved digester gas production. Similarly, Chynoweth and Jerger [30] showed an approximate 18% increase in the final methane yield of hybrid poplar when reducing particle size from ≤ 8 to ≤ 0.8 mm. Sharma et al. [31] found an increase of 56% in the maximum methane yield of grass samples when diminishing particle size from 30 to 1 mm. In our research, particle size interference was minimized by means of the freeze-drying and comminution procedure, which allow for all samples tested to have a similar number of suitable sites for enzymatic attack, thereby allowing for plant screening independently of this variable. Further research is needed to further elucidate the role of lignin in the anaerobic biodegradability of samples with different proportion of biodegradable material and lignin at different particle sizes.

Regarding methods used for fiber analysis, apart from van Soest, other methods for the evaluation of structural components of lignocelluloses material are available and have been used in the previous

Processes 2020, 8, 806 15 of 23

studies, i.e., Klasson lignin, TAPPI, Near Infrared Resonance (NIR), and Nuclear Magnetic Resonance (NMR). These methods deliver different quantitative estimates, with their accuracy depending largely on the type of crop, its crude protein content, and potential soluble lignin [58,59]. Whereas Pareek [56], Ghosh et al. [54], and Buffiere et al. [50] have used the ADL method, as in this study, Chandler et al. [22], Moller et al. [29], and Eleazer et al. [26] used the Klason or 72% sulphuric acid method for lignin determination. When attempting to plot only the data of studies using the van Soest method (Figure 5b), we found that the correlation between biodegradability and lignin plus cellulose content becomes much stronger, whereas when plotting results from studies using other methods (Figure 5c), we did not find correlations. Hence, although residues other than plant material are included, and differences in methods for BMP determination are also expected, the type of chemical analysis procedure used for sample characterization is found to be of great significance.

Using the ADF Model for B_o estimation. The equations presented in this study strive to give an indication on the maximum achievable anaerobic biodegradability of plant material under applied optimal conditions in dependence to the fiber composition. They are useful for screening for the material best suitable for anaerobic digestion from the perspective of their maximum intrinsic energy potential.

The ADF model (Equation (5)) was further used to predict the anaerobic biodegradability of other material suitable for building sustainable crop rotations. The database employed was the one reported in the study by Stenberg et al. [60], containing 114 lignocellulosic samples characterized by using the van Soest method for fiber analyses. The database contains Northern European agricultural plants and anatomical components, including cereals, pasture grasses, legumes, vegetables, fiber crops, energy crops, and catch crops. The variation of sample composition was similar to that of our research, with NDF, ADF, and ADL varying in the ranges 0.15–0.83, 0.07–0.65, and 0.01–0.17 g gTS⁻¹, with average values of 0.51, 0.33, and 0.04 g gTS⁻¹, respectively. By using Equation (5), we found that the average predicted anaerobic biodegradability of the 114 samples was 53%, with minimum and maximum values being 21% and 79%, respectively. In this way, the screening quality of the equation proposed clearly allows for the discrimination of plants more anaerobically biodegradable under the optimized test conditions.

Clear differences were also found amongst different plant parts when working with the database. The average biodegradability of green leaves, mature straw, pods, stems, and whole plants was 63%, 39%, 71%, 44%, and 53%, respectively. As known, crop residues like straws and stems have, in general, a low anaerobic potential per unit solids. Nonetheless, and interestingly, the pods of barley and maize, along with the green leaves of oilseed rape, sugar beet, carrot, and hemp, were found to be the most promising ago-residual substrates, showing between 70% and 79% anaerobic biodegradability. Therefore, it is shown that a choice for residues instead of plants competing with food is still possible without compromising methane yield per unit solids. Among whole-plant samples, legumes and grasses showed the highest anaerobic biodegradability, yet it is possible to find other agricultural crops, like oilseed rape, to be similarly suited, from the perspective of their anaerobic biodegradability. The database and predicted biodegradability are available in Table A1, Appendix A.

5. Concluding Remarks

Based on fifteen European plant species, a statistical model for the estimation of the anaerobic biodegradability of plant material was developed. This new approach represents an accurate and cost-effective method for identifying valuable energy plants for sustainable energy production.

Anaerobic biodegradability of lignocellulosic material was empirically found to be related to the amount of cellulose plus lignin, as analytically assessed by the van Soest method, i.e., the ADF value. In particular, our calculations found correlations between the ultimate anaerobic biodegradability (B_o) and chemical composition of plant material, using freeze-dried and comminuted samples, striving for simpler ways of screening for suitable biomass for anaerobic digestion. Results indicate a reciprocal correlation ($R^2 = 0.86$, t < 0.0001) between B_o and the sum lignin plus cellulose, as given by the acid detergent fiber (ADF) method. Model equations including more variables like hemicellulose, crude

Processes 2020, 8, 806 16 of 23

protein, or starch show a similar predictive value ($R^2 = 0.87$ –0.88) but lower significance (t > 0.1). Results indicate that the lignin content, as measured by the acid detergent lignin (ADL) method, does not accurately predict B_0 ($R^2 = 0.61$). Among the models developed, those omitting hemicellulose showed a higher predictive value. The latter can be attributed to the higher hemicellulose anaerobic conversion and the fact that it needs to be degraded prior to cellulose.

Apart from being theoretically meaningful, the ADF-based empirical model requires the least effort compared to the conceptual models, as individual fractions of cellulose, hemicellulose, and lignin do not need to be assessed, thus enhancing the accuracy of the model's estimation. The model also showed to be valid when biodegradability data from previous studies performing the van Soest sample characterization were employed.

Author Contributions: Conceptualization, C.P.P.-P. and J.B.v.L.; methodology, C.P.P.-P.; validation, H.V.M.H.; formal analysis, C.P.P.-P.; investigation, C.P.P.-P. and I.M.; writing—original draft preparation, C.P.P.-P.; writing—review and editing, J.B.v.L.; supervision, J.B.v.L.; project administration, J.B.v.L.; funding acquisition, J.B.v.L. All authors have read and agreed to the published version of the manuscript.

Funding: This research received funding from the EUProject CROPGEN.

Acknowledgments: The authors gratefully acknowledge the contribution of B_0 Stenberg and colleagues from the Division of Precision Agriculture, Department of Soil Science of the Swedish University of Agricultural Sciences, for providing their database used in the discussion. They further acknowledge the EU project "Renewable energy from crops and agrowastes (CROPGEN)", contract SES6-CT-2004-502824, for financial support. The authors extend their gratitude to Vinnie de Wilde, Ardy Beurskens, Jean Slangen, and Gabi Stiebe for analytical assistance.

Conflicts of Interest: The authors declare no conflict of interest.

Appendix A

Additional Information Predicting Biodegradability of 114 Northern European Plant Samples.

Table A1. Classification, van Soest analysis, and predicted biodegradability (B_0) of 114 Northern European Plant samples (data from Reference [60]. (B_0 was predicted by assuming an average VS value of 92%TS, as assessed in this study).

English Name	Latin Name	Plant Class	Plant Part	NDF g gDM ^{−1}	ADF g gDM ^{−1}	ADL g gDM⁻¹	Predicted B _o %COD
Barley	Hordeum vulgare distichon	Cereals	Green leaves	772.9	431.1	25.6	43%
Wheat	Triticum aestivum	Cereals	Green leaves	748.4	423.9	51.9	44%
Wheat	Triticum aestivum	Cereals	Green leaves	689.3	402.2	32.6	46%
Barley	Hordeum vulgare distichon	Cereals	Green leaves	645.9	367.7	26.7	49%
Elephant Grass	Miscanthus gigantus	Alternative crops	Green leaves	704.1	356.5	20.5	50%
Barley	Hordeum vulgare distichon	Cereals	Green leaves	691.0	355.9	22.9	50%
Wheat	Triticum aestivum	Cereals	Green leaves	671.8	350.9	55.1	51%
Bent grass	Agrostis capillaris	Grasses	Green leaves	443.1	333.2	60.7	53%
Meadow Fescue	Festuca pratensis	Grasses	Green leaves	482.9	279.2	15.2	58%
Maize	Zea mays	Other agric. crops	Green leaves	588.6	277.3	5.8	58%
Cock's-Foot	Dactylis glomerata	Grasses	Green leaves	535.9	276.9	14.4	58%
Onion	Allium cepa	Horticultural crops	Green leaves	352.3	276.1	72.9	58%
Oats	Avena sativa	Cereals	Green leaves	482.6	274.2	25.5	59%
Winter Rye	Secale cereale	Cereals	Green leaves	447.7	255.9	34.5	60%
Oil Radish	Raphanus sativus	Catch crops	Green leaves	247.5	250.8	30.8	61%
Cock's-Foot	Dactylis glomerata	Grasses	Green leaves	474.3	245.4	14.9	61%
Yellow Lupin	Lupinus luteus	Legumes	Green leaves	301.9	224.6	28.4	64%
Chicory	Cichorium intybus	Catch crops	Green leaves	214.2	218.9	16.6	64%
English Ryegrass	Lolium perenne	Grasses	Green leaves	410.9	213.7	10.5	65%
Barley	Hordeum vulgare distichon	Cereals	Green leaves	362.8	210.2	15.1	65%
Flax	Linum usitatissimum	Alternative crops	Green leaves	303.3	198.8	65.9	66%
Oats	Avena sativa	Cereals	Green leaves	352.8	188.0	4.4	67%
Hemp	Cannabis sativa	Alternative crops	Green leaves	224.3	172.5	35.8	69%
Leek	Allium porrum	Horticultural crops	Green leaves	211.8	170.7	16.5	69%
Carrot	Daucus carota	Horticultural crops	Green leaves	216.6	156.2	31.0	70%
Chicory	Cichorium intybus	Catch crops	Green leaves	198.7	152.6	11.4	71%
Cabbage	Brassica oleracea	Horticultural crops	Green leaves	196.8	147.4	2.0	71%
Phacelia	Phacelia tanacetifolia	Catch crops	Green leaves	242.6	144.0	18.7	72%
Alfalfa/Lucerne	Medicago sativa	Legumes	Green leaves	194.6	141.1	15.7	72%
Crimson Clover	Trifolium incarnatum	Legumes	Green leaves	224.6	134.4	11.3	73%

Table A1. Cont.

English Name	Latin Name	Plant Class	Plant Part	NDF g gDM ^{−1}	ADF g gDM ^{−1}	ADL g gDM ^{−1}	Predicted B _o %COD
Oilseed Rape	Brassica napus oleifera	Other agric. crops	Green leaves	245.4	126.2	19.9	73%
Oilseed Rape	Brassica napus oleifera	Other agric. crops	Green leaves	169.9	124.9	0.6	74%
Sugar Beet	Beta vulgaris spp.	Other agric. crops	Green leaves	231.3	123.6	6.1	74%
White Clover	Trifolium repens	Legumes	Green leaves	153.6	105.0	9.1	76%
Cabbage	Brassica oleracea	Horticultural crops	Green leaves	150.3	102.7	0.9	76%
Turnip Rape	Brassica rapa oleifera	Catch crops	Green leaves	181.7	95.3	7.7	76%
Sunflower	Helianthus	Other agric. crops	Mature straw	742.1	627.5	115.0	23%
Hemp	Cannabis sativa	Alternative crops	Mature straw	700.0	589.1	88.1	27%
Turnip Rape	Brassica rapa oleifera	Catch crops	Mature straw	763.4	584.5	126.5	28%
Pea	Pisum sativum	Legumes	Mature straw	766.5	563.9	107.1	30%
Pea	Pisum sativum	Legumes	Mature straw	749.5	548.9	111.8	31%
Yellow Mustard	Sinapis alba	Catch crops	Mature straw	727.3	509.5	113.7	35%
Barley	Hordeum vulgare distichon	Cereals	Mature straw	817.3	473.4	44.8	39%
Wheat	Triticum aestivum	Cereals	Mature straw	791.9	457.0	36.6	40%
Wheat	Triticum aestivum	Cereals	Mature straw	754.3	448.5	47.3	41%
Barley	Hordeum vulgare distichon	Cereals	Mature straw	673.7	406.6	40.2	45%
Red Fescue	Festuca rubra	Grasses	Mature straw	717.6	403.9	42.6	46%
Meadow Foxtail	Alopecurus pratensis	Grasses	Mature straw	675.9	358.5	25.4	50%
Bluegrass	Poa pratensis	Grasses	Mature straw	650.7	341.3	23.6	52%
Oats	Avena sativa	Cereals	Mature straw	543.2	306.2	20.5	55%
Oilseed Rape	Brassica napus oleifera	Other agric. crops	Pod walls	567.0	428.6	90.0	43%
Oilseed Rape	Brassica napus oleifera	Other agric. crops	Pod walls	529.1	390.9	72.4	47%
Maize	Zea mays	Other agric. crops	Pods	509.2	230.5	3.4	63%
Wheat	Triticum aestivum	Cereals	Pods	394.3	193.7	20.9	67%
Barley	Hordeum vulgare distichon	Cereals	Pods	480.6	175.5	11.3	68%
Wheat	Triticum aestivum	Cereals	Pods	287.6	126.7	11.4	73%
Barley	Hordeum vulgare distichon	Cereals	Pods	251.9	76.2	3.2	78%
Maize	Zea mays	Other agric. crops	Pods	197.1	68.9	0.7	79%
Hemp	Cannabis sativa	Alternative crops	Stem	794.9	649.3	100.4	21%
Flax	Linum usitatissimum	Alternative crops	Stem	765.2	629.1	168.0	23%
Flax	Linum usitatissimum	Alternative crops	Stem	677.1	576.7	138.7	28%
Flax	Linum usitatissimum	Alternative crops	Stem	730.8	563.8	166.3	30%
Oilseed Rape	Brassica napus oleifera	Other agric. crops	Stem	731.3	554.8	113.5	31%

Table A1. Cont.

English Name	Latin Name	Plant Class	Plant Part	NDF g gDM ⁻¹	$ m ADF~g~gDM^{-1}$	$ m ADL~g~gDM^{-1}$	Predicted B _o %COD
Oilseed Rape	Brassica napus oleifera	Other agric. crops	Stem	719.9	544.8	106.7	32%
Elephant Grass	Miscanthus gigantus	Alternative crops	Stem	785.8	518.2	60.0	34%
Barley	Hordeum vulgare distichon	Cereals	Stem	828.2	515.5	69.3	34%
Wheat	Triticum aestivum	Cereals	Stem	816.6	510.3	50.7	35%
Wheat	Triticum aestivum	Cereals	Stem	819.0	506.6	76.7	35%
Wheat	Triticum aestivum	Cereals	Stem	797.8	469.2	94.7	39%
Barley	Hordeum vulgare distichon	Cereals	Stem	767.6	464.3	41.6	40%
Yellow Lupin	Lupinus luteus	Legumes	Stem	537.6	454.6	74.2	41%
Alfalfa/Lucerne	Medicago sativa	Legumes	Stem	559.2	444.6	111.0	42%
Red Clover	Trifolium pratense	Legumes	Stem	514.8	406.3	65.4	45%
Cock's-Foot	Dactylis glomerata	Grasses	Stem	659.4	364.3	25.8	50%
Cock's-Foot	Dactylis glomerata	Grasses	Stem	638.3	355.0	22.0	51%
Wheat	Triticum aestivum	Cereals	Stem	617.2	355.0	60.4	51%
Maize	Zea mays	Other agric. crops	Stem	596.3	344.3	14.9	52%
Persian Clover	Trifolium resupinatum	Legumes	Stem	440.0	339.4	85.4	52%
Wheat	Triticum aestivum	Cereals	Stem	572.6	337.9	36.2	52%
Barley	Hordeum vulgare distichon	Cereals	Stem	629.7	332.4	23.1	53%
Maize	Zea mays	Other agric. crops	Stem	566.4	329.1	14.7	53%
Maize	Zea mays	Other agric. crops	Stem	581.2	329.1	16.6	53%
Bent Grass	Agrostis capillaris	Grasses	Stem	393.5	313.0	49.7	55%
Wheat	Triticum aestivum	Cereals	Stem	498.4	290.6	23.4	57%
English Ryegrass	Lolium perenne	Grasses	Stem	494.0	256.0	6.7	60%
White Clover	Trifolium repens	Legumes	Stem	239.4	181.2	17.3	68%
Red Clover	Trifolium pratense	Legumes	Stem	277.3	176.2	24.3	68%
Flax	Linum usitatissimum	Alternative crops	Whole plant	708.0	585.1	125.0	28%
Broad Bean	Vicia faba	Legumes	Whole plant	636.4	527.1	97.9	33%
Barley	Hordeum vulgare distichon	Cereals	Whole plant	816.4	512.2	54.8	35%
Black Mustard	C	Other agric. crops	Whole plant	629.7	481.7	87.8	38%
Flax	Linum usitatissimum	Alternative crops	Whole plant	613.9	466.8	111.0	39%
Flax	Linum usitatissimum	Alternative crops	Whole plant	525.0	383.8	96.9	48%
Oil Radish	Raphanus sativus	Catch crops	Whole plant	450.5	383.1	64.5	48%
Ribbed Melilot	Melilotus officinalis	Legumes	Whole plant	435.4	379.0	64.9	48%
Bluegrass	Poa pratensis	Grasses	Whole plant	661.3	375.0	25.2	49%

Table A1. Cont.

English Name	Latin Name	Plant Class	Plant Part	NDF g gDM ⁻¹	ADF g gDM ^{−1}	$ m ADL~g~gDM^{-1}$	Predicted B_o %COD
Common Bird's-Foot-Trefoil	Lotus corniculatus	Legumes	Whole plant	461.1	359.1	87.6	50%
Tall Fescue	?? Pratense	Grasses	Whole plant	585.2	346.3	32.0	51%
Timothy	Phleum pratense	Grasses	Whole plant	612.6	333.2	18.8	53%
Maize	Zea mays	Other agric. crops	Whole plant	688.3	332.2	7.7	53%
Cock's-Foot	Dactylis glomerata	Grasses	Whole plant	571.1	324.1	16.0	54%
Maize	Zea mays	Other agric. crops	Whole plant	676.5	317.6	1.1	54%
Tall Fescue	?? Pratense	Grasses	Whole plant	507.5	294.0	20.1	57%
English Ryegrass	Lolium perenne	Grasses	Whole plant	514.5	273.8	21.9	59%
Crimson Clover	Trifolium incarnatum	Legumes	Whole plant	435.5	273.1	57.7	59%
Timothy	Phleum pratense	Grasses	Whole plant	511.7	271.8	14.1	59%
Winter Vetch	Vicia villosa	Legumes	Whole plant	344.0	262.3	50.5	60%
Alfalfa/Lucerne	Medicago sativa	Legumes	Whole plant	336.1	255.5	44.7	60%
Egyptian Clover	Trifolium alexandrinum	Legumes	Whole plant	342.8	244.8	35.0	62%
White Clover	Trifolium repens	Legumes	Whole plant	314.3	226.7	63.9	63%
Crimson Clover	Trifolium incarnatum	Legumes	Whole plant	310.4	220.9	24.4	64%
White Clover	Trifolium repens	Legumes	Whole plant	247.2	198.9	48.1	66%
Red Clover	Trifolium pratense	Legumes	Whole plant	267.4	195.1	19.8	67%
Oilseed Rape	Brassica napus oleifera	Other agric. crops	Whole plant	247.1	184.0	13.6	68%

Processes 2020, 8, 806 21 of 23

References

1. Berglund, M.; Börjesson, P. Assessment of energy performance in the life-cycle of biogas production. *Biomass and Bioenergy* **2006**, *30*, 254–266. [CrossRef]

- 2. Lehtomaki, A.; Viinikainen, T.A.; Rintala, J.A. Screening Boreal energy crops and crop residues for methane biofuel production. *Biomass Bioenergy* **2008**, *32*, 541–550. [CrossRef]
- 3. Pabón-Pereira, C.; Slingerland, M.; Hogervorst, S.; van Lier, J.; Rabbinge, R. A sustainability assessment of bioethanol (EtOH) production: The case of cassava in Colombia. *Sustainability* **2019**, *11*, 3968. [CrossRef]
- 4. Chynoweth, D.; Owens, J.; Legrand, R. Renewable methane from anaerobic digestion of biomass. *Renew. Energy* **2001**, 22, 1–8. [CrossRef]
- Lehtomaki, A.; Huttunen, S.; Rintala, J.A. Laboratory investigations on co-digestion of energy crops and crop residues with cow manure for methane production: Effect of crop to manure ratio. *Resour. Conserv. Recycl.* 2007, 51, 591–609. [CrossRef]
- 6. Weiland, P. Production and energetic use of biogas from energy crops and wastes in Germany. *Appl. Biochem. Biotechnol.* **2003**, *109*, 263–274. [CrossRef]
- 7. Vats, N.; Khan, A.A.; Ahmad, K. Effect of substrate ratio on biogas yield for anaerobic co-digestion of fruit vegetable waste & sugarcane bagasse. *Environ. Technol. Innov.* **2019**, *13*, 331–339.
- 8. Asquer, C.; Pistis, A.; Scano, E.A. Characterization of Fruit and Vegetable Wastes as a Single Substrate for the Anaerobic Digestion Extended Abstract. *Environ. Eng. Manag. J.* **2013**, *12*, 89–92.
- 9. Bangalore, M.; Hochman, G.; Zilberman, D. Policy incentives and adoption of agricultural anaerobic digestion: A survey of Europe and the United States. *Renew. Energy* **2016**, *97*, 559–571. [CrossRef]
- Banks, C.J.; Salter, A.M.; Chesshire, M. Potential of anaerobic digestion for mitigation of greenhouse gas emissions and production of renewable energy from agriculture: Barriers and incentives to widespread adoption in Europe. Water Sci. Technol. 2007, 55, 165–173. [CrossRef]
- 11. Yang, L.; Xu, F.; Ge, X.; Li, Y. Challenges and strategies for solid-state anaerobic digestion of lignocellulosic biomass. *Renew. Sustain. Energy Rev.* **2015**, *44*, 824–834. [CrossRef]
- 12. Sawatdeenarunat, C.; Surendra, K.C.; Takara, D.; Oechsner, H.; Khanal, S.K. Anaerobic digestion of lignocellulosic biomass: Challenges and opportunities. *Bioresour. Technol.* **2015**, *178*, 178–186. [CrossRef] [PubMed]
- 13. Amon, T.; Amon, B.; Kryvoruchko, V.; Machmuller, A.; Hopfner-Sixt, K.; Bodiroza, V.; Hrbek, R.; Friedel, J.; Potsch, E.; Wagentristl, H.; et al. Methane production through anaerobic digestion of various energy crops grown in sustainable crop rotations. *Bioresour. Technol.* **2007**, *98*, 3204–3212. [CrossRef] [PubMed]
- 14. Boehmel, C.; Lewandowski, I.; Claupein, W. Comparing annual and perennial energy cropping systems with different management intensities. *Agric. Syst.* **2008**, *96*, 224–236. [CrossRef]
- 15. Nemecek, T.; von Richthofen, J.S.; Dubois, G.; Casta, P.; Charles, R.; Pahl, H. Environmental impacts of introducing grain legumes into European crop rotations. *Eur. J. Agron.* **2008**, *28*, 380–393. [CrossRef]
- 16. Gunaseelan, N. Anaerobic Digestion of Biomass for Methane Production: A Review. *Biomass Bioenergy* **1997**, 13, 83–114. [CrossRef]
- 17. Lehtomaki, A. *Biogas Production from Energy Crops and Crop Residues*; Department of Biological and Environmental Science, Jyvaskyla University: Jyvaskyla, Finland, 2006; p. 91.
- 18. Angelidaki, I.; Sanders, W. Assessment of the anaerobic biodegradability of macropollutants. *Rev. Environ. Sci. Biotechnol.* **2004**, *3*, 117–129. [CrossRef]
- 19. Holliger, C.; Alves, M.; Andrade, D.; Angelidaki, I.; Astals, S.; Baier, U.; Bougrier, C.; Buffière, P.; Carballa, M.; De Wilde, V.; et al. Towards a standardization of biomethane potential tests. *Water Sci. Technol.* **2016**, *74*, 2515–2522. [CrossRef]
- 20. Pabón-Pereira, C.; Castanares, G.; Van Lier, J. An OxiTop®protocol for screening plant material for its biochemical methane potential (BMP). *Water Sci. Technol.* **2012**, *66*, 1416–1423. [CrossRef]
- 21. Angelidaki, I.; Alves, M.; Bolzonella, D.; Borzacconi, L.; Campos, J.L.; Guwy, A.; Kalyuzhnyi, S.; Jenicek, P.; Van Lier, J.B. Defining the biomethane potential (BMP) of solid organic wastes and energy crops: A proposed protocol for batch assays. *Water Sci. Technol.* **2009**, *59*, 927–934. [CrossRef]
- 22. Chandler, J.A.; Jewell, W.J.; Gossett, J.M.; Van Soest, P.J.; Robertson, J.B. Predicting methane fermentation biodegradability. *Biotechnol. Bioeng. Symp.* **1980**, *10*, 93–107.

Processes 2020, 8, 806 22 of 23

23. Jimenez, S.; Cartagena, M.C.; Arce, A. Influence of Lignin on the Methanization of Lignocellulosic Wastes. *Biomass* **1990**, *21*, 43–54. [CrossRef]

- 24. Tong, X.; Smith, L.H.; McCarty, P.L. Methane Fermentation of Selected Lignocellulosic Materials. *Biomass* **1990**, 21, 239–255. [CrossRef]
- 25. Turick, C.E.; Peck, M.W.; Chynoweth, D.P.; Jerger, D.E.; White, E.H.; Zsuffa, L.; Kenney, W.A. Methane fermentation of woody biomass. *Bioresour. Technol.* **1991**, *37*, 141–147. [CrossRef]
- 26. Eleazer, W.E.; Odle Iii, W.S.; Wang, Y.S.; Barlaz, M.A. Biodegradability of municipal solid waste components in laboratory- scale landfills. *Environ. Sci. Technol.* **1997**, *31*, 911–917. [CrossRef]
- 27. Herrmann, C.; Idler, C.; Heiermann, M. Biogas crops grown in energy crop rotations: Linking chemical composition and methane production characteristics. *Bioresour. Technol.* **2016**, 206, 23–35.
- 28. Amon, T.; Amon, B.; Kryvoruchko, V.; Zollitsch, W.; Mayer, K.; Gruber, L. Biogas production from maize and dairy cattle manure-Influence of biomass composition on the methane yield. *Agric. Ecosyst. Environ.* **2007**, 118, 173–182. [CrossRef]
- 29. Moller, H.B.; Sommer, S.G.; Ahring, B.K. Methane productivity of manure, straw and solid fractions of manure. *Biomass Bioenergy* **2004**, *26*, 485–495. [CrossRef]
- 30. Chynoweth, D.P.; Conrad, J.R.; Srivastava, V.J.; Jerger, D.E.; Mensinger, J.D.; Fannin, K.F. Anaerobic processes. *J. Water Pollut. Control Fed.* **1985**, *57*, 533–539.
- 31. Sharma, S.; Mishra, I.M.; Sharma, M.P.; Saini, J.S. Effect of particle size on biogas generation from biomass residues. *Biomass* **1988**, 17, 251–263. [CrossRef]
- 32. Van Soest, P.J.; Robertson, J.B.; Lewis, B.A. Methods for Dietary Fiber, Neutral Detergent Fiber and Nonstarch Polysaccharides in relation to animal nutrition. *J. Dairy Sci.* **1991**, 74, 3583–3597. [CrossRef]
- 33. Owen, W.F.; Stuckey, D.C.; Healy, J.B.; Young, L.Y.; McCarty, P.L. Bioassay for monitoring biochemical methane potential and anaerobic toxicity. *Water Res.* **1979**, *13*, 485–492. [CrossRef]
- 34. APHA-American Public Health Association. *Standard Methods for the Examination of Water and Wastewater*, 20th ed.; American Public Health Association: Washington, DC, USA, 1998.
- 35. Symons, G.E.; Buswell, A.M. The methane fermentation of carbohydrates. *J. Am. Chem. Soc.* **1933**, *55*, 2028–2036. [CrossRef]
- 36. Undersander, D.; Mertens, D.; Thiex, N. *Forage Analyses Procedures*; National Forage Testing Association: Omaha, NE, USA, 1993; p. 154.
- 37. Veeken, A.; Hamelers, B. Effect of temperature on the hydrolysis rate of selected biowaste components. *Bioresour. Technol.* **1999**, *69*, 249–255. [CrossRef]
- 38. Lewis, N.; Yamamoto, E. Lignin: Occurence, biogenesis and biodegradation. *Annu. Rev. Plant. Physiol. Plant. Mol. Biol.* **1990**, 41, 455–496. [CrossRef]
- 39. Benner, R.; Maccubin, A.E.; Hodson, R.E. Anaerobic biodegradation of the lignin and polysaccharide components of lignocellulose and synthetic lignin by sediment microflora. *Appl. Environ. Microbiol.* **1984**, 47, 998–1004. [CrossRef]
- 40. Den Camp, H.J.M.O.; Verhagen, F.; Kivaisi, A.K.; Windt, F.D.; Lubberding, H.; Gijzen, H.J.; Vogels, G.D. Effects of lignin on the anaerobic degradation of (ligno) cellulosic wastes by rumen microorganisms. *Appl. Microbiol. Biotechnol.* **1988**, *29*, 408–412. [CrossRef]
- 41. Fernandes, T.V.; Zeeman, G.; van Lier, J.B. Humic acid-like and Fulvic acid-like inhibition on the hydrolysis of cellulose and tributyrin. *Bioenergy Res.* **2015**, *8*, 821–831. [CrossRef]
- 42. Azman, S.; Khadem, A.F.; Zeeman, G.; van Lier, J.B.; Plugge, C.M. Mitigation of humic acid inhibition in anaerobic cellulose digestion by addition of cationic salts. *Bioengineering* **2015**, 2, 54–65. [CrossRef] [PubMed]
- 43. Ghasimi, D.S.M.; Zandvoort, K.A.M.d.M.H.; van Lier, J.B. Impact of lignocellulosic-waste intermediates on hydrolysis and methanogenesis under thermophilic and mesophilic conditions. *Chem. Eng. J.* **2015**, 295, 181–191. [CrossRef]
- 44. Wang, Y.S.; Byrd, C.S.; Barlaz, M.A. Anaerobic biodegradability of cellulose and hemicellulose in excavated refuse samples using a biochemical methane potential assay. *J. Ind. Microbiol.* **1994**, *13*, 147–193. [CrossRef] [PubMed]
- 45. Triolo, J.M.; Sommer, S.G.; Møller, H.B.; Weisbjerg, M.R.; Jiang, X.Y. A new algorithm to characterize biodegradability of biomass during anaerobic digestion: Influence of lignin concentration on methane production potential. *Bioresour. Technol.* **2011**, *102*, 9395–9402. [CrossRef] [PubMed]

Processes 2020, 8, 806 23 of 23

46. Chynoweth, D.P.; Turick, C.E.; Owens, J.M.; Jerger, D.E.; Peck, M.W. Biochemical Methane Potential of biomass and waste feedstocks. *Biomass Bioenergy* **1993**, *5*, 95–111. [CrossRef]

- 47. Barton, F.E.I.; Akin, D.E. Digestibility of delignified forage cell walls. *J. Agric. Food Chem.* **1977**, 25, 1299–1303. [CrossRef]
- 48. Selinger, L.B.; Forsberg, C.W.; Cheng, K.J. The rumen: A unique source of enzymes for enhancing livestock production. *Anaerobe* **1996**, *2*, 263–284. [CrossRef]
- 49. Pabón Pereira, C.P. *Anaerobic Digestion in Sustainable Biomass Chains*; Wageningen University: Wageningen, The Netherlands, 2009.
- 50. Buffiere, P.; Loisel, D.; Bernet, N.; Delgenes, J.P. Towards new indicators for the prediction of solid waste anaerobic digestion properties. *Water Sci. Technol.* **2006**, *53*, 233–241. [CrossRef]
- 51. Conrad, H.R.; Weiss, W.P.; Odwongo, W.O.; Shockey, W.L. Estimating Net Energy of Lactation from components of cell solubles and cell walls. *J. Dairy Sci.* **1984**, *67*, 427–436. [CrossRef]
- 52. Noike, T.; Endo, G.; Chang, J.; Yaguchi, J.; Matsumoto, J. Characteristics of Carbo hydrate degradation and the rate limiting step in anaerobic digestion. *Biotechnol. Bioeng.* **1985**, 27, 1482–1489. [CrossRef]
- 53. Hatfield, R.D.; Fukushima, R.S. Can lignin be accurately measured? Crop Sci. 2005, 45, 832–839. [CrossRef]
- 54. Ghosh, S.; Henry, M.P.; Christopher, R.W. Hemicellulose conversion by anaerobic digestion. *Biomass* **1985**, *6*, 257–269. [CrossRef]
- 55. Leschine, S. Cellulose degradation in anaerobic environments. *Annu. Rev. Microbiol.* **1995**, 49, 399–426. [CrossRef] [PubMed]
- 56. Pareek, S.; Kim, S.; Matsui, S.; Shimizu, Y. Hydrolysis of (ligno)cellulosic materials under sulphidogenic and methanogenic conditions. *Water Sci. Technol.* **1998**, *38*, 193–200. [CrossRef]
- 57. Palmowski, L.M.; Müller, J.A. Influence of the size reduction of organic waste on their anaerobic digestion. *Water Sci. Technol.* **2000**, *41*, 155–162. [CrossRef] [PubMed]
- 58. Fukushima, R.S.; Hatfield, R.D. Comparison of the Acetyl Bromide Spectrophotometric Method with Other Analytical Lignin Methods for Determining Lignin Concentration in Forage Samples. *J. Agric. Food Chem.* **2004**, *52*, 3713–3720. [CrossRef]
- 59. Hatfield, R.D.; Jung, H.G.; Ralph, J.; Buxton, D.R.; Weimer, P.J. A comparison of the insoluble residues produced by the Klasson lignin and acid detergent lignin procedures. *J. Sci. Food Agric.* **2006**, *65*, 51–58. [CrossRef]
- 60. Stenberg, B.; Jensen, L.S.; Nordkvist, E.; Breland, T.A.; Pedersen, A.; Guomundsson, J.; Bruun, S.; Salo, T.; Palmason, F.; Henriksen, T.M.; et al. Near infrared reflectance spectroscopy for quantification of crop residue, green manure and catch crop C and N fractions governing decomposition dynamics in soil. *J. Near Infrared Spectrosc.* 2004, 12, 331–346. [CrossRef]



© 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).