



Delft University of Technology

## SearchX

### Empowering Collaborative Search Research

Sindunuraga Rikarno Putra, Sindu; Moraes, Felipe; Hauff, Claudia

#### DOI

[10.1145/3209978.3210163](https://doi.org/10.1145/3209978.3210163)

#### Publication date

2018

#### Published in

SIGIR'18

#### Citation (APA)

Sindunuraga Rikarno Putra, S., Moraes, F., & Hauff, C. (2018). SearchX: Empowering Collaborative Search Research. In *SIGIR'18: The 41st International ACM SIGIR Conference on Research and Development in Information Retrieval* (pp. 1265-1268). ACM. <https://doi.org/10.1145/3209978.3210163>

#### Important note

To cite this publication, please use the final published version (if applicable).  
Please check the document version above.

#### Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

#### Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.  
We will remove access to the work immediately and investigate your claim.

# SearchX: Empowering Collaborative Search Research

Sindunuraga Rikarno Putra  
Delft University of Technology  
Delft, The Netherlands  
sindunuragarikarnoputra@student.tudelft.nl

Felipe Moraes\*  
Delft University of Technology  
Delft, The Netherlands  
f.moraes@tudelft.nl

Claudia Hauff  
Delft University of Technology  
Delft, The Netherlands  
c.hauff@tudelft.nl

## ABSTRACT

Collaborative search has been an active area of research within the IR community for many years. While for “single-user” research a variety of up-to-date open-source search systems exist, few “multi-user” search tools are open-source and even fewer are being maintained. In this paper, we present SearchX, an open-source collaborative search system we are currently developing—and using for our research. We designed and built SearchX using the modern Web stack (and are thus not siloed by an operating system or a particular browser type), enabling efficient research across platforms (Desktop, mobile) and with online users (e.g. crowdworkers). A video, describing the demo can be found at <https://www.youtube.com/watch?v=uf24m6p3vts>.

### ACM Reference format:

Sindunuraga Rikarno Putra, Felipe Moraes, and Claudia Hauff. 2018. SearchX: Empowering Collaborative Search Research. In *Proceedings of The 41st International ACM SIGIR Conference on Research & Development in Information Retrieval, Ann Arbor, MI, USA, July 8–12, 2018 (SIGIR’18)*, 4 pages. <https://doi.org/10.1145/3209978.3210163>

## 1 INTRODUCTION

Collaborative search, i.e. the retrieval and sensemaking of information by multiple users with the same information need, has been an active area of research for many years—workshops focusing on collaborative search explicitly have started appear in 2008, e.g. [11] and continue to be important for the development of the field today, e.g. [3].

In contrast to single-user search and retrieval (where many up-to-date and open-source tools exist such as Terrier, Lucene or Elasticsearch), our community has few software resources available to kickstart research in collaborative search as seen in Table 1. Of the six most well-known collaborative search systems, only one—Coagmento [7]—is open-sourced and that requires users to install a browser plugin or a mobile app. In contrast, we present here SearchX, a collaborative search system we developed with the modern Web stack in mind; it does not require users to install additional software (like a plugin/app) and is accessible to anyone with a modern Web browser, no matter their platform. This in

turn enables us to employ SearchX effortlessly in large-scale online experiments with for instance crowdworkers.

In order to bring down the programmatic hurdle of collaborative search research (which ideally enables quick prototyping of ideas), we open source SearchX<sup>1</sup> and describe here the current state of development, how it fares compared to existing software efforts and how our users (crowdworkers) experienced it in a recent deployment.

## 2 COMPARISONS WITH EXISTING SYSTEMS

Table 1 provides an in-depth comparison of SearchX and the most well-known existing collaborative search tools [2, 5–7, 9, 10]. We split the dimensions along which we compare the tools into three broad categories: *awareness* (features that raise searchers’ awareness of each other’s activities), *knowledge sharing* (features that enable searchers to relay their findings to each other), and *division of labour* (features that enable searchers to divide the work). Lastly, we also consider the *availability* of the tools to the wider community.

We find that Coagmento [7] and Querium [6] have the largest number of collaborative features implemented, with SearchX lagging in particular in the *knowledge sharing* category, which is the focus of the ongoing development effort. Interestingly, the *division of labour* category is the most sparsely populated across all systems, with only SearchTogether offering all of the features.

The information in the *availability* category provides the main motivation for our programming effort: most tools were only described in papers, but never open-sourced. Coagmento, the only tool that is open-sourced, requires an additional installation step (either a browser plugin or an iOS/Android app) that is not feasible to enable research with a large population of online users. In contrast, SearchX is a pure open-source Web application, whose architecture we describe next.

## 3 SEARCHX ARCHITECTURE

The high-level architecture of SearchX is shown in Figure 1. We took the single-user pienapple search framework [4]<sup>2</sup> as a starting point, updated it, included provisions for user studies and extended it into the collaborative search realm.

**Front-end.** The front-end (shown in Figure 3) is written in JavaScript and makes use of React, a popular and well-maintained JavaScript front-end library. As the front-end is a standard Web application, any user with a modern browser (to be more specific a modern browser that implements ES6 functionalities as all major browser

\*The first two authors contributed equally.

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).  
SIGIR’18, July 8–12, 2018, Ann Arbor, MI, USA  
© 2018 Copyright held by the owner/author(s).  
ACM ISBN 978-1-4503-5657-2/18/07.  
<https://doi.org/10.1145/3209978.3210163>

<sup>1</sup>We open-sourced SearchX at <https://github.com/felipemoraes/searchx-frontend> (front-end) and <https://github.com/felipemoraes/searchx-backend> (back-end).

<sup>2</sup>The authors kindly provided us with their source code.




Figure 1: SearchX architecture overview.

**Table 1: Feature comparison of existing collaborative search systems (ordered by publication year of the first paper describing the system) with SearchX. SearchX features marked with (✓) are currently under development. A dash – indicates that this information is not available. Language and Platform abbreviations: JS=JavaScript, BP=Browser Plugin, IE=Internet Explorer, FF=Firefox, GC=Google Chrome. <sup>†</sup> The Coagmento iOS app is only available in Apple’s US app store.**

	SearchTogether[9]	CoSearch[2]	CoSense[10]	Coagmento[7]	Querium[6]	ResultsSpace[5]	SearchX
<b>Awareness</b>							
Query History	✓		✓	✓	✓	✓	✓
Colour Coding		✓	✓				✓
Page Views				✓	✓		(✓)
<b>Knowledge Sharing</b>							
Bookmarks				✓			✓
Page Rating	✓				✓	✓	(✓)
Page Annotation	✓	✓	✓	✓	✓		(✓)
Group Notes			✓	✓	✓		
Group Summary		✓	✓		✓		
<b>Division of Labour</b>							
Chat	✓		✓	✓	✓		✓
Results Split	✓	✓					
Recommend / Share	✓			✓	✓		
<b>Availability</b>							
Functioning	✗	-	-	✓	-	-	✓
Last Update	2009	-	-	2017	-	-	2018
Open Source	-	-	-	✓	-	-	✓
Language	-	-	-	PHP & JS	-	PHP	JS
Platform	BP (IE)	Windows	-	BP (FF, GC) & iOS <sup>†</sup> , Android	Web	Web	Web

do) can access it. We follow React’s programming model and thus each front-end component is implemented in a modular life cycle manner and communicates with the *back-end* via the *RESTful API* or *Socket.io*, depending on how instantaneous the information needs to arrive at the collaborators’ interfaces. As we are employing

SearchX for research purposes, the front-end also contains components which are geared towards user studies and facilitate the deployment of SearchX for online experiments with crowdworkers. Those components include *questionnaires*, a *task bar*, *alerts* (to handle crowdworker compliance), an interactive *interface guide* (Figure 2), and a *logger* to enable the detailed logging (not just clicks,




Figure 2: SearchX interactive guide.

but also hovers and scrolls) of users' interactions with the interface. When users form a group of collaborators (determined by the back-end), the front-end also includes a number of *shared* components (i.e. all collaborators see them in the same state): bookmarks, query history, and chat widget.

**Extensions.** As this layer is implemented based on the React library, it is easily extensible. We are currently extending the interface with page view information (which collaborator viewed which document), page ratings (how useful did a collaborator find the document) and page annotations.

**Back-end.** The back-end makes use of the node.js server framework and is written in JavaScript. It provides the core components of our collaborative search system which we broadly categorise into four types:

- *search tasks components*: examples are search task assignment (tasks are assigned at *random* or based on users' *prior knowledge* levels) and group formation (users are allocated to an available group to collaboratively search);
- *retrieval components* include retrieval back-end components (at the moment we rely mainly on the Bing search API but can also plug in an Elastic instance) and filters (e.g. to remove certain search results before forwarding them to the front-end);
- *logging components*: these include caching of search results (to serve users consistently the same results for the same issued query), a document crawler based on Puppeteer (a tool to access Headless Google Chrome) that crawls all documents shown in a SERP and user trace logging with all logs being stored in a MongoDB instance.
- the *document renderer* provides a document viewing experience that does not require the user to leave the SearchX interface (in contrast to clicking on the SERP and opening a new browser tab), thus allowing us to also log what users do (dwell-time and scrolling) within documents they view.

**Extensions.** Due to the modular nature of SearchX, the back-end can be extended to cater for a larger variety of search APIs, additional user study components and more fine-grained logs if desired.

## 4 USER FEEDBACK

In a recent collaborative search experiment (pairs of users, conducting searches for a learning task for 20+ minutes at a time) involving all components of SearchX we collected feedback from fifty crowdworkers in total.

At the end of the task we presented them with a questionnaire that included a set of questions elaborating on their satisfaction

with the different collaborative features (chat, bookmarks and query history). Specifically, we asked “*Did you find the collaborative features useful?*” and expected answers on a five point Likert scale (*strongly disagree* to *strongly agree*). Figure 4 summaries the crowdworkers' feedback in this user study. More than 60% of our users considered the shared query history and bookmarks to be useful in a collaborative search setting, while only 24% said the same about the chat feature. A possible explanation can be found in our user population (crowdworkers) which have no intrinsic motivation to excel at a task.

Among the qualitative feedback (elaborations on each of the collaborative features) the following are some of the—admittedly selected—positive statements we received:

- “We used the group chat to discuss what we had learned and the areas that we had to focus on more and what we didn't understand.”
- “I mainly used the group chat to summarize and see if my partner saw anything wrong with my summary- to test my knowledge”
- “I knew what pages were already deemed useful by my partner based on which pages were already bookmarked.”
- “I looked at what my partner had searched [in the query history] so that I could search different terms to broaden our search”
- “I knew which base information would already be covered by my partner due to the shared query history.”

## 5 DEMONSTRATION

Figure 3 shows the type of demonstration we plan to show off at the SIGIR conference. We will provide at least two laptops and let participants solve fun search puzzles in a collaborative manner. The search puzzles are collected from *A Google a Day*<sup>3</sup>, following the template in Figure 5. This type of task has also been employed in prior interactive (collaborative) IR studies [1, 8]. We are able to artificially increase the difficulty of each task by playing around with the type of search results we return from the back-end (e.g. instead of results 1-10 we can also return results ranked 91-100).

## 6 CONCLUSIONS

We have presented SearchX, a system for collaborative search research, recently deployed in a crowdsourcing study with up to 60% of our users rating the collaborative features as useful to their search needs. SearchX is meant to be a continuous effort; we plan to include more user interfaces components, in particular shared workspaces at scale (i.e. those supporting many collaborators at once). We open source SearchX (cf. footnote 1) and will continue developing it for at least three years.

## ACKNOWLEDGEMENTS

This research has been supported by NWO projects LACrOSSE (612.001.605) and SearchX (639.022.722).

## REFERENCES

- [1] Elena Agapie, Gene Golovchinsky, and Pernilla Qvarfordt. 2013. Leading people to longer queries. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 3019–3022.

<sup>3</sup><http://www.agoogleaday.com/>




Figure 3: SearchX Collaborative search interface. [A] bookmarking information including who bookmarked, [B] shared query history, [C] shared bookmarks, [D] chat. All features employ colour coding to visually represent the searcher who performed the search, added the bookmark and so on.




Figure 4: User feedback overview.




Figure 5: Task template for our demonstration.

[2] Saleema Amershi and Meredith Ringel Morris. 2008. CoSearch: a system for co-located collaborative web search. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 1647–1656.

[3] Leif Azzopardi, Jeremy Pickens, Chirag Shah, Laure Soulier, and Lynda Tamine. 2017. Second International Workshop On the Evaluation of Collaborative Information Seeking and Retrieval (Ecol'17). In *Proceedings of the 2017 Conference on Conference Human Information Interaction and Retrieval (CHIIR '17)*. ACM, New York, NY, USA, 429–431. DOI: <http://dx.doi.org/10.1145/3020165.3022164>

[4] Martynas Buivys and Leif Azzopardi. 2016. Pienapple search: an integrated search interface to support finding, refining and sharing. *Proceedings of the Association for Information Science and Technology* 53, 1 (2016), 1–5. <http://dx.doi.org/10.1002/praz.2016.14505301122>

[5] Robert Capra, Annie T. Chen, Katie Hawthorne, Jaime Arguello, Lee Shaw, and Gary Marchionini. 2012. Design and evaluation of a system to support collaborative search. *Proceedings of the American Society for Information Science and Technology* 49, 1 (2012), 1–10. DOI: <http://dx.doi.org/10.1002/meet.14504901181>

[6] Abdigani Diriye and Gene Golovchinsky. 2012. Querium: a session-based collaborative search system. In *European Conference on Information Retrieval*. Springer, 583–584.

[7] Roberto González-Ibáñez and Chirag Shah. 2011. Coagmento: A system for supporting collaborative information seeking. *Proceedings of the Association for Information Science and Technology* 48, 1 (2011), 1–4.

[8] Roberto González-Ibáñez and Chirag Shah. 2012. Investigating positive and negative affects in collaborative information seeking: A pilot study report. *Proceedings of the Association for Information Science and Technology* 49, 1 (2012), 1–4.

[9] Meredith Ringel Morris and Eric Horvitz. 2007. SearchTogether: An Interface for Collaborative Web Search. In *Proceedings of the 20th Annual ACM Symposium on User Interface Software and Technology (UIST '07)*. ACM, New York, NY, USA, 3–12. DOI: <http://dx.doi.org/10.1145/1294211.1294215>

[10] Sharoda A. Paul and Meredith Ringel Morris. 2009. CoSense: Enhancing Sense-making for Collaborative Web Search. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '09)*. ACM, New York, NY, USA, 1771–1780. DOI: <http://dx.doi.org/10.1145/1518701.1518974>

[11] Jeremy Pickens, Gene Golovchinsky, and Meredith Ringel Morris. 2009. Proceedings of 1st International Workshop on Collaborative Information Seeking. *CoRR abs/0908.0583* (2009). arXiv:0908.0583 <http://arxiv.org/abs/0908.0583>