

IKEBANA
GALLERY
SCHOOL



Urban Architecture
// craft in the city

Britt Derckx // 4281411 // 16 april 2021






P5 // Ikebana Gallery School // Britt Derckx // 4281411


- 1 Craft and craftsmanship
- 2 Portrait of the location
- 3 Ikebana Gallery School
- 4 Structural concept
- 5 Environmental position



1







Craft and craftsmanship design ambition and approach

























Milling technique



Porcelain


Earthenware

Stoneware




Slip casting







Slip casting




Jiggering








Slip casting




Jiggering




Plastic pressing




Slip casting




Jiggering




Plastic pressing





Single-dry pressing




Slip casting




Jiggering




Plastic pressing




Die-cutting




Single-dry pressing





Slip casting




Jiggering




Wheel throwing



Plastic pressing



Die-cutting



Single-dry pressing


1. Slip

wet, freely shapable




1. Slip

wet, freely shapable




2. Plastic

holds shape,
trimming and decorating




1. Slip

wet, freely shapable



2. Plastic

holds shape,
trimming and decorating




3. Leather hard

Dry with some flexibility,
carving and engraving




1. Slip

wet, freely shapable



2. Plastic

holds shape,
trimming and decorating




3. Leather hard

Dry with some flexibility,
carving and engraving



4. Bone dry/greenware

Completely dry,
ready to fire




1. Slip

wet, freely shapable



2. Plastic

holds shape,
trimming and decorating




3. Leather hard

Dry with some flexibility,
carving and engraving




4. Bone dry/greenware

Completely dry,
ready to fire



5. Bisqueware

Rock-hard ceramics, not yet waterproof
painting, decorating, glazing




1. Slip

wet, freely shapable



2. Plastic

holds shape,
trimming and decorating




3. Leather hard

Dry with some flexibility,
carving and engraving




4. Bone dry/greenware

Completely dry,
ready to fire



5. Bisqueware

Rock-hard ceramics, not yet waterproof
painting, decorating, glazing



6. Glaze ware

Fired second time
ready to use



Preparation

Chemistry classroom
Theory classroom
Computer/3D printing classroom

Preparation

Chemistry classroom
Theory classroom
Computer/3D printing classroom

Making

Drawing atelier
Moulding atelier
Pouring room
Wheel throwing atelier

Preparation



Chemistry classroom
Theory classroom
Computer/3D printing classroom

Making

Drawing atelier
Moulding atelier
Pouring room
Wheel throwing atelier

Finalizing

Painting room
Glazing booth
Workshop studio
Kilns






How can a building create, promote and communicate the **cultures of crafts** and specific networks of people, places and knowledge?



What is its **public role** and how can it become **didactic architecture**?





The study of the human use of space,
related to the education environment












act and movement



experience








First sketch sequences and dialogues

2




Gasthuisplaats project site






1263



1675



1832



around 1840



1840



2021




Gasthuisplaats 1902



P5 // Ikebana Gallery School // Britt Derckx // 4281411

Gasthuisplaats 1961
'Zusterhuis' with gate towards 'Het oude en nieuwe Gasthuis'



Gasthuisplaats 1964



Gasthuisplaats 2021



‘Portrait of current location’






'Portrait of current location'




'Portrait of current location'



'Portrait of current location'




'Portrait of current location'



'Portrait of current location'




Entrance gate Gasthuisplaats




P5 // Ikebana Gallery School // Britt Derckx // 4281411


Current state Gasthuisplaats




remove buildings from building site




Place programme volume (2 layers of 4m)




Building follows building lines and opens up towards spaces that provide entrances and greenery




Introduce two public passages, opening up the volume on street level




Create inner courtyard at the centre where passages meet



Ground floor opens up, functions as public face on street level, that shows and performs craft



Connect volumes on the first floor



Shaping volume according to functions, dialogues and surroundings



Delft Noli 




Delft Noli 

3



Ikebana Gallery School *design*



First sketch sequences and dialogues



Entrance gate Gasthuisplaats



- ① Drawing ateliers
2 x 100m²
- ② Moulding rooms
2 x 100m²
- ③ Wheel throwing studios
50m² | 60m² | 100m²

0 5 10 15
Ground floor +00



Wheel throwing studio



- ① Formal entrance
70m²
- ② Craft shop
50m²
- ③ Exposition space
20m²
- ④ Café/Canteen
165m²



Formal main entrance



- ① Informal entrance students
220m²
- ② Artist's studios
3 x 35m²
- ③ Student's work storage
45m²

 0 5 10 15
 Ground floor +00




1 Kilns
130m²

2 Material storage
and preparation
140m²

0 5 10 15
Ground floor +00



Courtyard



0 5 10 15
First floor +4000



① Informal study space
285m²

0 5 10 15
First floor +4000



Informal study & meeting space



1 Pouring room
2 x 50m²

0 5 10 15
First floor +4000



Pouring mezzanine along hallway



- ① Chemistry classroom
90m²
- ② Dean and teachers
45m²
- ③ Teacher's informal
meeting room
45m²
- ④ Theory classroom
45m²
- ⑤ Computer/3D classroom
65m²
- ⑥ Meeting room
20m²
- ⑦ Tools, equipment, materials
40m²

 0 5 10 15
 First floor +4000



Handbuilding and sculpture studio

- ① Big tables, open workshop 180m²
- ② Small tables 150m²



Handbuilding and sculpture studio



- ① Glazing booth
45m²
- ② Painting room
100m²
- ③ Critique, presentation and
exhibition space
65m²



 0 5 10 15
 First floor +4000



Hallway between handbuilding studio and informal space

1




2





Ventilation concept



Meeting space along courtyard



Interior sequence and dialogues




Exterior sequence and dialogues


4




Structural concept




Genius Loci




**Solid arched brick walls
on 200 mm concrete foundation and
basement on concrete piles**




Timber post and beam construction
200x200




Lignatur floor 200mm
first floor and partly roofing
works as rigid element




Timber post and beam construction
200x200
Baubauche hardwood portals 900x200, 200x200 mm




Lignatur roofing 220mm
second floor
works as rigid element



Lignatur roofing 220mm
third floor
works as rigid element





Entire façade contributes to building's stability through timber frame construction walls. Rigid, moment resisting timber connection with embedded rods





0 5 10 15
Ground floor +00





8

+12700



- Optigreen Solar WRB 15degrees
- PV module
 - easy mounting rail with module clamps
 - mounting frame 15degrees for Optigreen solar with rail vixings
 - base plate for Optigreen solar WRB


- Retention Solar Roof
- Optigreen sedum cuttings (plants, grasses)
 - Optigreen extensive substrate min. 60mm
 - Optigreen suction and capillary fleece RMS 500 K smart flow independent water storage 3 L/m² temporary retention volume permanent retention volume
 - Optigreen water retention box WRB 80F 80mm
 - Optigreen protection and storage fleece RMS 500
 - waterproofing membrane
 - PUR / PIR rigid foam 200mm
 - lignatur roofing 220mm
 - Baubuche beam

- Baubuche hardwood
- post and beam 900x200 on 200x200 timber columns

- Timber cladding at the height of beam:
- OSB board 15mm
 - timber framework with 60 mm insulation
 - FiberTech RWH vapour-permeable board
 - timber framework 2x28mm
 - timber cladding 20mm

+11100






+8758

+8000


8



linoleum finishing 2.5mm
 filling load for studded panel 2mm
 fermacell studded panel 18mm with floorheating d:11.6 mm
 insulation board 40mm
 lignatur LFE element 200mm with acoustic insulation


timber plinth 12 mm
 gypsum board 15 mm
 installation wall 45mm with wood fibre
 insulation
 OSB board 15mm
 timber framework with 170 mm wood fibre
 insulation
 FiberTech RWH vapour-permeable board
 air cavity 60 mm
 masonry brickwork 100mm


+4000




Ⓐ Ground floor +00

0 1 2





Ⓐ First floor +4000





Glazed bricks



Semi-circular arch



soldier course and masonry bonds




Glazed tiles

5




Environmental position


Clay is a **natural**, raw material
with a **responsible** production process,
which **respects flora and fauna** and is **renewable**



water management



energy management



regulate according to
spaces and use



nature inclusive

Spring / Summer (april - october)

Average maximum temperature 20°
 Average minimum temperature 10°
 Average of 6,5 sunshune hours per day
 84 rainy days



B&B for butterflies and bees, increases biodiversity



until 2° cooler nearby
 until 4° cooler inside



until 7% saving electricity & reduces urban heat island effect



photovoltaic panels, till 6% more energy and increase of biodiversity under PV



retention roof stores water and ensures 50% less sewage overflow during heavy rainfall

high sun altitude

61.5°

demand controlled ventilation system, saving from 30-80% energy for ventilation and cooling

integrated sunscreen blocks 70-80% of the heat

LTV cooling

summerstay for bats
 nesting place for hawks and swallows on north side

natural ventilation

high occupancy

rising warm air can leave building through windows

45-70% of all rainfall evaporates

semi open pavement

heat pump

rainwater reservoir

re-use in building

12°

23°

acceptable inside temperature due to way of dressing

Autumn / Winter (november - april)

Average maximum temperature 9,3°
 Average minimum temperature 2,8°
 Average of 3 sunshune hours per day
 103 rainy days

- demand controlled ventilation system, saving from 30-80% energy for ventilation and cooling
- LTV heating

winter stay for bats
 nesting place for hawks and swallows on north side

acceptable inside temperature due to way of dressing
 18°

B&B for butterflies and bees, increases biodiversity


can capture up to 200 gram fine dust per m²

until 3% saving electricity

photovoltaic panels, till 6% more energy and increase of biodiversity under PV

retention roof stores water and ensures 50% less sewage overflow during heavy rainfall

45-70% of all rainfall evaporates












THANK YOU!


Urban Architecture
// craft in the city

Britt Derckx // 4281411 // 16 april 2021





P5 // Ikebana Gallery School // Britt Derckx // 4281411



P5 // Ikebana Gallery School // Britt Derckx // 4281411