

Delft University of Technology

23.7 A BJT-Based Temperature Sensor with ±0.1 C(3σ) Inaccuracy from -55°C to 125°C and a 0.85pJ.K²Resolution FoM Using Continuous-Time Readout

Toth, Nandor G.; Tang, Zhong; Someya, Teruki; Pan, Sining; Makinwa, Kofi A.A.

DOI 10.1109/ISSCC42615.2023.10067457

Publication date 2023 **Document Version** Final published version

Published in 2023 IEEE International Solid-State Circuits Conference, ISSCC 2023

Citation (APA)

Toth, N. G., Tang, Z., Someya, T., Pan, S., & Makinwa, K. A. A. (2023). 23.7 A BJT-Based Temperature Sensor with ±0.1 C(3σ) Inaccuracy from -55°C to 125°C and a 0.85pJ.K²Resolution FoM Using Continuous-Time Readout. In *2023 IEEE International Solid-State Circuits Conference, ISSCC 2023* (pp. 358-360). (Digest of Technical Papers - IEEE International Solid-State Circuits Conference; Vol. 2023-February). ÌEĔE. https://doi.org/10.1109/ISSCC42615.2023.10067457

Important note

To cite this publication, please use the final published version (if applicable). Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.

Green Open Access added to TU Delft Institutional Repository

'You share, we take care!' - Taverne project

https://www.openaccess.nl/en/you-share-we-take-care

Otherwise as indicated in the copyright section: the publisher is the copyright holder of this work and the author uses the Dutch legislation to make this work public.

ISSCC 2023 / SESSION 23 / ANALOG SENSOR INTERFACES / 23.7

23.7 A BJT-Based Temperature Sensor with $\pm 0.1^{\circ}C$ (3 σ) Inaccuracy from -55°C to 125°C and a 0.85pJ·K² Resolution FoM Using Continuous-Time Readout

Nandor G. Toth^{*1}, Zhong Tang¹, Teruki Someya^{1,3}, Sining Pan^{*1,2}, Kofi A. A. Makinwa¹

¹Delft University of Technology, Delft, The Netherlands ²Tsinghua University, Beijing, China, ³now with SiTime, Tokyo, Japan *Equally-Credited Authors (ECAs)

BJT-based temperature sensors are widely used due to their high accuracy over a wide temperature range with a low-cost 1-point trim. Although resistor-based sensors can achieve better energy efficiency, they typically require a 2-point trim to achieve comparable accuracy, while thermal-diffusivity based sensors achieve superior accuracy at the cost of energy efficiency [1]. This paper presents a BJT-based temperature sensor that achieves both excellent accuracy and energy efficiency. To avoid the kT/C noise limitations of conventional discrete-time (DT) readout schemes [2,3], it employs a compact continuous-time (CT) front-end. Component mismatch, which often limits the accuracy of CT front-ends [4,5], is mitigated by a combination of dynamic element matching (DEM) and a low-cost resistor-ratio self-calibration scheme. As a result, the sensor achieves a resolution FoM of 0.85pJ-k², and a competitive inaccuracy of $\pm 0.1^{\circ}$ C (3 σ) from -55°C to 125°C after a 1-point trim. This makes it 4× more energy-efficient than state-of-the-art BJT-based sensors with similar accuracy [2,4,5].

The operating principle of the sensor is illustrated in Fig. 23.7.1. Two identical PNPs $Q_{1,2}$, biased at a current-ratio p = 7, are used to generate a PTAT voltage ΔV_{BE} , which is forced across a resistor R_1 by an opamp (A₁) to generate a PTAT current $I_{PTAT} = \Delta V_{BE'}R_1$. This current is then mirrored to the current DAC (IDAC) of a $\Delta\Sigma$ modulator ($\Delta\Sigma M$), which balances either $a^* I_{PTAT}$ or $b^* I_{PTAT}$, where a and b are constants, against a CTAT current $I_{CTAT} = V_{BE'}R_2$. The latter is efficiently generated by using the 1st integrator of the $\Delta\Sigma M$ to G force V_{BE} across resistor R_2 . Compared to [5], this implementation requires one less amplifier, and eliminates the power-hungry CCIA used in [4].

As shown in Fig. 23.7.1, the modulator's bitstream average μ will vary from 0, when $b^* I_{PTAT} = I_{CTAT}$, to 1, when $a^* I_{PTAT} = I_{CTAT}$. In this work, the choice of a = 1, b = 4, and $\prod R_1/R_2 = 6$ ensures that μ varies from ~0.1 to ~0.9 as temperature varies from ~55°C to $\equiv 125°C$ (Fig. 23.7.1 bottom). Although μ is a non-linear function of temperature, it is a $\prod R_1/R_2 = 6$ ensures that μ varies from ~0.1 to ~0.9 as temperature varies from ~55°C to $\equiv 125°C$ (Fig. 23.7.1 bottom). Although μ is a non-linear function of temperature, it is a $\prod R_1/R_2 = 6$ ensures that $\mu_{BE}/\Delta V_{BE}$, which means that the PTAT spread of V_{BE} can be conveniently corrected by a digital offset trim [2], and that a linear function of temperature μ_{lin} can be expressed as $\mu_{lin} = a / (a + X)$, where a (~11) is a digital constant.

To ensure that the PTAT spread in V_{BE} is the dominant source of error, and thus facilitate 1-point trimming, ΔV_{BE} errors due to the offset and overdrive of the bias opamp A₁ should be minimized. As shown in Fig. 23.7.2, the offset of A₁ (cascoded telescopic amplifier) is mitigated by chopping, while its gain (>83dB over PVT) is high enough to ensure that its static overdrive (~8µV at room temperature, RT) adds negligible error. The mismatch of the current mirrors and PNPs is mitigated by applying DEM. As in [5], Kelvin connections are used to prevent ΔV_{BE} sensing errors due to the IR drop across the associated PNP DEM switches. To mitigate errors due to DAC, DEM, and chopping transients, which will accumulate in the proposed CT front-end, unused current-mirror branches of the IDAC are routed to a current dumper that replicates V_{BE} , and the unitygain bandwidth of A₁ (UGBW =-220kHz) is high enough to limit the duration of the gremaining transients to a few microseconds over PVT.

Another source of error is the spread in the R_1/R_2 ratio, which should be smaller than 0.01% to ensure a BJT-dominated inaccuracy. As this cannot be realized by layout techniques alone, a low-cost resistor-ratio self-calibration scheme is proposed. As shown in Fig. 23.7.2, it involves using either V_{BE1} or $V_{BE1} + \Delta V_{BE}$ to set the voltage across R_2 . By making successive ADC conversions, and assuming that die temperature, and hence, V_{BE1} and ΔV_{BE} are constant, the actual value of the R_1/R_2 ratio can be accurately determined (Fig. 23.7.2, bottom). The measured resistor mismatch can then be compensated in the digital domain. However, detecting 0.01% mismatch requires an equivalent temperature sensing resolution of ~1.5mK (3 σ), which, in turn, requires a $\frac{1}{12}$ relatively long conversion time. To achieve the necessary resolution, while also suppressing errors due to ambient temperature drift, the resistor ratio is determined by reaveraging 10 pairs of short, but still thermal-noise-limited conversions of 40ms.

By relying on the accuracy of ΔV_{BE} , the spread of V_{BE} can be determined by a voltage calibration scheme [6], which can replace the time-consuming temperature trim. This involves replacing V_{BE1} with an external reference voltage V_{CAL} , allowing ΔV_{BE} , and thus, the temperature, to be determined. The combination of resistor-ratio and voltage calibration enables the sensor to be calibrated at low-cost, since neither an accurate temperature reference nor stringent temperature stability is required.

As shown in Fig. 23.7.2, a single-ended 2^{m} -order DSM is used to digitize the CT current signals generated in the BJT front-end. It is sampled at $f_s = 50$ kHz, which provides a good balance between conversion time and errors caused by switching transients. Its

CT 1st integrator is built around a 2-stage Miller-compensated opamp (A₂) and an integration capacitor C_{int} (= 60pF), which limits integrator swing. A₂ (UGBW = 600kHz) is fast enough to ensure that the integrated error due to switching transients at its input is always less than 80µV and thus contributes negligible error compared to the voltage (V_{BE}) across R₂. Its DC gain (>110dB over PVT) suppresses the noise of the 2nd integrator, allowing this to be implemented with area-efficient switched-capacitor circuitry that draws 4× less power than the 1st stage.

The resolution of the proposed sensor is mainly determined by the thermal noise generated by the PNPs and the resistors (46%), the PMOS current mirrors (16%), and the bias opamp A₁ (38%). As shown in Fig. 23.7.2, the 1/*f* noise of A₁ and A₂ is mitigated by chopping at f_s without incurring quantization-noise (Q-noise) folding, while the 1/*f* noise of the current mirrors is mitigated by DEM. Due to current-mirror mismatch, the use of barrel-shifting DEM would cause periodic variations in I_{PTAT} , which would be effectively multiplied by the bitstream and give rise to significant Q-noise folding. This can be avoided by applying bitstream-controlled (BSC) DEM, which ensures that every DEM state has a similar occurrence for both BS states, effectively averaging out the mismatch errors [6]. In this work, BSC DEM is realized by utilizing two independent barrel-shifting registers for all current mirrors. The PNP DEM frequency was set to $f_g/1000$ (50Hz), which mitigates the PNP's 1/f noise, and is also low enough to avoid significant Q-noise folding.

Two sensors were fabricated on the same die in a 0.18 μ m CMOS process, enabling the use of differential measurements to cancel ambient temperature drift during resolution measurements. Each sensor occupies only 0.12mm² and draws 9.5 μ A (8.9 μ A analog and 0.6 μ A digital) from a 1.7V supply. The DEM and chopping signals are generated by on-chip logic, while the sinc² decimation filter is implemented off-chip for flexibility.

Twenty chips (40 sensors) in ceramic DIL packages were characterized from -55° C to 125°C in a temperature-controlled oven. To minimize ambient temperature drift, they were mounted in good thermal contact with a large aluminium block. Figure 23.7.3 (top left) shows the temperature spread of the measured μ after linearization (with $\alpha = 11.44$) and batch calibration, which result in an inaccuracy of $\pm 0.45^{\circ}$ C (3σ). The chosen value of α ensures that the sensor's systematic residual non-linearity is below $\pm 0.015^{\circ}$ C over the entire temperature range. After a room-temperature trim, this improves to $\pm 0.2^{\circ}$ C (3σ) (Fig. 23.7.3, top right). Applying the proposed resistor-ratio calibration scheme reduces this even further, to $\pm 0.1^{\circ}$ C (Fig. 23.7.3, bottom left). The low-cost combination of voltage calibration and resistor-ratio calibration results in an inaccuracy of $\pm 0.2^{\circ}$ C (Fig. 23.7.3, bottom right), which is sufficient for many applications.

An FFT of the sensor's output bitstream is shown in Fig. 23.7.4 (top). As expected, the use of barrel-shifting DEM causes significant Q-noise folding, which is eliminated when BSC DEM is used. Below 100Hz, the resolution of the sensor is thermal-noise-limited, while its 1/f corner is well below 100mHz. The PNP DEM tones at harmonics of 50Hz are removed by the notches of a sinc² decimation filter. Figure 23.7.5 (bottom) shows the measured temperature resolution plotted against conversion time, where thermal-and Q-noise-limited operation can clearly be observed. This sensor achieves a 1.1mK resolution in 40ms, resulting in a resolution FoM of 0.85pJ·K².

Figure 23.7.5 (left) shows the normalized spread in the ratio R_1/R_2 determined by resistorratio calibration. It has a standard deviation of 0.045%, which agrees with the results of Monte Carlo mismatch simulations, and confirms the need for the proposed resistorratio calibration scheme. The measured supply sensitivity (at RT) is 0.01°C/V from 1.7V to 2.2V (Fig. 23.7.5, right), which is on par with the state-of-the-art.

In Fig. 23.7.6, the performance of the proposed CT BJT-based temperature sensor is summarized and compared with that of state-of-the-art BJT-based designs. Compared to the other high-accuracy sensors (relative inaccuracy < 0.2%) in the table, it achieves the best FoM (0.85pJ·K²), while its inaccuracy (\pm 0.1°C (3 σ) from –55°C to 125°C) and supply sensitivity are comparable to the state-of-the-art.

References:

[1] K. A. A. Makinwa, "Smart Temperature Sensor Survey",

[Online] http://ei.ewi.tudelft.nl/docs/TSensor_survey.xls

[2] B. Yousefzadeh et al., "A BJT-based Temperature-to-Digital Converter with ±60mK Inaccuracy from -55°C to +125°C in 160nm CMOS," *IEEE JSSC*, pp. 1044-1052, April 2017.

[3] T. Someya et al., "A 210nW BJT-based Temperature Sensor with an Inaccuracy of $\pm 0.15^{\circ}$ C (3 σ) from -15° C to 85 $^{\circ}$ C," *IEEE VLSIC*, pp.120-121, 2022.

[4] R. K. Kumar et al., "An Energy-Efficient BJT-Based Temperature-to-Digital Converter with $\pm 0.13^{\circ}$ C (3σ) Inaccuracy from -40 to 125°C," *IEEE ASSCC*, pp. 107-108, Nov. 2019. [5] A. Heidary et al., "A BJT-Based CMOS Temperature Sensor with a 3.6pJ-K²-Resolution FoM," *ISSCC*, pp. 224-225, Feb. 2014.

[6] M. A. P. Pertijs et al., "Low-Cost Calibration Techniques for Smart Temperature Sensors," *IEEE Sensors Journal*, vol. 10, pp. 1098-1105, June 2010.

[7] S. H. Shalmany et al., "A 620µW BJT-Based Temperature-to-Digital Converter with 0.65mK Resolution and FoM of 190fJ-K²," *ISSCC*, pp. 70-71, Feb. 2020.





Figure 23.7.1: Operating principle of the proposed BJT sensor (top), and the current Figure 23.7.2: Simplified schematic of the proposed sensor (top), and the expression signals and bitstream average plotted over temperature (bottom). used when applying resistor-ratio calibration (bottom).





Figure 23.7.3: Measured temperature spread of 40 sensors before trimming (top left) voltage- and resistor-ratio calibration (bottom right).

with RT trim (top right), with RT trim and resistor-ratio calibration (bottom left), with Figure 23.7.4: FFT of the bitstreams generated with barrel-shifting DEM and bitstream-controlled DEM (top), and the resolution vs. conversion time (bottom).



	1000147	1/1 0/100	10000144		10000100	
	JSSC'17 [2]	VLSI'22 [3]	155CC'14 [5]	ASSCC'19 [4]	ISSCC'20 [7]	This work
Sensor type	PNP	NPN	PNP	NPN	NPN	PNP
Architecture	DTΔΣΜ	DTΔΣΜ	DCM ²	CTΔΣM	CTΔΣM	CTΔΣM
Technology	0.16µm	0.18µm	0.7µm	0.18µm	0.11µm	0.18µm
Chip area [mm ²]	0.16	0.058	0.8	0.35	0.2	0.12
Supply current [µA]	4.6	0.17	55	5.5	550	9.5
Supply voltage [V]	1.5 to 2	1.25	2.9 to 5.5	1.6 to 2.2	1.125	1.7 to 2.2
Supply sensitivity [°C/V]	0.01	0.07	0.1	0.01	-	0.01
Temperature range	-55°C to 125°C	-15°C to 85°C	-45°C to 130°C	-40°C to 125°C	-35°C to 95°C	-55°C to 125°C
3σ Inaccuracy [°C] after a 1-pt trim	±0.06 ³	±0.15	±0.15 ³	±0.13 ^{3,4}	-	±0.1
Relative inaccuracy [%]	0.07	0.3	0.17	0.16	-	0.11
Resolution [mK]	15	15	3	1.27	0.65	1.1
Conversion time [ms]	5	50	2.2	320	0.72	40
Resolution FoM ¹ [pJ°C ²]	7.8	2.3	3.6	5.4	0.19	0.85
¹ FoM = Energy / Conversion x (Resolution) ² ³ After systematic non-linearity removal ⁴ After CLA rain calibration ⁴ After CLA rain calibration						

efficient BJT sensors.

10

ISSCC 2023 PAPER CONTINUATIONS



• 2023 IEEE International Solid State Gir Guits Conference ownloaded on April 18,2023 at 14:13:55 UTC from 728 1x6654 12016 rol 23/\$3.1.00 2023 IEEE