

PERFORMATIVE ARCHITECTURE AS A GUIDE LINE FOR TRANSFORMATION OF THE DEFENCE LINE OF AMSTERDAM

studio tutors: Ir. Huib Plomp, Dr.ir. Bige Tunçer, and Ir. Sander Mulders



CONTENT

1 design problem definition

A defence line

B computing urbanization levels of sites

2 conceptual design of the transformation

3 performative design model

A form finding instance ${\bf 1}$

B form finding instance 2


4 building design

5 design development

A defence line configuration of forts

- -elements of fort
- -photos of forts
- -performative design of forts
- -defence line -today
- -defence line-future

- -input of the parametric model
- -effect of strength and area of influence
- -assigning strength and area of influence for inputs
- -process
- -results






A defence line -configuration of forts

-elements of fort

- -photos of forts
- -performative design of forts
- -defence line -today
- -defence line-future

B computing urbanization levels of sites

- -input of the parametric model
- -effect of strength and area of influence
- -assigning strength and area of influence for inputs
- -process
- -results



defence dike

A defence line

- -configuration of forts
- -elements of fort
- -performative design of forts
- -defence line -today
- -defence line-future


- -input of the parametric model
- -effect of strength and area of
- influence
- -assigning strength and area of influence for inputs
- -process
- -results



A defence line

- -configuration of forts
- -elements of fort
- -photos of forts
- performative design of forts
- -defence line -today
- -defence line-future

- -input of the parametric model
- -effect of strength and area of
- influence
- -assigning strength and area of influence for inputs
- -process
- -results




A defence line

- -configuration of forts
- -elements of fort
- -photos of forts
- -performative design of forts
- defence line -toda
- -defence line-future

- -input of the parametric model
- -effect of strength and area of
- influence
- -assigning strength and area of
- influence for inputs
- -process
- -results






A defence line

- -configuration of forts
- -elements of fort
- -photos of forts
- -performative design of forts
- -defence line -today
- -defence line-future


- -input of the parametric model
- -effect of strength and area of influence
- -assigning strength and area of
- influence for inputs
- -process
- -results



A defence line

- -configuration of forts
- -elements of fort
- -photos of forts
- -performative design of forts
- -defence line -today
- -defence line-future

- -input of the parametric model
- -effect of strength and area of influence
- -assigning strength and area of
- influence for inputs
- -process
- -results




A defence line

- -configuration of forts
- -elements of fort
- -photos of forts
- -performative design of forts
- -defence line -today
- -defence line-future

B computing urbanization levels of sites

input of the parametric model


- -effect of strength and area of influence
- -assigning strength and area of influence for inputs
- -process
- -results





A defence line


- -configuration of forts
- -elements of fort
- -photos of forts
- -performative design of forts
- -defence line -today
- -defence line-future


- -input of the parametric model
- -assigning strength and area of influence for inputs
- -process
- -results



























area of influence= 2 strenght= 2



A defence line


- -configuration of forts
- -elements of fort
- -photos of forts
- -performative design of forts
- -defence line -today
- -defence line-future

B computing urbanization levels of sites

- -input of the parametric model
- -effect of strength and area of influence

-assigning strength and area of influence for inputs

- -process
- -results



A defence line -configuration of forts

-elements of fort

-photos of forts

-performative design of forts

-defence line -today

-defence line-future

B computing urbanization levels of sites


-input of the parametric model


-effect of strength and area of influence


assigning strength and area of - influence for inputs

nrocess

-results







A defence line


- -configuration of forts
- -elements of fort
- -photos of forts
- -performative design of forts
- -defence line -today
- -defence line-future


- -input of the parametric model effect of strength and area of influence
- -assigning strength and area of influence for inputs
- -process
- -result






























- 1-health, safety and security performance
- -structural
- -illuminative
- 2-functional, efficiency performance
 - -provide adequate space for required functions
 - -provide connections between urban elements of site
- 3-psychological, social, cultural and aesthetic performance
 - -conservation of the UNESCO Heritage site
- -compatibility with the surrounding











1 design problem definition 2 conceptual design of the transformation -transit points -potential users -new functions -deformed stripes -assigning performance criteria for the transformation -illuminative






$$y = a \cosh\left(\frac{x}{a}\right) = \frac{a}{2} \left(e^{x/a} + e^{-x/a}\right)$$




B

S




GIZD









2 conceptual design of the transformation

3 performative design model -regional design (1/50,000)

- -urban design (1/1.000)
- -building design (1/200)
- -production of scale models


A form finding instance 1 dependency chain

- -stage 1
- -stage 2
- -stage 3

B form finding instance 2 dependency chain

- -stage 1
- -stage 2
- -stage 3
- -stage 4

	Level 1 performances	Level 2 performances	Level 3 performances
regional design (1/50.000)		provide adequate space for required functions	
urban design (1/1.000)		provide connections between urban elements	conservation of the UNESCO Heritage site
building design (1/200)	structural performance illuminative performance		
production of scale models			compatibility with the surrounding



2 conceptual design of the transformation

3 performative design model -regional design (1/50.000)

- -urban design (1/1.000)
- -building design (1/200)
- -production of scale models

A form finding instance 1 dependency chain

- -stage 1
- -stage 2
- -stage 3

B form finding instance 2 dependency chain

- -stage 1
- -stage 2
- -stage 3
- -stage 4

	Level 1 performances	Level 2 performances	Level 3 performances
regional design (1/50.000)		provide adequate space for required functions	
urban design (1/1.000)		provide connections between urban elements	conservation of the UNESCO Heritage site
building design (1/200)	structural performance illuminative performance		
production of scale models	·		compatibility with the surrounding

















2 conceptual design of the transformation

3 performative design model -regional design (1/50.000) -urban design (1/1.000)

-building design (1/200)

-production of scale models

A form finding instance 1 dependency chain

-stage 1

-stage 2

-stage 3

B form finding instance 2 dependency chain


-stage 1


-stage 2

-stage 3

-stage 4

	Level 1 performances	Level 2 performances	Level 3 performances
regional design (1/50.000)		provide adequate space for required functions	
urban design (1/1.000)		provide connections between urban elements	conservation of the UNESCO Heritage site
building design (1/200)	structural performance illuminative performance		
production of scale models			compatibility with the surrounding





2 conceptual design of the transformation

3 performative design model

- -regional design (1/50.000)
- -urban design (1/1.000)
- -building design (1/200)
- -production of scale models


A form finding instance 1 dependency chain

- -stage 1
- -stage 2
- -stage 3

B form finding instance 2 dependency chain

- -stage 1
- -stage 2
- -stage 3
- -stage 4

	Level 1 performances	Level 2 performances	Level 3 performances
regional design (1/50.000)		provide adequate space for required functions	
urban design (1/1.000)		provide connections between urban elements	conservation of the UNESCO Heritage site
building design (1/200)	structural performance illuminative performance		
production of scale models			compatibility with the surrounding









2 conceptual design of the transformation

3 performative design model


- -regional design (1/50.000)
- -urban design (1/1.000)
- -building design (1/200)
- -production of scale models


A form finding instance 1


- -stage 1
- -stage 2
- -stage 3

B form finding instance 2 dependency chain

- -stage 1
- -stage 2
- -stage 3
- -stage 4







2 conceptual design of the transformation

3 performative design model

- -regional design (1/50.000)
- -urban design (1/1.000)
- -building design (1/200)
- -production of scale models

A form finding instance 1 dependency chain

- -stage 1
- -stage 2
- -stage 3

B form finding instance 2 dependency chain


- -stage 1
- -stage 2
- -stage 3
- -stage 4

outdoor functions

transportation points	car and bike park dock for small boats marina
urban furniture	sit relax sunbathe sleep
walk	bridge connecting site to dike over road bridge connecting site to marina over water
play	children's' playground skate park cross cycle park

indoor functions

	info desk
entrance	
	wc's and lockers
	botanical garden shop
café	kitchen
	service space
	food storage
educational	workshop rooms
WILLIAM DATE OF THE STATE OF TH	presentation rooms
	plantal growing
	demonstration rooms
	meeting rooms
compartmentalisation	grassland
of nature as	forest
	water body
exhibition spaces	microclimate
storage	service entrance
	loading/unloading
	receiving office
	botanical maintenance materials storage
rooms for	
administration and staff	



2 conceptual design of the transformation

3 performative design model


- -regional design (1/50.000)
- -urban design (1/1.000)
- -building design (1/200)
- -production of scale models

A form finding instance 1 dependency chain

- -stage 1
- stage :
- -stage 3

B form finding instance 2 dependency chain

- -stage 1
- -stage 2
- -stage 3
- -stage 4





3 performative design model

-regional design (1/50.000) -urban design (1/1.000)

-building design (1/200)

-production of scale models

A form finding instance 1 dependency chain

-stage 1

-stage 2

-stage 3


B form finding instance 2 dependency chain

-stage 1

-stage 2

-stage 3

-stage 4





3 performative design model -regional design (1/50.000)

-urban design (1/1.000)

-building design (1/200)

-production of scale models

A form finding instance 1 dependency chain

-stage 1

-stage 2

-stage 3


B form finding instance 2 dependency chain

-stage 1

-stage 2

-stage 3

-stage 4



2 conceptual design of the transformation

3 performative design model

- -regional design (1/50.000)
- -urban design (1/1.000)
- -building design (1/200)
- -production of scale models


A form finding instance 1 dependency chain

- -stage 1
- -stage 2
- -stage 3


B form finding instance 2

dependency chair

- -stage 1
- -stage 2
- -stage 3
- -stage 4



1 design problem definition 2 conceptual design of the transformation 3 performative design model -regional design (1/50.000) -urban design (1/1.000) -building design (1/200) -production of scale models A form finding instance 1 dependency chain -stage 1 -stage 2 -stage 3 B form finding instance 2 dependency chain -stage 2 -stage 3 -stage 4



2 conceptual design of the transformation

3 performative design model

- -regional design (1/50.000)
- -urban design (1/1.000)
- -building design (1/200)
- -production of scale models

A form finding instance 1 dependency chain

- -stage 1
- -stage 2
- -stage 3

B form finding instance 2 dependency chain


- -stage 1
- -stage 2
- -stage 3
- -stage 4

outdoor functions

transportation points	car and bike park dock for small boats marina
urban furniture	sit relax sunbathe sleep
walk	bridge connecting site to dike over road bridge connecting site to marina over water
play	children's' playground skate park cross cycle park

indoor functions

entrance	info desk
	wc's and lockers
	botanical garden shop
café	kitchen
	service space
	food storage
educational	workshop rooms
WILLIAM DATE OF THE STATE OF TH	presentation rooms
	plantal growing
	demonstration rooms
	meeting rooms
compartmentalisation	grassland
of nature as	forest
or riacure as	water body
exhibition spaces	microclimate
storage	service entrance
: n o=	loading/unloading
	receiving office
	botanical maintenance materials storage
rooms for	
administration and staff	



1 design problem definition

2 conceptual design of the transformation

3 performative design model


- -regional design (1/50.000)
- -urban design (1/1.000)
- -building design (1/200)
- -production of scale models


A form finding instance 1 dependency chain


- -stage 1
- -stage 2
- -stage 3


B form finding instance 2 dependency chain


- -stage 1
- -stage
- -stage 3
- -stage 4












1 design problem definition 2 conceptual design of the transformation 3 performative design model -regional design (1/50.000) -urban design (1/1.000) -building design (1/200) -production of scale models A form finding instance 1 dependency chain -stage 1 -stage 2 -stage 3 B form finding instance 2 dependency chain -stage 1 -stage 2 -stage 4



1 design problem definition

2 conceptual design of the transformation

3 performative design model

- -regional design (1/50.000)
- -urban design (1/1.000)
- -building design (1/200)
- -production of scale models


A form finding instance 1 dependency chain

- -stage 1
- -stage 2
- -stage 3


B form finding instance 2 dependency chain

- -stage 1
- -stage 2
- -stage 3
- -stage [,]










3 performative design model


- 4 building design
- -plan
- -sectior
- -visualization
- -physical model
- -why performative





section BB




section AA






















3 performative design model

- 4 building design
- -plan
- -section
- -visualization
- -physical mode
- -why performative





3 performative design model


- 4 building design
- -plan
- -section
- -visualization
- -physical mode
- -why performative































revitalizing the fort as a new attraction point for new users provide direct connection to the fort and the barrack directing the users to experience the fort


1 design problem definition

- 2 conceptual design of the transformation
- 3 performative design model
- 4 building design
- -plan
- -section
- -visualization
- -physical model
- -why performative











- 2 conceptual design of the transformation
- 3 performative design model
- 4 building design
- -plan
- -section
- -visualization
- -physical model
- -why performative

5 design developme



curvature analysis




3 performative design model

- 4 building design
- -plan
- -section
- -visualization
- -physical model -why performative


THE PARTY OF THE P


5 design developme



Unroll glass parts











June 2010 September 2010 January 2011