







Entrance
 Administration
 Office
 Event hall
 Kitchen
 Common kitchen
 Storage
 nursing room
 Hairdressing
 Assistant living
 Washing
 Baby carriages
 Group room
 Sleeping room
 Children Toilet
 Play terrace
 reception








1. Entrance
2. Administration
3. Office
4. Event hall
5. Kitchen
6. Common kitchen
7. Storage
8. nursing room
9. Hairdressing
10. Assistant living
11. Washing
12. Baby carriages
13. Group room
14. Sleeping room
15. Children Toilet
16. Play terrace
17. reception
































0 4m



) 4m



200mm timber beams with insulation

25mm screed with underfloor heating

200mm existing I beams with insulation

25mm impact sound insulation 100mm laminated timber sheeting

200mm existing concrete slab

175mm insulation layer

Waterproof layer

12.5mm plywood sheathing

42/14mm brick tie, 75mm long, 450mm vertical spacing 102.5/65mm brick, English(?)/stretcher bond, 10mm mortar joints

Waterproof layer 100mm insulation layer with aluminium roof clips

50mm corrugated aluminium sheet

Corrugated aluminium sheet, standing seam roof system, black paint finish

Vapour barrier

Vapour barrier

180mm C purlins

12.5mm plaster borad

Existing timber truss

6 Roof construction

200mm reinforced concrete slab

60mm binding layer

150mm bed of gravel

22mm oak parquet

Vapour barrier

4 Old floor construction

2 Roof construction

10mm fibre mat

Vapour barrier

Two-layer bituminous seal 120mm insulation layer

350mm services cavity

100mm laminated timber sheeting

200mm laminated timber beam

12.5 suspended plaster board

Sedum planting in 80mm substrate layer

