

**Delft University of Technology** 

Correction to

# Deconvolution of the Functional Ultrasound Response in the Mouse Visual Pathway Using **Block-Term Decomposition**

Erol, Aybüke ; Soloukey, Chagajeg; Generowicz, Bastian; van Dorp, Nikki; Koekkoek, Sebastiaan; Kruizinga, Pieter; Hunyadi, Borbala

DOI

## 10.1007/s12021-022-09619-x

**Publication date** 2022

**Document Version** Final published version

Published in Neuroinformatics

# Citation (APA)

Erol, A., Soloúkey, C., Generowicz, B., van Dorp, N., Koekkoek, S., Kruizinga, P., & Hunyadi, B. (2022). Correction to: Deconvolution of the Functional Ultrasound Response in the Mouse Visual Pathway Using Block-Term Decomposition. Neuroinformatics, 21(2). https://doi.org/10.1007/s12021-022-09619-x

### Important note

To cite this publication, please use the final published version (if applicable). Please check the document version above.

Copyright Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.

CORRECTION



# Correction to: Deconvolution of the Functional Ultrasound Response in the Mouse Visual Pathway Using Block-Term Decomposition

Aybüke Erol<sup>1</sup> · Chagajeg Soloukey<sup>2</sup> · Bastian Generowicz<sup>2</sup> · Nikki van Dorp<sup>2</sup> · Sebastiaan Koekkoek<sup>2</sup> · Pieter Kruizinga<sup>2</sup> · Borbála Hunyadi<sup>1</sup>

Published online: 26 December 2022 © The Author(s) 2022

# Correction to: Neuroinformatics https://doi.org/10.1007/s12021-022-09613-3

The original version of this article was revised to update the Figure 8 (panel B) image. The correct image should have a yellow shape as presented below.



The original article can be found online at https://doi.org/10.1007/s12021-022-09613-3.

- <sup>1</sup> Circuits and Systems (CAS), Department of Microelectronics, Delft University of Technology, Mekelweg 5, Delft 2628 CD, The Netherlands
- <sup>2</sup> Center for Ultrasound and Brain Imaging at Erasmus MC (CUBE), Department of Neuroscience, Erasmus Medical Center, Doctor Molewaterplein 40, Rotterdam 3015 GD, The Netherlands

The original article has been corrected.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Aybüke Erol a.erol@tudelft.nl