



CoLi Flow | Reviving the Cauliflower Neighbourhoods




North Facade | 1:200




South Facade | 1:200



West Facade | 1:200




East Facade | 1:200




Situation | 1:1000




Ground Floor | 1:200



First Floor | 1:200




Second Floor | 1:200




Roof | 1:200

CoLi Flow | CoHousing


Detail C2.3
1:10




Detail C1.1
1:10




Detail C3.1
1:10





Detail C2.1
1:10



Detail C0.1
1:10



Detail C0.2
1:10




Section CoHousing | 1:200




Fragment Exterior




Fragment interior



Fragment Section



Fragment Floorplan




Ground Floor | 1:50

Facade Fragment
1:20

CoLi Flow | Family Houses

Facade Fragment Family House



1:20












Fragment Exterior



Fragment interior




Fragment Floorplan




CoLi Flow | Construction


Foundation + Ground Floor | 1:200




Foundation + ground floor
1:200




First floor + underlaying construction
1:200




Second floor + underlaying construction
1:200



Roof + underlaying construction
1:200



Construction Joints




Connection Columns
with Foundation

Connection Columns
with beams

Connection Columns
and Beams Pergola


Climate

Family Houses | 1:100




- Minimalise energy demand**
 - 1 | Insulation layer
 - 2 | Triple glas
 - 3 | Sunroom (passive energy)
 - 4 | Green roof
 - 5 | Sunshade
- Use available energy flows**
 - 6 | Thermal mass
 - 7 | Heat recovery ventilation (HRV)unit
 - 8 | Heat pump
- Renewable energy**
 - 9 | Solar energy
- Sustainable materials**
 - 10 | Biobased
- Limit use of drinking water**
 - 11 | Use of rainwater

Summer




- Minimalise energy demand**
 - 1 | Insulation layer
 - 2 | Triple glas
 - 3 | Sunroom (passive energy)
 - 4 | Green roof
 - 5 | Sunshade
- Use available energy flows**
 - 7 | Heat recovery ventilation (HRV)unit (heat recovery off)
 - 8 | Heat pump for floor cooling + hot tap water
- Renewable energy**
 - 9 | Solar energy
- Sustainable materials**
 - 10 | Biobased
- Limit use of drinking water**
 - 11 | Use of rainwater

Winter



- Minimalise energy demand**
 - 1 | Insulation layer
 - 2 | Triple glas
 - 3 | Sunroom (passive energy)
 - 4 | Green roof
- Use available energy flows**
 - 6 | Thermal mass
 - 7 | Heat recovery ventilation (HRV)unit
 - 8 | Heat pump (for floor heating + hot tap water)
- Renewable energy**
 - 9 | Solar energy
- Sustainable materials**
 - 10 | Biobased
- Limit use of drinking water**
 - 11 | Use of rainwater

CoHousing | 1:100




- Minimalise energy demand**
 - 1 | Insulation layer
 - 2 | Triple glas
 - 3 | Sunroom (passive energy)
 - 4 | Green roof
- Use available energy flows**
 - 7 | Heat recovery ventilation (HRV)unit
 - 8 | Heat pump
- Renewable energy**
 - 9 | Solar energy
- Sustainable materials**
 - 10 | Biobased
- Limit use of drinking water**
 - 11 | Use of rainwater



Sunroom for year-round outdoor seating

Breathable materials

For a healthy indoor climate



- Biobased materials**
 - 1 | Wooden facade
 - 2 | Timber frame wall
 - 3 | MDF board Agepan protect
 - 4 | wood fiber insulation
 - 5 | wood fiber board, Agepan Install
 - 6 | Clay board