









Specific Site Location:




Revitalized Plan:

Extension to Old Structure as new shelter for Cultral Ecology



Existing Building Condition: Vacant Fabrica Building




Existing Building Condition: Vacant Fabrica Building


- 1. Studio for Rent
- 2. Concept Store
- 3. Gallery Space
- 4. Project Space
- 5. Lecture Room
- 6. Toilet












Level of Institution,

1st Floor




Level of Institution,

2nd Floor




Level of Creative Offices


3rd Floor




Level of Creative Offices

4th Floor






Existing Building Condition: Gas Station at Traffic Conjunction




Transition Plan

Workshop Spaces and Performer Room in Wings,
Foyer as Performing Space




Extension Plan, Gf Converted Gas Station as Event Stage


- 1. Entrance
- 2. Foyer Lounge
- 3. Reception
- 4. Cloak Room
- 5. Toilets
- 6. Foyer Steps (secondary performing space)
- 7. Small Studio Theater
- 8. Main Auditorium
- 9. Stage
- 10. Backstage
- 11. Changing Rooms
- 12. Green Room
- 13. Workshop
- 14. Scenic Deck
- 15. Dropoff





Extension Plan, 1fConverted Gas Station as Event Stage












Structural Composition



1:5 Facade Detail

BT: Theater Facade Detail

New Polycarbonate Facade Extension to Gas Station

- 01 PVC White Roof Membrane
- 02 Steel Eaves Profile PDA65100 03 Sheet Metal Clip **Insulation Panel**
- Vapour Barrier Glued Laminated Timber Parpet
- Rigid Plastic Foam Board 04 Sealant & Backer Roo
- 05 Thermally Broken Framing
- 06 Frame Attachment Fastener 07 Low-Friction Gasketing
- 08 Polycarbonate multiple-websheets, 40x500mm
- U-value= 1.65 W/m²K 09 Girder (Tee-Steel, 160*160*16.5)
- 10 Manufactured Joint of Corrugated polycarbonate

11 Aluminium Joint (Full Height) 12 Glulam rail, spruce, 60x280mm

Vapour Barrier 17 Concrete

18 300mm Rigid Gravel Water Proof Layer

16 Rigid Insulation

- 19 Motor for vertical lift door 20 Door Driveshaft
- 21 Door Drivegear22 Steel I-Section Track

13 Round steel bar, 12mm dia

14 Thin Double Steel Column

15 Bamboo Casted Concrete

- 23 Polycarbonate Translucent Gate
- 24 Counter-Weight 25 Timber Block 26 I-Profiled Secondary Steel Beam
- 27 L-Profile Steel Angle 160*160 28 Operable Glazing
- 29 Gutter 30,31 Fixings, Pine Battens 40* 20

