

Document Version

Final published version

Licence

CC BY

Citation (APA)

Achterberg, M. A., & Kooij, R. E. (2026). On the Non-Submodularity of the Problem of Adding Links to Minimize the Effective Graph Resistance. *Journal of Graph Algorithms and Applications*, 30(1), 109-132.
<https://doi.org/10.7155/jgaa.v30i1.3192>

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright


In case the licence states "Dutch Copyright Act (Article 25fa)", this publication was made available Green Open Access via the TU Delft Institutional Repository pursuant to Dutch Copyright Act (Article 25fa, the Taverne amendment). This provision does not affect copyright ownership.
Unless copyright is transferred by contract or statute, it remains with the copyright holder.

Sharing and reuse

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.



On the Non-Submodularity of the Problem of Adding Links to Minimize the Effective Graph Resistance

Massimo A. Achterberg¹ Robert E. Kooij^{1,2}

¹Faculty of Electrical Engineering, Mathematics and Computer Science, Delft University of Technology, P.O. Box 5031, 2600 GA Delft, The Netherlands

²Unit ICT, Strategy & Policy, TNO (Netherlands Organisation for Applied Scientific Research), P.O. Box 96800, 2509 JE, Den Haag, The Netherlands

Submitted: August 2024 Accepted: March 2026 Published: March 2026

Communicated by: P. Ferragina

Abstract. We consider the optimisation problem of adding k links to a given network, such that the resulting effective graph resistance is as small as possible. The problem was recently proven to be NP-hard, such that obtaining optimal solutions through brute-force methods is infeasible for any graph of realistic size. It is common in such cases to use a simple greedy algorithm to obtain an approximation of the optimal solution. It is known that if the considered problem is submodular, the quality of the greedy solution can be guaranteed. However, the considered optimisation problem is known to be not submodular. For such cases one can use the notion of generalized submodularity, which is captured by the submodularity ratio γ . A performance bound, which is a function of γ , also exists in case of generalized submodularity. In this paper we give an example of a family of graphs where the submodularity ratio approaches zero, implying that the solution quality of the greedy algorithm cannot be guaranteed through the concept of generalized submodularity, at least, according to the currently available theoretical results. Finally, we conduct some numerical experiments on small graphs. Even though we lack a theory to guarantee the performance of the greedy algorithm, the experiments show that the greedy algorithm leads to near-optimal solutions.

1 Introduction

Many network metrics have been utilised to quantify the robustness of a network, see for instance [32, 34, 15, 36, 3]. Freitas *et al.* [16] classify robustness metrics into three types: metrics based on structural properties, such as edge connectivity or diameter; metrics based on the spectrum of the adjacency matrix, such as the spectral radius or spectral gap; and metrics based on

E-mail addresses: M.A.Achterberg@tudelft.nl (Massimo A. Achterberg) R.E.Kooij@tudelft.nl (Robert E. Kooij)



This work is licensed under the terms of the [CC-BY](https://creativecommons.org/licenses/by/4.0/) license.

the spectrum of the Laplacian matrix, for instance the algebraic connectivity and the effective graph resistance. The robustness is considered optimal for a complete network and minimal for disconnected networks. In this paper we consider the k -Graph Robustness Improvement Problem (k -GRIP) [33], in which one has to decide where k links are to be added to a given network G , such that the robustness is optimised. The set of placeable positions is not necessarily all currently non-existing links – there may be additional constraints. We call the set of placeable links W and denote the robustness measure by f . From here onward, we assume that the set of placeable links W equals all non-existing links, unless otherwise specified.

For many choices of the robustness metric f , k -GRIP is known to be NP-hard, see for instance [27], [42], [21], [23], [12]. To overcome the difficulty of finding the optimal solution (often only possible using a brute-force algorithm), we apply a simple greedy algorithm. Out of all placeable links W , at each step the greedy algorithm selects a single link to add. This procedure is repeated until k links are added. The greedy algorithm often performs well in practice, but the solution quality in general cannot be guaranteed.

The notion of submodularity was introduced by Nemhauser *et al.* [28] as a tool to guarantee the performance of the greedy algorithm. Submodularity implies that adding one element to a large set has relatively small influence, whereas it has a stronger influence on a small set. Nemhauser *et al.* [28] proved that if the robustness metric satisfies the submodularity condition, the corresponding optimisation problem can be solved with a polynomial-time greedy algorithm, whose performance is at least a factor $(1 - \frac{1}{e})$ -close to the optimal solution, and moreover, there does not exist any better algorithm with the same complexity. A recent overview of submodularity is provided by [5]. The concept of submodularity was generalised by Das and Kempe [11] by introducing the submodularity ratio γ and was further generalised with the concept of curvature α in [38, 2] and for nonmonotone metrics [35].

In this paper we consider the effective graph resistance [13] as the robustness metric. The effective graph resistance not only covers the shortest path between any pair of nodes, but incorporates all paths between any two nodes. It has been shown in [39] that the problem of minimizing the effective graph resistance upon the addition of k links is non-submodular. In this paper we give an example of a family of graphs where the submodularity ratio approaches zero, implying that, even by using the concept of generalized submodularity, the solution quality of the greedy algorithm cannot be guaranteed, at least, according to the currently available theoretical results.

The remainder of the paper is as follows. We first show related work in Section 2. Section 3 formally introduces the k -GRIP optimisation problem. We proceed by providing a counterexample for generalised submodularity in Section 4 for k -GRIP with the effective graph resistance. We compare the greedy algorithm with the brute-force method for many small graphs in Section 5 and show that the greedy algorithm provides near-optimal solutions, even though we currently lack theoretical results which provides a performance guarantee. Finally, we conclude in Section 6.

2 Related Work

Several researchers investigated k -GRIP for specific robustness metrics. For instance, [43] considered 1-GRIP, with as robustness metric the algebraic connectivity, i.e. the second-smallest eigenvalue of the Laplacian matrix Q . They suggest several strategies, based upon topological and spectral properties of the graph, to decide which single link to add to the network, in order to increase the algebraic connectivity as much as possible. The algebraic connectivity for k -GRIP was considered by [18, Chapter 8]. Under some light conditions, lower bounds for the quality of the greedy solution were obtained. It might be argued that the algebraic connectivity is not a proper

robustness metric, because there are examples where adding a link to a graph, does not change the algebraic connectivity, see [19]. The NP-hardness of k -GRIP for the algebraic connectivity was proved in [27]. A nice overview of k -GRIP for the algebraic connectivity is presented in [22], see the references [5–16] therein.

Shan *et al.* [37] considered the node resistance as robustness metric, which is the sum of the effective resistances from one source node v to all other nodes. They assume W is the set of non-existing links from the source node v . In that case, the node resistance is shown to be submodular. Papagelis [29] shows that k -GRIP with the average shortest path length as a robustness metric does not satisfy the submodularity constraint, but accurate greedy solutions can be obtained. Van Mieghem *et al.* [42] consider a link removal problem with the spectral radius (largest eigenvalue of the adjacency matrix) as a robustness metric and prove this problem is NP-hard. Baras and Hovareshti [1] consider the problem of adding k links to a given network, such that the number of spanning trees in the graph is maximised. The NP-hardness of k -GRIP for the number of spanning trees is discussed in [23]. Perumal *et al.* [30] consider k -GRIP for node eccentricity, which is the maximum of the shortest path lengths from a given node to all other nodes in the network. Similarly, Lu *et al.* [25] optimize the resistance eccentricity, i.e. the maximum of the effective resistances from a given node to all other nodes in the network. It is shown that the corresponding k -GRIP is not submodular. Crescenzi *et al.* [10] consider k -GRIP both for closeness and betweenness centrality. They assume W is the set of non-existing links from the source node v . In that case, it is shown that k -GRIP is submodular, both for closeness and betweenness centrality.

In this paper we consider the effective graph resistance (also known as the Kirchhoff index), which was proposed as robustness metric in [13]. The NP-hardness of k -GRIP for the effective graph resistance was recently proven in [21]. Summers *et al.* [40] attempted to prove that k -GRIP with the effective graph resistance is submodular. Later, they corrected their own statement in an online document [39], showing a counterexample for submodularity. Nevertheless, the greedy algorithm appears to yield near-optimal solutions. Wang *et al.* [44] considered adding a single link and derived bounds for the quality of the greedy algorithm. They additionally investigated different strategies to find the optimal link to add. Pizzuti and Socievole [31] introduce a genetic algorithm as a heuristic to find the best link to add. Clemente and Cornaro [9] derived bounds for the effective graph resistance after adding/removing one or multiple links. Ghosh *et al.* [17] considered the case of weighted links, under a fixed allocation budget, for which an efficient (polynomial-time) algorithm is provided. Etesami [14] and Chan *et al.* [4] consider maximising and minimizing the effective graph resistance between source node s and target node t under a fixed allocation budget, respectively.

Results for k -GRIP may, besides the considered robustness metric, also depend on the optimisation problem itself. For example, [8, 6, 7] consider a node-selection optimisation problem with the effective graph resistance as robustness metric, whereas k -GRIP considers link addition with the effective graph resistance, which is fundamentally different. Even though the objective function is the same (minimising the effective graph resistance), the problem constraints are very different. In their case, submodularity of the effective graph resistance holds, whereas in our case, we prove that the considered problem does not even satisfy the condition of generalized submodularity.

3 Background

In this paper we consider undirected, connected simple graphs $G = (V, E)$ without self-loops. Here V denotes the set of N vertices, while E is the set of L links connecting vertex pairs of V . The notation $i \sim j$ indicates that nodes i and j are adjacent in G . We let $G^c = (V, E^c)$ denote the

complementary graph of G , where $E^c = \{(u, v) | u, v \in V, u \neq v, (u, v) \notin E\}$. The adjacency matrix A of G is an $N \times N$ symmetric matrix with elements a_{ij} that are either 1 or 0 depending on whether there is a link between nodes i and j or not. The Laplacian matrix Q of G is an $N \times N$ symmetric matrix $Q = \Delta - A$, where $\Delta = \text{diag}(d_i)$ is the $N \times N$ diagonal degree matrix with the elements $d_i = \sum_{j=1}^N a_{ij}$. The eigenvalues of Q are real and non-negative and can be ordered as $0 = \mu_1 \leq \mu_2 \leq \dots \leq \mu_N$.

Interpreting the graph G as an electrical network whose edges are resistors of 1Ω , the effective resistance ω_{ij} between node i and j can be computed based on Kirchoff's circuit laws, where it is assumed that a unit current is injected into G at i and extracted at j . Then the *effective graph resistance* R_G , also known as the *Kirchhoff index*, is defined as the sum of the effective resistances over all node pairs [20]:

$$R_G(G) = \sum_{1 \leq i < j \leq N} \omega_{ij}. \quad (1)$$

The effective graph resistance R_G can also be related to eigenvalues of the Laplacian matrix Q in the following way [13]

$$R_G = N \sum_{i=2}^N \frac{1}{\mu_i} \quad (2)$$

where μ_i denotes the i^{th} eigenvalue of the Laplacian matrix Q , where the eigenvalues are ordered from small to large.

We can now formally formulate the optimization problem we want to address.

Problem 1 (k -GRIP for the effective graph resistance). *Given an undirected, connected, simple graph $G = (V, E)$ and a non-negative integer k , find a subset $B \subseteq E^c$ of size $|B| = k$ which minimizes the effective graph resistance $R_G(H)$ for the graph $H = (V, E \cup B)$.*

In order to formulate the performance bound for the greedy algorithm given by [28], we first need two definitions.

Definition 2. *A set function f is monotonically increasing if and only if $f(S) \leq f(T)$ for all $S \subseteq T$.*

The notion of submodularity is defined as follows.

Definition 3 ([28]). *A function f on a set W is called **submodular** if*

$$f(S \cup \{v\}) - f(S) \geq f(R \cup \{v\}) - f(R) \quad (3)$$

for all $S \subseteq R \subset W$ and all $v \in W \setminus R$.

Next consider the cardinality-constrained maximization problem

$$\max\{f(S) : |S| = k, S \subset W\}. \quad (4)$$

We apply the following greedy algorithm to this maximization problem: *add recursively the edge $e \in W$ that maximizes f until k edges have been added.*

According to [28], if f is a nondecreasing, submodular function, then the greedy algorithm has

the following guaranteed solution quality for the cardinality-constrained maximization problem Eq.(4):

$$f_{\text{greedy}} \geq (1 - e^{-1}) f_{\text{optimal}} \tag{5}$$

where we can assume without loss of generality that $f(\emptyset) = 0$,

Note that Eq.(5) requires that the set function f is nondecreasing. However, the effective graph resistance is known to be monotonically decreasing upon the addition of links [13]. Therefore, instead of using R_G as robustness metric, we propose to apply a linear rescaling to R_G , such that the resulting metric is monotonically increasing upon the addition of links. This can be achieved by considering $a - bR_G$, with $b > 0$. The submodularity condition Eq.(3) now becomes

$$R_G(S) - R_G(S \cup \{v\}) \geq R_G(R) - R_G(R \cup \{v\}) \tag{6}$$

Then, for a given graph G , choosing $a = R_G(\emptyset)$ and $b = 1$, we define as robustness metric that we want to optimize, by the addition of a subset of links $B \subseteq E^c$ of size $|B| = k$,

$$r_G(B) = R_G(\emptyset) - R_G(B) \tag{7}$$

We refer to r_G as the *rescaled effective graph resistance*. Note that the rescaled effective graph resistance satisfies $r_G(\emptyset) = 0$.

The scaling Eq.(7) applied to R_G is a linear function of R_G and hence the simplest way to map R_G to an increasing function. Of course we could also use a nonlinear mapping for this, for instance we could consider as robustness metric $C_G = \frac{N-1}{R_G}$, sometimes referred to as the effective graph conductance [44]. We will show later that the non-submodularity of the rescaled effective graph resistance also implies the non-submodularity of the effective graph conductance.

Using Eq.(7) we can reformulate Problem 1 as an optimization problem for r_G :

Problem 4. (*k-GRIP for the rescaled effective graph resistance*) *Given an undirected, connected, simple graph $G = (V, E)$ and a non-negative integer k , find a subset $B \subseteq E^c$ of size $|B| = k$ which maximizes the rescaled effective graph resistance r_G for the graph $H = (V, E \cup B)$.*

It was shown by Summers et al. [39] that the function r_G is not submodular. In order to deal with non-submodular functions, the notion of submodularity can be extended as follows:

Definition 5 ([11]). *The **submodularity ratio** γ of a function f on a set W is the largest γ in the interval $[0, 1]$ that satisfies*

$$f(S \cup \{v\}) - f(S) \geq \gamma(f(R \cup \{v\}) - f(R))$$

for all $S \subseteq R \subset W$ and all $v \in W \setminus R$.

If $\gamma = 1$, the function f is submodular. If $0 < \gamma < 1$, the function f is called generalised submodular. The submodularity ratio γ quantifies how close the metric f is to being submodular.

We will now show that for a given graph G , assuming that W represents the set of L^c non-existing links, computing γ by verifying all possible choices for the sets S, R and W , is very time-consuming. First, we require that $v \in W \setminus R$, so there are L^c possible choices for v . Then only $L^c - 1$ elements remain for S and W . Now let m be the size of the set S . Note that S can be empty. It is required that S and R are not equal to W , because $v \in W \setminus R$. So, the size m of the set S runs from $m = 0$ to $m = L^c - 1$. For a given m , there are exactly $\binom{L^c-1}{m}$ possibilities

to choose m elements out of a total of $L^c - 1$ elements. There are no further constraints for the set S . After choosing S , the set R can still contain $L^c - m - 1$ elements. Thus, in total there are $2^{L^c - m - 1}$ possibilities for the set R . Then we conclude that

$$\#(S, R, v) = L^c \sum_{m=0}^{L^c-1} \binom{L^c-1}{m} 2^{L^c-m-1} = L^c \cdot 3^{L^c-1}$$

which grows extremely fast with the number of non-existent links L^c . For each combination of S, R and v , the effective graph resistance must be computed. Using Eq.(2), the effective graph resistance can be computed in $\mathcal{O}(N^3)$ operations. Thus, verifying Definition 5 requires $\mathcal{O}(N^3 \cdot L^c \cdot 3^{L^c-1})$ operations, which is infeasible for any moderately-sized graph.

We now state the greedy algorithm of k -GRIP for the rescaled effective graph resistance r_G in Algorithm 1. Greedy Algorithm 1 runs in $\mathcal{O}(k \cdot W \cdot |f|)$ operations, where $|f|$ is the computation time of the metric f . Calculating the effective graph resistance using Eq.(2) requires $\mathcal{O}(N^3)$ operations. Thus, the greedy algorithm requires $\mathcal{O}(kN^5)$ operations for sparse graphs.

Algorithm 1 Greedy algorithm for k -GRIP.

```

1: Given graph  $G_1$ , set of placeable links  $W$  and number  $k$  of links to be placed.
2: for  $i = 1, \dots, k$  do
3:    $r_{G,\text{opt}} \leftarrow \infty$ 
4:    $W_{\text{opt}} \leftarrow \emptyset$ 
5:   for  $j = 1, \dots, |W|$  do
6:     Compute rescaled effective graph resistance  $r_G$  of  $G_i \cup \{W_j\}$ 
7:     if  $r_G(G_i \cup W_j) > r_{G,\text{opt}}$  then
8:        $W_{\text{opt}} \leftarrow W_j$ 
9:        $r_{G,\text{opt}} \leftarrow r_G(G_i \cup \{W_j\})$ 
10:    end if
11:  end for
12:   $G_{i+1} \leftarrow G_i \cup \{W_{\text{opt}}\}$ 
13:   $W \leftarrow W \setminus W_j$ 
14: end for
15: Output:  $G_{k+1}$ 

```

Because r_G is not submodular, the performance bound of [28], i.e. the $(1 - \frac{1}{e})$ -closeness of the greedy solution to the optimal one, see Eq.(3), is not guaranteed. However, a performance bound which also takes into account the concept of curvature does exist for non-submodular functions.

The curvature α is defined as follows:

Definition 6 ([2]). *The curvature α of a function f on a set W is the smallest α in the interval $[0, 1]$ that satisfies*

$$f(S \cup \Omega) - f((S \setminus v) \cup \Omega) \geq (1 - \alpha)(f(S) - f(S \setminus v))$$

for all $\Omega, S \subset W$ and all $v \in S \setminus \Omega$.

The curvature α quantifies how close f is to being supermodular. A function is called supermodular if $-f$ is submodular, where supermodularity corresponds to $\alpha = 0$.

The following result holds for non-submodular functions:

Theorem 7 ([2]). *Let f be a monotonically increasing, nonnegative function with submodularity ratio $\gamma \in [0, 1]$ and curvature $\alpha \in [0, 1]$, where, without loss of generality, $f(\emptyset) = 0$. Then the greedy Algorithm 1 has the following guaranteed solution quality:*

$$f_{\text{greedy}} \geq \frac{1}{\alpha} (1 - e^{-\gamma\alpha}) f_{\text{optimal}} \tag{8}$$

Recently [24] improved the result in Theorem 7 as follows:

$$f_{\text{greedy}} \geq (1 - (1 - \gamma + \gamma\alpha)e^{-\gamma})f_{\text{optimal}} \tag{9}$$

Note that for $\alpha = 1$ and $\gamma = 1$, Eqs.(8)–(9) both lead to the performance guarantee given in Eq.(5). In case $\gamma = 0$, the Eqs.(8)–(9) both simplify to $f_{\text{greedy}} \geq 0$, which does not provide any performance guarantee, because it was already assumed that f was nonnegative. Note that for $f \equiv r_G$ and by using Eq.(7), $f_{\text{greedy}} \geq 0$ is equivalent to $R_G(S_{\text{greedy}}) \leq R_G(\emptyset)$, where S_{greedy} denotes the set of links added to the original graph, following the greedy algorithm. Indeed this does not provide any new insight because it is already known that R_G is a monotonically decreasing function.

In this paper we will construct a family of graphs for which $\gamma \rightarrow 0$ for $N \rightarrow \infty$.

4 A Counterexample for Generalized Submodularity

Summers *et al.* [39] have already shown that the rescaled effective graph resistance r_G does not satisfy submodularity (see Definition 3). Their counterexample, which is also the smallest possible counterexample, is a graph with $N = 5$ nodes shown in Fig. 1. Starting point is a graph G with 5 nodes and 5 links, denoted as solid black lines. The set S is the empty set, while the element v is the link between nodes 1 and 2, represented by a dashed green line. The set R is the link between nodes 2 and 3, represented by a dotted red line.

To compute γ for this case we need to determine the ratio of $r_G(G \cup \{v\}) - r_G(G)$ and $r_G(G \cup R \cup \{v\}) - r_G(G \cup R)$. Using Eq.(7), this comes down to computing the ratio between $R_G(G) - R_G(G \cup \{v\})$ and $R_G(G \cup R) - R_G(G \cup R \cup \{v\})$. Evaluation of the 4 involved expressions gives $R_G(G) \approx 13.33$, $R_G(G \cup \{v\}) = 10.25$, $R_G(G \cup R) = 10.25$ and $R_G(G \cup R \cup \{v\}) \approx 6.95$. Thus the gain of adding the element v (the dashed green link) to the original graph (the graph G) is approximately equal to $13.33 - 10.25 = 3.08$ while adding the element v to the augmented graph (the graph G with the link R added), gives a larger gain of approximately $10.25 - 6.95 = 3.30$. Clearly this opposes the definition of submodularity. Thus, k -GRIP for the rescaled effective graph resistance is not submodular. We can also deduce from the example that $\gamma \leq \frac{3.08}{3.30} \approx 0.93$.

The example above can also be used to show that the effective graph conductance C_G is not submodular. Considering the same graph G and the sets S, R and v , we obtain $\frac{1}{R_G(S \cup \{v\})} - \frac{1}{R_G(S)} \approx \frac{1}{10.25} - \frac{1}{10.33} \approx 0.023$ while $\frac{1}{R_G(R \cup \{v\})} - \frac{1}{R_G(R)} \approx \frac{1}{6.95} - \frac{1}{10.25} \approx 0.046$, implying that the submodularity ratio for the effective graph conductance is at most $\frac{0.023}{0.046} \approx 0.49$.

The results above can be improved by showing that both the rescaled effective graph resistance and the effective graph resistance do not satisfy generalised submodularity. It is sufficient to construct a counterexample where $\gamma \rightarrow 0$. As a consequence, Eqs.(8)–(9) imply that the greedy solution does not have any guaranteed performance, at least according to the currently available theorems.

To construct a counterexample we consider a graph G on $2N$ nodes, $N \geq 4, N$ even. We start




Figure 1: The smallest counterexample showing that the rescaled effective graph resistance r_G in k -GRIP is not submodular, see [39]. The graph G consists of 5 nodes with 5 links, denoted as solid black lines. The set S is the empty set, while the element v is the link between nodes 1 and 2, represented by a dashed green line. The set R is the link between nodes 2 and 3, represented by a dotted red line.

building the graph G by first considering a complete bipartite graph $K_{2,N-2}$ on N nodes. We define node i and j to be the nodes in the group with 2 nodes. Then, we select two nodes from the group with $N - 2$ nodes and attach a path graph of length $N/2$ to each of those nodes. The resulting graph G is depicted in Fig. 2a. Again, we assume the set S is the empty set.

The element v is taken to be the link between node i and j , as visualised in Fig. 2b, represented by a dashed green line. The set R contains two links: we connect the end of one path graph to node i and the end of the other path graph to node j . The links in the set R are represented by dotted red lines, see Fig. 2c. Finally, Fig. 2d shows graph G augmented with the sets R and v .

We now present our main results.

Theorem 8. *Consider the graph G depicted in Fig. 2, the element v and the set R . Then the following holds*

$$R_G(G) - R_G(G \cup \{v\}) = \frac{4}{N-2} \quad (10)$$

and

$$R_G(G \cup R) - R_G(G \cup R \cup \{v\}) = \frac{2N(N+3)(N+4)(N+5)}{3(N+1)(N+2)(N^2+N-4)} \quad (11)$$

Proof: See Appendix A. □

Theorem 9. *Consider the graph G depicted in Fig. 2. Then the submodularity ratio for k -GRIP for the rescaled effective graph resistance r_G satisfies*

$$\gamma \leq \frac{6(N+1)(N+2)(N^2+N-4)}{(N-2)N(N+3)(N+4)(N+5)} = \gamma^* \quad (12)$$

which, for large N converges to zero. In other words, the rescaled effective graph resistance r_G is not generalised submodular and the accuracy bounds from Eqs.(8)–(9) do not provide any guaranteed performance for the greedy algorithm.

Proof: We already observed that in order to estimate γ for the rescaled effective graph resistance we need to determine the ratio of $r_G(G \cup \{v\}) - r_G(G)$ and $r_G(G \cup R \cup \{v\}) - r_G(G \cup R)$, which equals the ratio between $R_G(G) - R_G(G \cup \{v\})$ and $R_G(G \cup R) - R_G(G \cup R \cup \{v\})$, according to Eq.(7). Hence, Eq.(12) follows from Eqs.(10)–(11). □

Note that the right-hand side of Eq.(12) asymptotically behaves as $6/N$. Fig. 3 depicts the exact upper bound for γ and its asymptote. For $2N \geq 100$, both curves are nearly indistinguishable.

We will now show that the result for the rescaled effective graph resistance r_G in Theorem 9 can be extended to the effective graph conductance C_G .




Figure 2: The graph G consists of $2N$ nodes; two path graphs with $N/2$ nodes are attached to a complete bipartite graph $K_{2,N-2}$ on N nodes. The element v is the dashed green link in the complete bipartite graph between node i and j . The set R , represented by dotted red links, is the union of the link connecting node i with the left-most node of the graph and the link connecting node j with the right-most node of the graph. In this example, $N = 6$.

Theorem 10. Consider the graph G depicted in Fig. 2. Then the submodularity ratio for k -GRIP for the effective graph conductance C_G converges to zero, for large N . In other words, the effective graph conductance C_G is not generalised submodular and the accuracy bounds from Eqs.(8)–(9) do




Figure 3: The upper bound on the submodularity ratio γ according to Eq.(12) and its asymptote $6/N$ for various values of N .

not provide any guaranteed performance for the greedy algorithm.

Proof: For a set function f on a set W , the submodularity ratio γ from Definition 5 can be rewritten as

$$\gamma \leq \frac{f(S \cup v) - f(S)}{f(R \cup v) - f(R)} \quad (13)$$

- for all for all $S \subseteq R \subset W$ and all $v \in W \setminus R$.

Throughout our proof in Section 4, we have considered Eq.(7);

$$f(B) = R_G(\emptyset) - R_G(B),$$

which leads to

$$\gamma \leq \frac{R_G(S) - R_G(S \cup v)}{R_G(R) - R_G(R \cup v)} \quad (14)$$

If we now consider the graph G and sets S, R and v that we used to prove Theorem 8, then we obtain from Eq.(14)

$$\gamma \leq \gamma^*, \quad (15)$$

where $\gamma^* \rightarrow 0$ as $N \rightarrow \infty$.

Now, instead of using the rescaled effective graph resistance Eq.(7), let us consider the effective graph conductance, i.e. $f = \frac{N-1}{R_G}$. Then Eq.(13) implies

$$\gamma \leq \frac{R_G(R)R_G(R \cup v)}{R_G(S)R_G(S \cup v)} \cdot \frac{R_G(S) - R_G(S \cup v)}{R_G(R) - R_G(R \cup v)} \quad (16)$$

The second fraction is equal to γ^* , according to Eqs.(14)-(15). The effective graph resistance R_G is a decreasing function upon the addition of links. Therefore because in our constructed graph it holds that $S \subset R$, it follows that $R_G(S) > R_G(R)$ and $R_G(S \cup v) > R_G(R \cup v)$. Therefore the first fraction in Eq.(16) is smaller than 1. As a result it holds that the submodularity ratio γ for the effective graph conductance is smaller than γ^* . Because $\gamma^* \rightarrow 0$ as $N \rightarrow \infty$ we have proven that the effective graph conductance is also not generalised modular in the k -GRIP problem. \square

The above results can be generalized as follows

Theorem 11. *Consider a monotonically decreasing, positive set function f . Choose a constant f_0 such that $f_0 - f$ is non-negative. Then the submodularity ratio of $1/f$ is smaller or equal to the submodularity ratio of $f_0 - f$. As a result, if $f_0 - f$ is not generalised submodular, then $1/f$ is also not generalised submodular.*

The proof is similar to that of Theorem 10 and is therefore omitted.

5 The Quality of the Greedy Algorithm

The counterexample from Theorem 9 demonstrates that the quality of the greedy solution cannot be guaranteed with the currently available theorems. However, *this does not necessarily imply that the greedy algorithm actually performs bad.*

In this section, we perform numerical experiments to measure the performance of the greedy algorithm. We define the efficiency η of the greedy algorithm as

$$\eta = \frac{r_{G,\text{greedy}}}{r_{G,\text{optimal}}} = \frac{R_G(\emptyset) - R_G(S_{\text{greedy}})}{R_G(\emptyset) - R_G(S_{\text{optimal}})},$$

where S_{greedy} denotes the set of links added to the original graph according to the greedy algorithm and S_{optimal} denotes the set of links to be added that maximizes the rescaled effective graph resistance.

If the efficiency $\eta = 1$, the greedy algorithm provides the optimal solution. If the efficiency $\eta < 1$, the greedy algorithm produces a sub-optimal solution. Note that if the function we optimize, namely r_G , would be submodular, then by Eq. (8) it would be guaranteed that $\eta \geq 1 - e^{-1} \approx 0.6321$.

We determine the accuracy of the greedy algorithm by looking at small graphs, i.e. graphs on at most 10 nodes. For each graph we compute the effective graph resistance using Eq.(2). We consider $2 \leq k \leq 6$ links to be added by the greedy algorithm, which we then compare with the optimal value, which we obtain by a brute-force approach. Remark that for $k = 1$, the optimal and the greedy algorithm coincide. We generate all non-isomorphic, connected graphs using Nauty and Traces [26]. Out of all non-isomorphic connected graphs, we compute the smallest efficiency η_{\min} for $5 \leq N \leq 10$ and $2 \leq k \leq 6$, which are shown in Table 1. The computational complexity equals $\mathcal{O}(kL^cN^3)$ for the greedy algorithm and $\mathcal{O}((L^c)^kN^3)$ for the brute-force algorithm, implying that the procedure can only be executed for small graphs. We verified all graphs with $N \leq 8$ nodes and $N = 9$ nodes with $k = 2$, and randomly took 10,000 graphs for the other combinations of N and k due to the vast amount of required computation time. The graph that we found with the lowest efficiency is shown in Fig. 4 and has efficiency $\eta = 0.882$, implying that the greedy algorithm produces a graph whose rescaled effective graph resistance is a factor 0.882 different from the optimal rescaled effective graph resistance. We remark that this is far larger than the submodular bound $1 - e^{-1} \approx 0.6321$.

We further investigate two graph families to confirm our findings. Table 2 shows a similar result for the smallest η_{\min} for all non-isomorphic trees with $N \leq 15$ nodes with $k = 2$ added links, where the smallest efficiency η is just below 0.9. A similar conclusion follows for the graph G in Fig. 2 which acted as a counterexample for the generalized submodularity of the rescaled effective graph resistance r_G in Section 4. Table 3 details the upper bound of the submodularity ratio γ^* for the graph G as detailed in Eq.(12) and its efficiency η . Although γ^* approaches zero, the efficiency η remains close to 1, demonstrating that a low submodularity ratio does not necessarily imply a poorly performing greedy algorithm. Even though we cannot guarantee the performance bound in Eq.(8), the experiments show that the greedy algorithm leads to near-optimal solutions for the considered graphs.

	$N = 5$	$N = 6$	$N = 7$	$N = 8$	$N = 9$	$N = 10$
k	21 graphs	112 graphs	853 graphs	11,117 graphs	261,080 graphs	11,716,571 graphs
2	0.958	0.894	0.903	0.891	0.882	≤ 0.912
3	1	0.931	0.938	0.927	≤ 0.939	≤ 0.907
4	1	0.958	0.951	0.940	≤ 0.947	≤ 0.950
5	1	0.971	0.970	0.955	≤ 0.945	≤ 0.958
6	1	0.982	0.980	0.961	≤ 0.967	≤ 0.955

Table 1: The lowest efficiency η_{\min} for each possible combination of the number of nodes N and the number of added links k . Inequalities in the table indicate that the required computation time for all non-isomorphic graphs is too large to compute all; instead, we randomly selected 10,000 graphs.

N	5	6	7	8	9	10	11	12	13	14	15
η_{\min}	0.958	0.967	0.956	0.947	0.913	0.926	0.918	0.918	0.912	0.898	0.897

Table 2: The lowest efficiency η_{\min} of all non-isomorphic trees with N nodes and $k = 2$ added links.

N	8	12	16	20	24	28	32	36
γ^*	0.714	0.537	0.446	0.384	0.339	0.304	0.275	0.252
η	0.985	0.989	0.981	0.9997	0.994	0.991	0.976	0.987

Table 3: The upper bound of the submodularity ratio γ^* and the efficiency η for the graph G from Fig. 2.

6 Conclusion

We consider the optimisation problem of adding k links to a given network, such that the resulting rescaled effective graph resistance is as large as possible. We have shown that this problem is not




Figure 4: The graph G with the currently known smallest efficiency $\eta_{\min} = 0.882$ on $N = 9$ nodes and the $k = 2$ added links are shown as green dashed links.

generalised submodular, by providing an example for which the submodularity ratio converges to zero. As a consequence, we have no guaranteed solution quality of the greedy algorithm, at least, according to the currently available theoretical results. We also show that the problem of optimising the effective graph conductance upon the addition of links, is not generalised submodular. We additionally investigate the efficiency of the greedy algorithm for optimizing the rescaled effective graph resistance for small graphs. Even though we lack a theory to guarantee the performance of the greedy algorithm, the experiments show that the greedy algorithm leads to near-optimal solutions. The smallest value for the efficiency we found among the small graphs we considered is 0.882. This means the greedy algorithm produces a graph whose rescaled effective graph resistance is a factor 0.882 different from the optimal rescaled effective graph resistance. Note that this value is way above the submodularity bound of $1 - e^{-1} \approx 0.6321$.

On the agenda for future research is finding an example where the efficiency of the greedy algorithm is actually lower than the submodularity bound. Also of interest are finding a characterization of the graphs where greedy does well or not and providing techniques or constructions which could be used to refute theoretical guarantee of the greedy approach for a larger set of problems.

References

- [1] J. S. Baras and P. Hovareshti. Efficient and robust communication topologies for distributed decision making in networked systems. In *Proceedings of the 48th IEEE Conference on Decision and Control (CDC) held jointly with 2009 28th Chinese Control Conference*, pages 3751–3756, 2009. doi:10.1109/CDC.2009.5400448.
- [2] A. A. Bian, J. M. Buhmann, A. Krause, and S. Tschitschek. Guarantees for greedy maximization of non-submodular functions with applications. In *Proceedings of the 34th International Conference on Machine Learning - Volume 70, ICML'17*, pages 498–507. JMLR.org, 2017. URL <https://arxiv.org/pdf/1703.02100.pdf>.
- [3] H. Cetinay, C. Mas-Machuca, J. L. Marzo, R. Kooij, and P. Van Mieghem. Comparing Destructive Strategies for Attacking Networks. In J. Rak and D. Hutchison, editors, *Guide to Disaster-Resilient Communication Networks*, pages 117–140. Springer International Publishing, 2020. doi:10.1007/978-3-030-44685-7_5.
- [4] P. H. Chan, L. C. Lau, A. Schild, S. C. Wong, and H. Zhou. Network Design for S-t Effective Resistance. *ACM Trans. Algorithms*, 18(3), Oct 2022. doi:10.1145/3522588.
- [5] A. Clark, B. Alomair, L. Bushnell, and R. Poovendran. Submodularity in Input Node Selection for Networked Linear Systems: Efficient Algorithms for Performance and Controllability. *IEEE Control Systems Magazine*, 37(6):52–74, 2017. URL <https://arxiv.org/abs/1605.09465>. doi:10.1109/MCS.2017.2743518.
- [6] A. Clark, L. Bushnell, and R. Poovendran. A Supermodular Optimization Framework for Leader Selection Under Link Noise in Linear Multi-Agent Systems. *IEEE Transactions on Automatic Control*, 59(2):283–296, 2014. URL <https://ieeexplore.ieee.org/document/6595543>. doi:10.1109/TAC.2013.2281473.
- [7] A. Clark, Q. Hou, L. Bushnell, and R. Poovendran. A submodular optimization approach to leader-follower consensus in networks with negative edges. In *2017 American Control Conference (ACC)*, pages 1346–1352, 2017. URL <https://ieeexplore.ieee.org/document/7963139>. doi:10.23919/ACC.2017.7963139.
- [8] A. Clark and R. Poovendran. A submodular optimization framework for leader selection in linear multi-agent systems. In *2011 50th IEEE Conference on Decision and Control and European Control Conference*, pages 3614–3621, 2011. URL <https://labs.ece.uw.edu/nsl/papers/CDC-11.pdf>. doi:10.1109/CDC.2011.6160248.
- [9] G. P. Clemente and A. Cornaro. Bounding robustness in complex networks under topological changes through majorization techniques. *Eur. Phys. J. B*, 93(114):1–12, 2020. URL: <https://link.springer.com/article/10.1140/epjb/e2020-100563-2>, doi:10.1140/epjb/e2020-100563-2.
- [10] P. Crescenzi, G. D’angelo, L. Severini, and Y. Velaj. Greedily improving our own closeness centrality in a network. *ACM Trans. Knowl. Discov. Data*, 11(1), July 2016. URL: <https://doi-org.tudelft.idm.oclc.org/10.1145/2953882>, doi:10.1145/2953882.
- [11] A. Das and D. Kempe. Submodular Meets Spectral: Greedy Algorithms for Subset Selection, Sparse Approximation and Dictionary Selection. In *Proceedings of the 28th International*

Conference on International Conference on Machine Learning, ICML'11, pages 1057–1064, Madison, WI, USA, 2011. Omnipress. url <https://arxiv.org/pdf/1102.3975.pdf>.

- [12] E. D. Demaine and M. Zadimoghaddam. Minimizing the diameter of a network using shortcut edges. In H. Kaplan, editor, *SWAT*, volume 6139 of *Lecture Notes in Computer Science*, pages 420–431. Springer, 2010. URL: <http://dblp.uni-trier.de/db/conf/swat/swat2010.html#DemaineZ10>.
- [13] W. Ellens, F. M. Spieksma, P. Van Mieghem, A. Jamakovic, and R. E. Kooij. Effective graph resistance. *Linear Algebra and its Applications*, 435(10):2491–2506, 2011. Special Issue in Honor of Dragos Cvetkovic. URL: <https://www.sciencedirect.com/science/article/pii/S0024379511001443>, doi:10.1016/j.laa.2011.02.024.
- [14] S. R. Etesami. Consensus under Network Interruption and Effective Resistance Interdiction. In *2021 American Control Conference (ACC)*, pages 814–819, 2021. doi:10.23919/ACC50511.2021.9483395.
- [15] M. Fiedler. Algebraic connectivity of graphs. *Czechoslovak Mathematical Journal*, 23:298 – 305, 1973. URL: <http://dml.cz/dmlcz/101168>.
- [16] S. Freitas, D. Yang, S. Kumar, H. Tong, and D. H. Chau. Graph vulnerability and robustness: A survey. *IEEE Transactions on Knowledge and Data Engineering*, 10.1109/TKDE.2022.3163672, 2022. doi:10.1109/TKDE.2022.3163672.
- [17] A. Ghosh, S. Boyd, and A. Saberi. Minimizing Effective Resistance of a Graph. *SIAM Review*, 50(1):37–66, 2008. doi:10.1137/050645452.
- [18] Z. He. *Performance of complex networks*. Phd., Delft University of Technology, Mar 2020.
- [19] W. Jun, M. Barahona, T. Yue-Jin, and D. Hong-Zhong. Natural connectivity of complex networks. *Chinese Physics Letters*, 27(7):078902, jul 2010. URL: <https://dx.doi.org/10.1088/0256-307X/27/7/078902>, doi:10.1088/0256-307X/27/7/078902.
- [20] D. J. Klein and M. Randić. Resistance distance. *Journal of Mathematical Chemistry*, 12:81–95, 1993. URL: <https://link.springer.com/article/10.1007/BF01164627>, doi:10.1007/BF01164627.
- [21] R. E. Kooij and M. A. Achterberg. Minimizing the effective graph resistance by adding links is NP-hard. *Operations Research Letters*, 51(6):601–604, 2023. URL: <https://www.sciencedirect.com/science/article/pii/S0167637723001669>, doi:10.1016/j.orl.2023.10.002.
- [22] G. Li, Z. F. Hao, H. Huang, and H. Wei. Maximizing Algebraic Connectivity via Minimum Degree and Maximum Distance. *IEEE Access*, 6:41249–41255, 2018. doi:10.1109/ACCESS.2018.2857411.
- [23] H. Li, S. Patterson, Y. Yi, and Z. Zhang. Maximizing the number of spanning trees in a connected graph. *IEEE Transactions on Information Theory*, 66(2):1248–1260, 2020. doi:10.1109/TIT.2019.2940263.

- [24] Z. Liu, J. Jin, H. Chang, D. Du, and X. Zhang. Improved algorithms for non-submodular function maximization problem. *Theoretical Computer Science*, 931:49–55, 2022. URL: <https://www.sciencedirect.com/science/article/pii/S0304397522004510>, doi:10.1016/j.tcs.2022.07.029.
- [25] Z. Lu, X. Zhou, A. N. Zehmakan, and Z. Zhang. Resistance eccentricity in graphs: Distribution, computation and optimization. In *ICDE*, pages 4113–4126, 2024. URL: <https://doi.org/10.1109/ICDE60146.2024.00315>.
- [26] B. D. McKay and A. Piperno. Practical graph isomorphism, II. *Journal of Symbolic Computation*, 60:94–112, 2014. doi:10.1016/j.jsc.2013.09.003.
- [27] D. Mosk-Aoyama. Maximum algebraic connectivity augmentation is NP-hard. *Operations Research Letters*, 36(6):677–679, 2008. URL: <https://www.sciencedirect.com/science/article/pii/S0167637708001077>, doi:10.1016/j.orl.2008.09.001.
- [28] G. L. Nemhauser, L. A. Wolsey, and M. L. Fisher. An analysis of approximations for maximizing submodular set functions – I. *Mathematical Programming*, 14:265–294, 1978. URL <https://www.cs.toronto.edu/~eidan/papers/submod-max.pdf>. URL: <https://www.cs.toronto.edu/~eidan/papers/submod-max.pdf>, doi:10.1007/BF01588971.
- [29] M. Papagelis. Refining Social Graph Connectivity via Shortcut Edge Addition. *ACM Trans. Knowl. Discov. Data*, 10(2), oct 2015. URL <https://dl.acm.org/doi/pdf/10.1145/2757281>. doi:10.1145/2757281.
- [30] S. Perumal, P. Basu, and Z. Guan. Minimizing eccentricity in composite networks via constrained edge additions. In *MILCOM 2013 - 2013 IEEE Military Communications Conference*, pages 1894–1899, 2013. doi:10.1109/MILCOM.2013.319.
- [31] C. Pizzuti and A. Socievole. A Genetic Algorithm for Improving Robustness of Complex Networks. In *2018 IEEE 30th International Conference on Tools with Artificial Intelligence (ICTAI)*, pages 514–521, 2018. doi:10.1109/ICTAI.2018.00085.
- [32] C. Pizzuti and A. Socievole. A genetic algorithm for enhancing the robustness of complex networks through link protection. In *International Conference on Complex Networks and their Applications*, pages 807–819. Springer, 2018.
- [33] M. Predari, R. Kooij, and H. Meyerhenke. Faster Greedy Optimization of Resistance-based Graph Robustness. In *2022 IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining (ASONAM)*, pages 1–8, Los Alamitos, CA, USA, Nov 2022. IEEE Computer Society. URL: <https://www.computer.org/csdl/proceedings-article/asonam/2022/10068613/1LKx5yjhNNS>, doi:10.1109/ASONAM55673.2022.10068613.
- [34] D. F. Rueda, E. Calle, and J. L. Marzo. Robustness comparison of 15 real telecommunication networks: Structural and centrality measurements. *Journal of Network and Systems Management*, 25(2):269–289, Apr 2017. doi:10.1007/s10922-016-9391-y.
- [35] R. Santiago and Y. Yoshida. Weakly Submodular Function Maximization Using Local Submodularity Ratio, 2020. URL <https://arxiv.org/pdf/2004.14650.pdf>. doi:10.48550/ARXIV.2004.14650.

- [36] C. M. Schneider, A. A. Moreira, J. S. Andrade, S. Havlin, and H. J. Herrmann. Mitigation of malicious attacks on networks. *Proceedings of the National Academy of Sciences*, 108(10):3838–3841, 2011. URL: <https://www.pnas.org/doi/abs/10.1073/pnas.1009440108>, arXiv:<https://www.pnas.org/doi/pdf/10.1073/pnas.1009440108>, doi:10.1073/pnas.1009440108.
- [37] L. Shan, Y. Yi, and Z. Zhang. Improving Information Centrality of a Node in Complex Networks by Adding Edges. In *Proceedings of the Twenty-Seventh International Joint Conference on Artificial Intelligence, IJCAI-18*, pages 3535–3541. International Joint Conferences on Artificial Intelligence Organization, 7 2018. URL <https://www.ijcai.org/proceedings/2018/0491.pdf>. doi:10.24963/ijcai.2018/491.
- [38] T. Summers and M. Kamgarpour. Performance guarantees for greedy maximization of non-submodular controllability metrics. In *2019 18th European Control Conference (ECC)*, pages 2796–2801, 2019. URL <https://ieeexplore.ieee.org/document/8795800>. doi:10.23919/ECC.2019.8795800.
- [39] T. Summers, I. Shames, J. Lygeros, and F. Dorfler. Correction to “Topology design for optimal network coherence”, 2017. URL https://personal.utdallas.edu/~ths150130/papers/ECC_Correction.pdf.
- [40] T. Summers, I. Shames, J. Lygeros, and F. Dörfler. Topology design for optimal network coherence. In *2015 European Control Conference (ECC)*, pages 575–580, 2015. URL <https://personal.utdallas.edu/~ths150130/papers/NetworkCoherence.pdf>. doi:10.1109/ECC.2015.7330605.
- [41] K. Truemper. On the delta-wye reduction for planar graphs. *J. Graph Theory*, 13(2):141–148, 1989. URL: <http://dblp.uni-trier.de/db/journals/jgt/jgt13.html#Truemper89>, doi:10.1002/jgt.3190130202.
- [42] P. Van Mieghem, D. Stevanović, F. Kuipers, C. Li, R. van de Bovenkamp, D. Liu, and H. Wang. Decreasing the spectral radius of a graph by link removals. *Phys. Rev. E*, 84:016101, Jul 2011. URL https://www.nas.ewi.tudelft.nl/people/Piet/papers/PhysRevE2011_decreasing_largest_eig_adj_optimally.pdf. URL: <https://link.aps.org/doi/10.1103/PhysRevE.84.016101>, doi:10.1103/PhysRevE.84.016101.
- [43] H. Wang and P. Van Mieghem. Algebraic Connectivity Optimization via Link Addition. In *Proceedings of the 3rd International Conference on Bio-Inspired Models of Network, Information and Computing Systems, BIONETICS '08*, Brussels, BEL, 2008. ICST (Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering). URL https://www.nas.ewi.tudelft.nl/people/Huijuan/Huijuan_paper/Bionetics2008_AlgebraicConnectivity.pdf.
- [44] X. Wang, E. Pournaras, R. E. Kooij, and P. Van Mieghem. Improving robustness of complex networks via the effective graph resistance. *The European Physical Journal B*, 87(221), 2014. URL https://nas.ewi.tudelft.nl/people/Piet/papers/EPJb2014_ImprovingRobustnessviaEffectiveGraphResistance.pdf. doi:10.1140/epjb/e2014-50276-0.
- [45] Y. Yang and D. J. Klein. A recursion formula for resistance distances and its applications. *Discrete Applied Mathematics*, 161(16):2702–2715, 2013. URL: <https://www.sciencedirect.com/science/article/pii/S0166218X12002806>, doi:10.1016/j.dam.2012.07.015.

Since ω_{ij} is not affected by the path graphs, the question of finding ω_{ij} simplifies to finding the effective resistance between two nodes in the complete bipartite graph $K_{2,N-2}$. Using the theory of parallel and series resistors, we find that

$$\omega_{ij} = \frac{2}{N-2}$$

and conclude that

$$R_G(G) - R_G(G \cup \{v\}) = \frac{4}{N-2} \tag{21}$$

A.2 The Graphs $G \cup R$ and $G \cup R \cup \{v\}$

The set R consists of two links. From node i , we add one link to the end of a path graph, i.e, the left-most node of graph G and perform the same procedure to node j . The resulting graph $G \cup R$ is shown in Fig. 6.




Figure 6: The augmented graph $G \cup R$, which contains the original graph G and the set R , denoted by dotted red links.

We now return to Theorem 13 with $\delta = 1$ and $\tilde{N} = 2N$, where the graph $G \cup R$ is considered the “original graph”. Then we find

$$R_G(G \cup R) - R_G(G \cup R \cup \{v\}) = \frac{2N \sum_{k=1}^{2N} (\omega_{ik} - \omega_{jk})^2 - \left[\sum_{k=1}^{2N} \omega_{ik} - \sum_{k=1}^{2N} \omega_{jk} \right]^2}{4(1 + \omega_{ij})} \tag{22}$$

The second term is again zero due symmetry. Then the equation simplifies to

$$\Delta R_G = \frac{2N}{4(1 + \omega_{ij})} \sum_{k=1}^{2N} (\omega_{ik} - \omega_{jk})^2 \tag{23}$$

In order to determine ΔR_G we need to find expressions for the effective resistance ω_{ij}, ω_{ik} and ω_{jk} for the graph $G \cup R$. Note that the graph R is planar, as can be seen from Fig. 7, which shows the graph $G \cup R$ drawn without intersecting links.




Figure 7: The graph $G \cup R$ redrawn as a planar graph.

Because $G \cup R$ is planar, according to [41], it is possible to determine the effective resistance for each node pair by a sequence of series, parallel, $Y - \Delta$, and $\Delta - Y$ transformations.

To analyse Eq.(23) it is convenient to consider the following two subsets of nodes in the graph $G \cup R$. First, denote the nodes in $K_{2,N-2}$ attached to the two path graphs as nodes l and m , see Fig. 6. Then we define the node set A as the nodes in $K_{2,N-2}$ minus the nodes i, j, l and m . Hence, A consists of $N - 4$ nodes. Next, the subset of nodes B is formed by the nodes in the two path graphs plus the nodes l and m . Therefore, set B contains $N + 2$ nodes. We can now split up the sum in Eq.(23) into three parts; (i) terms containing only ω_{ij} (2x), (ii) terms containing only nodes in set A (iii) terms containing only nodes in set B . Then Eq.(23) becomes

$$\Delta R_G = \frac{2N}{4(1 + \omega_{ij})} \left(2\omega_{ij}^2 + \sum_{k \in A} (\omega_{ik} - \omega_{jk})^2 + \sum_{k \in B} (\omega_{ik} - \omega_{jk})^2 \right)$$

In the complete bipartite graph $K_{2,N-2}$, due to symmetry, it holds that $\omega_{ik} = \omega_{jk}$, so the contribution of set A is zero. Thus, we can simplify ΔR_G to

$$\Delta R_G = \frac{2N}{4(1 + \omega_{ij})} \left(2\omega_{ij}^2 + \sum_{k \in B} (\omega_{ik} - \omega_{jk})^2 \right) \tag{24}$$

Hence, we need to compute ω_{ij} and ω_{ik} and ω_{jk} for nodes k in the path graph. The index k runs from $k = 1$ to $k = N/2 + 1$, where the index $k = N/2 + 1$ corresponds to node l , see Fig. 6.

As a first simplification step, we apply the resistors in series transformation twice, to the left part of the graph $G \cup R$ in Fig. 6. We replace the path $i, 1, \dots, k$ by a single resistor of value k and the path $i, l, N/2, \dots, k$ by a single resistor of value $(\frac{N}{2} - k + 1)$. The result is depicted in Fig. 8.




Figure 8: Result of simplification step 1 on the graph $G \cup R$.

Next we apply the series transformation to the path from node j to m on the right part of the graph, to obtain a link with a resistance of $\frac{N}{2} + 1$. This results in two links between nodes j and m . Applying the transformation for parallel resistors to these two links, we obtain a single link between nodes j and m , with the following resistance:

$$r_{jm} = \frac{1}{1 + \frac{1}{\frac{N}{2} + 1}} = \frac{N + 2}{N + 4}$$

The resulting graph is depicted in Fig. 9.




Figure 9: Result of simplification step 2 on the graph $G \cup R$.

In Fig. 9 there are $N - 2$ two-hop paths between nodes i and j . Excluding the two paths passing through nodes l and m , we can use the parallel resistors transformation to transform the remaining $N - 4$ two-hop paths to a single link between nodes i and j , with resistance r_{ij} given by

$$r_{ij} = \frac{1}{\frac{1}{2}(N - 4)} = \frac{2}{N - 4}$$

The resulting graph is depicted in Fig. 10




Figure 10: Result of simplification step 3 on the graph $G \cup R$.

Next, we replace the path i, m, j by a single link of resistance $1 + \frac{N+2}{N+4}$. Then, again using the parallel resistors transformation between nodes i and j , the resistance r'_{ij} on the link (i, j) becomes

$$r'_{ij} = \frac{1}{\frac{1}{\frac{2}{N-4}} + \frac{1}{1 + \frac{N+2}{N+4}}} = \frac{2N + 6}{N^2 - 8}$$

The resulting graph is depicted in Fig. 11.




Figure 11: Result of simplification step 4 on the graph $G \cup R$

With the graph shown in Fig. 11 we will now compute the resistances ω_{ij}, ω_{ik} and ω_{jk} .

Resistance ω_{ij} between node i and j :

The links (i, k) and (k, l) in series, are parallel to the link (i, l) , such that we can replace the three links by a single link with resistance r_{il} , given by

$$r_{il} = \frac{N + 2}{N + 4}$$

The resulting graph is depicted in Fig. 12




Figure 12: Result of simplification step 5a on the graph $G \cup R$

In the graph shown in Fig. 12 the links (i, l) and (l, j) in series, are parallel to the link (i, j) , such that we can replace the three links by a single link so we finally obtain the resistance ω_{ij} :

$$\omega_{ij} = \frac{2N + 6}{N^2 + N - 4} \tag{25}$$

Resistance ω_{ik} between node i and k :

In Fig. 11 the links (i, j) and (j, l) in series, are parallel to the link (i, l) , such that we can replace the three links by a single link with resistance r'_{il} , given by

$$r'_{il} = \frac{N^2 + 2N - 2}{2N^2 + 2N - 10}$$

The resulting graph is shown in Fig. 13.




Figure 13: Result of simplification step 5b on the graph $G \cup R$

In the graph shown in Fig. 13 the links (i, l) and (l, k) in series, are parallel to the link (i, k) , such that we can replace the three links by a single link so we finally obtain the resistance ω_{ik} :

$$\omega_{ik} = \frac{k(-2kN^2 - 2kN + 10k + N^3 + 4N^2 - N - 12)}{(N + 3)(N^2 + N - 4)} \tag{26}$$

Resistance ω_{jk} between node j and k :

For this case, the series and parallel transformations do not work. Instead, we use the $\Delta - Y$ transform on the right-hand side triangle in the graph in Fig. 11. This comes down to removing the links (i, j) , (i, l) and (j, l) , adding a new node A to the graph, and adding links (i, A) , (j, A) and (l, A) , with resistance $\frac{a}{2+a}$, $\frac{a}{2+a}$, and $\frac{1}{2+a}$, respectively, where $a = \frac{2N+6}{N^2-8}$. The resulting graph is depicted in Fig. 14.




Figure 14: Result of simplification step 5c on the graph $G \cup R$.

Now series and parallel transformations can be applied to obtain

$$\omega_{jk} = -\frac{18 + 12N + 2N^2 - 24k - 5Nk + 4N^2k + N^3k + 10k^2 - 2Nk^2 - 2N^2k^2}{12 + N - 4N^2 - N^3}$$

Having established ω_{ij} , ω_{ik} and ω_{jk} , we compute

$$\omega_{ik} - \omega_{jk} = \frac{2(2k - N - 3)}{N^2 + N - 4}$$

where the index $1 \leq k \leq \frac{N}{2} + 1$. Then we find

$$\sum_{k=1}^{N/2+1} (\omega_{ik} - \omega_{jk})^2 = \frac{2(N^3 + 6N^2 + 11N + 6)}{3(N^2 + N - 4)^2} \tag{27}$$

Substituting Eqs. (25)–(27) into Eq.(24) finally gives

$$\Delta R_G = \frac{2N(N^3 + 12N^2 + 47N + 60)}{3(N^4 + 4N^3 + N^2 - 10N - 8)} = \frac{2(N+3)(N+4)(N+5)}{3(N+1)(N+2)(N^2+N-4)} \quad (28)$$

Then the relative difference for the graph G provided in Eq.(21) and for the graph $G \cup R$ in Eq.(28) finally yields

$$\gamma \leq \frac{6(N+1)(N+2)(N^2+N-4)}{(N-2)N(N+3)(N+4)(N+5)}$$

For large N , we see that $\gamma \sim \frac{6}{N}$, which converges to zero.