



Delft University of Technology

Document Version

Final published version

Licence

CC BY

Citation (APA)

Maldonado, S., Antolinez, J. A. A., Dodd, N., & Silva, R. (2026). Editorial: Prediction of coastal morphological evolution in the context of climate change adaptation and nature-based engineering. *Frontiers in Marine Science*, 12, Article 1766414. <https://doi.org/10.3389/fmars.2025.1766414>

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

In case the licence states "Dutch Copyright Act (Article 25fa)", this publication was made available Green Open Access via the TU Delft Institutional Repository pursuant to Dutch Copyright Act (Article 25fa, the Taverne amendment). This provision does not affect copyright ownership.

Unless copyright is transferred by contract or statute, it remains with the copyright holder.

Sharing and reuse

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

This work is downloaded from Delft University of Technology.



OPEN ACCESS

EDITED AND REVIEWED BY
Marta Marcos,
University of the Balearic Islands, Spain

*CORRESPONDENCE
Sergio Maldonado
✉ s.maldonado@soton.ac.uk

RECEIVED 12 December 2025

ACCEPTED 19 December 2025

PUBLISHED 12 January 2026

CITATION

Maldonado S, Antolinez JAA, Dodd N and Silva R (2026) Editorial: Prediction of coastal morphological evolution in the context of climate change adaptation and nature-based engineering. *Front. Mar. Sci.* 12:1766414. doi: 10.3389/fmars.2025.1766414

COPYRIGHT

© 2026 Maldonado, Antolinez, Dodd and Silva. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](#). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Editorial: Prediction of coastal morphological evolution in the context of climate change adaptation and nature-based engineering

Sergio Maldonado^{1,2*}, José A. A. Antolinez³, Nicholas Dodd⁴ and Rodolfo Silva⁵

¹Faculty of Engineering and Physical Sciences, University of Southampton, Southampton, United Kingdom,

²School of Engineering and Sciences, Tecnológico de Monterrey, Monterrey, NL, Mexico, ³Department of Hydraulic Engineering, Delft University of Technology, Delft, CN, Netherlands, ⁴Department of Civil Engineering, Faculty of Engineering, University of Nottingham, Nottingham, United Kingdom, ⁵Engineering Institute, National Autonomous University of Mexico, Ciudad Universitaria, Mexico City, Mexico

KEYWORDS

climate change, coastal morphology, modelling, morphodynamics, nature based solutions

Editorial on the Research Topic

[Prediction of coastal morphological evolution in the context of climate change adaptation and nature-based engineering](#)

Coastal communities worldwide are facing accelerating pressures from rising sea levels, changing storm patterns, and shifting sediment dynamics. These trends demand reliable tools for predicting morphological evolution. Despite advances in this area, existing engineering tools still struggle to predict morphological evolution, especially in settings shaped by interventions such as nature-based solutions aimed at fostering climate-resilient coastal development. Modelling morphological change, which unfolds over much longer timescales than hydrodynamic processes, remains a challenge due to the complexity of sediment transport and related interactions, including flow–vegetation effects and human interventions. These challenges are further heightened by uncertainties in long-term climate projections. Therefore, developing and testing engineering tools capable of delivering reliable predictions is essential for planning effective short- and long-term responses to coastal erosion and flooding.

This Research Topic seeks to advance the existing coastal engineering toolbox, enabling reliable long-term predictions of coastal morphological evolution and flooding in the context of climate change and multi-biophysical phenomena, such as sediment transport and flow–vegetation interactions. Six studies contributed to this Research Topic, spanning riverine sediment supply, estuarine and dyke breach dynamics, vegetated coastal defences, and probabilistic methods for projecting flooding and erosion. These contributions,

outlined below in no particular order, illustrate the scientific and methodological advancements that are reshaping our ability to anticipate coastal change and support informed, climate-resilient coastal planning.

[Burns et al.](#) studied the behaviour of sediment transport and deposition immediately following a dyke breach at a managed realignment site in Canada's Bay of Fundy, where formerly protected farmland is intentionally flooded to prepare for the growth of salt marsh vegetation. Using a combination of field observations and numerical modelling (using Delft3D-FM), the authors provided quantitative insights into the very early stages of marsh restoration via managed dyke realignment. Provided the right sedimentations and flow conditions are present, sites such as this can accrete vertically at rates comparable to sea-level rise, making them a promising nature-based solution for coastal resilience. [Burns et al.](#) also touched on the importance of continuously improving our predictive tools, particularly with regard to modelling cohesive sediments, which necessarily play an important role in the complex interactions between hydrodynamics and sediment transport. The authors also found that morphological pathways, such as ditches and channels, significantly influence hydrodynamics and sediment dynamics in engineering interventions such as this one.

[Chen](#) examined how extreme changes in upstream runoff impact the sedimentation regime in the Lingdingyang Estuary in southern China. Using the 2D hydrodynamic-sediment transport model TELEMAC-2D, [Chen](#) aimed to understand how runoff variability controls morphological responses by modelling different scenarios, ranging from very low (extreme drought) to very high (catastrophic flooding) flow conditions. This research showcases how upstream hydrological variability (which is expected to increase under climate change) can strongly modulate sedimentation regimes in estuaries, underscoring the need for reliable engineering tools and predictive models that can handle the coupling between hydrology, sediment supply, tidal/estuarine dynamics, and morphological change.

[Wang et al.](#) investigated how the turbid plume from the Yellow River estuary into the Bohai Sea responds on an interannual basis, particularly under the influence of the river's managed water-sediment regulation scheme (WSRS), which began in 2002. The WSRS is a short-duration (10–20 days) release of high volumes of water and sediment aimed at flushing the riverbed. Using high-resolution imagery spanning 20 years, the authors set out to gain a comprehensive view of plume variations before and after the WSRS, classify typical plume dispersion patterns, and determine how river discharge, wind, estuary morphology, and coastal currents combine to shape the plume. This work highlights how human water management interventions interact with natural forcing mechanisms to shape coastal sediment dynamics.

[Jayson-Quashigah et al.](#) explored the effectiveness of mangroves as a nature-based solution for coastal protection, especially with regard to reducing erosion. The focus was on a data-limited site in Ghana, where nature-based solutions may be more attractive or feasible than conventional solutions, such as seawalls. Using the 1D

morphodynamic model XBeach, the authors simulated how different mangrove densities and configurations (on the berm and in the intertidal zone) influence sediment dynamics and erosion under existing and future sea-level rise projections (of ~0.23 m by 2040). This study provides compelling evidence for the use of mangroves as a nature-based solution in regions such as Ghana, suggesting they offer significant protection against coastal erosion under current and future sea-level scenarios.

Finally, in two related articles ([Otiñar et al.](#) and [Otiñar et al.](#)), [Otiñar et al.](#) presented a holistic, probabilistic approach to generating long-term erosion and flooding projections under climate change for the Andalusian coastline in Spain. Together, these two contributions make a significantly integrated contribution to modern coastal risk management in the context of uncertain climate change scenarios. Otiñar and co-workers established a probabilistic, non-stationary modelling framework that captures the intertwined roles of waves, sea-level rise, sediment supply, and human interventions in shaping future flooding and erosion, forming the scientific backbone of this study. Serving as a companion study, [Otiñar et al.](#) then transformed these complex outputs into the type of statistically robust, policy-ready indicators that coastal authorities need, such as probability isolines, beach-loss thresholds, and legally actionable classifications of severe regression. These two contributions demonstrate how advanced coastal engineering science can be operationalised into transparent and robust decision-making tools that bridge the gap between process-based modelling and the regulatory realities of shoreline management in a changing climate.

Across these six contributions, a picture emerges of an extremely dynamic field, highlighting recent progress in understanding and modelling sediment dynamics, ecosystem processes, and human- and climate-driven coastal change. They collectively underscore the fact that reliable coastal forecasting must integrate physical, ecological, and human influences, alongside climate uncertainty. By linking process-based research with practical modelling and decision-ready indicators, these contributions demonstrate how coastal science is helping engineers and managers to design and evaluate both traditional and nature-based adaptation strategies in a changing coastal environment.

Author contributions

SM: Writing – original draft, Writing – review & editing. JA: Writing – review & editing. ND: Writing – review & editing. RS: Writing – review & editing.

Conflict of interest

The authors declared that this work was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

The authors declared that JA (Specialty Chief Editor) and RS (Associate Editor) were an editorial board member of Frontiers, at the time of submission. This had no impact on the peer review process and the final decision.

Generative AI statement

The author(s) declared that generative AI was not used in the creation of this manuscript.

Any alternative text (alt text) provided alongside figures in this article has been generated by Frontiers with the support of artificial intelligence and reasonable efforts have been made to ensure

accuracy, including review by the authors wherever possible. If you identify any issues, please contact us.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.