

Delft University of Technology

Estimation of reservoir inflow in data scarce region by using Sacramento rainfall runoff model - A case study for Sittaung River Basin, Myanmar

Lin, N.M.; Rutten, Martine

Publication date 2017 **Document Version** Final published version Published in Geophysical Research Abstracts (online)

Citation (APA)

Lin, N. M., & Kutten, M. (2017). Estimation of reservoir inflow in data scarce region by using Sacramento rainfall runoff model – A case study for Sittaung River Basin, Myanmar. Geophysical Research Abstracts (online), 19, Article EGU2017-15891-2.

Important note

To cite this publication, please use the final published version (if applicable). Please check the document version above.

Copyright Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.



Estimation of reservoir inflow in data scarce region by using Sacramento rainfall runoff model – A case study for Sittaung River Basin, Myanmar

Nay Myo Lin (1) and Martine Rutten (2)

(1) Delft University of Technology, Water Management, Netherlands (n.naymyolin@tudelft.nl), (2) Delft University of Technology, Water Management, Netherlands (M.M.Rutten@tudelft.nl)

The Sittaung River is one of four major rivers in Myanmar. This river basin is developing fast and facing problems with flood, sedimentation, river bank erosion and salt intrusion. At present, more than 20 numbers of reservoirs have already been constructed for multiple purposes such as irrigation, domestic water supply, hydro-power generation, and flood control. The rainfall runoff models are required for the operational management of this reservoir system. In this study, the river basin is divided into (64) sub-catchments and the Sacramento Soil Moisture Accounting (SAC-SMA) models are developed by using satellite rainfall and Geographic Information System (GIS) data. The SAC-SMA model has sixteen calibration parameters, and also uses a unit hydrograph for surface flow routing. The Sobek software package is used for SAC-SMA modelling and simulation of river system. The models are calibrated and tested by using observed discharge and water level data. The statistical results show that the model is applicable to use for data scarce region.

Keywords: Sacramento, Sobek, rainfall runoff, reservoir