


# BRIDGE BETWEEN WORK AND LIVING

MAXIMIZING USAGE BY IMPLEMENTING NEW RELATIONS IN THE BRUGGEBOUW-00ST

Architectural Engineering Graduation Second Life - Bruggebouw Oost

Robert-Jan Altena 4813952



# CONTENT

#### 1. CONCEPT

2. CONTEXT	
Situation city	1:5000
Situation project	1:1000
Situation ground floor	1:500
3. FLOORPLANS	
Floor 1 - 5	1:200
North tower	1:200
South tower	1:200
/	
4. FACADES	
North facade	1:200
East facade	1:200
South facade	1:200
West facade	1:200
5. SECTION	
Situation cut (WHERE)	1:200
Cross cut (WHERE)	1:200
Long cut (WHERE)	1:200
/ FDACMENT CET	
6. FRAGMENT SET	
Second floor	1:50
Section	1:50

#### 7. FRAGMENT SET

Fragment vertical	1:20
Fragment horizontal	1:20

#### 8. DETAILS

Detail girder - square	1:5
Detail girder - walking route	1:5
Detail facade - gallery	1:5
Detail hor inner wall	1:5
Detail new construction	1:5

#### 9. BUILDING TECHNOLOGY - STRUCTURE

Concept	1:200
Floorplans	1:200


#### 10. BUILDING TECHNOLOGY - CLIMATE


Concept
Climate - seasonal
Sun entrance
Fire safety

#### 11. VISUAL

# **CONCEPT**


INTRODUCTION
STRATEGY
LOCATION
TOTAL CONCEPT
MIXING CONCEPT
MIXING CONCEPT - DESIGN
CONCEPT - UNITS





Living and working

Multiple supporting functions



#### INTRODUCTION

Increasing lack of space in the Netherlands drives us to interpretations of the multifunctional building. To reduce vacancy and increase effective use of existing buildings the Bruggebouw-Oost in The Hague is transformed. The integration of multifunctional concepts in the design of this building results in a new relation between functions. combining shops, housing, working, sports and restaurants new flows and opportunities are created but new challenges emerge. Creating a new way of living between working and living where the two van benefit from each other. This by horizontally and vertically linking and overlap them getting the most out of the square meters. To make the building suitable for the future it needs to be adaptable. Therefore the building consisits out of prefabricated units being housing, working and shops that can be altered throughout the years to comply with future demand. This all to strive to efficient use of the built environment.

Robert-Jan Altena 4813952 - AE 2020

### **STRATEGY**

The research in this project is comprised out of proving and providing. Proving the waste of valuable space of monofunctional programs and providing technical solutions to integrate a more adaptable character inside an existing building. Our built environment has a monofunctional character which results in a waste of space.

'How to design an active adaptive building within an existing structure by maximizing the efficiency of space?'

The research 'How to design an active adaptive building within an existing structure by maximizing the efficiency of space?" questions the boundaries of 'space efficiency' and of the relation between program, building and context. This to minimize the extend of new built objects and reduce the waste of valuable space. This can be done two-sided by creating an adaptable multifunctional building that changes appearance to facilitate the user and maximize the overlap of space between functions. This composed out of the concept of 'Hybrid building' and 'space efficiency'. To implement this into an existing building a program and design guidelines need to be introduced. The first part of the research questioned the real waste of space in the context. This data was collected and visualized to show overlap and waste. These changes can be summarized into big and small adaption moments. The big has a need for adaption of the space size, services and skin. And small adaption moments are adaptable via multifunctional infills.

The importance lies in the complete separation of the shearing layers of the building. Each layer deals with this in another adaptable level. The real effectiveness of adaptive architecture, relating to the end user, is hard to define without practical monitoring. This is one risk when putting different activities within one building. Functions are defined in seven activities that all have their own character, usage per time, service demands and public private relation. The main starting point in creating this type of building is starting from the main functions with added supporting functions. The main factors of this design are physical changes, spatial qualities and infill, and the existing building as a boundary.


By accommodating functions differentiated by height multiple functions can be introduced without hard changes. The win is in combining the these heights into an active system that can create multiple functions within one space. Then the smaller changes can be made in by adding multifunctional infills and separate spaces that are multifunctional, supporting or oversized. This all to reduce the waste of space within an existing structure.

# **LOCATION**

The project of the Bruggebouw is located in the center of The Hague. Located between different railway stations and connected to the A12 freeway. This A-location is transformed in the future introducing a combination between offices and shops with the introduction of dwellings.

The Bruggebouw-Oost itself is a former office building built in 1999 and nowadays part of the government. Especially the structure and form are fixed and are a real objective.







source: Rijksvastgoedbedrijf

# **AMBITION**


The total concept to achieve maximal use.






## WEWO BUILDING CONCEPT

The total concept to achieve maximal use is summarized into four main design assignments.








### MIXING CONCEPT

The concept switches character and focus around the day, focusing on two main functions. These main functions rely on functions that are supporting.




Historically the relation between working and living changes through time. Closely related to the culture within different countries and social progression.




Starting from the 18<sup>th</sup> century through the industrialization the relation between working and living became more and more intertwined. Especially with the emergence of the 'service' economy the line between the two is sometimes absent.

The concept revolves around the connection between working and living. Overlap is sought based on time. The private space is kept to a minimum of 20 m². This micro dwelling is physically linked to the work space of roughly same size. By day the spaces are separated. By night they can be merged to create a 40 m² dwelling. Around 6 this space will become part of the dwelling to create a 40 m² house when he needs it the most.




### MIXING CONCEPT - DESIGN

There are multiple ways of clustering working and living together. For the concept to work a physical connection between the two in needed. And the existing structure has his constrains.





Implementing this in the floorplan of the building will be based on the orientation. With the offices on the square side, allowing to show off their companies to the public, and the residents on the sunny side of the building. By sliding the circulation of the dwellings to the outside a larger landscape is created on the west side of the building. The separation of both dwellers and workers creating more privacy and access is created by a second façade. This façade is also used as sound barrier, gallery and sun blocking.

The open floorplans are implemented with prefabricated units that resulted in three different units.











#### **ARCHICAD EDUCATION VERSION**



# **DRAWINGS**

CONTEXT
FLOORPLANS
ELEVATIONS
SECTIONS
FRAGMENTS
DETAILS

# **CONTEXT**SITUATION



Project


WeWo Building
Transformation Bruggebouw-Oost
Grotiusplaats

Layout number: 01.5-01.5.2


Layout Name: Situation 1:5000

Draftsman

Robert-Jan Altena
Den Haag













# **FLOORPLANS**







WALKING OFFICE





# SPACES: 1. COMMON LIVING ROOMS 5. WORKSPACE BETWEEN SPACE 2. DWELLING TYPE CORNER' 6. COMMON SPACE ENTRANCE 3. DWELLING TYPE LONG' 7. MEETING ROOM WALKING DWELLING

8. PRINT SHOP


4. DWELLING TYPE SHORT









# SPACES: 1. COMMON LIVING ROOMS 5. WORKSPACE BETWEEN SPACE 2. DWELLING 'TYPE CORNER' 6. COMMON SPACE ENTRANCE 3. DWELLING TYPE LONG' 7. MEETING ROOM WALKING DWELLING 4. DWELLING 'TYPE SHORT' 8. PRINT SHOP WALKING OFFICE







SPACES:

1. PUBLIC ROOFTOP GARDEN

5. COOLING ROOM

6. COFFEE BAR

LEGEND:

GREENERY

**ENTRANCE** 

3. COMMON BATHROOMS

4. CHANGE ROOM


2. RESTAURANT


WeWo Building
Transformation Bruggebouw-Oost
Grotiusplaats

Layout number: O1.6-01.6.6

Cayout Name: Sth Floor

Draftsman Robert-Jan Altena
Den Haag





SPACES:

1. CHANGING ROOM

5. SPORTS


2. CHANGING ROOM


6. SUN PROTECTION

3. COMMON BATHROOMS

4. TELESCOPE TRIBUNE

Project	WeWo Building Transformation Bruggebouw-Oost Grotiusplaats	Working project:	GRADUATION
1		Layout number:	01.6-01.6.7
Layout Name:	6th Floor	Draftsman	Robert-Jan Altena






Project


WeWo Building
Transformation Bruggebouw-Oost
Grotiusplaats

Layout number: 01.6-01.6.8

Draftsman Robert-Jan Altena
Den Haag

#### **ARCHICAD EDUCATION VERSION**





Project WeWo Building
Transformation Bruggebouw-Oost

Grotiusplaats

Working project:

Layout number:

**GRADUATION** 

01.6-01.6.9

Layout Name:

North topping


Draftsman

Robert-Jan Altena

Den Haag

# **ELEVATIONS**

WEST ELEVATION EAST ELEVATION





WeWo Building

Transformation Bruggebouw-Oost

Grotiusplaats

Working project:

**GRADUATION** 

Layout number:

01.7-01.7.2


Layout Name:

East elevation- Dwelling orientated

Draftsman

Robert-Jan Altena

Den Haag





Project **WeWo Building** Transformation Bruggebouw-Oost

Grotiusplaats

Working project:

**GRADUATION** 

Layout number:

01.7-01.7.3

West elevation- Office Layout Name:


orientated


Draftsman


Robert-Jan Altena Den Haag


# **SECTIONS**


CROSS CUT AXIS 12
CROSS CUT SITUATION
1:50 SECTION FLOORPLAN
1:50 CROSS SECTION
FRAGMENT - VERTICAL
FRAGMENT - HORIZONTAL

















#### **ARCHICAD EDUCATION VERSION**






## **DETAILLING**

DETAIL GIRDER - SQUARE
DETAIL GIRDER - WALKING ROUTE
DETAIL FLOOR - GALERY
DETAIL FACADE - INTERIOR WALL HORIZONTAL





Project

WeWo Building
Transformation Bruggebouw-Oost
Grotiusplaats


Layout number: O1.11-01.11.2


Detail girder - square


Working project: GRADUATION


Layout number: O1.11-01.11.2

Praftsman Robert-Jan Altena
Den Haag











Project	WeWo Building Transformation Bruggebouw-Oost
	Grotiusplaats
Working project:	GRADUATION
Layout number:	01.11-01.11.4
Layout Name:	Detail floor- galery
Draftsman	Robert-Jan Altena Den Haag






Project	WeWo Building Transformation Bruggebouw-Oost Grotiusplaats
Working project:	GRADUATION
Layout number:	01.11-01.11.5
Layout Name:	Horizontal detail facade
Draftsman	Robert-Jan Altena Den Haag


## **BUILDING TECHNOLOGY**


LOAD BEARING STRUCTURE CLIMATE


# LOAD BEARING STRUCTURE

#### **ARCHICAD EDUCATION VERSION**









THQ HOEDLIGGER THQa PETLIGGER



Project	WeWo Building	Working
	Transformation Bruggebouw-Oost	Layout n
	Grotiusplaats	Layout II

orking project: **GRADUATION** 

ebouw-Oost Layout number: 01.12.3-01.12.3.1


Layout Name: Structure new volume

Draftsman Robert-Jan Altena


Den Haag


## **CLIMATE**

CONCEPT
SEASONS
SUN ENTRANCE
FIRE PROOVING
ELECTRICITY




### **HEATING AND COOLING**










### **FIRE SAFETY**



30 minutes

Fire door

30 meters flight

Heavy rules




#### **ARCHICAD EDUCATION VERSION**


9th floor 280 panels 480 m²

5th floor 120 panels 205 m²


5th floor 58 panels 100 m²

785 m² horizontal panels







			ENERGY		
What:	Amount	m²	kWh/m²	Totally:	]
Restaurant	1	300		31200	1
Multispace	1	330	73,4	24222	
Gym	1	260	73,4	19084	
Dwellings	113	113	1925	217525	-
Work unit	113	17	61	1037	
Workspace	1	800	61	48800	
Supermark	1	110	467	51370	-
Small kiosł	1	100	109,9	10990	
Big kiosk	1	200	109,9	21980	
Leisure spa	1	400		0	
	VBG	6681	m²	426208	kWh
	BENG 25%	5		106552	kWh
				125355	Wp
5 Wp per pa	440	Panels 1900x900		1,71	m² per paneel
Totaal opp	ervlak			752	m² solar panels



# VISUALS






REPRESENTATION OF THE EAST FACADE OF THE NEW BUILDING



NEW ADDED VOLUME SEEN FROM THE SQUARE SIDE




PANORAMA FROM SQUARE AND NEW BUILDING



WEST FACADE OF THE NEW BUILDING



PLINTH, ON THE FIRST FLOOR




WORKING LIVING FLOORS (SECOND, THIRD AND FOURTH FLOOR)



THE INSIDE OF A DWELLING



VIEW OF THE ADDED MASS SEEN FROM THE FIFTH FLOOR



OVERVIEW OF THE PROJECT; WEST SIDE