Markov-based solution for information diffusion on adaptive social networks

Liu , Chuang ; Zhou, Nan; Zhan, Xiuxiu; Sun, Gui-Quan; Zhang , Zi-Ke

DOI

[10.1016/j.amc.2020.125286](https://doi.org/10.1016/j.amc.2020.125286)

Publication date

2020

Document Version

Final published version

Published in

Applied Mathematics and Computation

Citation (APA)

Liu , C., Zhou, N., Zhan, X., Sun, G-Q., & Zhang , Z-K. (2020). Markov-based solution for information diffusion on adaptive social networks. *Applied Mathematics and Computation*, 380, 1-10. [125286]. <https://doi.org/10.1016/j.amc.2020.125286>

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

Green Open Access added to TU Delft Institutional Repository

'You share, we take care!' - Taverne project

<https://www.openaccess.nl/en/you-share-we-take-care>

Otherwise as indicated in the copyright section: the publisher is the copyright holder of this work and the author uses the Dutch legislation to make this work public.

Markov-based solution for information diffusion on adaptive social networks

Chuang Liu^a, Nan Zhou^a, Xiu-Xiu Zhan^{b,*}, Gui-Quan Sun^{c,d,*}, Zi-Ke Zhang^{e,a,*}

^a Alibaba Research Center for Complexity Sciences, Hangzhou Normal University, Hangzhou 311121, PR China

^b Faculty of Electrical Engineering, Mathematics and Computer Science, Delft University of Technology, CD Delft 2628, the Netherlands

^c Department of Mathematics, North University of China, Taiyuan, Shanxi 030051, PR China

^d Complex Systems Research Center, Shanxi University, Taiyuan, Shanxi 030006, PR China

^e College of Media and International Culture, Zhejiang University, Hangzhou 310028, PR China

ARTICLE INFO

Article history:

Received 8 January 2020

Revised 6 March 2020

Accepted 5 April 2020

Keywords:

Information spreading

Adaptive social networks

Co-evolution

ABSTRACT

There is currently growing interest in modeling the information diffusion on social networks across multi-disciplines, including the prediction of the news popularity, the detection of the rumors and the influence of the epidemiological studies. Following the framework of the epidemic spreading, the information spreading models assume that information can be transmitted from the known individuals (infected) to the un-known individuals (susceptible) through the network interactions. During this process, individuals also always change their interactions which in turn will greatly influence the information spreading. In this work, we propose a mechanism considering the co-evolution between information states and network topology simultaneously, in which the information diffusion was executed as an SIS process and network topology evolved based on the adaptive assumption. The theoretical analyses based on the Markov approach were very consistent with simulation. Both simulation results and theoretical analyses indicated that the adaptive process, in which informed individuals would rewire the links between the informed neighbors to a random non-neighbor node, can enhance information diffusion (leading to much broader spreading). In addition, we obtained that two threshold values exist for the information diffusion on adaptive networks, i.e., if the information propagation probability is less than the first threshold, information cannot diffuse and dies out immediately; if the propagation probability is between the first and second threshold, information will spread to a finite range and die out gradually; and if the propagation probability is larger than the second threshold, information will diffuse to a certain size of population in the network. These results may shed some light on understanding the co-evolution between information diffusion and network topology.

© 2020 Elsevier Inc. All rights reserved.

1. Introduction

Recently, the popularity of the Internet has greatly facilitated information spreading, and many platforms have emerged as tools for information spreading, such as Facebook, Twitter, and Sina Weibo [1]. Much of the previous work on information spreading has been put forward with the purpose of uncovering how information spreads on social networks, of

* Corresponding authors at: Department of Mathematics, North University of China, Taiyuan, Shanxi 030051, PR China.

E-mail addresses: x.zhan@tudelft.nl (X.-X. Zhan), gquansun@126.com (G.-Q. Sun), zhangzike@gmail.com (Z.-K. Zhang).

finding ways to either enhance positive information spreading or control rumor diffusion [2] and of preventing the epidemic spreading based on the awareness diffusion [3,4]. The main focus can be classified as having two directions. (i) Modeling information-spreading patterns and predicting the final size of the diffusion; most of this kind of study is based on the epidemic spreading models [5], including the susceptible-infected-refractory (SIR) model [6,7], susceptible-infected-susceptible (SIS) model [8,9], and susceptible-contacted-infected-refractory (SCIR) model [10,11] for information spreading on online social media. (ii) Designing prediction algorithms [12] according to some spreading features on the actual information spreading systems, including technology transfer [13,14], knowledge dissemination [15,16], and rumor propagation [17,18].

Despite numerous achievements in the field of information diffusion, the majority of the corresponding studies focused on information diffusion independently, in which information is transmitted from informed agents to uninformed agents through the fixed interactions between them. However, the structure of the underlying network on which information spreads always changes with time, which may influence the diffusion of information spreading significantly. To date, the adaptive behaviors, which originated in epidemic spreading [19,20], are the most accepted assumption with which to illustrate these dynamic interactions, in which people may change their interactions in the network to protect themselves or others from being infected, with the general realization that such adaptive behaviors would suppress the diffusion process [21–23]. The case in information spreading would be more complicated; for example, one may sometimes contact or make mention to strangers with the purpose of spreading information or selling products on the social network, or one may also disconnect from the people who are spreading information on the network to prevent oneself from being disturbed [24,25]; these kinds of adaptive behaviors would have an adverse impact on the spreading process. Liu and Zhang [26] proposed a rewiring strategy based on the Fermi function to describe the dynamic interactions, and the simulation results indicate that this adaptive process can enhance information spreading significantly. In addition, edge-breaking [27,28] or edge temporarily deactivating [29] were also commonly used strategies for adaptive behaviors. Although information spreading on adaptive networks has attracted much attention, the theoretical analysis of the complicated dynamic process is still not very clear.

In this paper, we concentrate on the co-evolution of information states and network topology at the same time [30–32], in which information diffusion was considered an SIS process and network topology evolved based on the assumption that informed individuals would rewire the informed neighbors to a random one. ODEs based approaches have been proposed to model the spreading process previously [33–43]. However, most ODEs based models can hardly consider the network evolution. In this work, we provide the numerical solution based on the Markov-chain model, which includes the network evolution by the adjacency matrix, to describe the coupled dynamic processes. The rest of this paper is organized as follows. In Section 2, we introduce the mechanism for network evolution and the information diffusion process. In Section 3, we propose the Markov-chain model to describe the mechanism mathematically, and validate the accuracy of our mathematical model with three kinds of networks. In Section 4, we aim to find the threshold values of this model. Finally, we summarize our main results and discuss some open questions for future study in Section 5.

2. Model description

To explore the spreading pattern of social contagion processes on complex networks, we propose an SIS model with adaptive behavior. In this model, all of the individuals in the system must be in one of two discrete states: the uninformed state (defined as *S*-state) and the informed state (defined as *I*-state) that would transmit information to their *S*-state neighbors. The model is illustrated in Fig. 1, in which we consider two evolutionary processes: the contagion dynamics and network dynamics. In the contagion dynamics, an *S*-state individual may be infected (informed) by their *I*-state neighbors with probability λ and turn to the *I*-state. Simultaneously, an *I*-state individual may change to the *S*-state with the recovering rate μ . In the network dynamics, an *I*-state individual may break the edges with their *I*-state neighbors with probability m and randomly connect to a node that was not their neighbor previously. The detailed process is described as follows.

- **Initial condition:** At the initial step, we randomly select an individual and denote it as the *I*-state and all of the other nodes as the *S*-state.
- **Network dynamics:** At each time step, the *I*-state individuals would break the edges with their *I*-state neighbors with probability m , and randomly connect to a non-neighbor node.
- **Contagion dynamics:** At each time step, the *S*-state individuals could be infected by their *I*-state neighbors with probability λ , and the *I*-state individuals could change to the *S*-state with probability μ simultaneously.
- The steps are repeated until the number of *I*-state individuals in the network becomes stable.

3. Model analysis

We consider a network with N nodes, and the connections of the network are represented by the entries a_{ij} of an $N \times N$ adjacency matrix A . We denote $a_{ij} = 1$ if node i is connected with node j ; otherwise $a_{ij} = 0$. In this work, we will focus on undirected, unweighted networks, indicating $a_{ij} = a_{ji}$. The main parameters used in this work are described in Table 1. In this section, we provide the mathematical analysis of the model using the Markov approach. **Contagion Dynamics.** In the contagion process, the probability of an *S*-state individual being infected only depends on the last time step according to the Markov assumption [44]. We can derive the probability that node i is in *S*-state at time step t ($S_i(t)$) as

$$S_i(t) = S_i(t-1) + \mu[1 - S_i(t-1)] - S_i(t-1)[1 - q_i(t-1)], \quad (1)$$

Fig. 1. Diagram of the spreading model on adaptive networks. Top panel (*Network Dynamics*) shows network evolution in which *I*-state (gray node) individuals will break the link to *I*-state neighbors with probability m and reconnect to a randomly selected *S*-state individual. Bottom panel (*Spreading Dynamics*) indicates evolution of individuals information state on spreading process, where the *S*-state node would be infected with probability λ , and the *I*-state node would be recovered to *S*-state with probability μ .

Table 1
Definitions for key parameters and variables.

N	number of nodes in network
λ	propagation rate of contagion dynamics
μ	recovery rate of contagion dynamics
m	rewiring rate of network dynamics
$S_i(t)(\epsilon_i^S)$	probability that node i is in <i>S</i> state at time step t
$1 - S_i(t)(\epsilon_i^I)$	probability that node i is in <i>I</i> state at time step t
$A_{ij}(t)$	probability that node i is connected to node j at time step t
$A_{ij}(0)$	adjacent matrix of network at initial step, where $A_{ij}(0) = A$
$q_i(t)$	probability that node i is not informed at time step t
$\Lambda_{\max}(H)$	maximum eigenvalue of matrix H

where $q_i(t)$ is the probability that node i has not been infected by any neighbor nodes at time step t , which can be expressed as:

$$q_i(t) = \prod_{j=1}^N [1 - \lambda A_{ij}(t)(1 - S_j(t))]. \quad (2)$$

The first term of Eq. (1) is the probability that node i was in state *S* at time step $t - 1$, the second term represents the probability that node i was in state *I* and recovered to *S* state at time step $t - 1$, and the last term represents the probability that node i was infected just at time step $t - 1$. Thus, the fraction of the *I*-state nodes at time step t can be given as:

$$I(t) = 1 - \frac{1}{N} \sum_{i=1}^N S_i(t). \quad (3)$$

Network Dynamics. According to the network dynamics described above, the change of network structure is due to the rewiring mechanism of the *I*-state nodes in the network; thus, we only need to focus on the edges issued from the *I*-state nodes. Suppose $A_{ij}(t)$ is the probability that node i is connected with node j at time step t , where i is an *I*-state node. Therefore, we can give the expression of A_{ij} based on the master equation as follows:

$$\begin{aligned} A_{ij}(t) &= A_{ij}(t-1) \\ &- A_{ij}(t-1)(1 - S_i(t-1))(1 - S_j(t-1)) \sum_{k \neq i,j}^N \frac{1 - A_{ik}(t-1)}{N-2} \\ &+ (1 - S_i(t-1)) \frac{1 - A_{ij}(t-1)}{N-2} \sum_{k \neq i,j}^N (1 - S_k(t-1)) A_{ik}(t-1), \end{aligned} \quad (4)$$

where the first term represents the probability that link (i, j) is connected at time step $t - 1$. The second term shows the decrease of the connection probability of link (i, j) , which is the probability that two connected *I*-state nodes break the link at time step t . The third term shows the increase of the probability of link (i, j) , which is the probability that two disconnected nodes (at least one *I*-state node) connect at time step t . In the rewiring mechanism, when a node breaks a link with their neighbor, it will connect the link with another non-neighbor node in the network. Therefore, the total

Table 2

Basic statistics of networks, where N , E , C , $\langle k \rangle$, and L represent the number of nodes, number of edges, clustering coefficient, mean degree, and average path length of each network, respectively.

Network	N	E	C	$\langle k \rangle$	L
BA	5000	19986	0.0096	7.994	3.719
WS	5000	20000	0.0015	8	4.377
Emailnet	1133	5451	0.2202	9.622	3.606

Fig. 2. Evolution of fraction of I -state individuals both from simulation and mathematical results. (a1–a3) correspond to case of static networks ($m = 0$); (b1–b3) correspond to results for adaptive network ($m = 1$). Other parameters are set as $\lambda = 0.2$, $\mu = 0.1$.

number of links in the network will not change in the rewiring process. Regarding the adjacent matrix, it means that the decrease in $A_{ij}(t)$ will result in the increase of $A_{ik}(t)$ in the matrix, whereas the sum of the elements in the network remains unchanged.

In this case, the model can be described by the combination of the contagion dynamics [Eq. (1)] and the network dynamics [Eq. (4)]. To evaluate the theoretical analysis, we applied our model to three networks. (1) BA network: $m = 4$ in the BA model, where m is the number of edges for the new node [45], and the network exhibits a power-law degree distribution $p(k) \sim k^{-\gamma}$ with $\gamma = 3$. (2) WS network: rewiring each edge at random with probability $ps = 1$ based on the regular network [46]. (3) EmailNet¹: a real-world network, which is an email network characterizing the mailing behavior between individuals. For the sythetic networks, the network sizes are set as $N = 5000$ with average degree $\langle k \rangle = 8$, and the basic statistics of the three networks are given in Table 2. In Fig. 2, we show the evolution of the fraction of informed individuals both from simulation (gray dashed curves) and mathematical analysis (black solid curve). The simulation results are obtained from 100 independent realizations. From the results of the three networks, we can conclude that the mathematical approach shows good agreement with the simulation results, indicating the reasonableness of the mathematical analysis based on the Markov assumption. This conclusion is suitable for the static networks [Fig. 2(a1–a3), $m = 0$] and adaptive networks [Fig. 2(b1–b3), $m = 1$] simultaneously. In addition, we test the results from different values of λ for the three networks in the Appendix to further illustrate the accuracy of our approach. According to the rewiring mechanism in our spreading model, we can derive the exact connection probability between every node pair in each step by Eq. (4). The total probability of connectivity between node i and node j derived from our model meets the results from simulation over all the realizations. It makes sense that the numerical solution of the fraction of infected nodes located around the average of the curves from the simulation in Fig. 2. Therefore, it is reasonable that we adopt the numerical solution to further do the threshold analysis for the co-evolution model.

To illustrate the influence of the rewiring probability on information diffusion, we observed the fraction of the informed individuals with different rewiring probabilities. In this case, we set $\lambda = 0.2$ and $\mu = 0.1$, and obtain simulation and model results of the infected fraction in a steady state in Fig. 3; the simulation results are obtained by averaging over 100 in-

¹ U. rovira i virgili network dataset C KONECT (Jun. 2016).

Fig. 3. Fraction of I -state individuals at the final state as a function of m . (a) BA network; (b) WS network; (c) Emailnet network.

dependent realizations. On each network, we find that the size of information diffusion increases with increasing rewiring probability. Therefore, the rewiring mechanism can promote information spreading on different networks, and it would be a reasonable strategy to enhance the information spreading. It should be noted that a larger deviation between simulation and mathematical analysis is observed when m becomes larger. The possible reason would be that we use the connection probability to illustrate the network structure in the mathematical analysis, while the edges between two nodes only exist or do not in the simulation. Thus, the difference would emerge when the rewiring probability is large enough.

4. Threshold analysis

When the information is spreading among a population, one of the most important things to know is whether the information will break out or not, which indicates the threshold value of the corresponding dynamics. Since the network we are concerned with is an adaptive network, the threshold value of the information spreading on this network becomes more complicated than that on the static networks. Therefore, we first analyze the threshold value of information spreading on a static network (i.e., the case $m = 0$). Assuming λ_c is the critical value of the information transmission rate for fixed values of μ , when $\lambda < \lambda_c$, the final fraction of informed individuals is $I_{final} = 0$. If $\lambda > \lambda_c$, there would be a part of the population that would be informed in the system, indicating $I_{final} > 0$. Letting the probability that node i is in the I -state at time step t , $\epsilon_i^I = 1 - S_i(t - 1)$, when $\lambda \rightarrow \lambda_c$, we have $\epsilon_i^I \approx 0$, and thus we can obtain the probability that node i has not been informed at time step t [denoted $q_i(t)$] as follows:

$$\begin{aligned} q_i(t) &= \prod_{j=1}^N [1 - \lambda A_{ij}(t)(1 - S_j(t))] \\ &= \prod_{j=1}^N [1 - \lambda A_{ij}(t)\epsilon_j^I] \\ &\approx 1 - \lambda \sum_j A_{ij}(t)\epsilon_j^I. \end{aligned} \quad (5)$$

Substituting Eq. (5) into Eq. (1), we obtain

$$\mu \epsilon_i^I = \epsilon_i^S [\lambda \sum_j A_{ij}(t - 1)\epsilon_j^I]. \quad (6)$$

Furthermore, we can obtain

$$(\epsilon_i^S A_{ij} - \frac{\mu}{\lambda} E)\epsilon_j^I = 0, \quad (7)$$

where E is the identity matrix. Accordingly, the threshold value is $\lambda_c = \frac{\mu}{\Lambda_{\max}(H)}$, and the element in matrix H is $\epsilon_i^S A_{ij}$. At the critical point, we have $\epsilon_i^S \approx 1$, and thus $H \approx A_{ij}$, where $\Lambda_{\max}(H)$ is the maximum eigenvalue of H [47–51].

Therefore, the threshold value is $\lambda_{c1} = \frac{\mu}{\Lambda_{\max}(A)}$ when $m = 0$ (static network), which is defined as **the first threshold value of the model** (τ_1 in Fig. 4). However, the network is changing with the rewiring mechanism designed in our model, leading to the constantly changing threshold value. To guarantee that the information can spread out on the adaptive network, we must find the maximum value of $\lambda_{c1} = \frac{\mu}{\Lambda_{\max}(A)}$ [i.e., the minimum value of $\Lambda_{\max}(A)$]. As long as $\lambda > \max\{\lambda_{c1}\}$, the information can break out. We define $\lambda_{c2} \doteq \max\{\lambda_{c1}\}$ as **the second threshold value of the model** (τ_2 in Fig. 4). To calculate λ_{c2} , we first introduce a theorem as follows:

Theorem 1 (Gershgorin circle theorem [52]). Let A be a complex $N \times N$ matrix, with entries a_{ij} . Every eigenvalue Δ of A must lie within at least one of the following discs:

Fig. 4. Schematic of information evolution under influence of λ .

Table 3

Diffusion threshold values for the three studied networks.

Network	λ_{c1}	λ_{c2}
BA	0.00480	0.01251
WS	0.01171	0.01250
Emailnet	0.00482	0.01039

$$|\Delta - a_{ii}| \leq r_i = \sum_{j=1, j \neq i}^N |a_{ij}|, i = 1, 2, \dots, N. \quad (8)$$

With the evolution of the network structure, the value of the elements in matrix $A(t)$ (except the diagonal elements value) will lie between 0 and 1 (not equal to 0 or 1). To guarantee that information can spread out, the originating propagation rate should be greater than the maximum value of the threshold value. In addition, the upper limit of the second threshold value can be estimated by the minimum value of the maximum eigenvalue for matrix $A(t)$. According to the *Gershgorin circle theorem*, the minimum value of the maximum eigenvalue would be obtained when the adjacent matrix satisfies the following conditions: (a) the main diagonal elements of matrix A are zero, and (b) all of the row sums of matrix A are equal to the same value. It is obvious that $\max(r_i) \geq \frac{r_1 + r_2 + \dots + r_n}{n}$, and only if $r_1 = r_2 = \dots = r_n$ does $\max(r_i)$ take the minimum value $\frac{r_1 + r_2 + \dots + r_n}{n}$ (the equality holds) according to mean inequality [53]. We use Z to express the adjacent matrix A when it satisfies conditions (a) and (b). Therefore, the second threshold value of the model is $\lambda_{c2} = \frac{\mu}{\Lambda_{\max}(Z)}$. When the transmission probability $\lambda > \lambda_{c2}$, the information can always spread out to a certain number of individuals.

Fig. 4 is a schematic of the relationship between the thresholds and the fraction of I -state individuals. According to the analysis above, we can conclude that when $\lambda < \lambda_{c1}$ the information cannot spread out (the bottom part of Fig. 4, i.e., the white area). When $\lambda_{c1} < \lambda < \lambda_{c2}$ (the middle part of Fig. 4, i.e., the blue area), the information will first spread to a number of individuals, and then the fraction of I -state individuals will tend to be zero in the final state, which is a case called "slow information die-out." The top part of Fig. 4 (red area) is a case of information persistence, which means that there will be a number of individuals known about the information in the steady state when $\lambda > \lambda_{c2}$. In this case, we can give the threshold values of the model from a theoretical point, i.e., the first threshold value λ_{c1} and the second threshold value λ_{c2} . According to the theoretical computation method given above, we calculate the threshold values for the information spreading on the three networks in Table 3.

Fig. 5 is a schematic of information evolution under different values of transmission rate λ , which displays three different dynamical behaviors, i.e., information die-out, slow information die-out, and information persistence. We verify these results on the *Emailnet* network in Fig. 5 by choosing different values of λ . When $\lambda = 0.004$, which is smaller than the first threshold value of this network (i.e., 0.00482), there is no information spreading in the population [Fig. 5(a)]. However, the fraction of I -state individuals will first reach a small peak and then decrease to zero when $\lambda = 0.01$ ($\lambda_{c1} < \lambda < \lambda_{c2}$), corresponding to Fig. 5(b) (slow information die-out). When $\lambda = 0.02$ ($\lambda > \lambda_{c2}$), the evolution of the fraction of infected individuals is an S-shaped curve, corresponding to Fig. 5(c) (information persistence). Fig. 6 shows the final size of the population of informed individuals as a function of λ both for the static networks [$m = 0$, Fig. 6(a1–a3)] and adaptive networks

Fig. 5. Evolution of fraction of I -state individuals under different values of λ : (a) $\lambda = 0.004$; (b) $\lambda = 0.01$; (c) $\lambda = 0.02$.

Fig. 6. Fraction of I -state individuals at final state as a function of λ . (a1–a3) Static networks ($m = 0$); (b1–b3) adaptive networks ($m = 1$), with the inset showing three different situations: $\lambda < \lambda_{c1}$, $\lambda_{c1} < \lambda < \lambda_{c2}$, and $\lambda > \lambda_{c2}$.

[$m = 1$, Figs. 6(b1–b3), the inset of which shows three different situations: (1) $\lambda < \lambda_{c1}$, (2) $\lambda_{c1} < \lambda < \lambda_{c2}$, and (3) $\lambda > \lambda_{c2}$). The simulation results are consistent with the mathematical approach in both cases, indicating the reasonableness of the mathematical analysis.

5. Conclusions and discussion

Aiming to give a better understanding of information diffusion on adaptive networks, in this work, we built an SIS model considering the co-evolution of information states and network topology at the same time. We presented mathematical analyses to illustrate the co-evolution dynamics according to the Markov approach, and the results of both simulation and mathematical analyses show good agreement on three different networks (the BA network, WS network, and a real-world email network). According to the mathematical analyses, we found that there are two threshold values (λ_{c1} and λ_{c2}) for this model, which is different from previous studies. We validated our results by simulations using the three different networks and found that, when the spreading probability $\lambda < \lambda_{c1}$, information cannot diffuse in the system; when $\lambda_{c1} < \lambda < \lambda_{c2}$, information will first propagate to a certain number of the population and gradually become extinct; and when $\lambda > \lambda_{c2}$, there will always be a certain number of the population that knows about the information.

As a starting point, we use the discrete Markov chain model in our work to model the information spreading on adaptive networks. Future work can consider continuous Markov chain model [54], which may help to reduce the error caused by discrete calculation as well as provide a deeper understanding of the information spreading. Furthermore, we observed that information spreading with an adaptive process can increase the informed popularity. This induces us to pay more attention to information spreading on the dynamical social network, which may infect a large number of the population with adverse impact, e.g., the salt-buying panic in China caused by an earthquake in Japan and the Fukushima reactor meltdown in 2011 [55]. In a planned future study, more detailed data about information spreading on adaptive networks

will be needed to achieve in-depth understanding of the dynamics of information spreading. In conclusion, this research enhances understanding of information spreading on adaptive networks.

Acknowledgments

This work was partially supported by the Zhejiang Provincial Natural Science Foundation of China (Grant nos. LR18A050001 and LY18A050004), the National Natural Science Foundation of China (Grant nos. 61673151, 61873080 and 11671241), the Major Project of The National Social Science Fund of China (Grant no. 19ZDA324), and Outstanding Young Talents Support Plan of Shanxi province, Selective Financial Support for Scientific and Technological Activities of Overseas Students in Shanxi Province.

Appendix A

Figs. S.1 –S.3 show the evolution of the fraction of I -state individuals on the BA, WS, and Emailnet networks, respectively. For each case, we denote the label *1, *2, and *3 as $\lambda = 0.1, 0.2$, and 0.3 respectively, and a^* and b^* represent static network ($m = 0$) and adaptive network ($m = 1$), respectively.

Fig. S.1. Evolution of fraction of I -state individuals on BA network.

Fig. S.2. Evolution of fraction of I -state individuals on WS network.

Fig. S.3. Evolution of fraction of *I*-state individuals on Emailnet network.

References

- [1] Z.-K. Zhang, C. Liu, X.-X. Zhan, X. Lu, C.-X. Zhang, Y.C. Zhang, Dynamics of information diffusion and its applications on complex networks, *Phys. Rep.* 651 (2016) 1–34.
- [2] D. Trpevski, W. Tang, L. Kocarev, Model for rumor spreading over networks, *Phys. Rev. E* 81 (2010) 056102.
- [3] K.M.A. Kabir, J. Tanimotoc, Impact of awareness in metapopulation epidemic model to suppress the infected individuals for different graphs, *Eur. Phys. J. B* 92 (2019) 199.
- [4] K.M.A. Kabir, J. Tanimotoc, Analysis of epidemic outbreaks in two-layer networks with different structures for information spreading and disease diffusion, *Commun. Nonlinear Sci. Numer. Simul.* 72 (2019) 565–574.
- [5] R. Pastor-Satorras, C. Castellano, C.P.V. Mieghem, A. Vespignani, Epidemic processes in complex networks, *Rev. Mod. Phys.* 87 (2015) 925–979.
- [6] K.M.A. Kabir, J. Tanimotoc, Analysis of SIR epidemic model with information spreading of awareness, *Chaos Soliton Fract.* 119 (2019) 118–125.
- [7] K.M.A. Kabir, J. Tanimotoc, Vaccination strategies in a two-layer SIR/VCUA epidemic model with costly information and buzz effect, *Commun. Nonlinear Sci. Numer. Simul.* 76 (2019). 92–108–574
- [8] K. Saito, M. Kimura, H. Motoda, Discovering influential nodes for SIS models in social networks, in: *Proc. Int. Conf. Discovery Science*, 2009, pp. 302–316.
- [9] X.-X. Zhan, C. Liu, G. Zhou, Z.-K. Zhang, G.-Q. Sun, J.H. Zhu, Z. Jin, Coupling dynamics of epidemics spreading and information diffusion on complex networks, *Appl. Math. Comput.* 332 (2018) 437–448.
- [10] L. Sun, Y. Liu, Q.A. Zeng, et al., A novel rumor diffusion model considering the effect of truth in online social media, *Int. J. Mod. Phys. C* 26 (2015) 1550080.
- [11] F. Xiong, Y. Liu, Z. Zhang, et al., An information diffusion model based on retweeting mechanism for online social media, *Phys. Lett. A* 376 (2012) 2103–2108.
- [12] J.-T. Cheng, L. Adamic, P.A. Dow, J.M. Kleinberg, J. Leskovec, Can cascades be predicted? in: *Proc. 23rd Intel. Conf. WWW, ACM*, 2014, pp. 925–936.
- [13] T.K. Sung, D.V. Gibson, Knowledge and technology transfer: levels and key factors, *Int. J. Technol. Manag.* 29 (2000) 216–230.
- [14] A. Lema, R. Lema, Technology transfer in the clean development mechanism: insights from wind power, *Glob. Environ. Change* 23 (2013) 301–313.
- [15] N.C. Pa, R.N.H. Nor, Y.Y. Jusoh, A study on knowledge dissemination of hospital web-based application, *Int. J. Comput. Inf. Technol.* 2 (2013) 152–157.
- [16] X. Gao, W. Zhong, S. Mei, A differential game approach to information security investment under hackers' knowledge dissemination, *Oper. Res. Lett.* 41 (2013) 421–425.
- [17] J.J. Cheng, Y. Liu, B. Shen, et al., An epidemic model of rumor diffusion in online social networks, *Eur. Phys. J. B* 86 (2013) 1–7.
- [18] S. Wang, T. Terano, Detecting rumor patterns in streaming social media, *IEEE Int. Conf. Big Data* (2015) 2709–2715.
- [19] T. Gross, C.J.D. D'Lima, B. Blasius, Epidemic dynamics on an adaptive network, *Phys. Rev. Lett.* 96 (2006) 208701.
- [20] M.-F. Sun, H.-F. Zhang, H.-Y. Kang, G.-H. Zhu, X.C. Fu, Epidemic spreading on adaptively weighted scale-free network, *J. Math. Biol.* 74 (2017) 1263–1298.
- [21] K.M.A. Kabir, J. Tanimoto, Effect of information spreading to suppress the disease contagion on the epidemic vaccination game, *Chaos Soliton Fract.* 119 (2019) 180–187.
- [22] H.-F. Zhang, J.-R. Xie, M. Tang, Y.C. Lai, Suppression of epidemic spreading in complex networks by local information based behavioral responses, *Chaos* 24 (2014) 043106.
- [23] C. Liu, J.-R. Xie, H.-F. Zhang, M. Tang, Interplay between the local information based behavioral responses and the epidemic spreading in complex networks, *Chaos* 25 (2015) 103111.
- [24] L. Weng, J. Ratkiewicz, N. Perra, et al., The role of information diffusion in the evolution of social networks, in: *Proc. 19th Inter. Conf. KDD. ACM*, 2013, pp. 56–64.
- [25] C. Jiang, Y. Chen, K.J.R. Liu, Evolutionary dynamics of information diffusion over social networks, *IEEE Trans. Signal Process.* 62 (2014) 4573–4586.
- [26] C. Liu, Z.K. Zhang, Information spreading on dynamic social networks, *Commun. Nonlinear Sci. Numer. Simul.* 19 (2014) 896–904.
- [27] X.-X. Zhan, C. Liu, Z.-K. Zhang, G.Q. Sun, Roles of edge weights on epidemic spreading dynamics, *Physica A* 456 (2016) 228–234.
- [28] X.-X. Zhan, C. Liu, G.-Q. Sun, Z.K. Zhang, Epidemic dynamics on information-driven adaptive networks, *Chao Soliton Fract.* 108 (2018) 196–204.
- [29] I. Tunc, M.S. Shkarayev, L.B. Shaw, Epidemics in adaptive social networks with temporary link deactivation, *J. Stat. Phys.* 151 (2013) 355–366.
- [30] B. Kozma, A. Barrat, Consensus formation on adaptive networks, *Phys. Rev. E* 77 (2008) 016102.
- [31] B. Wang, L. Cao, H. Suzuki, K. Aihara, Epidemic spread in adaptive networks with multitype agents, *J. Phys. A-Math. Theor.* 44 (2010) 35101.
- [32] D. Guo, S. Trajanovski, R. van de Bovenkamp, H. Wang, P.V. Mieghem, Epidemic threshold and topological structure of susceptible-infectious-susceptible epidemics in adaptive networks, *Phys. Rev. E* 88 (2013) 042802.

- [33] K.M.A. Kabir, K. Kuga, J. Tanimoto, The impact of information spreading on epidemic vaccination game dynamics in a heterogeneous complex network—a theoretical approach, *Chaos Solition Fract.* 132 (2020) 109548.
- [34] M. Tanaka, J. Tanimoto, Is subsidizing vaccination with hub agent priority policy really meaningful to suppress disease spreading? *J. Theor. Biol.* 486 (2020) 110059.
- [35] M.R. Arefin, T. Masaki, K.M.A. Kabir, J. Tanimoto, Interplay between cost and effectiveness in influenza vaccination uptake: vaccination game approach, *Proc. R. Soc. A-Math. Phys.* 475 (2019) 20190608.
- [36] K.M.A. Kabir, M. Jusup, J. Tanimoto, Behavioral incentives in a vaccination-dilemma setting with optional treatment, *Phys. Rev. E* 100 (2019) 62402.
- [37] M. Alam, M. Tanaka, J. Tanimoto, A game theoretic approach to discuss the positive secondary effect of vaccination scheme in an infinite and well-mixed population, *Chaos Solition Fract.* 125 (2020) 201–213.
- [38] J. Tanimoto, *Evolutionary Games With Sociophysics: Analysis of Traffic Flow and Epidemics*, Springer, 2019.
- [39] K. Kuga, J. Tanimoto, Impact of imperfect vaccination and defense against contagion on vaccination behavior in complex networks, *J. Stat. Mech.-Theory E* 2018 (2018) 113402.
- [40] Y. Kwamura, J. Tanimoto, Realistic decision-making processes in a vaccination game, *Physica A* 494 (2018) 236–241.
- [41] Y. Ida, J. Tanimoto, Effect of noise-perturbing intermediate defense measures in voluntary vaccination games, *Chaos Solition Fract.* 106 (2018) 337–341.
- [42] E. Fukuda, J. Tanimoto, M. Akimoto, Influence of breaking the symmetry between disease transmission and information propagation networks on stepwise decisions concerning vaccination, *Chaos Solition Fract.* 80 (2015) 47–55.
- [43] J. Tanimoto, *Fundamentals of Evolutionary Game Theory and its Applications*, Springer, 2015.
- [44] A. Arenas, J. Borge-Holthoefer, S. Meloni, Y. Moreno, et al., Discrete-time Markov chain approach to contact-based disease spreading in complex networks, *Euro. Phys. Lett.* 89 (2010) 38009.
- [45] A.-L. Barabási, R. Albert, Emergence of scaling in random networks, *Science* 286 (1999) 509–512.
- [46] D.J. Watts, S.H. Strogatz, Collective dynamics in 'small-world' networks, *Nature* 393 (1998) 440–442.
- [47] B. Guerra, J. Gomez-Gardeñes, Annealed and mean-field formulations of disease dynamics on static and adaptive networks, *Phys. Rev. E* 82 (2010) 035101(R).
- [48] S. Trajanovski, D. Guo, P.V. Mieghem, From epidemics to information propagation: striking differences in structurally similar adaptive network models, *Phys. Rev. E* 92 (2015) 30801.
- [49] H. Sayama, I. Pestov, J. Schmidt, B.J. Bush, C. Wong, J. Yamanoi, T. Gross, Modeling complex systems with adaptive networks, *Comput. Math. Appl.* 65 (2013) 1645–1664.
- [50] V.K. Chandrasekar, J.H. Sheeba, B. Subash, M. Lakshmanan, J. Kurths, Adaptive coupling induced multi-stable states in complex networks, *Physica D* 267 (2014) 36–48.
- [51] I. Belykh, M. DiBernardo, J. Kurths, M. Porfiri, Evolving dynamical networks, *Physica D* 267 (2014) 1–6.
- [52] F. Bauer, Fields of values and Gershgorin disks, *Numer. Math.* 12 (1968) 91–95.
- [53] F.H. Clarke, Y.S. Ledyaev, Mean value inequalities, *Proc. Am. Math. Soc.* (1994) 1075–1083.
- [54] J. Tanimoto, *Mathematical Analysis of Environmental System*, Springer, 2014.
- [55] X. Liu, The effects of emergencies and nuclear power-related knowledge flow: from the example of Fukushima crisis, *Int. J. of Nucl. Knowl. Manag.* 5 (2011) 402–411.