











































- Systems and Control Division; 1988; Chicago, IL, USA. American Soc of Mechanical Engineers (ASME); 1988. p. 1-16.
15. External limb prostheses and external orthoses - Requirements and test methods, EN-ISO 22523.2006. (2006).
  16. Lunteren Av, Lunteren-Gerritsen GHMv. Field evaluation of below-elbow prostheses for children. Delft: Delft University of Technology; 1992. Report No.: N-400.
  17. Billock J. Upper limb prosthetic terminal devices: Hands versus hooks. Clin Prosthet and Orthot 1986; 10:7-65.
  18. O and P Business News. [news page on the Internet] 2002 [cited 2009 July 14] Available from: <http://www.oandpbiznews.com/2002w4/news.asp#2>
  19. MATLAB. R2007b. The MathWorks Inc; 2007.
  20. Herder JL, Cool JC, Plettenburg DH. Methods for reducing energy dissipation in cosmetic gloves. Journal of Rehabilitation Research and Development 1998; 35(2):201-9.
  21. Shaperman J, Setoguchi Y, Leblanc M. Upper Limb Strength of Young Limb Deficient Children as a Factor in Using Body Powered Terminal Devices-A Pilot Study. Children's Prosthet Orthot Clinics 1992; 27(3):89-96.
  22. Monod H. Contractility of muscle during prolonged static and repetitive dynamic activity. Ergonomics 1985; 28(1):1-9.
  23. Keller AD, Taylor CL, Zahm V. Studies to Determine the Functional Requirements for Hand and Arm Prosthesis. Los Angeles: Department of Engineering, University of California; 1947.
  24. LeBlanc M. Evaluation of cables vs. hydraulic transmission of forces for body-powered arm prostheses. Proceedings of the 8th Annual RESNA Conference; 1985; Washington DC. 1985. p. 71-3.
  25. Carlson L. Efficiency of Prosthetic Cable and Housing. Journal of Prosthetics and Orthotics 1995; 7(3):96-9.