

design proposal for 'An Architecture for Art' - Flemish Museum of Contemporary Art


introduction of the project

explanation of the proposal


a visual walkthrough


02 of 80

































	brief	design proposal	brief	design proposal
collection component	3032 m²	3083 m²	16408 m³	14070 m ³
exhibition component	3150 m²	3982 m²	19800 m³	23419 m ³
library and archive	1901 m²	1844 m²	7470 m ³	8417 m ³
forum there is no 'empty' forum space	3608 m²	1539 m²	25140 m ³	7053 m ³
back-office workshops	375 m²	456 m²	1688 m³	2081 m ³
back-office art handling less depot space	1531 m²	1271 m²	9748 m ³	6802 m³
back-office logistics there is no bike storage	704 m²	477 m²	3143 m ³	2177 m ³
back-office administration	727 m²	750 m²	2545 m ³	3424 m³
outdoor space forum	300 m²	281 m²		
outdoor space staff (loggia)	50 m²	55 m²		
	15378 m²	13738 m²	85942 m³	67443 m³



































'an architecture for art' interiors building cities




















DETAIL 2 | VERTICAL 1:5






DETAIL 4 | VERTICAL 1:5



DETAIL 5 | HORIZONTAL 1:5



DETAIL 6 | HORIZONTAL 1:5



landscape base

recycled concrete
base with
repurposed materials
as aggregates +
other reused
material in gabions
and as cladding



enclosed top

biobased top: bamboo cladding, bamboo window frames and hemp insulation



fixtures, fittings & furniture

aluminum fixtures and fittings: ventilation ducts, reused windows and repurpose ventilation ducts flattened to desk cladding and used as lighting fixtures



landscape base

recycled concrete
base with
repurposed materials
as aggregates +
other reused
material in gabions
and as cladding













± 27 m2 / ± 8 m3 from main entrance hall of the court of appeal





- 01 concrete prefab and in situ
 02 black colored glazed masonry
 03 'normal' brownish-grey masonry
 04 white colored glazed interior masonry
 05 red colored masonry painted white
- 03 04 \pm 8922 m3 from the structure of the \pm 567 m2 / \pm 56,7 m3 from the main
- \pm 8922 m3 from the structure of the court of appeal (rough estimation) \pm 567 m2 $/\pm$ 56,7 m3 from the main corridor, ground floor, of the court of appeal \pm 2026 m2 $/\pm$ 405 m3 from façade and interior, first and second floor, court of appeal
- \pm 645 m2 / \pm 129 m3 from the interior walls of the basement of the court of appeal








fixtures, fittings & furniture

aluminum fixtures and fittings: ventilation ducts, reused windows and repurpose ventilation ducts flattened to desk cladding and used as lighting fixtures



'an architecture for art' by René Damstra

