International Shipbuilding Progress 55 (2008) 317–319
IOS Press



# Author Index Volume 55 (2008)

The issue number is given in front of the page numbers.

Alsos, H.S., see Ehlers, S. (1,2) 127–144

Besnier, F., L. Jian, L. Murawski and M. Weryk, Evaluation of main engine and propeller excitations of ship hull and superstructure vibration (1,2) 3– 27
Biehl, F., see Ehlers, S. (1,2) 127–144
Bollero, A., see Guedes Soares, C. (1,2) 63– 85
Broekhuijsen, J., see Ehlers, S. (1,2) 127–144
Bulian, G., Time-based damaged ship survivability: A quasi-static equivalent method (3) 183–226

Chakarov, K., Y. Garbatov and C. Guedes Soares, Hot spot stress and stress concentration factors due to different fabrication imperfections in deck structures (1,2) 47– 62

Das, P.K., see Guedes Soares, C. (1,2) 1– 2
Das, P.K., see Shahid, M. (4) 281–300
Dimou, D., see Samuelides, M.S. (1,2) 145–162
Downes, J., see Guedes Soares, C. (1,2) 87–107

Ehlers, S., J. Broekhuijsen, H.S. Alsos, F. Biehl and K. Tabri, Simulating the collision response of ship side structures: A failure criteria benchmark study (1,2) 127–144

Fricke, W. and A. Kahl, Numerical and experimental investigation of weld root fatigue in fillet-welded structures (1,2) 29– 45

Garbatov, Y. and C. Guedes Soares, Corrosion wastage modeling of deteriorated bulk carrier decks (1,2) 109–125
Garbatov, Y., see Chakarov, K. (1,2) 47– 62
Guedes Soares, C. and P.K. Das, Guest-Editorial: Strength and crashworthiness of ship structures (1,2) 1– 2
Guedes Soares, C., R.M. Luís, P. Nikolov, J. Downes, M. Taczala, M. Modiga, T. Quesnel, C. Toderan and M. Samuelides, Benchmark study on the use of simplified structural codes to predict the ultimate strength of a damaged ship hull (1,2) 87–107

0020-868X/08/$17.00 © 2008 – IOS Press and the authors. All rights reserved

Guedes Soares, C., R.M. Luís, A.P. Teixeira, T. Quesnel, P.I. Nikolov, E. Steen, I.A. Khan, C. Toderan, V.D. Olaru, A. Bollero and M. Taczala, Parametric study on the collapse strength of rectangular plates with localized imperfections under in-plane compression (1,2) 63–85
Guedes Soares, C., see Garbatov, Y. (1,2) 109–125

Hu, L.-F. and K. Ma, Genetic algorithm-based counter-flooding decision support system for damaged surface warship (4) 301–315

Incecik, A., see Samuelides, M.S. (1,2) 145–162

Jian, L., see Besnier, F. (1,2) 3–27

Kahl, A., see Fricke, W. (1,2) 29–45
Khan, I.A., see Guedes Soares, C. (1,2) 63–85

Ljuština, A.M., see Senjanović, I. (4) 253–279
Luís, R.M., see Guedes Soares, C. (1,2) 63–85
Luís, R.M., see Guedes Soares, C. (1,2) 87–107

Ma, K., see Hu, L.-F. (4) 301–315
Modiga, M., see Guedes Soares, C. (1,2) 87–107
Murawski, L., see Besnier, F. (1,2) 3–27

Nikolov, P., see Guedes Soares, C. (1,2) 87–107
Nikolov, P.I., see Guedes Soares, C. (1,2) 63–85

Olaru, V.D., see Guedes Soares, C. (1,2) 63–85

Quesnel, T., see Guedes Soares, C. (1,2) 63–85
Quesnel, T., see Guedes Soares, C. (1,2) 87–107

Rudan, S., see Senjanović, I. (4) 253–279

Samuelides, M., see Guedes Soares, C. (1,2) 87–107
Samuelides, M.S., K. Tabri, A. Incecik and D. Dimou, Scenarios for the assessment of the collision behavior of ships (1,2) 145–162
Segal, A., see Segal, Z. (3) 163–181
Segal, Z. and A. Segal, Roll-damping qualities of constructive stabilizers (3) 163–181
Senjanović, I., S. Rudan and A.M. Ljuština, Remedy for misalignment of hemispherical head of bilobe cargo tank in liquefied petroleum gas carrier (4) 253–279
Shahid, M. and P.K. Das, Structural reliability and finite element methods (4) 281–300
Soares, C. Guedes, see Chakarov, K. (1,2) 47–62
Steen, E., see Guedes Soares, C. (1,2) 63–85

Tabri, K., see Ehlers, S. (1,2) 127–144
Tabri, K., see Samuelides, M.S. (1,2) 145–162
Taczala, M., see Guedes Soares, C. (1,2) 63– 85
Taczala, M., see Guedes Soares, C. (1,2) 87–107
Teixeira, A.P., see Guedes Soares, C. (1,2) 63– 85
Toderan, C., see Guedes Soares, C. (1,2) 63– 85
Toderan, C., see Guedes Soares, C. (1,2) 87–107
Toxopeus, S., Viscous-flow calculations for bare hull DARPA SUBOFF submarine at incidence (3) 227–251

Weryk, M., see Besnier, F. (1,2) 3– 27